

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



B2

(43) International Publication Date
26 July 2001 (26.07.2001)

PCT

(10) International Publication Number
WO 01/53455 A2

(51) International Patent Classification⁷: C12N

[US/US]: 4230 Ranwick Court, San Jose, CA 95118 (US).
LIU, Chenghua [CN/US]: 1125 Ranchero Way #14, San
Jose, CA 95117 (US). DRMANAC, Radoje, T. [YU/US]:
850 East Greenwich Place, Palo Alto, CA 94303 (US).

(21) International Application Number: PCT/US00/35017

(22) International Filing Date:
22 December 2000 (22.12.2000)

(74) Agent: ELRIFI, Ivor, R.; Mintz, Levin, Cohn, Ferris,
Glovsky, and Popeo, P.C., One Financial Center, Boston,
MA 02111 (US).

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
09/471,275 23 December 1999 (23.12.1999) US
09/488,725 21 January 2000 (21.01.2000) US
09/552,317 25 April 2000 (25.04.2000) US

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU,
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ,
DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR,
HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR,
LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ,
NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM,
TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(63) Related by continuation (CON) or continuation-in-part
(CIP) to earlier applications:

US 09/488,725 (CIP)
Filed on 21 January 2000 (21.01.2000)
US 09/596,196 (CIP)
Filed on 17 June 2000 (17.06.2000)
US 09/653,274 (CIP)
Filed on 31 August 2000 (31.08.2000)

(84) Designated States (*regional*): ARIPO patent (GH, GM,
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian
patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European
patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE,
IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF,
CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

— without international search report and to be republished
upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guid-
ance Notes on Codes and Abbreviations" appearing at the begin-
ning of each regular issue of the PCT Gazette.


(71) Applicant (*for all designated States except US*): HYSEQ,
INC. [US/US]: 670 Almanor Avenue, Sunnyvale, CA
94086 (US).

(72) Inventors; and

(75) Inventors/Applicants (*for US only*): TANG, Y., Tom

(54) Title: NOVEL NUCLEIC ACIDS AND POLYPEPTIDES

(57) Abstract: The present invention provides novel nucleic acids, novel polypeptide sequences encoded by these nucleic acids and
uses thereof.



WO 01/53455 A2

NOVEL NUCLEIC ACIDS AND POLYPEPTIDES

1. TECHNICAL FIELD

The present invention provides novel polynucleotides and proteins encoded by such polynucleotides, along with uses for these polynucleotides and proteins, for example in therapeutic, diagnostic and research methods.

2. BACKGROUND

Technology aimed at the discovery of protein factors (including e.g., cytokines, such as lymphokines, interferons, CSFs, chemokines, and interleukins) has matured rapidly over the past decade. The now routine hybridization cloning and expression cloning techniques clone novel polynucleotides "directly" in the sense that they rely on information directly related to the discovered protein (i.e., partial DNA/amino acid sequence of the protein in the case of hybridization cloning; activity of the protein in the case of expression cloning). More recent "indirect" cloning techniques such as signal sequence cloning, which isolates DNA sequences based on the presence of a now well-recognized secretory leader sequence motif, as well as various PCR-based or low stringency hybridization-based cloning techniques, have advanced the state of the art by making available large numbers of DNA/amino acid sequences for proteins that are known to have biological activity, for example, by virtue of their secreted nature in the case of leader sequence cloning, by virtue of their cell or tissue source in the case of PCR-based techniques, or by virtue of structural similarity to other genes of known biological activity.

Identified polynucleotide and polypeptide sequences have numerous applications in, for example, diagnostics, forensics, gene mapping; identification of mutations responsible for genetic disorders or other traits, to assess biodiversity, and to produce many other types of data and products dependent on DNA and amino acid sequences.

3. SUMMARY OF THE INVENTION

The compositions of the present invention include novel isolated polypeptides, novel isolated polynucleotides encoding such polypeptides, including recombinant DNA

molecules, cloned genes or degenerate variants thereof, especially naturally occurring variants such as allelic variants, antisense polynucleotide molecules, and antibodies that specifically recognize one or more epitopes present on such polypeptides, as well as hybridomas producing such antibodies.

5 The compositions of the present invention additionally include vectors, including expression vectors, containing the polynucleotides of the invention, cells genetically engineered to contain such polynucleotides and cells genetically engineered to express such polynucleotides.

10 The present invention relates to a collection or library of at least one novel nucleic acid sequence assembled from expressed sequence tags (ESTs) isolated mainly by sequencing by hybridization (SBH), and in some cases, sequences obtained from one or more public databases. The invention relates also to the proteins encoded by such polynucleotides, along with therapeutic, diagnostic and research utilities for these polynucleotides and proteins. These nucleic acid sequences are designated as SEQ ID NO:
15 1-739. The polypeptides sequences are designated SEQ ID NO: 740-1478. The nucleic acids and polypeptides are provided in the Sequence Listing. In the nucleic acids provided in the Sequence Listing, A is adenosine; C is cytosine; G is guanine; T is thymine; and N is any of the four bases. In the amino acids provided in the Sequence Listing, * corresponds to the stop codon.

20 The nucleic acid sequences of the present invention also include, nucleic acid sequences that hybridize to the complement of SEQ ID NO:1-739 under stringent hybridization conditions; nucleic acid sequences which are allelic variants or species homologues of any of the nucleic acid sequences recited above, or nucleic acid sequences that encode a peptide comprising a specific domain or truncation of the peptides encoded by
25 SEQ ID NO:1-739. A polynucleotide comprising a nucleotide sequence having at least 90% identity to an identifying sequence of SEQ ID NO:1-739 or a degenerate variant or fragment thereof. The identifying sequence can be 100 base pairs in length.

 The nucleic acid sequences of the present invention also include the sequence information from the nucleic acid sequences of SEQ ID NO:1-739. The sequence
30 information can be a segment of any one of SEQ ID NO:1-739 that uniquely identifies or represents the sequence information of SEQ ID NO:1-739.

and use in generation of anti-sense DNA or RNA, their chemical analogs and the like. For example, when the expression of an mRNA is largely restricted to a particular cell or tissue type, polynucleotides of the invention can be used as hybridization probes to detect the presence of the particular cell or tissue mRNA in a sample using, *e.g.*, *in situ* hybridization.

In other exemplary embodiments, the polynucleotides are used in diagnostics as expressed sequence tags for identifying expressed genes or, as well known in the art and exemplified by Vollrath et al., Science 258:52-59 (1992), as expressed sequence tags for physical mapping of the human genome.

The polypeptides according to the invention can be used in a variety of conventional procedures and methods that are currently applied to other proteins. For example, a polypeptide of the invention can be used to generate an antibody that specifically binds the polypeptide. Such antibodies, particularly monoclonal antibodies, are useful for detecting or quantitating the polypeptide in tissue. The polypeptides of the invention can also be used as molecular weight markers, and as a food supplement.

Methods are also provided for preventing, treating, or ameliorating a medical condition which comprises the step of administering to a mammalian subject a therapeutically effective amount of a composition comprising a polypeptide of the present invention and a pharmaceutically acceptable carrier.

In particular, the polypeptides and polynucleotides of the invention can be utilized, for example, in methods for the prevention and/or treatment of disorders involving aberrant protein expression or biological activity.

The present invention further relates to methods for detecting the presence of the polynucleotides or polypeptides of the invention in a sample. Such methods can, for example, be utilized as part of prognostic and diagnostic evaluation of disorders as recited herein and for the identification of subjects exhibiting a predisposition to such conditions. The invention provides a method for detecting the polynucleotides of the invention in a sample, comprising contacting the sample with a compound that binds to and forms a complex with the polynucleotide of interest for a period sufficient to form the complex and under conditions sufficient to form a complex and detecting the complex such that if a complex is detected, the polynucleotide of interest is detected. The

invention also provides a method for detecting the polypeptides of the invention in a sample comprising contacting the sample with a compound that binds to and forms a complex with the polypeptide under conditions and for a period sufficient to form the complex and detecting the formation of the complex such that if a complex is formed, the polypeptide is detected.

The invention also provides kits comprising polynucleotide probes and/or monoclonal antibodies, and optionally quantitative standards, for carrying out methods of the invention. Furthermore, the invention provides methods for evaluating the efficacy of drugs, and monitoring the progress of patients, involved in clinical trials for the treatment of disorders as recited above.

The invention also provides methods for the identification of compounds that modulate (i.e., increase or decrease) the expression or activity of the polynucleotides and/or polypeptides of the invention. Such methods can be utilized, for example, for the identification of compounds that can ameliorate symptoms of disorders as recited herein. Such methods can include, but are not limited to, assays for identifying compounds and other substances that interact with (e.g., bind to) the polypeptides of the invention. The invention provides a method for identifying a compound that binds to the polypeptides of the invention comprising contacting the compound with a polypeptide of the invention in a cell for a time sufficient to form a polypeptide/compound complex, wherein the complex drives expression of a reporter gene sequence in the cell; and detecting the complex by detecting the reporter gene sequence expression such that if expression of the reporter gene is detected the compound the binds to a polypeptide of the invention is identified.

The methods of the invention also provides methods for treatment which involve the administration of the polynucleotides or polypeptides of the invention to individuals exhibiting symptoms or tendencies. In addition, the invention encompasses methods for treating diseases or disorders as recited herein comprising administering compounds and other substances that modulate the overall activity of the target gene products. Compounds and other substances can effect such modulation either on the level of target gene/protein expression or target protein activity.

The polypeptides of the present invention and the polynucleotides encoding them are also useful for the same functions known to one of skill in the art as the polypeptides and polynucleotides to which they have homology (set forth in Table 2). If no homology is set forth for a sequence, then the polypeptides and polynucleotides of the present invention are useful for a variety of applications, as described herein, including use in arrays for detection.

4. DETAILED DESCRIPTION OF THE INVENTION

4.1 DEFINITIONS

It must be noted that as used herein and in the appended claims, the singular forms "a", "an" and "the" include plural references unless the context clearly dictates otherwise.

The term "active" refers to those forms of the polypeptide which retain the biologic and/or immunologic activities of any naturally occurring polypeptide. According to the invention, the terms "biologically active" or "biological activity" refer to a protein or peptide having structural, regulatory or biochemical functions of a naturally occurring molecule. Likewise "immunologically active" or "immunological activity" refers to the capability of the natural, recombinant or synthetic polypeptide to induce a specific immune response in appropriate animals or cells and to bind with specific antibodies.

The term "activated cells" as used in this application are those cells which are engaged in extracellular or intracellular membrane trafficking, including the export of secretory or enzymatic molecules as part of a normal or disease process.

The terms "complementary" or "complementarity" refer to the natural binding of polynucleotides by base pairing. For example, the sequence 5'-AGT-3' binds to the complementary sequence 3'-TCA-5'. Complementarity between two single-stranded molecules may be "partial" such that only some of the nucleic acids bind or it may be "complete" such that total complementarity exists between the single stranded molecules. The degree of complementarity between the nucleic acid strands has significant effects on the efficiency and strength of the hybridization between the nucleic acid strands.

The term "embryonic stem cells (ES)" refers to a cell that can give rise to many differentiated cell types in an embryo or an adult, including the germ cells. The term "germ line stem cells (GSCs)" refers to stem cells derived from primordial stem cells that provide a steady and continuous source of germ cells for the production of gametes. The term "primordial germ cells (PGCs)" refers to a small population of cells set aside from other cell lineages particularly from the yolk sac, mesenteries, or gonadal ridges during embryogenesis that have the potential to differentiate into germ cells and other cells. PGCs are the source from which GSCs and ES cells are derived. The PGCs, the GSCs and the ES cells are capable of self-renewal. Thus these cells not only populate the germ line and give rise to a plurality of terminally differentiated cells that comprise the adult specialized organs, but are able to regenerate themselves.

The term "expression modulating fragment," EMF, means a series of nucleotides which modulates the expression of an operably linked ORF or another EMF.

As used herein, a sequence is said to "modulate the expression of an operably linked sequence" when the expression of the sequence is altered by the presence of the EMF. EMFs include, but are not limited to, promoters, and promoter modulating sequences (inducible elements). One class of EMFs are nucleic acid fragments which induce the expression of an operably linked ORF in response to a specific regulatory factor or physiological event.

The terms "nucleotide sequence" or "nucleic acid" or "polynucleotide" or "oligonucleotide" are used interchangeably and refer to a heteropolymer of nucleotides or the sequence of these nucleotides. These phrases also refer to DNA or RNA of genomic or synthetic origin which may be single-stranded or double-stranded and may represent the sense or the antisense strand, to peptide nucleic acid (PNA) or to any DNA-like or RNA-like material. In the sequences herein A is adenine, C is cytosine, T is thymine, G is guanine and N is A, C, G or T (U). It is contemplated that where the polynucleotide is RNA, the T (thymine) in the sequences provided herein is substituted with U (uracil). Generally, nucleic acid segments provided by this invention may be assembled from fragments of the genome and short oligonucleotide linkers, or from a series of oligonucleotides, or from individual nucleotides, to provide a synthetic nucleic acid

which is capable of being expressed in a recombinant transcriptional unit comprising regulatory elements derived from a microbial or viral operon, or a eukaryotic gene.

The terms "oligonucleotide fragment" or a "polynucleotide fragment", "portion," or "segment" or "probe" or "primer" are used interchangeably and refer to a sequence of
5 nucleotide residues which are at least about 5 nucleotides, more preferably at least about 7 nucleotides, more preferably at least about 9 nucleotides, more preferably at least about 11 nucleotides and most preferably at least about 17 nucleotides. The fragment is preferably less than about 500 nucleotides, preferably less than about 200 nucleotides, more preferably less than about 100 nucleotides, more preferably less than about 50
10 nucleotides and most preferably less than 30 nucleotides. Preferably the probe is from about 6 nucleotides to about 200 nucleotides, preferably from about 15 to about 50 nucleotides, more preferably from about 17 to 30 nucleotides and most preferably from about 20 to 25 nucleotides. Preferably the fragments can be used in polymerase chain reaction (PCR), various hybridization procedures or microarray procedures to identify or
15 amplify identical or related parts of mRNA or DNA molecules. A fragment or segment may uniquely identify each polynucleotide sequence of the present invention. Preferably the fragment comprises a sequence substantially similar to any one of SEQ ID NOs:1-20.

Probes may, for example, be used to determine whether specific mRNA molecules are present in a cell or tissue or to isolate similar nucleic acid sequences from
20 chromosomal DNA as described by Walsh et al. (Walsh, P.S. et al., 1992, PCR Methods Appl 1:241-250). They may be labeled by nick translation, Klenow fill-in reaction, PCR, or other methods well known in the art. Probes of the present invention, their preparation and/or labeling are elaborated in Sambrook, J. et al., 1989, Molecular Cloning: A Laboratory Manual, Cold Spring Harbor Laboratory, NY; or Ausubel, F.M. et al., 1989,
25 Current Protocols in Molecular Biology, John Wiley & Sons, New York NY, both of which are incorporated herein by reference in their entirety.

The nucleic acid sequences of the present invention also include the sequence information from the nucleic acid sequences of SEQ ID NO:1-739. The sequence information can be a segment of any one of SEQ ID NO:1-739 that uniquely identifies or
30 represents the sequence information of that sequence of SEQ ID NO:1-739. One such segment can be a twenty-mer nucleic acid sequence because the probability that a twenty-

mer is fully matched in the human genome is 1 in 300. In the human genome, there are three billion base pairs in one set of chromosomes. Because 4^{20} possible twenty-mers exist, there are 300 times more twenty-mers than there are base pairs in a set of human chromosomes. Using the same analysis, the probability for a seventeen-mer to be fully
5 matched in the human genome is approximately 1 in 5. When these segments are used in arrays for expression studies, fifteen-mer segments can be used. The probability that the fifteen-mer is fully matched in the expressed sequences is also approximately one in five because expressed sequences comprise less than approximately 5% of the entire genome sequence.

10 Similarly, when using sequence information for detecting a single mismatch, a segment can be a twenty-five mer. The probability that the twenty-five mer would appear in a human genome with a single mismatch is calculated by multiplying the probability for a full match ($1 \div 4^{25}$) times the increased probability for mismatch at each nucleotide position (3×25). The probability that an eighteen mer with a single mismatch can be detected in an
15 array for expression studies is approximately one in five. The probability that a twenty-mer with a single mismatch can be detected in a human genome is approximately one in five.

The term "open reading frame," ORF, means a series of nucleotide triplets coding for amino acids without any termination codons and is a sequence translatable into protein.

20 The terms "operably linked" or "operably associated" refer to functionally related nucleic acid sequences. For example, a promoter is operably associated or operably linked with a coding sequence if the promoter controls the transcription of the coding sequence. While operably linked nucleic acid sequences can be contiguous and in the same reading frame, certain genetic elements e.g. repressor genes are not contiguously
25 linked to the coding sequence but still control transcription/translation of the coding sequence.

The term "pluripotent" refers to the capability of a cell to differentiate into a number of differentiated cell types that are present in an adult organism. A pluripotent cell is restricted in its differentiation capability in comparison to a totipotent cell.

30 The terms "polypeptide" or "peptide" or "amino acid sequence" refer to an oligopeptide, peptide, polypeptide or protein sequence or fragment thereof and to

naturally occurring or synthetic molecules. A polypeptide "fragment," "portion," or "segment" is a stretch of amino acid residues of at least about 5 amino acids, preferably at least about 7 amino acids, more preferably at least about 9 amino acids and most preferably at least about 17 or more amino acids. The peptide preferably is not greater than about 200 amino acids, more preferably less than 150 amino acids and most preferably less than 100 amino acids. Preferably the peptide is from about 5 to about 200 amino acids. To be active, any polypeptide must have sufficient length to display biological and/or immunological activity.

The term "naturally occurring polypeptide" refers to polypeptides produced by cells that have not been genetically engineered and specifically contemplates various polypeptides arising from post-translational modifications of the polypeptide including, but not limited to, acetylation, carboxylation, glycosylation, phosphorylation, lipidation and acylation.

The term "translated protein coding portion" means a sequence which encodes for the full length protein which may include any leader sequence or any processing sequence.

The term "mature protein coding sequence" means a sequence which encodes a peptide or protein without a signal or leader sequence. The "mature protein portion" means that portion of the protein which does not include a signal or leader sequence. The peptide may have been produced by processing in the cell which removes any leader/signal sequence. The mature protein portion may or may not include the initial methionine residue. The methionine residue may be removed from the protein during processing in the cell. The peptide may be produced synthetically or the protein may have been produced using a polynucleotide only encoding for the mature protein coding sequence.

The term "derivative" refers to polypeptides chemically modified by such techniques as ubiquitination, labeling (e.g., with radionuclides or various enzymes), covalent polymer attachment such as pegylation (derivatization with polyethylene glycol) and insertion or substitution by chemical synthesis of amino acids such as ornithine, which do not normally occur in human proteins.

The term "variant" (or "analog") refers to any polypeptide differing from naturally occurring polypeptides by amino acid insertions, deletions, and substitutions, created using, *e.g.*, recombinant DNA techniques. Guidance in determining which amino acid residues may be replaced, added or deleted without abolishing activities of interest, may be found by comparing the sequence of the particular polypeptide with that of homologous peptides and minimizing the number of amino acid sequence changes made in regions of high homology (conserved regions) or by replacing amino acids with consensus sequence.

Alternatively, recombinant variants encoding these same or similar polypeptides may be synthesized or selected by making use of the "redundancy" in the genetic code. Various codon substitutions, such as the silent changes which produce various restriction sites, may be introduced to optimize cloning into a plasmid or viral vector or expression in a particular prokaryotic or eukaryotic system. Mutations in the polynucleotide sequence may be reflected in the polypeptide or domains of other peptides added to the polypeptide to modify the properties of any part of the polypeptide, to change characteristics such as ligand-binding affinities, interchain affinities, or degradation/turnover rate.

Preferably, amino acid "substitutions" are the result of replacing one amino acid with another amino acid having similar structural and/or chemical properties, *i.e.*, conservative amino acid replacements. "Conservative" amino acid substitutions may be made on the basis of similarity in polarity, charge, solubility, hydrophobicity, hydrophilicity, and/or the amphipathic nature of the residues involved. For example, nonpolar (hydrophobic) amino acids include alanine, leucine, isoleucine, valine, proline, phenylalanine, tryptophan, and methionine; polar neutral amino acids include glycine, serine, threonine, cysteine, tyrosine, asparagine, and glutamine; positively charged (basic) amino acids include arginine, lysine, and histidine; and negatively charged (acidic) amino acids include aspartic acid and glutamic acid. "Insertions" or "deletions" are preferably in the range of about 1 to 20 amino acids, more preferably 1 to 10 amino acids. The variation allowed may be experimentally determined by systematically making insertions, deletions, or substitutions of amino acids in a polypeptide molecule using recombinant DNA techniques and assaying the resulting recombinant variants for activity.

Alternatively, where alteration of function is desired, insertions, deletions or non-conservative alterations can be engineered to produce altered polypeptides. Such alterations can, for example, alter one or more of the biological functions or biochemical characteristics of the polypeptides of the invention. For example, such alterations may
5 change polypeptide characteristics such as ligand-binding affinities, interchain affinities, or degradation/turnover rate. Further, such alterations can be selected so as to generate polypeptides that are better suited for expression, scale up and the like in the host cells chosen for expression. For example, cysteine residues can be deleted or substituted with another amino acid residue in order to eliminate disulfide bridges.

10 The terms "purified" or "substantially purified" as used herein denotes that the indicated nucleic acid or polypeptide is present in the substantial absence of other biological macromolecules, *e.g.*, polynucleotides, proteins, and the like. In one embodiment, the polynucleotide or polypeptide is purified such that it constitutes at least 95% by weight, more preferably at least 99% by weight, of the indicated biological
15 macromolecules present (but water, buffers, and other small molecules, especially molecules having a molecular weight of less than 1000 daltons, can be present).

The term "isolated" as used herein refers to a nucleic acid or polypeptide separated from at least one other component (*e.g.*, nucleic acid or polypeptide) present with the nucleic acid or polypeptide in its natural source. In one embodiment, the nucleic
20 acid or polypeptide is found in the presence of (if anything) only a solvent, buffer, ion, or other component normally present in a solution of the same. The terms "isolated" and "purified" do not encompass nucleic acids or polypeptides present in their natural source.

The term "recombinant," when used herein to refer to a polypeptide or protein, means that a polypeptide or protein is derived from recombinant (*e.g.*, microbial, insect,
25 or mammalian) expression systems. "Microbial" refers to recombinant polypeptides or proteins made in bacterial or fungal (*e.g.*, yeast) expression systems. As a product, "recombinant microbial" defines a polypeptide or protein essentially free of native endogenous substances and unaccompanied by associated native glycosylation. Polypeptides or proteins expressed in most bacterial cultures, *e.g.*, *E. coli*, will be free of
30 glycosylation modifications; polypeptides or proteins expressed in yeast will have a glycosylation pattern in general different from those expressed in mammalian cells.

The term "recombinant expression vehicle or vector" refers to a plasmid or phage or virus or vector, for expressing a polypeptide from a DNA (RNA) sequence. An expression vehicle can comprise a transcriptional unit comprising an assembly of (1) a genetic element or elements having a regulatory role in gene expression, for example, promoters or enhancers, (2) a structural or coding sequence which is transcribed into mRNA and translated into protein, and (3) appropriate transcription initiation and termination sequences. Structural units intended for use in yeast or eukaryotic expression systems preferably include a leader sequence enabling extracellular secretion of translated protein by a host cell. Alternatively, where recombinant protein is expressed without a leader or transport sequence, it may include an amino terminal methionine residue. This residue may or may not be subsequently cleaved from the expressed recombinant protein to provide a final product.

The term "recombinant expression system" means host cells which have stably integrated a recombinant transcriptional unit into chromosomal DNA or carry the recombinant transcriptional unit extrachromosomally. Recombinant expression systems as defined herein will express heterologous polypeptides or proteins upon induction of the regulatory elements linked to the DNA segment or synthetic gene to be expressed. This term also means host cells which have stably integrated a recombinant genetic element or elements having a regulatory role in gene expression, for example, promoters or enhancers. Recombinant expression systems as defined herein will express polypeptides or proteins endogenous to the cell upon induction of the regulatory elements linked to the endogenous DNA segment or gene to be expressed. The cells can be prokaryotic or eukaryotic.

The term "secreted" includes a protein that is transported across or through a membrane, including transport as a result of signal sequences in its amino acid sequence when it is expressed in a suitable host cell. "Secreted" proteins include without limitation proteins secreted wholly (*e.g.*, soluble proteins) or partially (*e.g.*, receptors) from the cell in which they are expressed. "Secreted" proteins also include without limitation proteins that are transported across the membrane of the endoplasmic reticulum. "Secreted" proteins are also intended to include proteins containing non-typical signal sequences (*e.g.* Interleukin-1 Beta, see Krasney, P.A. and Young, P.R. (1992) Cytokine 4(2):134

-143) and factors released from damaged cells (e.g. Interleukin-1 Receptor Antagonist, see Arend, W.P. et. al. (1998) Annu. Rev. Immunol. 16:27-55)

Where desired, an expression vector may be designed to contain a "signal or leader sequence" which will direct the polypeptide through the membrane of a cell. Such a sequence may be naturally present on the polypeptides of the present invention or provided from heterologous protein sources by recombinant DNA techniques.

The term "stringent" is used to refer to conditions that are commonly understood in the art as stringent. Stringent conditions can include highly stringent conditions (i.e., hybridization to filter-bound DNA in 0.5 M NaHPO₄, 7% sodium dodecyl sulfate (SDS), 1 mM EDTA at 65°C, and washing in 0.1X SSC/0.1% SDS at 68°C), and moderately stringent conditions (i.e., washing in 0.2X SSC/0.1% SDS at 42°C). Other exemplary hybridization conditions are described herein in the examples.

In instances of hybridization of deoxyoligonucleotides, additional exemplary stringent hybridization conditions include washing in 6X SSC/0.05% sodium pyrophosphate at 37°C (for 14-base oligonucleotides), 48°C (for 17-base oligos), 55°C (for 20-base oligonucleotides), and 60°C (for 23-base oligonucleotides).

As used herein, "substantially equivalent" can refer both to nucleotide and amino acid sequences, for example a mutant sequence, that varies from a reference sequence by one or more substitutions, deletions, or additions, the net effect of which does not result in an adverse functional dissimilarity between the reference and subject sequences. Typically, such a substantially equivalent sequence varies from one of those listed herein by no more than about 35% (i.e., the number of individual residue substitutions, additions, and/or deletions in a substantially equivalent sequence, as compared to the corresponding reference sequence, divided by the total number of residues in the substantially equivalent sequence is about 0.35 or less). Such a sequence is said to have 65% sequence identity to the listed sequence. In one embodiment, a substantially equivalent, e.g., mutant, sequence of the invention varies from a listed sequence by no more than 30% (70% sequence identity); in a variation of this embodiment, by no more than 25% (75% sequence identity); and in a further variation of this embodiment, by no more than 20% (80% sequence identity) and in a further variation of this embodiment, by no more than 10% (90% sequence identity) and in a further variation of this embodiment,

by no more than 5% (95% sequence identity). Substantially equivalent, *e.g.*, mutant, amino acid sequences according to the invention preferably have at least 80% sequence identity with a listed amino acid sequence, more preferably at least 90% sequence identity. Substantially equivalent nucleotide sequences of the invention can have lower percent sequence identities, taking into account, for example, the redundancy or degeneracy of the genetic code. Preferably, nucleotide sequence has at least about 65% identity, more preferably at least about 75% identity, and most preferably at least about 95% identity. For the purposes of the present invention, sequences having substantially equivalent biological activity and substantially equivalent expression characteristics are considered substantially equivalent. For the purposes of determining equivalence, truncation of the mature sequence (*e.g.*, via a mutation which creates a spurious stop codon) should be disregarded. Sequence identity may be determined, *e.g.*, using the Jotun Hein method (Hein, J. (1990) *Methods Enzymol.* 183:626-645). Identity between sequences can also be determined by other methods known in the art, *e.g.* by varying hybridization conditions.

The term "totipotent" refers to the capability of a cell to differentiate into all of the cell types of an adult organism.

The term "transformation" means introducing DNA into a suitable host cell so that the DNA is replicable, either as an extrachromosomal element, or by chromosomal integration. The term "transfection" refers to the taking up of an expression vector by a suitable host cell, whether or not any coding sequences are in fact expressed. The term "infection" refers to the introduction of nucleic acids into a suitable host cell by use of a virus or viral vector.

As used herein, an "uptake modulating fragment," UMF, means a series of nucleotides which mediate the uptake of a linked DNA fragment into a cell. UMFs can be readily identified using known UMFs as a target sequence or target motif with the computer-based systems described below. The presence and activity of a UMF can be confirmed by attaching the suspected UMF to a marker sequence. The resulting nucleic acid molecule is then incubated with an appropriate host under appropriate conditions and the uptake of the marker sequence is determined. As described above, a UMF will increase the frequency of uptake of a linked marker sequence.

Each of the above terms is meant to encompass all that is described for each, unless the context dictates otherwise.

4.2 NUCLEIC ACIDS OF THE INVENTION

5 Nucleotide sequences of the invention are set forth in the Sequence Listing.

The isolated polynucleotides of the invention include a polynucleotide comprising the nucleotide sequences of SEQ ID NO:1-739 ; a polynucleotide encoding any one of the peptide sequences of SEQ ID NO:740-1478; and a polynucleotide comprising the nucleotide sequence encoding the mature protein coding sequence of the polypeptides of
10 any one of SEQ ID NO:740-1478. The polynucleotides of the present invention also include, but are not limited to, a polynucleotide that hybridizes under stringent conditions to (a) the complement of any of the nucleotides sequences of SEQ ID NO:1-739 ; (b) nucleotide sequences encoding any one of the amino acid sequences set forth in the Sequence Listing; (c) a polynucleotide which is an allelic variant of any polynucleotide
15 recited above; (d) a polynucleotide which encodes a species homolog of any of the proteins recited above; or (e) a polynucleotide that encodes a polypeptide comprising a specific domain or truncation of the polypeptides of SEQ ID NO: 740-1478. Domains of interest may depend on the nature of the encoded polypeptide; e.g., domains in receptor-like polypeptides include ligand-binding, extracellular, transmembrane, or cytoplasmic
20 domains, or combinations thereof; domains in immunoglobulin-like proteins include the variable immunoglobulin-like domains; domains in enzyme-like polypeptides include catalytic and substrate binding domains; and domains in ligand polypeptides include receptor-binding domains.

The polynucleotides of the invention include naturally occurring or wholly or
25 partially synthetic DNA, e.g., cDNA and genomic DNA, and RNA, e.g., mRNA. The polynucleotides may include all of the coding region of the cDNA or may represent a portion of the coding region of the cDNA.

The present invention also provides genes corresponding to the cDNA sequences disclosed herein. The corresponding genes can be isolated in accordance with known
30 methods using the sequence information disclosed herein. Such methods include the preparation of probes or primers from the disclosed sequence information for identification

and/or amplification of genes in appropriate genomic libraries or other sources of genomic materials. Further 5' and 3' sequence can be obtained using methods known in the art. For example, full length cDNA or genomic DNA that corresponds to any of the polynucleotides of SEQ ID NO:1-739 can be obtained by screening appropriate cDNA or genomic DNA libraries under suitable hybridization conditions using any of the polynucleotides of SEQ ID NO:1-739 or a portion thereof as a probe. Alternatively, the polynucleotides of SEQ ID NO:1-739 may be used as the basis for suitable primer(s) that allow identification and/or amplification of genes in appropriate genomic DNA or cDNA libraries.

The nucleic acid sequences of the invention can be assembled from ESTs and sequences (including cDNA and genomic sequences) obtained from one or more public databases, such as dbEST, gbpi, and UniGene. The EST sequences can provide identifying sequence information, representative fragment or segment information, or novel segment information for the full-length gene.

The polynucleotides of the invention also provide polynucleotides including nucleotide sequences that are substantially equivalent to the polynucleotides recited above. Polynucleotides according to the invention can have, *e.g.*, at least about 65%, at least about 70%, at least about 75%, at least about 80%, more typically at least about 90%, and even more typically at least about 95%, sequence identity to a polynucleotide recited above.

Included within the scope of the nucleic acid sequences of the invention are nucleic acid sequence fragments that hybridize under stringent conditions to any of the nucleotide sequences of SEQ ID NO:1-739, or complements thereof, which fragment is greater than about 5 nucleotides, preferably 7 nucleotides, more preferably greater than 9 nucleotides and most preferably greater than 17 nucleotides. Fragments of, *e.g.* 15, 17, or 20 nucleotides or more that are selective for (*i.e.* specifically hybridize to any one of the polynucleotides of the invention) are contemplated. Probes capable of specifically hybridizing to a polynucleotide can differentiate polynucleotide sequences of the invention from other polynucleotide sequences in the same family of genes or can differentiate human genes from genes of other species, and are preferably based on unique nucleotide sequences.

The sequences falling within the scope of the present invention are not limited to these specific sequences, but also include allelic and species variations thereof. Allelic and species variations can be routinely determined by comparing the sequence provided SEQ ID NO:1-739, a representative fragment thereof, or a nucleotide sequence at least 90%

5 identical, preferably 95% identical, to SEQ ID NO:1-739 with a sequence from another isolate of the same species. Furthermore, to accommodate codon variability, the invention includes nucleic acid molecules coding for the same amino acid sequences as do the specific ORFs disclosed herein. In other words, in the coding region of an ORF, substitution of one codon for another codon that encodes the same amino acid is expressly contemplated.

10 The nearest neighbor or homology result for the nucleic acids of the present invention, including SEQ ID NO:1-739, can be obtained by searching a database using an algorithm or a program. Preferably, a BLAST which stands for Basic Local Alignment Search Tool is used to search for local sequence alignments (Altshul, S.F. J Mol. Evol. 36 290-300 (1993) and Altschul S.F. et al. J. Mol. Biol. 21:403-410 (1990)). Alternatively a
15 FASTA version 3 search against Genpept, using Fastxy algorithm.

Species homologs (or orthologs) of the disclosed polynucleotides and proteins are also provided by the present invention. Species homologs may be isolated and identified by making suitable probes or primers from the sequences provided herein and screening a suitable nucleic acid source from the desired species.

20 The invention also encompasses allelic variants of the disclosed polynucleotides or proteins; that is, naturally-occurring alternative forms of the isolated polynucleotide which also encode proteins which are identical, homologous or related to that encoded by the polynucleotides.

The nucleic acid sequences of the invention are further directed to sequences
25 which encode variants of the described nucleic acids. These amino acid sequence variants may be prepared by methods known in the art by introducing appropriate nucleotide changes into a native or variant polynucleotide. There are two variables in the construction of amino acid sequence variants: the location of the mutation and the nature of the mutation. Nucleic acids encoding the amino acid sequence variants are preferably
30 constructed by mutating the polynucleotide to encode an amino acid sequence that does not occur in nature. These nucleic acid alterations can be made at sites that differ in the

nucleic acids from different species (variable positions) or in highly conserved regions (constant regions). Sites at such locations will typically be modified in series, *e.g.*, by substituting first with conservative choices (*e.g.*, hydrophobic amino acid to a different hydrophobic amino acid) and then with more distant choices (*e.g.*, hydrophobic amino acid to a charged amino acid), and then deletions or insertions may be made at the target site. Amino acid sequence deletions generally range from about 1 to 30 residues, preferably about 1 to 10 residues, and are typically contiguous. Amino acid insertions include amino- and/or carboxyl-terminal fusions ranging in length from one to one hundred or more residues, as well as intrasequence insertions of single or multiple amino acid residues. Intrasequence insertions may range generally from about 1 to 10 amino residues, preferably from 1 to 5 residues. Examples of terminal insertions include the heterologous signal sequences necessary for secretion or for intracellular targeting in different host cells and sequences such as FLAG or poly-histidine sequences useful for purifying the expressed protein.

In a preferred method, polynucleotides encoding the novel amino acid sequences are changed via site-directed mutagenesis. This method uses oligonucleotide sequences to alter a polynucleotide to encode the desired amino acid variant, as well as sufficient adjacent nucleotides on both sides of the changed amino acid to form a stable duplex on either side of the site of being changed. In general, the techniques of site-directed mutagenesis are well known to those of skill in the art and this technique is exemplified by publications such as, Edelman et al., *DNA* 2:183 (1983). A versatile and efficient method for producing site-specific changes in a polynucleotide sequence was published by Zoller and Smith, *Nucleic Acids Res.* 10:6487-6500 (1982). PCR may also be used to create amino acid sequence variants of the novel nucleic acids. When small amounts of template DNA are used as starting material, primer(s) that differs slightly in sequence from the corresponding region in the template DNA can generate the desired amino acid variant. PCR amplification results in a population of product DNA fragments that differ from the polynucleotide template encoding the polypeptide at the position specified by the primer. The product DNA fragments replace the corresponding region in the plasmid and this gives a polynucleotide encoding the desired amino acid variant.

A further technique for generating amino acid variants is the cassette mutagenesis technique described in Wells et al., *Gene* 34:315 (1985); and other mutagenesis techniques well known in the art, such as, for example, the techniques in Sambrook et al., supra, and *Current Protocols in Molecular Biology*, Ausubel et al. Due to the inherent
5 degeneracy of the genetic code, other DNA sequences which encode substantially the same or a functionally equivalent amino acid sequence may be used in the practice of the invention for the cloning and expression of these novel nucleic acids. Such DNA sequences include those which are capable of hybridizing to the appropriate novel nucleic acid sequence under stringent conditions.

10 Polynucleotides encoding preferred polypeptide truncations of the invention can be used to generate polynucleotides encoding chimeric or fusion proteins comprising one or more domains of the invention and heterologous protein sequences.

The polynucleotides of the invention additionally include the complement of any of the polynucleotides recited above. The polynucleotide can be DNA (genomic, cDNA,
15 amplified, or synthetic) or RNA. Methods and algorithms for obtaining such polynucleotides are well known to those of skill in the art and can include, for example, methods for determining hybridization conditions that can routinely isolate polynucleotides of the desired sequence identities.

In accordance with the invention, polynucleotide sequences comprising the
20 mature protein coding sequences corresponding to any one of SEQ ID NO:1-739, or functional equivalents thereof, may be used to generate recombinant DNA molecules that direct the expression of that nucleic acid, or a functional equivalent thereof, in appropriate host cells. Also included are the cDNA inserts of any of the clones identified herein.

25 A polynucleotide according to the invention can be joined to any of a variety of other nucleotide sequences by well-established recombinant DNA techniques (see Sambrook J et al. (1989) *Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor Laboratory, NY). Useful nucleotide sequences for joining to polynucleotides include an assortment of vectors, e.g., plasmids, cosmids, lambda phage derivatives, phagemids, and
30 the like, that are well known in the art. Accordingly, the invention also provides a vector including a polynucleotide of the invention and a host cell containing the polynucleotide.

In general, the vector contains an origin of replication functional in at least one organism, convenient restriction endonuclease sites, and a selectable marker for the host cell.

Vectors according to the invention include expression vectors, replication vectors, probe generation vectors, and sequencing vectors. A host cell according to the invention can be a prokaryotic or eukaryotic cell and can be a unicellular organism or part of a multicellular organism.

The present invention further provides recombinant constructs comprising a nucleic acid having any of the nucleotide sequences of SEQ ID NO:1-739 or a fragment thereof or any other polynucleotides of the invention. In one embodiment, the recombinant constructs of the present invention comprise a vector, such as a plasmid or viral vector, into which a nucleic acid having any of the nucleotide sequences of SEQ ID NO:1-739 or a fragment thereof is inserted, in a forward or reverse orientation. In the case of a vector comprising one of the ORFs of the present invention, the vector may further comprise regulatory sequences, including for example, a promoter, operably linked to the ORF. Large numbers of suitable vectors and promoters are known to those of skill in the art and are commercially available for generating the recombinant constructs of the present invention. The following vectors are provided by way of example. Bacterial: pBs, phagescript, PsiX174, pBluescript SK, pBs KS, pNH8a, pNH16a, pNH18a, pNH46a (Stratagene); pTrec99A, pKK223-3, pDR540, pRIT5 (Pharmacia). Eukaryotic: pWLneo, pSV2cat, pOG44, PXTI, pSG (Stratagene) pSVK3, pBPV, pMSG, pSVL (Pharmacia).

The isolated polynucleotide of the invention may be operably linked to an expression control sequence such as the pMT2 or pED expression vectors disclosed in Kaufman et al., *Nucleic Acids Res.* 19, 4485-4490 (1991), in order to produce the protein recombinantly. Many suitable expression control sequences are known in the art. General methods of expressing recombinant proteins are also known and are exemplified in R. Kaufman, *Methods in Enzymology* 185, 537-566 (1990). As defined herein "operably linked" means that the isolated polynucleotide of the invention and an expression control sequence are situated within a vector or cell in such a way that the protein is expressed by a host cell which has been transformed (transfected) with the ligated polynucleotide/expression control sequence.

Promoter regions can be selected from any desired gene using CAT (chloramphenicol transferase) vectors or other vectors with selectable markers. Two appropriate vectors are pKK232-8 and pCM7. Particular named bacterial promoters include lacI, lacZ, T3, T7, gpt, lambda PR, and trc. Eukaryotic promoters include CMV immediate early, HSV thymidine kinase, early and late SV40, LTRs from retrovirus, and mouse metallothionein-I. Selection of the appropriate vector and promoter is well within the level of ordinary skill in the art. Generally, recombinant expression vectors will include origins of replication and selectable markers permitting transformation of the host cell, *e.g.*, the ampicillin resistance gene of *E. coli* and *S. cerevisiae* TRP1 gene, and a promoter derived from a highly-expressed gene to direct transcription of a downstream structural sequence. Such promoters can be derived from operons encoding glycolytic enzymes such as 3-phosphoglycerate kinase (PGK), α -factor, acid phosphatase, or heat shock proteins, among others. The heterologous structural sequence is assembled in appropriate phase with translation initiation and termination sequences, and preferably, a leader sequence capable of directing secretion of translated protein into the periplasmic space or extracellular medium. Optionally, the heterologous sequence can encode a fusion protein including an amino terminal identification peptide imparting desired characteristics, *e.g.*, stabilization or simplified purification of expressed recombinant product. Useful expression vectors for bacterial use are constructed by inserting a structural DNA sequence encoding a desired protein together with suitable translation initiation and termination signals in operable reading phase with a functional promoter. The vector will comprise one or more phenotypic selectable markers and an origin of replication to ensure maintenance of the vector and to, if desirable, provide amplification within the host. Suitable prokaryotic hosts for transformation include *E. coli*, *Bacillus subtilis*, *Salmonella typhimurium* and various species within the genera *Pseudomonas*, *Streptomyces*, and *Staphylococcus*, although others may also be employed as a matter of choice.

As a representative but non-limiting example, useful expression vectors for bacterial use can comprise a selectable marker and bacterial origin of replication derived from commercially available plasmids comprising genetic elements of the well known cloning vector pBR322 (ATCC 37017). Such commercial vectors include, for example,

pKK223-3 (Pharmacia Fine Chemicals, Uppsala, Sweden) and GEM 1 (Promega Biotech, Madison, WI, USA). These pBR322 "backbone" sections are combined with an appropriate promoter and the structural sequence to be expressed. Following transformation of a suitable host strain and growth of the host strain to an appropriate cell density, the selected promoter is induced or derepressed by appropriate means (*e.g.*, temperature shift or chemical induction) and cells are cultured for an additional period. Cells are typically harvested by centrifugation, disrupted by physical or chemical means, and the resulting crude extract retained for further purification.

Polynucleotides of the invention can also be used to induce immune responses. For example, as described in Fan et al., *Nat. Biotech.* 17:870-872 (1999), incorporated herein by reference, nucleic acid sequences encoding a polypeptide may be used to generate antibodies against the encoded polypeptide following topical administration of naked plasmid DNA or following injection, and preferably intramuscular injection of the DNA. The nucleic acid sequences are preferably inserted in a recombinant expression vector and may be in the form of naked DNA.

4.3 ANTISENSE

Another aspect of the invention pertains to isolated antisense nucleic acid molecules that are hybridizable to or complementary to the nucleic acid molecule comprising the nucleotide sequence of SEQ ID NO:1-739, or fragments, analogs or derivatives thereof. An "antisense" nucleic acid comprises a nucleotide sequence that is complementary to a "sense" nucleic acid encoding a protein, *e.g.*, complementary to the coding strand of a double-stranded cDNA molecule or complementary to an mRNA sequence. In specific aspects, antisense nucleic acid molecules are provided that comprise a sequence complementary to at least about 10, 25, 50, 100, 250 or 500 nucleotides or an entire coding strand, or to only a portion thereof. Nucleic acid molecules encoding fragments, homologs, derivatives and analogs of a protein of any of SEQ ID NO:740-1478 or antisense nucleic acids complementary to a nucleic acid sequence of SEQ ID NO:1-739 are additionally provided.

In one embodiment, an antisense nucleic acid molecule is antisense to a "coding region" of the coding strand of a nucleotide sequence of the invention. The term "coding

region" refers to the region of the nucleotide sequence comprising codons which are translated into amino acid residues. In another embodiment, the antisense nucleic acid molecule is antisense to a "noncoding region" of the coding strand of a nucleotide sequence of the invention. The term "noncoding region" refers to 5' and 3' sequences which flank the coding region that are not translated into amino acids (*i.e.*, also referred to as 5' and 3' untranslated regions).

Given the coding strand sequences encoding a nucleic acid disclosed herein (*e.g.*, SEQ ID NO:1-739), antisense nucleic acids of the invention can be designed according to the rules of Watson and Crick or Hoogsteen base pairing. The antisense nucleic acid molecule can be complementary to the entire coding region of a mRNA, but more preferably is an oligonucleotide that is antisense to only a portion of the coding or noncoding region of a mRNA. For example, the antisense oligonucleotide can be complementary to the region surrounding the translation start site of a mRNA. An antisense oligonucleotide can be, for example, about 5, 10, 15, 20, 25, 30, 35, 40, 45 or 50 nucleotides in length. An antisense nucleic acid of the invention can be constructed using chemical synthesis or enzymatic ligation reactions using procedures known in the art. For example, an antisense nucleic acid (*e.g.*, an antisense oligonucleotide) can be chemically synthesized using naturally occurring nucleotides or variously modified nucleotides designed to increase the biological stability of the molecules or to increase the physical stability of the duplex formed between the antisense and sense nucleic acids, *e.g.*, phosphorothioate derivatives and acridine substituted nucleotides can be used.

Examples of modified nucleotides that can be used to generate the antisense nucleic acid include: 5-fluorouracil, 5-bromouracil, 5-chlorouracil, 5-iodouracil, hypoxanthine, xanthine, 4-acetylcytosine, 5-(carboxyhydroxymethyl) uracil, 5-carboxymethylaminomethyl-2-thiouridine, 5-carboxymethylaminomethyluracil, dihydrouracil, beta-D-galactosylqueosine, inosine, N6-isopentenyladenine, 1-methylguanine, 1-methylinosine, 2,2-dimethylguanine, 2-methyladenine, 2-methylguanine, 3-methylcytosine, 5-methylcytosine, N6-adenine, 7-methylguanine, 5-methylaminomethyluracil, 5-methoxyaminomethyl-2-thiouracil, beta-D-mannosylqueosine, 5'-methoxycarboxymethyluracil, 5-methoxyuracil, 2-methylthio-N6-isopentenyladenine, uracil-5-oxyacetic acid (*v*), wybutoxosine,

pseudouracil, queosine, 2-thiocytosine, 5-methyl-2-thiouracil, 2-thiouracil, 4-thiouracil, 5-methyluracil, uracil-5-oxyacetic acid methylester, uracil-5-oxyacetic acid (v), 5-methyl-2-thiouracil, 3-(3-amino-3-N-2-carboxypropyl) uracil, (acp3)w, and 2,6-diaminopurine. Alternatively, the antisense nucleic acid can be produced biologically using an expression vector into which a nucleic acid has been subcloned in an antisense orientation (*i.e.*, RNA transcribed from the inserted nucleic acid will be of an antisense orientation to a target nucleic acid of interest, described further in the following subsection).

The antisense nucleic acid molecules of the invention are typically administered to a subject or generated *in situ* such that they hybridize with or bind to cellular mRNA and/or genomic DNA encoding a protein according to the invention to thereby inhibit expression of the protein, *e.g.*, by inhibiting transcription and/or translation. The hybridization can be by conventional nucleotide complementarity to form a stable duplex, or, for example, in the case of an antisense nucleic acid molecule that binds to DNA duplexes, through specific interactions in the major groove of the double helix. An example of a route of administration of antisense nucleic acid molecules of the invention includes direct injection at a tissue site. Alternatively, antisense nucleic acid molecules can be modified to target selected cells and then administered systemically. For example, for systemic administration, antisense molecules can be modified such that they specifically bind to receptors or antigens expressed on a selected cell surface, *e.g.*, by linking the antisense nucleic acid molecules to peptides or antibodies that bind to cell surface receptors or antigens. The antisense nucleic acid molecules can also be delivered to cells using the vectors described herein. To achieve sufficient intracellular concentrations of antisense molecules, vector constructs in which the antisense nucleic acid molecule is placed under the control of a strong pol II or pol III promoter are preferred.

In yet another embodiment, the antisense nucleic acid molecule of the invention is an α -anomeric nucleic acid molecule. An α -anomeric nucleic acid molecule forms specific double-stranded hybrids with complementary RNA in which, contrary to the usual β -units, the strands run parallel to each other (Gaultier *et al.* (1987) *Nucleic Acids Res* 15: 6625-6641). The antisense nucleic acid molecule can also comprise a

2'-o-methylribonucleotide (Inoue *et al.* (1987) *Nucleic Acids Res* 15: 6131-6148) or a chimeric RNA-DNA analogue (Inoue *et al.* (1987) *FEBS Lett* 215: 327-330).

4.4 RIBOZYMES AND PNA MOIETIES

5 In still another embodiment, an antisense nucleic acid of the invention is a ribozyme. Ribozymes are catalytic RNA molecules with ribonuclease activity that are capable of cleaving a single-stranded nucleic acid, such as a mRNA, to which they have a complementary region. Thus, ribozymes (*e.g.*, hammerhead ribozymes (described in Haselhoff and Gerlach (1988) *Nature* 334:585-591)) can be used to catalytically cleave a
10 mRNA transcripts to thereby inhibit translation of a mRNA. A ribozyme having specificity for a nucleic acid of the invention can be designed based upon the nucleotide sequence of a DNA disclosed herein (*i.e.*, SEQ ID NO:1-739). For example, a derivative of a Tetrahymena L-19 IVS RNA can be constructed in which the nucleotide sequence of the active site is complementary to the nucleotide sequence to be cleaved in a
15 SECX-encoding mRNA. See, *e.g.*, Cech *et al.* U.S. Pat. No. 4,987,071; and Cech *et al.* U.S. Pat. No. 5,116,742. Alternatively, SECX mRNA can be used to select a catalytic RNA having a specific ribonuclease activity from a pool of RNA molecules. See, *e.g.*, Bartel *et al.*, (1993) *Science* 261:1411-1418.

Alternatively, gene expression can be inhibited by targeting nucleotide sequences
20 complementary to the regulatory region (*e.g.*, promoter and/or enhancers) to form triple helical structures that prevent transcription of the gene in target cells. See generally, Helene. (1991) *Anticancer Drug Des.* 6: 569-84; Helene. *et al.* (1992) *Ann. N.Y. Acad. Sci.* 660:27-36; and Maher (1992) *Bioassays* 14: 807-15.

In various embodiments, the nucleic acids of the invention can be modified at the
25 base moiety, sugar moiety or phosphate backbone to improve, *e.g.*, the stability, hybridization, or solubility of the molecule. For example, the deoxyribose phosphate backbone of the nucleic acids can be modified to generate peptide nucleic acids (see Hyrup *et al.* (1996) *Bioorg Med Chem* 4: 5-23). As used herein, the terms "peptide nucleic acids" or "PNAs" refer to nucleic acid mimics, *e.g.*, DNA mimics, in which the
30 deoxyribose phosphate backbone is replaced by a pseudopeptide backbone and only the four natural nucleobases are retained. The neutral backbone of PNAs has been shown to

allow for specific hybridization to DNA and RNA under conditions of low ionic strength. The synthesis of PNA oligomers can be performed using standard solid phase peptide synthesis protocols as described in Hyrup *et al.* (1996) above; Perry-O'Keefe *et al.* (1996) *PNAS* 93: 14670-675.

5 PNAs of the invention can be used in therapeutic and diagnostic applications. For example, PNAs can be used as antisense or antigene agents for sequence-specific modulation of gene expression by, *e.g.*, inducing transcription or translation arrest or inhibiting replication. PNAs of the invention can also be used, *e.g.*, in the analysis of single base pair mutations in a gene by, *e.g.*, PNA directed PCR clamping; as artificial
10 restriction enzymes when used in combination with other enzymes, *e.g.*, S1 nucleases (Hyrup B. (1996) above); or as probes or primers for DNA sequence and hybridization (Hyrup *et al.* (1996), above; Perry-O'Keefe (1996), above).

In another embodiment, PNAs of the invention can be modified, *e.g.*, to enhance their stability or cellular uptake, by attaching lipophilic or other helper groups to PNA, by
15 the formation of PNA-DNA chimeras, or by the use of liposomes or other techniques of drug delivery known in the art. For example, PNA-DNA chimeras can be generated that may combine the advantageous properties of PNA and DNA. Such chimeras allow DNA recognition enzymes, *e.g.*, RNase H and DNA polymerases, to interact with the DNA portion while the PNA portion would provide high binding affinity and specificity.

20 PNA-DNA chimeras can be linked using linkers of appropriate lengths selected in terms of base stacking, number of bonds between the nucleobases, and orientation (Hyrup (1996) above). The synthesis of PNA-DNA chimeras can be performed as described in Hyrup (1996) above and Finn *et al.* (1996) *Nucl Acids Res* 24: 3357-63. For example, a DNA chain can be synthesized on a solid support using standard phosphoramidite

25 coupling chemistry, and modified nucleoside analogs, *e.g.*, 5'-(4-methoxytrityl)amino-5'-deoxy-thymidine phosphoramidite, can be used between the PNA and the 5' end of DNA (Mag *et al.* (1989) *Nucl Acid Res* 17: 5973-88). PNA monomers are then coupled in a stepwise manner to produce a chimeric molecule with a 5' PNA segment and a 3' DNA segment (Finn *et al.* (1996) above). Alternatively,
30 chimeric molecules can be synthesized with a 5' DNA segment and a 3' PNA segment. See, Petersen *et al.* (1975) *Bioorg Med Chem Lett* 5: 1119-11124.

In other embodiments, the oligonucleotide may include other appended groups such as peptides (*e.g.*, for targeting host cell receptors *in vivo*), or agents facilitating transport across the cell membrane (see, *e.g.*, Letsinger *et al.*, 1989, *Proc. Natl. Acad. Sci. U.S.A.* 86:6553-6556; Lemaitre *et al.*, 1987, *Proc. Natl. Acad. Sci.* 84:648-652; PCT Publication No. W088/09810) or the blood-brain barrier (see, *e.g.*, PCT Publication No. W089/10134). In addition, oligonucleotides can be modified with hybridization triggered cleavage agents (See, *e.g.*, Krol *et al.*, 1988, *BioTechniques* 6:958-976) or intercalating agents. (See, *e.g.*, Zon, 1988, *Pharm. Res.* 5: 539-549). To this end, the oligonucleotide may be conjugated to another molecule, *e.g.*, a peptide, a hybridization triggered cross-linking agent, a transport agent, a hybridization-triggered cleavage agent, etc.

4.5 HOSTS

The present invention further provides host cells genetically engineered to contain the polynucleotides of the invention. For example, such host cells may contain nucleic acids of the invention introduced into the host cell using known transformation, transfection or infection methods. The present invention still further provides host cells genetically engineered to express the polynucleotides of the invention, wherein such polynucleotides are in operative association with a regulatory sequence heterologous to the host cell which drives expression of the polynucleotides in the cell.

Knowledge of nucleic acid sequences allows for modification of cells to permit, or increase, expression of endogenous polypeptide. Cells can be modified (*e.g.*, by homologous recombination) to provide increased polypeptide expression by replacing, in whole or in part, the naturally occurring promoter with all or part of a heterologous promoter so that the cells express the polypeptide at higher levels. The heterologous promoter is inserted in such a manner that it is operatively linked to the encoding sequences. See, for example, PCT International Publication No. WO94/12650, PCT International Publication No. WO92/20808, and PCT International Publication No. WO91/09955. It is also contemplated that, in addition to heterologous promoter DNA, amplifiable marker DNA (*e.g.*, *ada*, *dhfr*, and the multifunctional CAD gene which encodes carbamyl phosphate synthase, aspartate transcarbamylase, and dihydroorotase) and/or intron DNA may be inserted along with the heterologous promoter DNA. If

linked to the coding sequence, amplification of the marker DNA by standard selection methods results in co-amplification of the desired protein coding sequences in the cells.

The host cell can be a higher eukaryotic host cell, such as a mammalian cell, a lower eukaryotic host cell, such as a yeast cell, or the host cell can be a prokaryotic cell, such as a bacterial cell. Introduction of the recombinant construct into the host cell can be effected by calcium phosphate transfection, DEAE, dextran mediated transfection, or electroporation (Davis, L. et al., *Basic Methods in Molecular Biology* (1986)). The host cells containing one of the polynucleotides of the invention, can be used in conventional manners to produce the gene product encoded by the isolated fragment (in the case of an ORF) or can be used to produce a heterologous protein under the control of the EMF.

Any host/vector system can be used to express one or more of the ORFs of the present invention. These include, but are not limited to, eukaryotic hosts such as HeLa cells, Cv-1 cell, COS cells, 293 cells, and Sf9 cells, as well as prokaryotic host such as *E. coli* and *B. subtilis*. The most preferred cells are those which do not normally express the particular polypeptide or protein or which expresses the polypeptide or protein at low natural level. Mature proteins can be expressed in mammalian cells, yeast, bacteria, or other cells under the control of appropriate promoters. Cell-free translation systems can also be employed to produce such proteins using RNAs derived from the DNA constructs of the present invention. Appropriate cloning and expression vectors for use with prokaryotic and eukaryotic hosts are described by Sambrook, et al., in *Molecular Cloning: A Laboratory Manual*, Second Edition, Cold Spring Harbor, New York (1989), the disclosure of which is hereby incorporated by reference.

Various mammalian cell culture systems can also be employed to express recombinant protein. Examples of mammalian expression systems include the COS-7 lines of monkey kidney fibroblasts, described by Gluzman, *Cell* 23:175 (1981). Other cell lines capable of expressing a compatible vector are, for example, the C127, monkey COS cells, Chinese Hamster Ovary (CHO) cells, human kidney 293 cells, human epidermal A431 cells, human Colo205 cells, 3T3 cells, CV-1 cells, other transformed primate cell lines, normal diploid cells, cell strains derived from *in vitro* culture of primary tissue, primary explants, HeLa cells, mouse L cells, BHK, HL-60, U937, HaK or Jurkat cells. Mammalian expression vectors will comprise an origin of replication, a

suitable promoter and also any necessary ribosome binding sites, polyadenylation site, splice donor and acceptor sites, transcriptional termination sequences, and 5' flanking nontranscribed sequences. DNA sequences derived from the SV40 viral genome, for example, SV40 origin, early promoter, enhancer, splice, and polyadenylation sites may be used to provide the required nontranscribed genetic elements. Recombinant polypeptides and proteins produced in bacterial culture are usually isolated by initial extraction from cell pellets, followed by one or more salting-out, aqueous ion exchange or size exclusion chromatography steps. Protein refolding steps can be used, as necessary, in completing configuration of the mature protein. Finally, high performance liquid chromatography (HPLC) can be employed for final purification steps. Microbial cells employed in expression of proteins can be disrupted by any convenient method, including freeze-thaw cycling, sonication, mechanical disruption, or use of cell lysing agents.

Alternatively, it may be possible to produce the protein in lower eukaryotes such as yeast or insects or in prokaryotes such as bacteria. Potentially suitable yeast strains include *Saccharomyces cerevisiae*, *Schizosaccharomyces pombe*, *Kluyveromyces* strains, *Candida*, or any yeast strain capable of expressing heterologous proteins. Potentially suitable bacterial strains include *Escherichia coli*, *Bacillus subtilis*, *Salmonella typhimurium*, or any bacterial strain capable of expressing heterologous proteins. If the protein is made in yeast or bacteria, it may be necessary to modify the protein produced therein, for example by phosphorylation or glycosylation of the appropriate sites, in order to obtain the functional protein. Such covalent attachments may be accomplished using known chemical or enzymatic methods.

In another embodiment of the present invention, cells and tissues may be engineered to express an endogenous gene comprising the polynucleotides of the invention under the control of inducible regulatory elements, in which case the regulatory sequences of the endogenous gene may be replaced by homologous recombination. As described herein, gene targeting can be used to replace a gene's existing regulatory region with a regulatory sequence isolated from a different gene or a novel regulatory sequence synthesized by genetic engineering methods. Such regulatory sequences may be comprised of promoters, enhancers, scaffold-attachment regions, negative regulatory elements, transcriptional initiation sites, regulatory protein binding sites or combinations

of said sequences. Alternatively, sequences which affect the structure or stability of the RNA or protein produced may be replaced, removed, added, or otherwise modified by targeting. These sequence include polyadenylation signals, mRNA stability elements, splice sites, leader sequences for enhancing or modifying transport or secretion properties of the protein, or other sequences which alter or improve the function or stability of protein or RNA molecules.

The targeting event may be a simple insertion of the regulatory sequence, placing the gene under the control of the new regulatory sequence, *e.g.*, inserting a new promoter or enhancer or both upstream of a gene. Alternatively, the targeting event may be a simple deletion of a regulatory element, such as the deletion of a tissue-specific negative regulatory element. Alternatively, the targeting event may replace an existing element; for example, a tissue-specific enhancer can be replaced by an enhancer that has broader or different cell-type specificity than the naturally occurring elements. Here, the naturally occurring sequences are deleted and new sequences are added. In all cases, the identification of the targeting event may be facilitated by the use of one or more selectable marker genes that are contiguous with the targeting DNA, allowing for the selection of cells in which the exogenous DNA has integrated into the host cell genome. The identification of the targeting event may also be facilitated by the use of one or more marker genes exhibiting the property of negative selection, such that the negatively selectable marker is linked to the exogenous DNA, but configured such that the negatively selectable marker flanks the targeting sequence, and such that a correct homologous recombination event with sequences in the host cell genome does not result in the stable integration of the negatively selectable marker. Markers useful for this purpose include the Herpes Simplex Virus thymidine kinase (TK) gene or the bacterial xanthine-guanine phosphoribosyl-transferase (gpt) gene.

The gene targeting or gene activation techniques which can be used in accordance with this aspect of the invention are more particularly described in U.S. Patent No. 5,272,071 to Chappel; U.S. Patent No. 5,578,461 to Sherwin et al.; International Application No. PCT/US92/09627 (WO93/09222) by Selden et al.; and International Application No. PCT/US90/06436 (WO91/06667) by Skoultchi et al., each of which is incorporated by reference herein in its entirety.

4.6 POLYPEPTIDES OF THE INVENTION

The isolated polypeptides of the invention include, but are not limited to, a polypeptide comprising: the amino acid sequences set forth as any one of SEQ ID NO:740-1478 or an amino acid sequence encoded by any one of the nucleotide sequences SEQ ID NO:1-739 or the corresponding full length or mature protein. Polypeptides of the invention also include polypeptides preferably with biological or immunological activity that are encoded by: (a) a polynucleotide having any one of the nucleotide sequences set forth in SEQ ID NO:1-739 or (b) polynucleotides encoding any one of the amino acid sequences set forth as SEQ ID NO:740-1478 or (c) polynucleotides that hybridize to the complement of the polynucleotides of either (a) or (b) under stringent hybridization conditions. The invention also provides biologically active or immunologically active variants of any of the amino acid sequences set forth as SEQ ID NO:740-1478 or the corresponding full length or mature protein; and "substantial equivalents" thereof (e.g., with at least about 65%, at least about 70%, at least about 75%, at least about 80%, at least about 85%, at least about 90%, typically at least about 95%, more typically at least about 98%, or most typically at least about 99% amino acid identity) that retain biological activity. Polypeptides encoded by allelic variants may have a similar, increased, or decreased activity compared to polypeptides comprising SEQ ID NO:740-1478.

Fragments of the proteins of the present invention which are capable of exhibiting biological activity are also encompassed by the present invention. Fragments of the protein may be in linear form or they may be cyclized using known methods, for example, as described in H. U. Saragovi, et al., *Bio/Technology* 10, 773-778 (1992) and in R. S. McDowell, et al., *J. Amer. Chem. Soc.* 114, 9245-9253 (1992), both of which are incorporated herein by reference. Such fragments may be fused to carrier molecules such as immunoglobulins for many purposes, including increasing the valency of protein binding sites.

The present invention also provides both full-length and mature forms (for example, without a signal sequence or precursor sequence) of the disclosed proteins. The protein coding sequence is identified in the sequence listing by translation of the

disclosed nucleotide sequences. The mature form of such protein may be obtained by expression of a full-length polynucleotide in a suitable mammalian cell or other host cell. The sequence of the mature form of the protein is also determinable from the amino acid sequence of the full-length form. Where proteins of the present invention are membrane bound, soluble forms of the proteins are also provided. In such forms, part or all of the regions causing the proteins to be membrane bound are deleted so that the proteins are fully secreted from the cell in which they are expressed.

Protein compositions of the present invention may further comprise an acceptable carrier, such as a hydrophilic, *e.g.*, pharmaceutically acceptable, carrier.

The present invention further provides isolated polypeptides encoded by the nucleic acid fragments of the present invention or by degenerate variants of the nucleic acid fragments of the present invention. By "degenerate variant" is intended nucleotide fragments which differ from a nucleic acid fragment of the present invention (*e.g.*, an ORF) by nucleotide sequence but, due to the degeneracy of the genetic code, encode an identical polypeptide sequence. Preferred nucleic acid fragments of the present invention are the ORFs that encode proteins.

A variety of methodologies known in the art can be utilized to obtain any one of the isolated polypeptides or proteins of the present invention. At the simplest level, the amino acid sequence can be synthesized using commercially available peptide synthesizers. The synthetically-constructed protein sequences, by virtue of sharing primary, secondary or tertiary structural and/or conformational characteristics with proteins may possess biological properties in common therewith, including protein activity. This technique is particularly useful in producing small peptides and fragments of larger polypeptides. Fragments are useful, for example, in generating antibodies against the native polypeptide. Thus, they may be employed as biologically active or immunological substitutes for natural, purified proteins in screening of therapeutic compounds and in immunological processes for the development of antibodies.

The polypeptides and proteins of the present invention can alternatively be purified from cells which have been altered to express the desired polypeptide or protein. As used herein, a cell is said to be altered to express a desired polypeptide or protein when the cell, through genetic manipulation, is made to produce a polypeptide or protein

which it normally does not produce or which the cell normally produces at a lower level. One skilled in the art can readily adapt procedures for introducing and expressing either recombinant or synthetic sequences into eukaryotic or prokaryotic cells in order to generate a cell which produces one of the polypeptides or proteins of the present invention.

The invention also relates to methods for producing a polypeptide comprising growing a culture of host cells of the invention in a suitable culture medium, and purifying the protein from the cells or the culture in which the cells are grown. For example, the methods of the invention include a process for producing a polypeptide in which a host cell containing a suitable expression vector that includes a polynucleotide of the invention is cultured under conditions that allow expression of the encoded polypeptide. The polypeptide can be recovered from the culture, conveniently from the culture medium, or from a lysate prepared from the host cells and further purified. Preferred embodiments include those in which the protein produced by such process is a full length or mature form of the protein.

In an alternative method, the polypeptide or protein is purified from bacterial cells which naturally produce the polypeptide or protein. One skilled in the art can readily follow known methods for isolating polypeptides and proteins in order to obtain one of the isolated polypeptides or proteins of the present invention. These include, but are not limited to, immunochromatography, HPLC, size-exclusion chromatography, ion-exchange chromatography, and immuno-affinity chromatography. See, e.g., Scopes, *Protein Purification: Principles and Practice*, Springer-Verlag (1994); Sambrook, et al., in *Molecular Cloning: A Laboratory Manual*; Ausubel et al., *Current Protocols in Molecular Biology*. Polypeptide fragments that retain biological/immunological activity include fragments comprising greater than about 100 amino acids, or greater than about 200 amino acids, and fragments that encode specific protein domains.

The purified polypeptides can be used in *in vitro* binding assays which are well known in the art to identify molecules which bind to the polypeptides. These molecules include but are not limited to, for e.g., small molecules, molecules from combinatorial libraries, antibodies or other proteins. The molecules identified in the binding assay are then tested for antagonist or agonist activity in *in vivo* tissue culture or animal models

that are well known in the art. In brief, the molecules are titrated into a plurality of cell cultures or animals and then tested for either cell/animal death or prolonged survival of the animal/cells.

In addition, the peptides of the invention or molecules capable of binding to the peptides may be complexed with toxins, e.g., ricin or cholera, or with other compounds that are toxic to cells. The toxin-binding molecule complex is then targeted to a tumor or other cell by the specificity of the binding molecule for SEQ ID NO:740-1478.

The protein of the invention may also be expressed as a product of transgenic animals, e.g., as a component of the milk of transgenic cows, goats, pigs, or sheep which are characterized by somatic or germ cells containing a nucleotide sequence encoding the protein.

The proteins provided herein also include proteins characterized by amino acid sequences similar to those of purified proteins but into which modification are naturally provided or deliberately engineered. For example, modifications, in the peptide or DNA sequence, can be made by those skilled in the art using known techniques. Modifications of interest in the protein sequences may include the alteration, substitution, replacement, insertion or deletion of a selected amino acid residue in the coding sequence. For example, one or more of the cysteine residues may be deleted or replaced with another amino acid to alter the conformation of the molecule. Techniques for such alteration, substitution, replacement, insertion or deletion are well known to those skilled in the art (see, e.g., U.S. Pat. No. 4,518,584). Preferably, such alteration, substitution, replacement, insertion or deletion retains the desired activity of the protein. Regions of the protein that are important for the protein function can be determined by various methods known in the art including the alanine-scanning method which involved systematic substitution of single or strings of amino acids with alanine, followed by testing the resulting alanine-containing variant for biological activity. This type of analysis determines the importance of the substituted amino acid(s) in biological activity. Regions of the protein that are important for protein function may be determined by the eMATRIX program.

Other fragments and derivatives of the sequences of proteins which would be expected to retain protein activity in whole or in part and are useful for screening or other

immunological methodologies may also be easily made by those skilled in the art given the disclosures herein. Such modifications are encompassed by the present invention.

The protein may also be produced by operably linking the isolated polynucleotide of the invention to suitable control sequences in one or more insect expression vectors, and employing an insect expression system. Materials and methods for baculovirus/insect cell expression systems are commercially available in kit form from, e.g., Invitrogen, San Diego, Calif., U.S.A. (the MaxBat™ kit), and such methods are well known in the art, as described in Summers and Smith, Texas Agricultural Experiment Station Bulletin No. 1555 (1987), incorporated herein by reference. As used herein, an insect cell capable of expressing a polynucleotide of the present invention is "transformed."

The protein of the invention may be prepared by culturing transformed host cells under culture conditions suitable to express the recombinant protein. The resulting expressed protein may then be purified from such culture (*i.e.*, from culture medium or cell extracts) using known purification processes, such as gel filtration and ion exchange chromatography. The purification of the protein may also include an affinity column containing agents which will bind to the protein; one or more column steps over such affinity resins as concanavalin A-agarose, heparin-toyopearl™ or Cibacrom blue 3GA Sepharose™; one or more steps involving hydrophobic interaction chromatography using such resins as phenyl ether, butyl ether, or propyl ether; or immunoaffinity chromatography.

Alternatively, the protein of the invention may also be expressed in a form which will facilitate purification. For example, it may be expressed as a fusion protein, such as those of maltose binding protein (MBP), glutathione-S-transferase (GST) or thioredoxin (TRX), or as a His tag. Kits for expression and purification of such fusion proteins are commercially available from New England BioLab (Beverly, Mass.), Pharmacia (Piscataway, N.J.) and Invitrogen, respectively. The protein can also be tagged with an epitope and subsequently purified by using a specific antibody directed to such epitope. One such epitope ("FLAG®") is commercially available from Kodak (New Haven, Conn.).

Finally, one or more reverse-phase high performance liquid chromatography (RP-HPLC) steps employing hydrophobic RP-HPLC media, *e.g.*, silica gel having pendant methyl or other aliphatic groups, can be employed to further purify the protein. Some or all of the foregoing purification steps, in various combinations, can also be employed to provide a substantially homogeneous isolated recombinant protein. The protein thus purified is substantially free of other mammalian proteins and is defined in accordance with the present invention as an "isolated protein."

The polypeptides of the invention include analogs (variants). This embraces fragments, as well as peptides in which one or more amino acids has been deleted, inserted, or substituted. Also, analogs of the polypeptides of the invention embrace fusions of the polypeptides or modifications of the polypeptides of the invention, wherein the polypeptide or analog is fused to another moiety or moieties, *e.g.*, targeting moiety or another therapeutic agent. Such analogs may exhibit improved properties such as activity and/or stability. Examples of moieties which may be fused to the polypeptide or an analog include, for example, targeting moieties which provide for the delivery of polypeptide to pancreatic cells, *e.g.*, antibodies to pancreatic cells, antibodies to immune cells such as T-cells, monocytes, dendritic cells, granulocytes, etc., as well as receptor and ligands expressed on pancreatic or immune cells. Other moieties which may be fused to the polypeptide include therapeutic agents which are used for treatment, for example, immunosuppressive drugs such as cyclosporin, SK506, azathioprine, CD3 antibodies and steroids. Also, polypeptides may be fused to immune modulators, and other cytokines such as alpha or beta interferon.

4.6.1 DETERMINING POLYPEPTIDE AND POLYNUCLEOTIDE IDENTITY AND SIMILARITY

Preferred identity and/or similarity are designed to give the largest match between the sequences tested. Methods to determine identity and similarity are codified in computer programs including, but are not limited to, the GCG program package, including GAP (Devereux, J., et al., *Nucleic Acids Research* 12(1):387 (1984); Genetics Computer Group, University of Wisconsin, Madison, WI), BLASTP, BLASTN, BLASTX, FASTA (Altschul, S.F. et al., *J. Molec. Biol.* 215:403-410 (1990), PSI-BLAST

(Altschul S.F. et al., Nucleic Acids Res. vol. 25, pp. 3389-3402, herein incorporated by reference), eMatrix software (Wu et al., J. Comp. Biol., Vol. 6, pp. 219-235 (1999), herein incorporated by reference), eMotif software (Nevill-Manning et al, ISMB-97, Vol. 4, pp. 202-209, herein incorporated by reference), pFam software (Sonnhammer et al.,
5 Nucleic Acids Res., Vol. 26(1), pp. 320-322 (1998), herein incorporated by reference) and the Kyte-Doolittle hydrophobicity prediction algorithm (J. Mol Biol, 157, pp. 105-31 (1982), incorporated herein by reference). The BLAST programs are publicly available from the National Center for Biotechnology Information (NCBI) and other sources (BLAST Manual, Altschul, S., et al. NCB NLM NIH Bethesda, MD 20894; Altschul, S.,
10 et al., J. Mol. Biol. 215:403-410 (1990).

4.7 CHIMERIC AND FUSION PROTEINS

The invention also provides chimeric or fusion proteins. As used herein, a "chimeric protein" or "fusion protein" comprises a polypeptide of the invention operatively linked to another polypeptide. Within a fusion protein the polypeptide
15 according to the invention can correspond to all or a portion of a protein according to the invention. In one embodiment, a fusion protein comprises at least one biologically active portion of a protein according to the invention. In another embodiment, a fusion protein comprises at least two biologically active portions of a protein according to the invention. Within the fusion protein, the term "operatively linked" is intended to indicate
20 that the polypeptide according to the invention and the other polypeptide are fused in-frame to each other. The polypeptide can be fused to the N-terminus or C-terminus.

For example, in one embodiment a fusion protein comprises a polypeptide according to the invention operably linked to the extracellular domain of a second protein.

25 In another embodiment, the fusion protein is a GST-fusion protein in which the polypeptide sequences of the invention are fused to the C-terminus of the GST (i.e., glutathione S-transferase) sequences.

In another embodiment, the fusion protein is an immunoglobulin fusion protein in which the polypeptide sequences according to the invention comprises one or more
30 domains are fused to sequences derived from a member of the immunoglobulin protein family. The immunoglobulin fusion proteins of the invention can be incorporated into

pharmaceutical compositions and administered to a subject to inhibit an interaction between a ligand and a protein of the invention on the surface of a cell, to thereby suppress signal transduction *in vivo*. The immunoglobulin fusion proteins can be used to affect the bioavailability of a cognate ligand. Inhibition of the ligand/protein interaction
5 may be useful therapeutically for both the treatment of proliferative and differentiative disorders, *e.g.*, cancer as well as modulating (*e.g.*, promoting or inhibiting) cell survival. Moreover, the immunoglobulin fusion proteins of the invention can be used as immunogens to produce antibodies in a subject, to purify ligands, and in screening assays to identify molecules that inhibit the interaction of a polypeptide of the invention with a
10 ligand.

A chimeric or fusion protein of the invention can be produced by standard recombinant DNA techniques. For example, DNA fragments coding for the different polypeptide sequences are ligated together in-frame in accordance with conventional techniques, *e.g.*, by employing blunt-ended or stagger-ended termini for ligation,
15 restriction enzyme digestion to provide for appropriate termini, filling-in of cohesive ends as appropriate, alkaline phosphatase treatment to avoid undesirable joining, and enzymatic ligation. In another embodiment, the fusion gene can be synthesized by conventional techniques including automated DNA synthesizers. Alternatively, PCR amplification of gene fragments can be carried out using anchor primers that give rise to
20 complementary overhangs between two consecutive gene fragments that can subsequently be annealed and reamplified to generate a chimeric gene sequence (see, for example, Ausubel et al. (eds.) CURRENT PROTOCOLS IN MOLECULAR BIOLOGY, John Wiley & Sons, 1992). Moreover, many expression vectors are commercially available that already encode a fusion moiety (*e.g.*, a GST polypeptide). A nucleic acid encoding
25 a polypeptide of the invention can be cloned into such an expression vector such that the fusion moiety is linked in-frame to the protein of the invention.

4.8 GENE THERAPY

Mutations in the polynucleotides of the invention gene may result in loss of
30 normal function of the encoded protein. The invention thus provides gene therapy to restore normal activity of the polypeptides of the invention; or to treat disease states

involving polypeptides of the invention. Delivery of a functional gene encoding polypeptides of the invention to appropriate cells is effected *ex vivo*, *in situ*, or *in vivo* by use of vectors, and more particularly viral vectors (e.g., adenovirus, adeno-associated virus, or a retrovirus), or *ex vivo* by use of physical DNA transfer methods (e.g., liposomes or chemical treatments). See, for example, Anderson, Nature, supplement to vol. 392, no. 6679, pp.25-20 (1998). For additional reviews of gene therapy technology see Friedmann, Science, 244: 1275-1281 (1989); Verma, Scientific American: 68-84 (1990); and Miller, Nature, 357: 455-460 (1992). Introduction of any one of the nucleotides of the present invention or a gene encoding the polypeptides of the present invention can also be accomplished with extrachromosomal substrates (transient expression) or artificial chromosomes (stable expression). Cells may also be cultured *ex vivo* in the presence of proteins of the present invention in order to proliferate or to produce a desired effect on or activity in such cells. Treated cells can then be introduced *in vivo* for therapeutic purposes. Alternatively, it is contemplated that in other human disease states, preventing the expression of or inhibiting the activity of polypeptides of the invention will be useful in treating the disease states. It is contemplated that antisense therapy or gene therapy could be applied to negatively regulate the expression of polypeptides of the invention.

Other methods inhibiting expression of a protein include the introduction of antisense molecules to the nucleic acids of the present invention, their complements, or their translated RNA sequences, by methods known in the art. Further, the polypeptides of the present invention can be inhibited by using targeted deletion methods, or the insertion of a negative regulatory element such as a silencer, which is tissue specific.

The present invention still further provides cells genetically engineered *in vivo* to express the polynucleotides of the invention, wherein such polynucleotides are in operative association with a regulatory sequence heterologous to the host cell which drives expression of the polynucleotides in the cell. These methods can be used to increase or decrease the expression of the polynucleotides of the present invention.

Knowledge of DNA sequences provided by the invention allows for modification of cells to permit, increase, or decrease, expression of endogenous polypeptide. Cells can be modified (e.g., by homologous recombination) to provide increased polypeptide expression

by replacing, in whole or in part, the naturally occurring promoter with all or part of a heterologous promoter so that the cells express the protein at higher levels. The heterologous promoter is inserted in such a manner that it is operatively linked to the desired protein encoding sequences. See, for example, PCT International Publication No. WO 94/12650, PCT International Publication No. WO 92/20808, and PCT International Publication No. WO 91/09955. It is also contemplated that, in addition to heterologous promoter DNA, amplifiable marker DNA (e.g., *ada*, *dhfr*, and the multifunctional CAD gene which encodes carbamyl phosphate synthase, aspartate transcarbamylase, and dihydroorotase) and/or intron DNA may be inserted along with the heterologous promoter DNA. If linked to the desired protein coding sequence, amplification of the marker DNA by standard selection methods results in co-amplification of the desired protein coding sequences in the cells.

In another embodiment of the present invention, cells and tissues may be engineered to express an endogenous gene comprising the polynucleotides of the invention under the control of inducible regulatory elements, in which case the regulatory sequences of the endogenous gene may be replaced by homologous recombination. As described herein, gene targeting can be used to replace a gene's existing regulatory region with a regulatory sequence isolated from a different gene or a novel regulatory sequence synthesized by genetic engineering methods. Such regulatory sequences may be comprised of promoters, enhancers, scaffold-attachment regions, negative regulatory elements, transcriptional initiation sites, regulatory protein binding sites or combinations of said sequences. Alternatively, sequences which affect the structure or stability of the RNA or protein produced may be replaced, removed, added, or otherwise modified by targeting. These sequences include polyadenylation signals, mRNA stability elements, splice sites, leader sequences for enhancing or modifying transport or secretion properties of the protein, or other sequences which alter or improve the function or stability of protein or RNA molecules.

The targeting event may be a simple insertion of the regulatory sequence, placing the gene under the control of the new regulatory sequence, *e.g.*, inserting a new promoter or enhancer or both upstream of a gene. Alternatively, the targeting event may be a simple deletion of a regulatory element, such as the deletion of a tissue-specific negative regulatory element. Alternatively, the targeting event may replace an existing element; for example, a

tissue-specific enhancer can be replaced by an enhancer that has broader or different cell-type specificity than the naturally occurring elements. Here, the naturally occurring sequences are deleted and new sequences are added. In all cases, the identification of the targeting event may be facilitated by the use of one or more selectable marker genes that are
5 contiguous with the targeting DNA, allowing for the selection of cells in which the exogenous DNA has integrated into the cell genome. The identification of the targeting event may also be facilitated by the use of one or more marker genes exhibiting the property of negative selection, such that the negatively selectable marker is linked to the exogenous DNA, but configured such that the negatively selectable marker flanks the targeting
10 sequence, and such that a correct homologous recombination event with sequences in the host cell genome does not result in the stable integration of the negatively selectable marker. Markers useful for this purpose include the Herpes Simplex Virus thymidine kinase (TK) gene or the bacterial xanthine-guanine phosphoribosyl-transferase (gpt) gene.

The gene targeting or gene activation techniques which can be used in accordance
15 with this aspect of the invention are more particularly described in U.S. Patent No. 5,272,071 to Chappel; U.S. Patent No. 5,578,461 to Sherwin et al.; International Application No. PCT/US92/09627 (WO93/09222) by Selden et al.; and International Application No. PCT/US90/06436 (WO91/06667) by Skoultchi et al., each of which is incorporated by reference herein in its entirety.

4.9 TRANSGENIC ANIMALS

In preferred methods to determine biological functions of the polypeptides of the invention in vivo, one or more genes provided by the invention are either over expressed or inactivated in the germ line of animals using homologous recombination [Capecci,
25 Science 244:1288-1292 (1989)]. Animals in which the gene is over expressed, under the regulatory control of exogenous or endogenous promoter elements, are known as transgenic animals. Animals in which an endogenous gene has been inactivated by homologous recombination are referred to as "knockout" animals. Knockout animals, preferably non-human mammals, can be prepared as described in U.S. Patent No.
30 5,557,032, incorporated herein by reference. Transgenic animals are useful to determine the roles polypeptides of the invention play in biological processes, and preferably in

disease states. Transgenic animals are useful as model systems to identify compounds that modulate lipid metabolism. Transgenic animals, preferably non-human mammals, are produced using methods as described in U.S. Patent No 5,489,743 and PCT Publication No. WO94/28122, incorporated herein by reference.

5 Transgenic animals can be prepared wherein all or part of a promoter of the polynucleotides of the invention is either activated or inactivated to alter the level of expression of the polypeptides of the invention. Inactivation can be carried out using homologous recombination methods described above. Activation can be achieved by supplementing or even replacing the homologous promoter to provide for increased
10 protein expression. The homologous promoter can be supplemented by insertion of one or more heterologous enhancer elements known to confer promoter activation in a particular tissue.

The polynucleotides of the present invention also make possible the development, through, e.g., homologous recombination or knock out strategies, of animals that fail to
15 express polypeptides of the invention or that express a variant polypeptide. Such animals are useful as models for studying the *in vivo* activities of polypeptide as well as for studying modulators of the polypeptides of the invention.

In preferred methods to determine biological functions of the polypeptides of the invention *in vivo*, one or more genes provided by the invention are either over expressed
20 or inactivated in the germ line of animals using homologous recombination [Capecchi, Science 244:1288-1292 (1989)]. Animals in which the gene is over expressed, under the regulatory control of exogenous or endogenous promoter elements, are known as transgenic animals. Animals in which an endogenous gene has been inactivated by homologous recombination are referred to as "knockout" animals. Knockout animals,
25 preferably non-human mammals, can be prepared as described in U.S. Patent No. 5,557,032, incorporated herein by reference. Transgenic animals are useful to determine the roles polypeptides of the invention play in biological processes, and preferably in disease states. Transgenic animals are useful as model systems to identify compounds that modulate lipid metabolism. Transgenic animals, preferably non-human mammals,
30 are produced using methods as described in U.S. Patent No 5,489,743 and PCT Publication No. WO94/28122, incorporated herein by reference.

Transgenic animals can be prepared wherein all or part of the polynucleotides of the invention promoter is either activated or inactivated to alter the level of expression of the polypeptides of the invention. Inactivation can be carried out using homologous recombination methods described above. Activation can be achieved by supplementing or even replacing the homologous promoter to provide for increased protein expression. The homologous promoter can be supplemented by insertion of one or more heterologous enhancer elements known to confer promoter activation in a particular tissue.

4.10 USES AND BIOLOGICAL ACTIVITY

The polynucleotides and proteins of the present invention are expected to exhibit one or more of the uses or biological activities (including those associated with assays cited herein) identified herein. Uses or activities described for proteins of the present invention may be provided by administration or use of such proteins or of polynucleotides encoding such proteins (such as, for example, in gene therapies or vectors suitable for introduction of DNA). The mechanism underlying the particular condition or pathology will dictate whether the polypeptides of the invention, the polynucleotides of the invention or modulators (activators or inhibitors) thereof would be beneficial to the subject in need of treatment. Thus, "therapeutic compositions of the invention" include compositions comprising isolated polynucleotides (including recombinant DNA molecules, cloned genes and degenerate variants thereof) or polypeptides of the invention (including full length protein, mature protein and truncations or domains thereof), or compounds and other substances that modulate the overall activity of the target gene products, either at the level of target gene/protein expression or target protein activity. Such modulators include polypeptides, analogs, (variants), including fragments and fusion proteins, antibodies and other binding proteins; chemical compounds that directly or indirectly activate or inhibit the polypeptides of the invention (identified, e.g., via drug screening assays as described herein); antisense polynucleotides and polynucleotides suitable for triple helix formation; and in particular antibodies or other binding partners that specifically recognize one or more epitopes of the polypeptides of the invention.

The polypeptides of the present invention may likewise be involved in cellular activation or in one of the other physiological pathways described herein.

4.10.1 RESEARCH USES AND UTILITIES

5 The polynucleotides provided by the present invention can be used by the research community for various purposes. The polynucleotides can be used to express recombinant protein for analysis, characterization or therapeutic use; as markers for tissues in which the corresponding protein is preferentially expressed (either constitutively or at a particular stage of tissue differentiation or development or in disease
10 states); as molecular weight markers on gels; as chromosome markers or tags (when labeled) to identify chromosomes or to map related gene positions; to compare with endogenous DNA sequences in patients to identify potential genetic disorders; as probes to hybridize and thus discover novel, related DNA sequences; as a source of information to derive PCR primers for genetic fingerprinting; as a probe to "subtract-out" known
15 sequences in the process of discovering other novel polynucleotides; for selecting and making oligomers for attachment to a "gene chip" or other support, including for examination of expression patterns; to raise anti-protein antibodies using DNA immunization techniques; and as an antigen to raise anti-DNA antibodies or elicit another immune response. Where the polynucleotide encodes a protein which binds or
20 potentially binds to another protein (such as, for example, in a receptor-ligand interaction), the polynucleotide can also be used in interaction trap assays (such as, for example, that described in Gyuris et al., Cell 75:791-803 (1993)) to identify polynucleotides encoding the other protein with which binding occurs or to identify inhibitors of the binding interaction.

25 The polypeptides provided by the present invention can similarly be used in assays to determine biological activity, including in a panel of multiple proteins for high-throughput screening; to raise antibodies or to elicit another immune response; as a reagent (including the labeled reagent) in assays designed to quantitatively determine levels of the protein (or its receptor) in biological fluids; as markers for tissues in which
30 the corresponding polypeptide is preferentially expressed (either constitutively or at a particular stage of tissue differentiation or development or in a disease state); and, of

course, to isolate correlative receptors or ligands. Proteins involved in these binding interactions can also be used to screen for peptide or small molecule inhibitors or ago. of the binding interaction.

Any or all of these research utilities are capable of being developed into reager
5 grade or kit format for commercialization as research products.

Methods for performing the uses listed above are well known to those skilled in the art. References disclosing such methods include without limitation "Molecular Cloning: A Laboratory Manual", 2d ed., Cold Spring Harbor Laboratory Press, Sambrook, J., E. F. Fritsch and T. Maniatis eds., 1989, and "Methods in Enzymology:
10 Guide to Molecular Cloning Techniques", Academic Press, Berger, S. L. and A. R. Kimmel eds., 1987.

4.10.2 NUTRITIONAL USES

Polynucleotides and polypeptides of the present invention can also be used as
15 nutritional sources or supplements. Such uses include without limitation use as a protein or amino acid supplement, use as a carbon source, use as a nitrogen source and use as a source of carbohydrate. In such cases the polypeptide or polynucleotide of the invention can be added to the feed of a particular organism or can be administered as a separate solid or liquid preparation, such as in the form of powder, pills, solutions, suspensions or capsules. In the
20 case of microorganisms, the polypeptide or polynucleotide of the invention can be added to the medium in or on which the microorganism is cultured.

4.10.3 CYTOKINE AND CELL PROLIFERATION/DIFFERENTIATION ACTIVITY

25 A polypeptide of the present invention may exhibit activity relating to cytokine, cell proliferation (either inducing or inhibiting) or cell differentiation (either inducing or inhibiting) activity or may induce production of other cytokines in certain cell populations. A polynucleotide of the invention can encode a polypeptide exhibiting such attributes. Many protein factors discovered to date, including all known cytokines, have
30 exhibited activity in one or more factor-dependent cell proliferation assays, and hence the assays serve as a convenient confirmation of cytokine activity. The activity of therapeutic

compositions of the present invention is evidenced by any one of a number of routine factor dependent cell proliferation assays for cell lines including, without limitation, 32D, DA2, DA1G, T10, B9, B9/11, BaF3, MC9/G, M+(preB M+), 2E8, RB5, DA1, 123, T1165, HT2, CTLL2, TF-1, Mo7e, CMK, HUVEC, and Caco. Therapeutic compositions of the invention can be used in the following:

Assays for T-cell or thymocyte proliferation include without limitation those described in: Current Protocols in Immunology, Ed by J. E. Coligan, A. M. Kruisbeek, D. H. Margulies, E. M. Shevach, W. Strober, Pub. Greene Publishing Associates and Wiley-Interscience (Chapter 3, *In Vitro* assays for Mouse Lymphocyte Function 3.1-3.19; Chapter 7, Immunologic studies in Humans); Takai et al., J. Immunol. 137:3494-3500, 1986; Bertagnolli et al., J. Immunol. 145:1706-1712, 1990; Bertagnolli et al., Cellular Immunology 133:327-341, 1991; Bertagnolli, et al., I. Immunol. 149:3778-3783, 1992; Bowman et al., I. Immunol. 152:1756-1761, 1994.

Assays for cytokine production and/or proliferation of spleen cells, lymph node cells or thymocytes include, without limitation, those described in: Polyclonal T cell stimulation, Kruisbeek, A. M. and Shevach, E. M. In Current Protocols in Immunology. J. E. e.a. Coligan eds. Vol 1 pp. 3.12.1-3.12.14, John Wiley and Sons, Toronto. 1994; and Measurement of mouse and human interleukin- γ , Schreiber, R. D. In Current Protocols in Immunology. J. E. e.a. Coligan eds. Vol 1 pp. 6.8.1-6.8.8, John Wiley and Sons, Toronto. 1994.

Assays for proliferation and differentiation of hematopoietic and lymphopoietic cells include, without limitation, those described in: Measurement of Human and Murine Interleukin 2 and Interleukin 4, Bottomly, K., Davis, L. S. and Lipsky, P. E. In Current Protocols in Immunology. J. E. e.a. Coligan eds. Vol 1 pp. 6.3.1-6.3.12, John Wiley and Sons, Toronto. 1991; deVries et al., J. Exp. Med. 173:1205-1211, 1991; Moreau et al., Nature 336:690-692, 1988; Greenberger et al., Proc. Natl. Acad. Sci. U.S.A. 80:2931-2938, 1983; Measurement of mouse and human interleukin 6--Nordan, R. In Current Protocols in Immunology. J. E. Coligan eds. Vol 1 pp. 6.6.1-6.6.5, John Wiley and Sons, Toronto. 1991; Smith et al., Proc. Natl. Acad. Sci. U.S.A. 83:1857-1861, 1986; Measurement of human Interleukin 11--Bennett, F., Giannotti, J., Clark, S. C. and Turner, K. J. In Current Protocols in Immunology. J. E. Coligan eds. Vol 1 pp. 6.15.1 John

Wiley and Sons, Toronto. 1991; Measurement of mouse and human Interleukin 9--Ciarletta, A., Giannotti, J., Clark, S. C. and Turner, K. J. In Current Protocols in Immunology. J. E. Coligan eds. Vol 1 pp. 6.13.1, John Wiley and Sons, Toronto. 1991.

Assays for T-cell clone responses to antigens (which will identify, among others, proteins that affect APC-T cell interactions as well as direct T-cell effects by measuring proliferation and cytokine production) include, without limitation, those described in: Current Protocols in Immunology, Ed by J. E. Coligan, A. M. Kruisbeek, D. H. Margulies, E. M. Shevach, W Strober, Pub. Greene Publishing Associates and Wiley-Interscience (Chapter 3, *In Vitro* assays for Mouse Lymphocyte Function; Chapter 6, Cytokines and their cellular receptors; Chapter 7, Immunologic studies in Humans); Weinberger et al., Proc. Natl. Acad. Sci. USA 77:6091-6095, 1980; Weinberger et al., Eur. J. Immun. 11:405-411, 1981; Takai et al., J. Immunol. 137:3494-3500, 1986; Takai et al., J. Immunol. 140:508-512, 1988.

4.10.4 STEM CELL GROWTH FACTOR ACTIVITY

A polypeptide of the present invention may exhibit stem cell growth factor activity and be involved in the proliferation, differentiation and survival of pluripotent and totipotent stem cells including primordial germ cells, embryonic stem cells, hematopoietic stem cells and/or germ line stem cells. Administration of the polypeptide of the invention to stem cells *in vivo* or *ex vivo* is expected to maintain and expand cell populations in a totipotent or pluripotent state which would be useful for re-engineering damaged or diseased tissues, transplantation, manufacture of bio-pharmaceuticals and the development of bio-sensors. The ability to produce large quantities of human cells has important working applications for the production of human proteins which currently must be obtained from non-human sources or donors, implantation of cells to treat diseases such as Parkinson's, Alzheimer's and other neurodegenerative diseases; tissues for grafting such as bone marrow, skin, cartilage, tendons, bone, muscle (including cardiac muscle), blood vessels, cornea, neural cells, gastrointestinal cells and others; and organs for transplantation such as kidney, liver, pancreas (including islet cells), heart and lung.

It is contemplated that multiple different exogenous growth factors and/or cytokines may be administered in combination with the polypeptide of the invention to achieve the desired effect, including any of the growth factors listed herein, other stem cell maintenance factors, and specifically including stem cell factor (SCF), leukemia inhibitory factor (LIF), Flt-3 ligand (Flt-3L), any of the interleukins, recombinant soluble IL-6 receptor fused to IL-6, macrophage inflammatory protein 1-alpha (MIP-1-alpha), G-CSF, GM-CSF, thrombopoietin (TPO), platelet factor 4 (PF-4), platelet-derived growth factor (PDGF), neural growth factors and basic fibroblast growth factor (bFGF).

Since totipotent stem cells can give rise to virtually any mature cell type, expansion of these cells in culture will facilitate the production of large quantities of mature cells. Techniques for culturing stem cells are known in the art and administration of polypeptides of the invention, optionally with other growth factors and/or cytokines, is expected to enhance the survival and proliferation of the stem cell populations. This can be accomplished by direct administration of the polypeptide of the invention to the culture medium. Alternatively, stroma cells transfected with a polynucleotide that encodes for the polypeptide of the invention can be used as a feeder layer for the stem cell populations in culture or in vivo. Stromal support cells for feeder layers may include embryonic bone marrow fibroblasts, bone marrow stromal cells, fetal liver cells, or cultured embryonic fibroblasts (see U.S. Patent No. 5,690,926).

Stem cells themselves can be transfected with a polynucleotide of the invention to induce autocrine expression of the polypeptide of the invention. This will allow for generation of undifferentiated totipotent/pluripotent stem cell lines that are useful as is or that can then be differentiated into the desired mature cell types. These stable cell lines can also serve as a source of undifferentiated totipotent/pluripotent mRNA to create cDNA libraries and templates for polymerase chain reaction experiments. These studies would allow for the isolation and identification of differentially expressed genes in stem cell populations that regulate stem cell proliferation and/or maintenance.

Expansion and maintenance of totipotent stem cell populations will be useful in the treatment of many pathological conditions. For example, polypeptides of the present invention may be used to manipulate stem cells in culture to give rise to neuroepithelial cells that can be used to augment or replace cells damaged by illness, autoimmune

disease, accidental damage or genetic disorders. The polypeptide of the invention may be useful for inducing the proliferation of neural cells and for the regeneration of nerve and brain tissue, i.e. for the treatment of central and peripheral nervous system diseases and neuropathies, as well as mechanical and traumatic disorders which involve degeneration, death or trauma to neural cells or nerve tissue. In addition, the expanded stem cell populations can also be genetically altered for gene therapy purposes and to decrease host rejection of replacement tissues after grafting or implantation.

Expression of the polypeptide of the invention and its effect on stem cells can also be manipulated to achieve controlled differentiation of the stem cells into more differentiated cell types. A broadly applicable method of obtaining pure populations of a specific differentiated cell type from undifferentiated stem cell populations involves the use of a cell-type specific promoter driving a selectable marker. The selectable marker allows only cells of the desired type to survive. For example, stem cells can be induced to differentiate into cardiomyocytes (Wobus et al., *Differentiation*, 48: 173-182, (1991); Klug et al., *J. Clin. Invest.*, 98(1): 216-224, (1998)) or skeletal muscle cells (Browder, L. W. In: *Principles of Tissue Engineering* eds. Lanza et al., Academic Press (1997)). Alternatively, directed differentiation of stem cells can be accomplished by culturing the stem cells in the presence of a differentiation factor such as retinoic acid and an antagonist of the polypeptide of the invention which would inhibit the effects of endogenous stem cell factor activity and allow differentiation to proceed.

In vitro cultures of stem cells can be used to determine if the polypeptide of the invention exhibits stem cell growth factor activity. Stem cells are isolated from any one of various cell sources (including hematopoietic stem cells and embryonic stem cells) and cultured on a feeder layer, as described by Thompson et al. *Proc. Natl. Acad. Sci, U.S.A.*, 92: 7844-7848 (1995), in the presence of the polypeptide of the invention alone or in combination with other growth factors or cytokines. The ability of the polypeptide of the invention to induce stem cells proliferation is determined by colony formation on semi-solid support e.g. as described by Bernstein et al., *Blood*, 77: 2316-2321 (1991).

4.10.5 HEMATOPOIESIS REGULATING ACTIVITY

A polypeptide of the present invention may be involved in regulation of hematopoiesis and, consequently, in the treatment of myeloid or lymphoid cell disorders. Even marginal biological activity in support of colony forming cells or of factor-dependent cell lines indicates involvement in regulating hematopoiesis, e.g. in supporting the growth and proliferation of erythroid progenitor cells alone or in combination with other cytokines, thereby indicating utility, for example, in treating various anemias or for use in conjunction with irradiation/chemotherapy to stimulate the production of erythroid precursors and/or erythroid cells; in supporting the growth and proliferation of myeloid cells such as granulocytes and monocytes/macrophages (i.e., traditional CSF activity) useful, for example, in conjunction with chemotherapy to prevent or treat consequent myelo-suppression; in supporting the growth and proliferation of megakaryocytes and consequently of platelets thereby allowing prevention or treatment of various platelet disorders such as thrombocytopenia, and generally for use in place of or complimentary to platelet transfusions; and/or in supporting the growth and proliferation of hematopoietic stem cells which are capable of maturing to any and all of the above-mentioned hematopoietic cells and therefore find therapeutic utility in various stem cell disorders (such as those usually treated with transplantation, including, without limitation, aplastic anemia and paroxysmal nocturnal hemoglobinuria), as well as in repopulating the stem cell compartment post irradiation/chemotherapy, either *in-vivo* or *ex-vivo* (i.e., in conjunction with bone marrow transplantation or with peripheral progenitor cell transplantation (homologous or heterologous)) as normal cells or genetically manipulated for gene therapy.

Therapeutic compositions of the invention can be used in the following:

Suitable assays for proliferation and differentiation of various hematopoietic lines are cited above.

Assays for embryonic stem cell differentiation (which will identify, among others, proteins that influence embryonic differentiation hematopoiesis) include, without limitation, those described in: Johansson et al. Cellular Biology 15:141-151, 1995; Keller et al., Molecular and Cellular Biology 13:473-486, 1993; McClanahan et al., Blood 81:2903-2915, 1993.

- Assays for stem cell survival and differentiation (which will identify, among others, proteins that regulate lympho-hematopoiesis) include, without limitation, those described in: Methylcellulose colony forming assays, Freshney, M. G. In Culture of Hematopoietic Cells. R. I. Freshney, et al. eds. Vol pp. 265-268, Wiley-Liss, Inc., New York, N.Y. 1994; Hirayama et al., Proc. Natl. Acad. Sci. USA 89:5907-5911, 1992;
- 5 Primitive hematopoietic colony forming cells with high proliferative potential, McNiece, I. K. and Briddell, R. A. In Culture of Hematopoietic Cells. R. I. Freshney, et al. eds. Vol pp. 23-39, Wiley-Liss, Inc., New York, N.Y. 1994; Neben et al., Experimental Hematology 22:353-359, 1994; Cobblestone area forming cell assay, Ploemacher, R. E.
- 10 In Culture of Hematopoietic Cells. R. I. Freshney, et al. eds. Vol pp. 1-21, Wiley-Liss, Inc., New York, N.Y. 1994; Long term bone marrow cultures in the presence of stromal cells, Spooncer, E., Dexter, M. and Allen, T. In Culture of Hematopoietic Cells. R. I. Freshney, et al. eds. Vol pp. 163-179, Wiley-Liss, Inc., New York, N.Y. 1994; Long term culture initiating cell assay, Sutherland, H. J. In Culture of Hematopoietic Cells. R. I.
- 15 Freshney, et al. eds. Vol pp. 139-162, Wiley-Liss, Inc., New York, N.Y. 1994.

4.10.6 TISSUE GROWTH ACTIVITY

A polypeptide of the present invention also may be involved in bone, cartilage, tendon, ligament and/or nerve tissue growth or regeneration, as well as in wound healing

20 and tissue repair and replacement, and in healing of burns, incisions and ulcers.

A polypeptide of the present invention which induces cartilage and/or bone growth in circumstances where bone is not normally formed, has application in the healing of bone fractures and cartilage damage or defects in humans and other animals. Compositions of a polypeptide, antibody, binding partner, or other modulator of the

25 invention may have prophylactic use in closed as well as open fracture reduction and also in the improved fixation of artificial joints. De novo bone formation induced by an osteogenic agent contributes to the repair of congenital, trauma induced, or oncologic resection induced craniofacial defects, and also is useful in cosmetic plastic surgery.

A polypeptide of this invention may also be involved in attracting bone-forming

30 cells, stimulating growth of bone-forming cells, or inducing differentiation of progenitors of bone-forming cells. Treatment of osteoporosis, osteoarthritis, bone degenerative

disorders, or periodontal disease, such as through stimulation of bone and/or cartilage repair or by blocking inflammation or processes of tissue destruction (collagenase activity, osteoclast activity, etc.) mediated by inflammatory processes may also be possible using the composition of the invention.

5 Another category of tissue regeneration activity that may involve the polypeptide of the present invention is tendon/ligament formation. Induction of tendon/ligament-like tissue or other tissue formation in circumstances where such tissue is not normally formed, has application in the healing of tendon or ligament tears, deformities and other tendon or ligament defects in humans and other animals. Such a preparation employing a
10 tendon/ligament-like tissue inducing protein may have prophylactic use in preventing damage to tendon or ligament tissue, as well as use in the improved fixation of tendon or ligament to bone or other tissues, and in repairing defects to tendon or ligament tissue. De novo tendon/ligament-like tissue formation induced by a composition of the present invention contributes to the repair of congenital, trauma induced, or other tendon or
15 ligament defects of other origin, and is also useful in cosmetic plastic surgery for attachment or repair of tendons or ligaments. The compositions of the present invention may provide environment to attract tendon- or ligament-forming cells, stimulate growth of tendon- or ligament-forming cells, induce differentiation of progenitors of tendon- or ligament-forming cells, or induce growth of tendon/ligament cells or progenitors *ex vivo*
20 for return *in vivo* to effect tissue repair. The compositions of the invention may also be useful in the treatment of tendinitis, carpal tunnel syndrome and other tendon or ligament defects. The compositions may also include an appropriate matrix and/or sequestering agent as a carrier as is well known in the art.

 The compositions of the present invention may also be useful for proliferation of
25 neural cells and for regeneration of nerve and brain tissue, i.e. for the treatment of central and peripheral nervous system diseases and neuropathies, as well as mechanical and traumatic disorders, which involve degeneration, death or trauma to neural cells or nerve tissue. More specifically, a composition may be used in the treatment of diseases of the peripheral nervous system, such as peripheral nerve injuries, peripheral neuropathy and
30 localized neuropathies, and central nervous system diseases, such as Alzheimer's, Parkinson's disease, Huntington's disease, amyotrophic lateral sclerosis, and Shy-Drager

syndrome. Further conditions which may be treated in accordance with the present invention include mechanical and traumatic disorders, such as spinal cord disorders, head trauma and cerebrovascular diseases such as stroke. Peripheral neuropathies resulting from chemotherapy or other medical therapies may also be treatable using a composition of the invention.

Compositions of the invention may also be useful to promote better or faster closure of non-healing wounds, including without limitation pressure ulcers, ulcers associated with vascular insufficiency, surgical and traumatic wounds, and the like.

Compositions of the present invention may also be involved in the generation or regeneration of other tissues, such as organs (including, for example, pancreas, liver, intestine, kidney, skin, endothelium), muscle (smooth, skeletal or cardiac) and vascular (including vascular endothelium) tissue, or for promoting the growth of cells comprising such tissues. Part of the desired effects may be by inhibition or modulation of fibrotic scarring may allow normal tissue to regenerate. A polypeptide of the present invention may also exhibit angiogenic activity.

A composition of the present invention may also be useful for gut protection or regeneration and treatment of lung or liver fibrosis, reperfusion injury in various tissues, and conditions resulting from systemic cytokine damage.

A composition of the present invention may also be useful for promoting or inhibiting differentiation of tissues described above from precursor tissues or cells; or for inhibiting the growth of tissues described above.

Therapeutic compositions of the invention can be used in the following:

Assays for tissue generation activity include, without limitation, those described in: International Patent Publication No. WO95/16035 (bone, cartilage, tendon); International Patent Publication No. WO95/05846 (nerve, neuronal); International Patent Publication No. WO91/07491 (skin, endothelium).

Assays for wound healing activity include, without limitation, those described in: Winter, Epidermal Wound Healing, pps. 71-112 (Maibach, H. I. and Rovee, D. T., eds.), Year Book Medical Publishers, Inc., Chicago, as modified by Eaglstein and Mertz, J. Invest. Dermatol 71:382-84 (1978).

4.10.7 IMMUNE STIMULATING OR SUPPRESSING ACTIVITY

A polypeptide of the present invention may also exhibit immune stimulating or immune suppressing activity, including without limitation the activities for which assays are described herein. A polynucleotide of the invention can encode a polypeptide exhibiting such activities. A protein may be useful in the treatment of various immune deficiencies and disorders (including severe combined immunodeficiency (SCID)), e.g., in regulating (up or down) growth and proliferation of T and/or B lymphocytes, as well as effecting the cytolytic activity of NK cells and other cell populations. These immune deficiencies may be genetic or be caused by viral (e.g., HIV) as well as bacterial or fungal infections, or may result from autoimmune disorders. More specifically, infectious diseases caused by viral, bacterial, fungal or other infection may be treatable using a protein of the present invention, including infections by HIV, hepatitis viruses, herpes viruses, mycobacteria, *Leishmania* spp., malaria spp. and various fungal infections such as candidiasis. Of course, in this regard, proteins of the present invention may also be useful where a boost to the immune system generally may be desirable, i.e., in the treatment of cancer.

Autoimmune disorders which may be treated using a protein of the present invention include, for example, connective tissue disease, multiple sclerosis, systemic lupus erythematosus, rheumatoid arthritis, autoimmune pulmonary inflammation, Guillain-Barre syndrome, autoimmune thyroiditis, insulin dependent diabetes mellitus, myasthenia gravis, graft-versus-host disease and autoimmune inflammatory eye disease. Such a protein (or antagonists thereof, including antibodies) of the present invention may also be useful in the treatment of allergic reactions and conditions (e.g., anaphylaxis, serum sickness, drug reactions, food allergies, insect venom allergies, mastocytosis, allergic rhinitis, hypersensitivity pneumonitis, urticaria, angioedema, eczema, atopic dermatitis, allergic contact dermatitis, erythema multiforme, Stevens-Johnson syndrome, allergic conjunctivitis, atopic keratoconjunctivitis, venereal keratoconjunctivitis, giant papillary conjunctivitis and contact allergies), such as asthma (particularly allergic asthma) or other respiratory problems. Other conditions, in which immune suppression is desired (including, for example, organ transplantation), may also be treatable using a protein (or antagonists thereof) of the present invention. The therapeutic effects of the

polypeptides or antagonists thereof on allergic reactions can be evaluated by in vivo animals models such as the cumulative contact enhancement test (Lastbom et al., Toxicology 125: 59-66, 1998), skin prick test (Hoffmann et al., Allergy 54: 446-54, 1999), guinea pig skin sensitization test (Vohr et al., Arch. Toxicol. 73: 501-9), and
5 murine local lymph node assay (Kimber et al., J. Toxicol. Environ. Health 53: 563-79).

Using the proteins of the invention it may also be possible to modulate immune responses, in a number of ways. Down regulation may be in the form of inhibiting or blocking an immune response already in progress or may involve preventing the induction of an immune response. The functions of activated T cells may be inhibited by
10 suppressing T cell responses or by inducing specific tolerance in T cells, or both. Immunosuppression of T cell responses is generally an active, non-antigen-specific, process which requires continuous exposure of the T cells to the suppressive agent. Tolerance, which involves inducing non-responsiveness or anergy in T cells, is distinguishable from immunosuppression in that it is generally antigen-specific and
15 persists after exposure to the tolerizing agent has ceased. Operationally, tolerance can be demonstrated by the lack of a T cell response upon reexposure to specific antigen in the absence of the tolerizing agent.

Down regulating or preventing one or more antigen functions (including without limitation B lymphocyte antigen functions (such as, for example, B7)), e.g., preventing
20 high level lymphokine synthesis by activated T cells, will be useful in situations of tissue, skin and organ transplantation and in graft-versus-host disease (GVHD). For example, blockage of T cell function should result in reduced tissue destruction in tissue transplantation. Typically, in tissue transplants, rejection of the transplant is initiated through its recognition as foreign by T cells, followed by an immune reaction that
25 destroys the transplant. The administration of a therapeutic composition of the invention may prevent cytokine synthesis by immune cells, such as T cells, and thus acts as an immunosuppressant. Moreover, a lack of costimulation may also be sufficient to anergize the T cells, thereby inducing tolerance in a subject. Induction of long-term tolerance by B lymphocyte antigen-blocking reagents may avoid the necessity of repeated administration
30 of these blocking reagents. To achieve sufficient immunosuppression or tolerance in a

subject, it may also be necessary to block the function of a combination of B lymphocyte antigens.

The efficacy of particular therapeutic compositions in preventing organ transplant rejection or GVHD can be assessed using animal models that are predictive of efficacy in humans. Examples of appropriate systems which can be used include allogeneic cardiac grafts in rats and xenogeneic pancreatic islet cell grafts in mice, both of which have been used to examine the immunosuppressive effects of CTLA4Ig fusion proteins in vivo as described in Lenschow et al., *Science* 257:789-792 (1992) and Turka et al., *Proc. Natl. Acad. Sci USA*, 89:11102-11105 (1992). In addition, murine models of GVHD (see Paul ed., *Fundamental Immunology*, Raven Press, New York, 1989, pp. 846-847) can be used to determine the effect of therapeutic compositions of the invention on the development of that disease.

Blocking antigen function may also be therapeutically useful for treating autoimmune diseases. Many autoimmune disorders are the result of inappropriate activation of T cells that are reactive against self tissue and which promote the production of cytokines and autoantibodies involved in the pathology of the diseases. Preventing the activation of autoreactive T cells may reduce or eliminate disease symptoms.

Administration of reagents which block stimulation of T cells can be used to inhibit T cell activation and prevent production of autoantibodies or T cell-derived cytokines which may be involved in the disease process. Additionally, blocking reagents may induce antigen-specific tolerance of autoreactive T cells which could lead to long-term relief from the disease. The efficacy of blocking reagents in preventing or alleviating autoimmune disorders can be determined using a number of well-characterized animal models of human autoimmune diseases. Examples include murine experimental autoimmune encephalitis, systemic lupus erythmatosis in MRL/lpr/lpr mice or NZB hybrid mice, murine autoimmune collagen arthritis, diabetes mellitus in NOD mice and BB rats, and murine experimental myasthenia gravis (see Paul ed., *Fundamental Immunology*, Raven Press, New York, 1989, pp. 840-856).

Upregulation of an antigen function (e.g., a B lymphocyte antigen function), as a means of up regulating immune responses, may also be useful in therapy. Upregulation of immune responses may be in the form of enhancing an existing immune response or

eliciting an initial immune response. For example, enhancing an immune response may be useful in cases of viral infection, including systemic viral diseases such as influenza, the common cold, and encephalitis.

Alternatively, anti-viral immune responses may be enhanced in an infected patient by removing T cells from the patient, costimulating the T cells in vitro with viral antigen-pulsed APCs either expressing a peptide of the present invention or together with a stimulatory form of a soluble peptide of the present invention and reintroducing the in vitro activated T cells into the patient. Another method of enhancing anti-viral immune responses would be to isolate infected cells from a patient, transfect them with a nucleic acid encoding a protein of the present invention as described herein such that the cells express all or a portion of the protein on their surface, and reintroduce the transfected cells into the patient. The infected cells would now be capable of delivering a costimulatory signal to, and thereby activate, T cells in vivo.

A polypeptide of the present invention may provide the necessary stimulation signal to T cells to induce a T cell mediated immune response against the transfected tumor cells. In addition, tumor cells which lack MHC class I or MHC class II molecules, or which fail to reexpress sufficient mounts of MHC class I or MHC class II molecules, can be transfected with nucleic acid encoding all or a portion of (e.g., a cytoplasmic-domain truncated portion) of an MHC class I alpha chain protein and β_2 microglobulin protein or an MHC class II alpha chain protein and an MHC class II beta chain protein to thereby express MHC class I or MHC class II proteins on the cell surface. Expression of the appropriate class I or class II MHC in conjunction with a peptide having the activity of a B lymphocyte antigen (e.g., B7-1, B7-2, B7-3) induces a T cell mediated immune response against the transfected tumor cell. Optionally, a gene encoding an antisense construct which blocks expression of an MHC class II associated protein, such as the invariant chain, can also be cotransfected with a DNA encoding a peptide having the activity of a B lymphocyte antigen to promote presentation of tumor associated antigens and induce tumor specific immunity. Thus, the induction of a T cell mediated immune response in a human subject may be sufficient to overcome tumor-specific tolerance in the subject.

The activity of a protein of the invention may, among other means, be measured by the following methods:

Suitable assays for thymocyte or splenocyte cytotoxicity include, without limitation, those described in: Current Protocols in Immunology, Ed by J. E. Coligan, A. M. Kruisbeek, D. H. Margulies, E. M. Shevach, W. Strober, Pub. Greene Publishing Associates and Wiley-Interscience (Chapter 3, In Vitro assays for Mouse Lymphocyte Function 3.1-3.19; Chapter 7, Immunologic studies in Humans); Herrmann et al., Proc. Natl. Acad. Sci. USA 78:2488-2492, 1981; Herrmann et al., J. Immunol. 128:1968-1974, 1982; Handa et al., J. Immunol. 135:1564-1572, 1985; Takai et al., J. Immunol. 137:3494-3500, 1986; Takai et al., J. Immunol. 140:508-512, 1988; Bowman et al., J. Virology 61:1992-1998; Bertagnolli et al., Cellular Immunology 133:327-341, 1991; Brown et al., J. Immunol. 153:3079-3092, 1994.

Assays for T-cell-dependent immunoglobulin responses and isotype switching (which will identify, among others, proteins that modulate T-cell dependent antibody responses and that affect Th1/Th2 profiles) include, without limitation, those described in: Maliszewski, J. Immunol. 144:3028-3033, 1990; and Assays for B cell function: In vitro antibody production, Mond, J. J. and Brunswick, M. In Current Protocols in Immunology. J. E. e.a. Coligan eds. Vol 1 pp. 3.8.1-3.8.16, John Wiley and Sons, Toronto. 1994.

Mixed lymphocyte reaction (MLR) assays (which will identify, among others, proteins that generate predominantly Th1 and CTL responses) include, without limitation, those described in: Current Protocols in Immunology, Ed by J. E. Coligan, A. M. Kruisbeek, D. H. Margulies, E. M. Shevach, W. Strober, Pub. Greene Publishing Associates and Wiley-Interscience (Chapter 3, In Vitro assays for Mouse Lymphocyte Function 3.1-3.19; Chapter 7, Immunologic studies in Humans); Takai et al., J. Immunol. 137:3494-3500, 1986; Takai et al., J. Immunol. 140:508-512, 1988; Bertagnolli et al., J. Immunol. 149:3778-3783, 1992.

Dendritic cell-dependent assays (which will identify, among others, proteins expressed by dendritic cells that activate naive T-cells) include, without limitation, those described in: Guery et al., J. Immunol. 134:536-544, 1995; Inaba et al., Journal of Experimental Medicine 173:549-559, 1991; Macatonia et al., Journal of Immunology

154:5071-5079, 1995; Porgador et al., Journal of Experimental Medicine 182:255-260, 1995; Nair et al., Journal of Virology 67:4062-4069, 1993; Huang et al., Science 264:961-965, 1994; Macatonia et al., Journal of Experimental Medicine 169:1255-1264, 1989; Bhardwaj et al., Journal of Clinical Investigation 94:797-807, 1994; and Inaba et al., Journal of Experimental Medicine 172:631-640, 1990.

Assays for lymphocyte survival/apoptosis (which will identify, among others, proteins that prevent apoptosis after superantigen induction and proteins that regulate lymphocyte homeostasis) include, without limitation, those described in: Darzynkiewicz et al., Cytometry 13:795-808, 1992; Gorczyca et al., Leukemia 7:659-670, 1993; Gorczyca et al., Cancer Research 53:1945-1951, 1993; Itoh et al., Cell 66:233-243, 1991; Zacharchuk, Journal of Immunology 145:4037-4045, 1990; Zamai et al., Cytometry 14:891-897, 1993; Gorczyca et al., International Journal of Oncology 1:639-648, 1992.

Assays for proteins that influence early steps of T-cell commitment and development include, without limitation, those described in: Antica et al., Blood 84:111-117, 1994; Fine et al., Cellular Immunology 155:111-122, 1994; Galy et al., Blood 85:2770-2778, 1995; Toki et al., Proc. Nat. Acad. Sci. USA 88:7548-7551, 1991.

4.10.8 ACTIVIN/INHIBIN ACTIVITY

A polypeptide of the present invention may also exhibit activin- or inhibin-related activities. A polynucleotide of the invention may encode a polypeptide exhibiting such characteristics. Inhibins are characterized by their ability to inhibit the release of follicle stimulating hormone (FSH), while activins are characterized by their ability to stimulate the release of follicle stimulating hormone (FSH). Thus, a polypeptide of the present invention, alone or in heterodimers with a member of the inhibin family, may be useful as a contraceptive based on the ability of inhibins to decrease fertility in female mammals and decrease spermatogenesis in male mammals. Administration of sufficient amounts of other inhibins can induce infertility in these mammals. Alternatively, the polypeptide of the invention, as a homodimer or as a heterodimer with other protein subunits of the inhibin group, may be useful as a fertility inducing therapeutic, based upon the ability of activin molecules in stimulating FSH release from cells of the anterior pituitary. See, for example, U.S. Pat. No. 4,798,885. A polypeptide of the invention may

also be useful for advancement of the onset of fertility in sexually immature mammals, so as to increase the lifetime reproductive performance of domestic animals such as, but not limited to, cows, sheep and pigs.

The activity of a polypeptide of the invention may, among other means, be measured by the following methods.

Assays for activin/inhibin activity include, without limitation, those described in: Vale et al., *Endocrinology* 91:562-572, 1972; Ling et al., *Nature* 321:779-782, 1986; Vale et al., *Nature* 321:776-779, 1986; Mason et al., *Nature* 318:659-663, 1985; Forage et al., *Proc. Natl. Acad. Sci. USA* 83:3091-3095, 1986.

4.10.9 CHEMOTACTIC/CHEMOKINETIC ACTIVITY

A polypeptide of the present invention may be involved in chemotactic or chemokinetic activity for mammalian cells, including, for example, monocytes, fibroblasts, neutrophils, T-cells, mast cells, eosinophils, epithelial and/or endothelial cells. A polynucleotide of the invention can encode a polypeptide exhibiting such attributes. Chemotactic and chemokinetic receptor activation can be used to mobilize or attract a desired cell population to a desired site of action. Chemotactic or chemokinetic compositions (e.g. proteins, antibodies, binding partners, or modulators of the invention) provide particular advantages in treatment of wounds and other trauma to tissues, as well as in treatment of localized infections. For example, attraction of lymphocytes, monocytes or neutrophils to tumors or sites of infection may result in improved immune responses against the tumor or infecting agent.

A protein or peptide has chemotactic activity for a particular cell population if it can stimulate, directly or indirectly, the directed orientation or movement of such cell population. Preferably, the protein or peptide has the ability to directly stimulate directed movement of cells. Whether a particular protein has chemotactic activity for a population of cells can be readily determined by employing such protein or peptide in any known assay for cell chemotaxis.

Therapeutic compositions of the invention can be used in the following:

Assays for chemotactic activity (which will identify proteins that induce or prevent chemotaxis) consist of assays that measure the ability of a protein to induce the

migration of cells across a membrane as well as the ability of a protein to induce the adhesion of one cell population to another cell population. Suitable assays for movement and adhesion include, without limitation, those described in: Current Protocols in Immunology, Ed by J. E. Coligan, A. M. Kruisbeek, D. H. Marguiles, E. M. Shevach, W. Strober, Pub. Greene Publishing Associates and Wiley-Interscience (Chapter 6.12, Measurement of alpha and beta Chemokines 6.12.1-6.12.28; Taub et al. J. Clin. Invest. 95:1370-1376, 1995; Lind et al. APMIS 103:140-146, 1995; Muller et al Eur. J. Immunol. 25:1744-1748; Gruber et al. J. of Immunol. 152:5860-5867, 1994; Johnston et al. J. of Immunol. 153:1762-1768, 1994.

4.10.10 HEMOSTATIC AND THROMBOLYTIC ACTIVITY

A polypeptide of the invention may also be involved in hemostasis or thrombolysis or thrombosis. A polynucleotide of the invention can encode a polypeptide exhibiting such attributes. Compositions may be useful in treatment of various coagulation disorders (including hereditary disorders, such as hemophilias) or to enhance coagulation and other hemostatic events in treating wounds resulting from trauma, surgery or other causes. A composition of the invention may also be useful for dissolving or inhibiting formation of thromboses and for treatment and prevention of conditions resulting therefrom (such as, for example, infarction of cardiac and central nervous system vessels (e.g., stroke).

Therapeutic compositions of the invention can be used in the following:

Assay for hemostatic and thrombolytic activity include, without limitation, those described in: Linet et al., J. Clin. Pharmacol. 26:131-140, 1986; Burdick et al., Thrombosis Res. 45:413-419, 1987; Humphrey et al., Fibrinolysis 5:71-79 (1991); Schaub, Prostaglandins 35:467-474, 1988.

4.10.11 CANCER DIAGNOSIS AND THERAPY

Polypeptides of the invention may be involved in cancer cell generation, proliferation or metastasis. Detection of the presence or amount of polynucleotides or polypeptides of the invention may be useful for the diagnosis and/or prognosis of one or more types of cancer. For example, the presence or increased expression of a

polynucleotide/polypeptide of the invention may indicate a hereditary risk of cancer, a precancerous condition, or an ongoing malignancy. Conversely, a defect in the gene or absence of the polypeptide may be associated with a cancer condition. Identification of single nucleotide polymorphisms associated with cancer or a predisposition to cancer may also be useful for diagnosis or prognosis.

Cancer treatments promote tumor regression by inhibiting tumor cell proliferation, inhibiting angiogenesis (growth of new blood vessels that is necessary to support tumor growth) and/or prohibiting metastasis by reducing tumor cell motility or invasiveness. Therapeutic compositions of the invention may be effective in adult and pediatric oncology including in solid phase tumors/malignancies, locally advanced tumors, human soft tissue sarcomas, metastatic cancer, including lymphatic metastases, blood cell malignancies including multiple myeloma, acute and chronic leukemias, and lymphomas, head and neck cancers including mouth cancer, larynx cancer and thyroid cancer, lung cancers including small cell carcinoma and non-small cell cancers, breast cancers including small cell carcinoma and ductal carcinoma, gastrointestinal cancers including esophageal cancer, stomach cancer, colon cancer, colorectal cancer and polyps associated with colorectal neoplasia, pancreatic cancers, liver cancer, urologic cancers including bladder cancer and prostate cancer, malignancies of the female genital tract including ovarian carcinoma, uterine (including endometrial) cancers, and solid tumor in the ovarian follicle, kidney cancers including renal cell carcinoma, brain cancers including intrinsic brain tumors, neuroblastoma, astrocytic brain tumors, gliomas, metastatic tumor cell invasion in the central nervous system, bone cancers including osteomas, skin cancers including malignant melanoma, tumor progression of human skin keratinocytes, squamous cell carcinoma, basal cell carcinoma, hemangiopericytoma and Kaposi's sarcoma.

Polypeptides, polynucleotides, or modulators of polypeptides of the invention (including inhibitors and stimulators of the biological activity of the polypeptide of the invention) may be administered to treat cancer. Therapeutic compositions can be administered in therapeutically effective dosages alone or in combination with adjuvant cancer therapy such as surgery, chemotherapy, radiotherapy, thermotherapy, and laser therapy, and may provide a beneficial effect, e.g. reducing tumor size, slowing rate of

tumor growth, inhibiting metastasis, or otherwise improving overall clinical condition, without necessarily eradicating the cancer.

The composition can also be administered in therapeutically effective amounts as a portion of an anti-cancer cocktail. An anti-cancer cocktail is a mixture of the

5 polypeptide or modulator of the invention with one or more anti-cancer drugs in addition to a pharmaceutically acceptable carrier for delivery. The use of anti-cancer cocktails as a cancer treatment is routine. Anti-cancer drugs that are well known in the art and can be used as a treatment in combination with the polypeptide or modulator of the invention include: Actinomycin D, Aminoglutethimide, Asparaginase, Bleomycin, Busulfan,
10 Carboplatin, Carmustine, Chlorambucil, Cisplatin (cis-DDP), Cyclophosphamide, Cytarabine HCl (Cytosine arabinoside), Dacarbazine, Dactinomycin, Daunorubicin HCl, Doxorubicin HCl, Estramustine phosphate sodium, Etoposide (V16-213), Floxuridine, 5-Fluorouracil (5-Fu), Flutamide, Hydroxyurea (hydroxycarbamide), Ifosfamide, Interferon Alpha-2a, Interferon Alpha-2b, Leuprolide acetate (LHRH-releasing factor analog),
15 Lomustine, Mechlorethamine HCl (nitrogen mustard), Melphalan, Mercaptopurine, Mesna, Methotrexate (MTX), Mitomycin, Mitoxantrone HCl, Octreotide, Plicamycin, Procarbazine HCl, Streptozocin, Tamoxifen citrate, Thioguanine, Thiotepa, Vinblastine sulfate, Vincristine sulfate, Amsacrine, Azacitidine, Hexamethylmelamine, Interleukin-2, Mitoguzone, Pentostatin, Semustine, Teniposide, and Vindesine sulfate.

20 In addition, therapeutic compositions of the invention may be used for prophylactic treatment of cancer. There are hereditary conditions and/or environmental situations (e.g. exposure to carcinogens) known in the art that predispose an individual to developing cancers. Under these circumstances, it may be beneficial to treat these individuals with therapeutically effective doses of the polypeptide of the invention to
25 reduce the risk of developing cancers.

In vitro models can be used to determine the effective doses of the polypeptide of the invention as a potential cancer treatment. These *in vitro* models include proliferation assays of cultured tumor cells, growth of cultured tumor cells in soft agar (see Freshney, (1987) Culture of Animal Cells: A Manual of Basic Technique, Wiley-Liss, New York,
30 NY Ch 18 and Ch 21), tumor systems in nude mice as described in Giovanella et al., J. Natl. Can. Inst., 52: 921-30 (1974), mobility and invasive potential of tumor cells in

Boyden Chamber assays as described in Pilkington et al., *Anticancer Res.*, 17: 4107-9 (1997), and angiogenesis assays such as induction of vascularization of the chick chorioallantoic membrane or induction of vascular endothelial cell migration as described in Ribatta et al., *Intl. J. Dev. Biol.*, 40: 1189-97 (1999) and Li et al., *Clin. Exp.*

- 5 Metastasis, 17:423-9 (1999), respectively. Suitable tumor cells lines are available, e.g. from American Type Tissue Culture Collection catalogs.

4.10.12 RECEPTOR/LIGAND ACTIVITY

- A polypeptide of the present invention may also demonstrate activity as receptor,
10 receptor ligand or inhibitor or agonist of receptor/ligand interactions. A polynucleotide of the invention can encode a polypeptide exhibiting such characteristics. Examples of such receptors and ligands include, without limitation, cytokine receptors and their ligands, receptor kinases and their ligands, receptor phosphatases and their ligands, receptors involved in cell-cell interactions and their ligands (including without limitation,
15 cellular adhesion molecules (such as selectins, integrins and their ligands) and receptor/ligand pairs involved in antigen presentation, antigen recognition and development of cellular and humoral immune responses. Receptors and ligands are also useful for screening of potential peptide or small molecule inhibitors of the relevant receptor/ligand interaction. A protein of the present invention (including, without
20 limitation, fragments of receptors and ligands) may themselves be useful as inhibitors of receptor/ligand interactions.

The activity of a polypeptide of the invention may, among other means, be measured by the following methods:

- Suitable assays for receptor-ligand activity include without limitation those
25 described in: *Current Protocols in Immunology*, Ed by J. E. Coligan, A. M. Kruisbeek, D. H. Margulies, E. M. Shevach, W. Strober, Pub. Greene Publishing Associates and Wiley- Interscience (Chapter 7.28, Measurement of Cellular Adhesion under static conditions 7.28.1- 7.28.22), Takai et al., *Proc. Natl. Acad. Sci. USA* 84:6864-6868, 1987; Bierer et al., *J. Exp. Med.* 168:1145-1156, 1988; Rosenstein et al., *J. Exp. Med.*
30 169:149-160 1989; Stoltenborg et al., *J. Immunol. Methods* 175:59-68, 1994; Stitt et al., *Cell* 80:661-670, 1995.

By way of example, the polypeptides of the invention may be used as a receptor for a ligand(s) thereby transmitting the biological activity of that ligand(s). Ligands may be identified through binding assays, affinity chromatography, dihybrid screening assays, BIAcore assays, gel overlay assays, or other methods known in the art.

5 Studies characterizing drugs or proteins as agonist or antagonist or partial agonists or a partial antagonist require the use of other proteins as competing ligands. The polypeptides of the present invention or ligand(s) thereof may be labeled by being coupled to radioisotopes, colorimetric molecules or a toxin molecules by conventional methods. ("Guide to Protein Purification" Murray P. Deutscher (ed) Methods in
10 Enzymology Vol. 182 (1990) Academic Press, Inc. San Diego). Examples of radioisotopes include, but are not limited to, tritium and carbon-14 . Examples of colorimetric molecules include, but are not limited to, fluorescent molecules such as fluorescamine, or rhodamine or other colorimetric molecules. Examples of toxins include, but are not limited, to ricin.

15

4.10.13 DRUG SCREENING

This invention is particularly useful for screening chemical compounds by using the novel polypeptides or binding fragments thereof in any of a variety of drug screening techniques. The polypeptides or fragments employed in such a test may either be free in
20 solution, affixed to a solid support, borne on a cell surface or located intracellularly. One method of drug screening utilizes eukaryotic or prokaryotic host cells which are stably transformed with recombinant nucleic acids expressing the polypeptide or a fragment thereof. Drugs are screened against such transformed cells in competitive binding assays. Such cells, either in viable or fixed form, can be used for standard binding assays. One
25 may measure, for example, the formation of complexes between polypeptides of the invention or fragments and the agent being tested or examine the diminution in complex formation between the novel polypeptides and an appropriate cell line, which are well known in the art.

Sources for test compounds that may be screened for ability to bind to or
30 modulate (i.e., increase or decrease) the activity of polypeptides of the invention include (1) inorganic and organic chemical libraries, (2) natural product libraries, and (3)

combinatorial libraries comprised of either random or mimetic peptides, oligonucleotides or organic molecules.

Chemical libraries may be readily synthesized or purchased from a number of commercial sources, and may include structural analogs of known compounds or compounds that are identified as "hits" or "leads" via natural product screening.

The sources of natural product libraries are microorganisms (including bacteria and fungi), animals, plants or other vegetation, or marine organisms, and libraries of mixtures for screening may be created by: (1) fermentation and extraction of broths from soil, plant or marine microorganisms or (2) extraction of the organisms themselves.

Natural product libraries include polyketides, non-ribosomal peptides, and (non-naturally occurring) variants thereof. For a review, see *Science* 282:63-68 (1998).

Combinatorial libraries are composed of large numbers of peptides, oligonucleotides or organic compounds and can be readily prepared by traditional automated synthesis methods, PCR, cloning or proprietary synthetic methods. Of particular interest are peptide and oligonucleotide combinatorial libraries. Still other libraries of interest include peptide, protein, peptidomimetic, multiparallel synthetic collection, recombinatorial, and polypeptide libraries. For a review of combinatorial chemistry and libraries created therefrom, see Myers, *Curr. Opin. Biotechnol.* 8:701-707 (1997). For reviews and examples of peptidomimetic libraries, see Al-Obeidi et al., *Mol. Biotechnol.* 9(3):205-23 (1998); Hruby et al., *Curr Opin Chem Biol*, 1(1):114-19 (1997); Dorner et al., *Bioorg Med Chem*, 4(5):709-15 (1996) (alkylated dipeptides).

Identification of modulators through use of the various libraries described herein permits modification of the candidate "hit" (or "lead") to optimize the capacity of the "hit" to bind a polypeptide of the invention. The molecules identified in the binding assay are then tested for antagonist or agonist activity in *in vivo* tissue culture or animal models that are well known in the art. In brief, the molecules are titrated into a plurality of cell cultures or animals and then tested for either cell/animal death or prolonged survival of the animal/cells.

The binding molecules thus identified may be complexed with toxins, e.g., ricin or cholera, or with other compounds that are toxic to cells such as radioisotopes. The toxin-binding molecule complex is then targeted to a tumor or other cell by the specificity

of the binding molecule for a polypeptide of the invention. Alternatively, the binding molecules may be complexed with imaging agents for targeting and imaging purposes.

4.10.14 ASSAY FOR RECEPTOR ACTIVITY

5 The invention also provides methods to detect specific binding of a polypeptide e.g. a ligand or a receptor. The art provides numerous assays particularly useful for identifying previously unknown binding partners for receptor polypeptides of the invention. For example, expression cloning using mammalian or bacterial cells, or dihybrid screening assays can be used to identify polynucleotides encoding binding
10 partners. As another example, affinity chromatography with the appropriate immobilized polypeptide of the invention can be used to isolate polypeptides that recognize and bind polypeptides of the invention. There are a number of different libraries used for the identification of compounds, and in particular small molecules, that modulate (*i.e.*, increase or decrease) biological activity of a polypeptide of the invention. Ligands for
15 receptor polypeptides of the invention can also be identified by adding exogenous ligands, or cocktails of ligands to two cells populations that are genetically identical except for the expression of the receptor of the invention: one cell population expresses the receptor of the invention whereas the other does not. The response of the two cell populations to the addition of ligands(s) are then compared. Alternatively, an expression
20 library can be co-expressed with the polypeptide of the invention in cells and assayed for an autocrine response to identify potential ligand(s). As still another example, BIAcore assays, gel overlay assays, or other methods known in the art can be used to identify binding partner polypeptides, including, (1) organic and inorganic chemical libraries, (2) natural product libraries, and (3) combinatorial libraries comprised of random peptides,
25 oligonucleotides or organic molecules.

The role of downstream intracellular signaling molecules in the signaling cascade of the polypeptide of the invention can be determined. For example, a chimeric protein in which the cytoplasmic domain of the polypeptide of the invention is fused to the extracellular portion of a protein, whose ligand has been identified, is produced in a host
30 cell. The cell is then incubated with the ligand specific for the extracellular portion of the chimeric protein, thereby activating the chimeric receptor. Known downstream proteins

involved in intracellular signaling can then be assayed for expected modifications i.e. phosphorylation. Other methods known to those in the art can also be used to identify signaling molecules involved in receptor activity.

5 4.10.15 ANTI-INFLAMMATORY ACTIVITY

Compositions of the present invention may also exhibit anti-inflammatory activity. The anti-inflammatory activity may be achieved by providing a stimulus to cells involved in the inflammatory response, by inhibiting or promoting cell-cell interactions (such as, for example, cell adhesion), by inhibiting or promoting chemotaxis of cells
10 involved in the inflammatory process, inhibiting or promoting cell extravasation, or by stimulating or suppressing production of other factors which more directly inhibit or promote an inflammatory response. Compositions with such activities can be used to treat inflammatory conditions including chronic or acute conditions), including without limitation intimation associated with infection (such as septic shock, sepsis or systemic
15 inflammatory response syndrome (SIRS)), ischemia-reperfusion injury, endotoxin lethality, arthritis, complement-mediated hyperacute rejection, nephritis, cytokine or chemokine-induced lung injury, inflammatory bowel disease, Crohn's disease or resulting from over production of cytokines such as TNF or IL-1. Compositions of the invention may also be useful to treat anaphylaxis and hypersensitivity to an antigenic substance or
20 material. Compositions of this invention may be utilized to prevent or treat conditions such as, but not limited to, sepsis, acute pancreatitis, endotoxin shock, cytokine induced shock, rheumatoid arthritis, chronic inflammatory arthritis, pancreatic cell damage from diabetes mellitus type 1, graft versus host disease, inflammatory bowel disease, inflammation associated with pulmonary disease, other autoimmune disease or
25 inflammatory disease, an antiproliferative agent such as for acute or chronic myelogenous leukemia or in the prevention of premature labor secondary to intrauterine infections.

4.10.16 LEUKEMIAS

Leukemias and related disorders may be treated or prevented by administration of
30 a therapeutic that promotes or inhibits function of the polynucleotides and/or polypeptides of the invention. Such leukemias and related disorders include but are not

limited to acute leukemia, acute lymphocytic leukemia, acute myelocytic leukemia, myeloblastic, promyelocytic, myelomonocytic, monocytic, erythroleukemia, chronic leukemia, chronic myelocytic (granulocytic) leukemia and chronic lymphocytic leukemia (for a review of such disorders, see Fishman et al., 1985, Medicine, 2d Ed., J.B.

5 Lippincott Co., Philadelphia).

4.10.17 NERVOUS SYSTEM DISORDERS

Nervous system disorders, involving cell types which can be tested for efficacy of intervention with compounds that modulate the activity of the polynucleotides and/or
10 polypeptides of the invention, and which can be treated upon thus observing an indication of therapeutic utility, include but are not limited to nervous system injuries, and diseases or disorders which result in either a disconnection of axons, a diminution or degeneration of neurons, or demyelination. Nervous system lesions which may be treated in a patient (including human and non-human mammalian patients) according to the invention
15 include but are not limited to the following lesions of either the central (including spinal cord, brain) or peripheral nervous systems:

(i) traumatic lesions, including lesions caused by physical injury or associated with surgery, for example, lesions which sever a portion of the nervous system, or compression injuries;

20 (ii) ischemic lesions, in which a lack of oxygen in a portion of the nervous system results in neuronal injury or death, including cerebral infarction or ischemia, or spinal cord infarction or ischemia;

(iii) infectious lesions, in which a portion of the nervous system is destroyed or injured as a result of infection, for example, by an abscess or associated with infection by
25 human immunodeficiency virus, herpes zoster, or herpes simplex virus or with Lyme disease, tuberculosis, syphilis;

(iv) degenerative lesions, in which a portion of the nervous system is destroyed or injured as a result of a degenerative process including but not limited to degeneration associated with Parkinson's disease, Alzheimer's disease, Huntington's chorea, or
30 amyotrophic lateral sclerosis;

(v) lesions associated with nutritional diseases or disorders, in which a portion of the nervous system is destroyed or injured by a nutritional disorder or disorder of metabolism including but not limited to, vitamin B12 deficiency, folic acid deficiency, Wernicke disease, tobacco-alcohol amblyopia, Marchiafava-Bignami disease (primary degeneration of the corpus callosum), and alcoholic cerebellar degeneration;

(vi) neurological lesions associated with systemic diseases including but not limited to diabetes (diabetic neuropathy, Bell's palsy), systemic lupus erythematosus, carcinoma, or sarcoidosis;

(vii) lesions caused by toxic substances including alcohol, lead, or particular neurotoxins; and

(viii) demyelinated lesions in which a portion of the nervous system is destroyed or injured by a demyelinating disease including but not limited to multiple sclerosis, human immunodeficiency virus-associated myelopathy, transverse myelopathy or various etiologies, progressive multifocal leukoencephalopathy, and central pontine myelinolysis.

Therapeutics which are useful according to the invention for treatment of a nervous system disorder may be selected by testing for biological activity in promoting the survival or differentiation of neurons. For example, and not by way of limitation, therapeutics which elicit any of the following effects may be useful according to the invention:

- (i) increased survival time of neurons in culture;
- (ii) increased sprouting of neurons in culture or *in vivo*;
- (iii) increased production of a neuron-associated molecule in culture or *in vivo*, e.g., choline acetyltransferase or acetylcholinesterase with respect to motor neurons; or
- (iv) decreased symptoms of neuron dysfunction *in vivo*.

Such effects may be measured by any method known in the art. In preferred, non-limiting embodiments, increased survival of neurons may be measured by the method set forth in Arakawa et al. (1990, J. Neurosci. 10:3507-3515); increased sprouting of neurons may be detected by methods set forth in Pestronk et al. (1980, Exp. Neurol. 70:65-82) or Brown et al. (1981, Ann. Rev. Neurosci. 4:17-42); increased production of neuron-associated molecules may be measured by bioassay, enzymatic assay, antibody

binding, Northern blot assay, *etc.*, depending on the molecule to be measured; and motor neuron dysfunction may be measured by assessing the physical manifestation of motor neuron disorder, *e.g.*, weakness, motor neuron conduction velocity, or functional disability.

5 In specific embodiments, motor neuron disorders that may be treated according to the invention include but are not limited to disorders such as infarction, infection, exposure to toxin, trauma, surgical damage, degenerative disease or malignancy that may affect motor neurons as well as other components of the nervous system, as well as disorders that selectively affect neurons such as amyotrophic lateral sclerosis, and
10 including but not limited to progressive spinal muscular atrophy, progressive bulbar palsy, primary lateral sclerosis, infantile and juvenile muscular atrophy, progressive bulbar paralysis of childhood (Fazio-Londe syndrome), poliomyelitis and the post polio syndrome, and Hereditary Motorsensory Neuropathy (Charcot-Marie-Tooth Disease).

15 4.10.18 OTHER ACTIVITIES

A polypeptide of the invention may also exhibit one or more of the following additional activities or effects: inhibiting the growth, infection or function of, or killing, infectious agents, including, without limitation, bacteria, viruses, fungi and other parasites; effecting (suppressing or enhancing) bodily characteristics, including, without
20 limitation, height, weight, hair color, eye color, skin, fat to lean ratio or other tissue pigmentation, or organ or body part size or shape (such as, for example, breast augmentation or diminution, change in bone form or shape); effecting biorhythms or circadian cycles or rhythms; effecting the fertility of male or female subjects; effecting the metabolism, catabolism, anabolism, processing, utilization, storage or elimination of
25 dietary fat, lipid, protein, carbohydrate, vitamins, minerals, co-factors or other nutritional factors or component(s); effecting behavioral characteristics, including, without limitation, appetite, libido, stress, cognition (including cognitive disorders), depression (including depressive disorders) and violent behaviors; providing analgesic effects or other pain reducing effects; promoting differentiation and growth of embryonic stem cells
30 in lineages other than hematopoietic lineages; hormonal or endocrine activity; in the case of enzymes, correcting deficiencies of the enzyme and treating deficiency-related

diseases; treatment of hyperproliferative disorders (such as, for example, psoriasis); immunoglobulin-like activity (such as, for example, the ability to bind antigens or complement); and the ability to act as an antigen in a vaccine composition to raise an immune response against such protein or another material or entity which is cross-reactive with such protein.

4.10.19 IDENTIFICATION OF POLYMORPHISMS

The demonstration of polymorphisms makes possible the identification of such polymorphisms in human subjects and the pharmacogenetic use of this information for diagnosis and treatment. Such polymorphisms may be associated with, e.g., differential predisposition or susceptibility to various disease states (such as disorders involving inflammation or immune response) or a differential response to drug administration, and this genetic information can be used to tailor preventive or therapeutic treatment appropriately. For example, the existence of a polymorphism associated with a predisposition to inflammation or autoimmune disease makes possible the diagnosis of this condition in humans by identifying the presence of the polymorphism.

Polymorphisms can be identified in a variety of ways known in the art which all generally involve obtaining a sample from a patient, analyzing DNA from the sample, optionally involving isolation or amplification of the DNA, and identifying the presence of the polymorphism in the DNA. For example, PCR may be used to amplify an appropriate fragment of genomic DNA which may then be sequenced. Alternatively, the DNA may be subjected to allele-specific oligonucleotide hybridization (in which appropriate oligonucleotides are hybridized to the DNA under conditions permitting detection of a single base mismatch) or to a single nucleotide extension assay (in which an oligonucleotide that hybridizes immediately adjacent to the position of the polymorphism is extended with one or more labeled nucleotides). In addition, traditional restriction fragment length polymorphism analysis (using restriction enzymes that provide differential digestion of the genomic DNA depending on the presence or absence of the polymorphism) may be performed. Arrays with nucleotide sequences of the present invention can be used to detect polymorphisms. The array can comprise modified nucleotide sequences of the present invention in order to detect the nucleotide sequences

of the present invention. In the alternative, any one of the nucleotide sequences of the present invention can be placed on the array to detect changes from those sequences.

Alternatively a polymorphism resulting in a change in the amino acid sequence could also be detected by detecting a corresponding change in amino acid sequence of the protein, e.g., by an antibody specific to the variant sequence.

4.10.20 ARTHRITIS AND INFLAMMATION

The immunosuppressive effects of the compositions of the invention against rheumatoid arthritis is determined in an experimental animal model system. The experimental model system is adjuvant induced arthritis in rats, and the protocol is described by J. Holoshitz, et al., 1983, Science, 219:56, or by B. Waksman et al., 1963, Int. Arch. Allergy Appl. Immunol., 23:129. Induction of the disease can be caused by a single injection, generally intradermally, of a suspension of killed Mycobacterium tuberculosis in complete Freund's adjuvant (CFA). The route of injection can vary, but rats may be injected at the base of the tail with an adjuvant mixture. The polypeptide is administered in phosphate buffered solution (PBS) at a dose of about 1-5 mg/kg. The control consists of administering PBS only.

The procedure for testing the effects of the test compound would consist of intradermally injecting killed Mycobacterium tuberculosis in CFA followed by immediately administering the test compound and subsequent treatment every other day until day 24. At 14, 15, 18, 20, 22, and 24 days after injection of Mycobacterium CFA, an overall arthritis score may be obtained as described by J. Holoskitz above. An analysis of the data would reveal that the test compound would have a dramatic affect on the swelling of the joints as measured by a decrease of the arthritis score.

4.11 THERAPEUTIC METHODS

The compositions (including polypeptide fragments, analogs, variants and antibodies or other binding partners or modulators including antisense polynucleotides) of the invention have numerous applications in a variety of therapeutic methods.

Examples of therapeutic applications include, but are not limited to, those exemplified herein.

4.11.1 EXAMPLE

One embodiment of the invention is the administration of an effective amount of the polypeptides or other composition of the invention to individuals affected by a disease or disorder that can be modulated by regulating the peptides of the invention. While the mode of administration is not particularly important, parenteral administration is preferred. An exemplary mode of administration is to deliver an intravenous bolus. The dosage of the polypeptides or other composition of the invention will normally be determined by the prescribing physician. It is to be expected that the dosage will vary according to the age, weight, condition and response of the individual patient. Typically, the amount of polypeptide administered per dose will be in the range of about 0.01 $\mu\text{g/kg}$ to 100 mg/kg of body weight, with the preferred dose being about 0.1 $\mu\text{g/kg}$ to 10 mg/kg of patient body weight. For parenteral administration, polypeptides of the invention will be formulated in an injectable form combined with a pharmaceutically acceptable parenteral vehicle. Such vehicles are well known in the art and examples include water, saline, Ringer's solution, dextrose solution, and solutions consisting of small amounts of the human serum albumin. The vehicle may contain minor amounts of additives that maintain the isotonicity and stability of the polypeptide or other active ingredient. The preparation of such solutions is within the skill of the art.

4.12 PHARMACEUTICAL FORMULATIONS AND ROUTES OF ADMINISTRATION

A protein or other composition of the present invention (from whatever source derived, including without limitation from recombinant and non-recombinant sources and including antibodies and other binding partners of the polypeptides of the invention) may be administered to a patient in need, by itself, or in pharmaceutical compositions where it is mixed with suitable carriers or excipient(s) at doses to treat or ameliorate a variety of disorders. Such a composition may optionally contain (in addition to protein or other active ingredient and a carrier) diluents, fillers, salts, buffers, stabilizers, solubilizers, and other materials well known in the art. The term "pharmaceutically acceptable" means a non-toxic material that does not interfere with the effectiveness of the biological activity

of the active ingredient(s). The characteristics of the carrier will depend on the route of administration. The pharmaceutical composition of the invention may also contain cytokines, lymphokines, or other hematopoietic factors such as M-CSF, GM-CSF, TNF, IL-1, IL-2, IL-3, IL-4, IL-5, IL-6, IL-7, IL-8, IL-9, IL-10, IL-11, IL-12, IL-13, IL-14, IL-15, IFN, TNF0, TNF1, TNF2, G-CSF, Meg-CSF, thrombopoietin, stem cell factor, and erythropoietin. In further compositions, proteins of the invention may be combined with other agents beneficial to the treatment of the disease or disorder in question. These agents include various growth factors such as epidermal growth factor (EGF), platelet-derived growth factor (PDGF), transforming growth factors (TGF- α and TGF- β), insulin-like growth factor (IGF), as well as cytokines described herein.

The pharmaceutical composition may further contain other agents which either enhance the activity of the protein or other active ingredient or complement its activity or use in treatment. Such additional factors and/or agents may be included in the pharmaceutical composition to produce a synergistic effect with protein or other active ingredient of the invention, or to minimize side effects. Conversely, protein or other active ingredient of the present invention may be included in formulations of the particular clotting factor, cytokine, lymphokine, other hematopoietic factor, thrombolytic or anti-thrombotic factor, or anti-inflammatory agent to minimize side effects of the clotting factor, cytokine, lymphokine, other hematopoietic factor, thrombolytic or anti-thrombotic factor, or anti-inflammatory agent (such as IL-1Ra, IL-1 Hy1, IL-1 Hy2, anti-TNF, corticosteroids, immunosuppressive agents). A protein of the present invention may be active in multimers (e.g., heterodimers or homodimers) or complexes with itself or other proteins. As a result, pharmaceutical compositions of the invention may comprise a protein of the invention in such multimeric or complexed form.

As an alternative to being included in a pharmaceutical composition of the invention including a first protein, a second protein or a therapeutic agent may be concurrently administered with the first protein (e.g., at the same time, or at differing times provided that therapeutic concentrations of the combination of agents is achieved at the treatment site). Techniques for formulation and administration of the compounds of the instant application may be found in "Remington's Pharmaceutical Sciences," Mack Publishing Co., Easton, PA, latest edition. A therapeutically effective dose further refers

to that amount of the compound sufficient to result in amelioration of symptoms, *e.g.*, treatment, healing, prevention or amelioration of the relevant medical condition, or an increase in rate of treatment, healing, prevention or amelioration of such conditions.

When applied to an individual active ingredient, administered alone, a therapeutically effective dose refers to that ingredient alone. When applied to a combination, a therapeutically effective dose refers to combined amounts of the active ingredients that result in the therapeutic effect, whether administered in combination, serially or simultaneously.

In practicing the method of treatment or use of the present invention, a therapeutically effective amount of protein or other active ingredient of the present invention is administered to a mammal having a condition to be treated. Protein or other active ingredient of the present invention may be administered in accordance with the method of the invention either alone or in combination with other therapies such as treatments employing cytokines, lymphokines or other hematopoietic factors. When co-administered with one or more cytokines, lymphokines or other hematopoietic factors, protein or other active ingredient of the present invention may be administered either simultaneously with the cytokine(s), lymphokine(s), other hematopoietic factor(s), thrombolytic or anti-thrombotic factors, or sequentially. If administered sequentially, the attending physician will decide on the appropriate sequence of administering protein or other active ingredient of the present invention in combination with cytokine(s), lymphokine(s), other hematopoietic factor(s), thrombolytic or anti-thrombotic factors.

4.12.1 ROUTES OF ADMINISTRATION

Suitable routes of administration may, for example, include oral, rectal, transmucosal, or intestinal administration; parenteral delivery, including intramuscular, subcutaneous, intramedullary injections, as well as intrathecal, direct intraventricular, intravenous, intraperitoneal, intranasal, or intraocular injections. Administration of protein or other active ingredient of the present invention used in the pharmaceutical composition or to practice the method of the present invention can be carried out in a variety of conventional ways, such as oral ingestion, inhalation, topical application or

cutaneous, subcutaneous, intraperitoneal, parenteral or intravenous injection. Intravenous administration to the patient is preferred.

Alternately, one may administer the compound in a local rather than systemic manner, for example, via injection of the compound directly into a arthritic joints or in
5 fibrotic tissue, often in a depot or sustained release formulation. In order to prevent the scarring process frequently occurring as complication of glaucoma surgery, the compounds may be administered topically, for example, as eye drops. Furthermore, one may administer the drug in a targeted drug delivery system, for example, in a liposome coated with a specific antibody, targeting, for example, arthritic or fibrotic tissue. The
10 liposomes will be targeted to and taken up selectively by the afflicted tissue.

The polypeptides of the invention are administered by any route that delivers an effective dosage to the desired site of action. The determination of a suitable route of administration and an effective dosage for a particular indication is within the level of skill in the art. Preferably for wound treatment, one administers the therapeutic
15 compound directly to the site. Suitable dosage ranges for the polypeptides of the invention can be extrapolated from these dosages or from similar studies in appropriate animal models. Dosages can then be adjusted as necessary by the clinician to provide maximal therapeutic benefit.

20 4.12.2 COMPOSITIONS/FORMULATIONS

Pharmaceutical compositions for use in accordance with the present invention thus may be formulated in a conventional manner using one or more physiologically acceptable carriers comprising excipients and auxiliaries which facilitate processing of the active compounds into preparations which can be used pharmaceutically. These
25 pharmaceutical compositions may be manufactured in a manner that is itself known, *e.g.*, by means of conventional mixing, dissolving, granulating, dragee-making, levigating, emulsifying, encapsulating, entrapping or lyophilizing processes. Proper formulation is dependent upon the route of administration chosen. When a therapeutically effective amount of protein or other active ingredient of the present invention is administered
30 orally, protein or other active ingredient of the present invention will be in the form of a tablet, capsule, powder, solution or elixir. When administered in tablet form, the

pharmaceutical composition of the invention may additionally contain a solid carrier such as a gelatin or an adjuvant. The tablet, capsule, and powder contain from about 5 to 95% protein or other active ingredient of the present invention, and preferably from about 25 to 90% protein or other active ingredient of the present invention. When administered in liquid form, a liquid carrier such as water, petroleum, oils of animal or plant origin such as peanut oil, mineral oil, soybean oil, or sesame oil, or synthetic oils may be added. The liquid form of the pharmaceutical composition may further contain physiological saline solution, dextrose or other saccharide solution, or glycols such as ethylene glycol, propylene glycol or polyethylene glycol. When administered in liquid form, the pharmaceutical composition contains from about 0.5 to 90% by weight of protein or other active ingredient of the present invention, and preferably from about 1 to 50% protein or other active ingredient of the present invention.

When a therapeutically effective amount of protein or other active ingredient of the present invention is administered by intravenous, cutaneous or subcutaneous injection, protein or other active ingredient of the present invention will be in the form of a pyrogen-free, parenterally acceptable aqueous solution. The preparation of such parenterally acceptable protein or other active ingredient solutions, having due regard to pH, isotonicity, stability, and the like, is within the skill in the art. A preferred pharmaceutical composition for intravenous, cutaneous, or subcutaneous injection should contain, in addition to protein or other active ingredient of the present invention, an isotonic vehicle such as Sodium Chloride Injection, Ringer's Injection, Dextrose Injection, Dextrose and Sodium Chloride Injection, Lactated Ringer's Injection, or other vehicle as known in the art. The pharmaceutical composition of the present invention may also contain stabilizers, preservatives, buffers, antioxidants, or other additives known to those of skill in the art. For injection, the agents of the invention may be formulated in aqueous solutions, preferably in physiologically compatible buffers such as Hanks's solution, Ringer's solution, or physiological saline buffer. For transmucosal administration, penetrants appropriate to the barrier to be permeated are used in the formulation. Such penetrants are generally known in the art.

For oral administration, the compounds can be formulated readily by combining the active compounds with pharmaceutically acceptable carriers well known in the art.

Such carriers enable the compounds of the invention to be formulated as tablets, pills, dragees, capsules, liquids, gels, syrups, slurries, suspensions and the like, for oral ingestion by a patient to be treated. Pharmaceutical preparations for oral use can be obtained from a solid excipient, optionally grinding a resulting mixture, and processing the mixture of granules, after adding suitable auxiliaries, if desired, to obtain tablets or dragee cores. Suitable excipients are, in particular, fillers such as sugars, including lactose, sucrose, mannitol, or sorbitol; cellulose preparations such as, for example, maize starch, wheat starch, rice starch, potato starch, gelatin, gum tragacanth, methyl cellulose, hydroxypropylmethyl-cellulose, sodium carboxymethylcellulose, and/or polyvinylpyrrolidone (PVP). If desired, disintegrating agents may be added, such as the cross-linked polyvinyl pyrrolidone, agar, or alginic acid or a salt thereof such as sodium alginate. Dragee cores are provided with suitable coatings. For this purpose, concentrated sugar solutions may be used, which may optionally contain gum arabic, talc, polyvinyl pyrrolidone, carbopol gel, polyethylene glycol, and/or titanium dioxide, lacquer solutions, and suitable organic solvents or solvent mixtures. Dyestuffs or pigments may be added to the tablets or dragee coatings for identification or to characterize different combinations of active compound doses.

Pharmaceutical preparations which can be used orally include push-fit capsules made of gelatin, as well as soft, sealed capsules made of gelatin and a plasticizer, such as glycerol or sorbitol. The push-fit capsules can contain the active ingredients in admixture with filler such as lactose, binders such as starches, and/or lubricants such as talc or magnesium stearate and, optionally, stabilizers. In soft capsules, the active compounds may be dissolved or suspended in suitable liquids, such as fatty oils, liquid paraffin, or liquid polyethylene glycols. In addition, stabilizers may be added. All formulations for oral administration should be in dosages suitable for such administration. For buccal administration, the compositions may take the form of tablets or lozenges formulated in conventional manner.

For administration by inhalation, the compounds for use according to the present invention are conveniently delivered in the form of an aerosol spray presentation from pressurized packs or a nebuliser, with the use of a suitable propellant, *e.g.*, dichlorodifluoromethane, trichlorofluoromethane, dichlorotetrafluoroethane, carbon

dioxide or other suitable gas. In the case of a pressurized aerosol the dosage unit may be determined by providing a valve to deliver a metered amount. Capsules and cartridges of, *e.g.*, gelatin for use in an inhaler or insufflator may be formulated containing a powder mix of the compound and a suitable powder base such as lactose or starch. The

5 compounds may be formulated for parenteral administration by injection, *e.g.*, by bolus injection or continuous infusion. Formulations for injection may be presented in unit dosage form, *e.g.*, in ampules or in multi-dose containers, with an added preservative. The compositions may take such forms as suspensions, solutions or emulsions in oily or aqueous vehicles, and may contain formulatory agents such as suspending, stabilizing
10 and/or dispersing agents.

Pharmaceutical formulations for parenteral administration include aqueous solutions of the active compounds in water-soluble form. Additionally, suspensions of the active compounds may be prepared as appropriate oily injection suspensions. Suitable lipophilic solvents or vehicles include fatty oils such as sesame oil, or synthetic
15 fatty acid esters, such as ethyl oleate or triglycerides, or liposomes. Aqueous injection suspensions may contain substances which increase the viscosity of the suspension, such as sodium carboxymethyl cellulose, sorbitol, or dextran. Optionally, the suspension may also contain suitable stabilizers or agents which increase the solubility of the compounds to allow for the preparation of highly concentrated solutions. Alternatively, the active
20 ingredient may be in powder form for constitution with a suitable vehicle, *e.g.*, sterile pyrogen-free water, before use.

The compounds may also be formulated in rectal compositions such as suppositories or retention enemas, *e.g.*, containing conventional suppository bases such as cocoa butter or other glycerides. In addition to the formulations described previously, the
25 compounds may also be formulated as a depot preparation. Such long acting formulations may be administered by implantation (for example subcutaneously or intramuscularly) or by intramuscular injection. Thus, for example, the compounds may be formulated with suitable polymeric or hydrophobic materials (for example as an emulsion in an acceptable oil) or ion exchange resins, or as sparingly soluble derivatives,
30 for example, as a sparingly soluble salt.

A pharmaceutical carrier for the hydrophobic compounds of the invention is a co-solvent system comprising benzyl alcohol, a nonpolar surfactant, a water-miscible organic polymer, and an aqueous phase. The co-solvent system may be the VPD co-solvent system. VPD is a solution of 3% w/v benzyl alcohol, 8% w/v of the nonpolar surfactant polysorbate 80, and 65% w/v polyethylene glycol 300, made up to volume in absolute ethanol. The VPD co-solvent system (VPD:5W) consists of VPD diluted 1:1 with a 5% dextrose in water solution. This co-solvent system dissolves hydrophobic compounds well, and itself produces low toxicity upon systemic administration. Naturally, the proportions of a co-solvent system may be varied considerably without destroying its solubility and toxicity characteristics. Furthermore, the identity of the co-solvent components may be varied: for example, other low-toxicity nonpolar surfactants may be used instead of polysorbate 80; the fraction size of polyethylene glycol may be varied; other biocompatible polymers may replace polyethylene glycol, e.g. polyvinyl pyrrolidone; and other sugars or polysaccharides may substitute for dextrose. Alternatively, other delivery systems for hydrophobic pharmaceutical compounds may be employed. Liposomes and emulsions are well known examples of delivery vehicles or carriers for hydrophobic drugs. Certain organic solvents such as dimethylsulfoxide also may be employed, although usually at the cost of greater toxicity. Additionally, the compounds may be delivered using a sustained-release system, such as semipermeable matrices of solid hydrophobic polymers containing the therapeutic agent. Various types of sustained-release materials have been established and are well known by those skilled in the art. Sustained-release capsules may, depending on their chemical nature, release the compounds for a few weeks up to over 100 days. Depending on the chemical nature and the biological stability of the therapeutic reagent, additional strategies for protein or other active ingredient stabilization may be employed.

The pharmaceutical compositions also may comprise suitable solid or gel phase carriers or excipients. Examples of such carriers or excipients include but are not limited to calcium carbonate, calcium phosphate, various sugars, starches, cellulose derivatives, gelatin, and polymers such as polyethylene glycols. Many of the active ingredients of the invention may be provided as salts with pharmaceutically compatible counter ions. Such pharmaceutically acceptable base addition salts are those salts which retain the biological

effectiveness and properties of the free acids and which are obtained by reaction with inorganic or organic bases such as sodium hydroxide, magnesium hydroxide, ammonia, trialkylamine, dialkylamine, monoalkylamine, dibasic amino acids, sodium acetate, potassium benzoate, triethanol amine and the like.

5 The pharmaceutical composition of the invention may be in the form of a complex of the protein(s) or other active ingredient(s) of present invention along with protein or peptide antigens. The protein and/or peptide antigen will deliver a stimulatory signal to both B and T lymphocytes. B lymphocytes will respond to antigen through their surface immunoglobulin receptor. T lymphocytes will respond to antigen through the T
10 cell receptor (TCR) following presentation of the antigen by MHC proteins. MHC and structurally related proteins including those encoded by class I and class II MHC genes on host cells will serve to present the peptide antigen(s) to T lymphocytes. The antigen components could also be supplied as purified MHC-peptide complexes alone or with co-stimulatory molecules that can directly signal T cells. Alternatively antibodies able to
15 bind surface immunoglobulin and other molecules on B cells as well as antibodies able to bind the TCR and other molecules on T cells can be combined with the pharmaceutical composition of the invention.

 The pharmaceutical composition of the invention may be in the form of a liposome in which protein of the present invention is combined, in addition to other
20 pharmaceutically acceptable carriers, with amphipathic agents such as lipids which exist in aggregated form as micelles, insoluble monolayers, liquid crystals, or lamellar layers in aqueous solution. Suitable lipids for liposomal formulation include, without limitation, monoglycerides, diglycerides, sulfatides, lysolecithins, phospholipids, saponin, bile acids, and the like. Preparation of such liposomal formulations is within the level of skill in the
25 art, as disclosed, for example, in U.S. Patent Nos. 4,235,871; 4,501,728; 4,837,028; and 4,737,323, all of which are incorporated herein by reference.

 The amount of protein or other active ingredient of the present invention in the pharmaceutical composition of the present invention will depend upon the nature and severity of the condition being treated, and on the nature of prior treatments which the
30 patient has undergone. Ultimately, the attending physician will decide the amount of protein or other active ingredient of the present invention with which to treat each

individual patient. Initially, the attending physician will administer low doses of protein or other active ingredient of the present invention and observe the patient's response.

Larger doses of protein or other active ingredient of the present invention may be administered until the optimal therapeutic effect is obtained for the patient, and at that

5 point the dosage is not increased further. It is contemplated that the various pharmaceutical compositions used to practice the method of the present invention should contain about 0.01 μ g to about 100 mg (preferably about 0.1 μ g to about 10 mg, more preferably about 0.1 μ g to about 1 mg) of protein or other active ingredient of the present invention per kg body weight. For compositions of the present invention which are

10 useful for bone, cartilage, tendon or ligament regeneration, the therapeutic method includes administering the composition topically, systematically, or locally as an implant or device. When administered, the therapeutic composition for use in this invention is, of course, in a pyrogen-free, physiologically acceptable form. Further, the composition may desirably be encapsulated or injected in a viscous form for delivery to the site of bone,

15 cartilage or tissue damage. Topical administration may be suitable for wound healing and tissue repair. Therapeutically useful agents other than a protein or other active ingredient of the invention which may also optionally be included in the composition as described above, may alternatively or additionally, be administered simultaneously or sequentially with the composition in the methods of the invention. Preferably for bone

20 and/or cartilage formation, the composition would include a matrix capable of delivering the protein-containing or other active ingredient-containing composition to the site of bone and/or cartilage damage, providing a structure for the developing bone and cartilage and optimally capable of being resorbed into the body. Such matrices may be formed of materials presently in use for other implanted medical applications.

25 The choice of matrix material is based on biocompatibility, biodegradability, mechanical properties, cosmetic appearance and interface properties. The particular application of the compositions will define the appropriate formulation. Potential matrices for the compositions may be biodegradable and chemically defined calcium sulfate, tricalcium phosphate, hydroxyapatite, polylactic acid, polyglycolic acid and
30 polyanhydrides. Other potential materials are biodegradable and biologically well-defined, such as bone or dermal collagen. Further matrices are comprised of pure

proteins or extracellular matrix components. Other potential matrices are nonbiodegradable and chemically defined, such as sintered hydroxyapatite, bioglass, aluminates, or other ceramics. Matrices may be comprised of combinations of any of the above mentioned types of material, such as polylactic acid and hydroxyapatite or collagen and tricalcium phosphate. The bioceramics may be altered in composition, such as in calcium-aluminate-phosphate and processing to alter pore size, particle size, particle shape, and biodegradability. Presently preferred is a 50:50 (mole weight) copolymer of lactic acid and glycolic acid in the form of porous particles having diameters ranging from 150 to 800 microns. In some applications, it will be useful to utilize a sequestering agent, such as carboxymethyl cellulose or autologous blood clot, to prevent the protein compositions from disassociating from the matrix.

A preferred family of sequestering agents is cellulosic materials such as alkylcelluloses (including hydroxyalkylcelluloses), including methylcellulose, ethylcellulose, hydroxyethylcellulose, hydroxypropylcellulose, hydroxypropyl-methylcellulose, and carboxymethylcellulose, the most preferred being cationic salts of carboxymethylcellulose (CMC). Other preferred sequestering agents include hyaluronic acid, sodium alginate, poly(ethylene glycol), polyoxyethylene oxide, carboxyvinyl polymer and poly(vinyl alcohol). The amount of sequestering agent useful herein is 0.5-20 wt %, preferably 1-10 wt % based on total formulation weight, which represents the amount necessary to prevent desorption of the protein from the polymer matrix and to provide appropriate handling of the composition, yet not so much that the progenitor cells are prevented from infiltrating the matrix, thereby providing the protein the opportunity to assist the osteogenic activity of the progenitor cells. In further compositions, proteins or other active ingredients of the invention may be combined with other agents beneficial to the treatment of the bone and/or cartilage defect, wound, or tissue in question. These agents include various growth factors such as epidermal growth factor (EGF), platelet derived growth factor (PDGF), transforming growth factors (TGF- α and TGF- β), and insulin-like growth factor (IGF).

The therapeutic compositions are also presently valuable for veterinary applications. Particularly domestic animals and thoroughbred horses, in addition to humans, are desired patients for such treatment with proteins or other active ingredients

of the present invention. The dosage regimen of a protein-containing pharmaceutical composition to be used in tissue regeneration will be determined by the attending physician considering various factors which modify the action of the proteins, *e.g.*, amount of tissue weight desired to be formed, the site of damage, the condition of the damaged tissue, the size of a wound, type of damaged tissue (*e.g.*, bone), the patient's age, sex, and diet, the severity of any infection, time of administration and other clinical factors. The dosage may vary with the type of matrix used in the reconstitution and with inclusion of other proteins in the pharmaceutical composition. For example, the addition of other known growth factors, such as IGF I (insulin like growth factor I), to the final composition, may also effect the dosage. Progress can be monitored by periodic assessment of tissue/bone growth and/or repair, for example, X-rays, histomorphometric determinations and tetracycline labeling.

Polynucleotides of the present invention can also be used for gene therapy. Such polynucleotides can be introduced either *in vivo* or *ex vivo* into cells for expression in a mammalian subject. Polynucleotides of the invention may also be administered by other known methods for introduction of nucleic acid into a cell or organism (including, without limitation, in the form of viral vectors or naked DNA). Cells may also be cultured *ex vivo* in the presence of proteins of the present invention in order to proliferate or to produce a desired effect on or activity in such cells. Treated cells can then be introduced *in vivo* for therapeutic purposes.

4.12.3 EFFECTIVE DOSAGE

Pharmaceutical compositions suitable for use in the present invention include compositions wherein the active ingredients are contained in an effective amount to achieve its intended purpose. More specifically, a therapeutically effective amount means an amount effective to prevent development of or to alleviate the existing symptoms of the subject being treated. Determination of the effective amount is well within the capability of those skilled in the art, especially in light of the detailed disclosure provided herein. For any compound used in the method of the invention, the therapeutically effective dose can be estimated initially from appropriate *in vitro* assays. For example, a dose can be formulated in animal models to achieve a circulating

concentration range that can be used to more accurately determine useful doses in humans. For example, a dose can be formulated in animal models to achieve a circulating concentration range that includes the IC_{50} as determined in cell culture (*i.e.*, the concentration of the test compound which achieves a half-maximal inhibition of the protein's biological activity). Such information can be used to more accurately determine useful doses in humans.

A therapeutically effective dose refers to that amount of the compound that results in amelioration of symptoms or a prolongation of survival in a patient. Toxicity and therapeutic efficacy of such compounds can be determined by standard pharmaceutical procedures in cell cultures or experimental animals, *e.g.*, for determining the LD_{50} (the dose lethal to 50% of the population) and the ED_{50} (the dose therapeutically effective in 50% of the population). The dose ratio between toxic and therapeutic effects is the therapeutic index and it can be expressed as the ratio between LD_{50} and ED_{50} .

Compounds which exhibit high therapeutic indices are preferred. The data obtained from these cell culture assays and animal studies can be used in formulating a range of dosage for use in human. The dosage of such compounds lies preferably within a range of circulating concentrations that include the ED_{50} with little or no toxicity. The dosage may vary within this range depending upon the dosage form employed and the route of administration utilized. The exact formulation, route of administration and dosage can be chosen by the individual physician in view of the patient's condition. See, *e.g.*, Fingl et al., 1975, in "The Pharmacological Basis of Therapeutics", Ch. 1 p.1. Dosage amount and interval may be adjusted individually to provide plasma levels of the active moiety which are sufficient to maintain the desired effects, or minimal effective concentration (MEC). The MEC will vary for each compound but can be estimated from *in vitro* data. Dosages necessary to achieve the MEC will depend on individual characteristics and route of administration. However, HPLC assays or bioassays can be used to determine plasma concentrations.

Dosage intervals can also be determined using MEC value. Compounds should be administered using a regimen which maintains plasma levels above the MEC for 10-90% of the time, preferably between 30-90% and most preferably between 50-90%.

In cases of local administration or selective uptake, the effective local concentration of the drug may not be related to plasma concentration.

An exemplary dosage regimen for polypeptides or other compositions of the invention will be in the range of about 0.01 $\mu\text{g/kg}$ to 100 mg/kg of body weight daily, with the preferred dose being about 0.1 $\mu\text{g/kg}$ to 25 mg/kg of patient body weight daily, varying in adults and children. Dosing may be once daily, or equivalent doses may be delivered at longer or shorter intervals.

The amount of composition administered will, of course, be dependent on the subject being treated, on the subject's age and weight, the severity of the affliction, the manner of administration and the judgment of the prescribing physician.

4.12.4 PACKAGING

The compositions may, if desired, be presented in a pack or dispenser device which may contain one or more unit dosage forms containing the active ingredient. The pack may, for example, comprise metal or plastic foil, such as a blister pack. The pack or dispenser device may be accompanied by instructions for administration. Compositions comprising a compound of the invention formulated in a compatible pharmaceutical carrier may also be prepared, placed in an appropriate container, and labeled for treatment of an indicated condition.

4.13 ANTIBODIES

Also included in the invention are antibodies to proteins, or fragments of proteins of the invention. The term "antibody" as used herein refers to immunoglobulin molecules and immunologically active portions of immunoglobulin (Ig) molecules, i.e., molecules that contain an antigen binding site that specifically binds (immunoreacts with) an antigen. Such antibodies include, but are not limited to, polyclonal, monoclonal, chimeric, single chain, F_{ab} , $F_{ab'}$ and $F_{(ab')_2}$ fragments, and an F_{ab} expression library. In general, an antibody molecule obtained from humans relates to any of the classes IgG, IgM, IgA, IgE and IgD, which differ from one another by the nature of the heavy chain present in the molecule. Certain classes have subclasses as well, such as IgG₁, IgG₂, and others. Furthermore, in humans, the light chain may be a kappa chain or a lambda chain.

Reference herein to antibodies includes a reference to all such classes, subclasses and types of human antibody species.

An isolated related protein of the invention may be intended to serve as an antigen, or a portion or fragment thereof, and additionally can be used as an immunogen to generate antibodies that immunospecifically bind the antigen, using standard techniques for polyclonal and monoclonal antibody preparation. The full-length protein can be used or, alternatively, the invention provides antigenic peptide fragments of the antigen for use as immunogens. An antigenic peptide fragment comprises at least 6 amino acid residues of the amino acid sequence of the full length protein, such as an amino acid sequence shown in SEQ ID NO: 4, and encompasses an epitope thereof such that an antibody raised against the peptide forms a specific immune complex with the full length protein or with any fragment that contains the epitope. Preferably, the antigenic peptide comprises at least 10 amino acid residues, or at least 15 amino acid residues, or at least 20 amino acid residues, or at least 30 amino acid residues. Preferred epitopes encompassed by the antigenic peptide are regions of the protein that are located on its surface; commonly these are hydrophilic regions.

In certain embodiments of the invention, at least one epitope encompassed by the antigenic peptide is a region of -related protein that is located on the surface of the protein, *e.g.*, a hydrophilic region. A hydrophobicity analysis of the human related protein sequence will indicate which regions of a related protein are particularly hydrophilic and, therefore, are likely to encode surface residues useful for targeting antibody production. As a means for targeting antibody production, hydropathy plots showing regions of hydrophilicity and hydrophobicity may be generated by any method well known in the art, including, for example, the Kyte Doolittle or the Hopp Woods methods, either with or without Fourier transformation. See, *e.g.*, Hopp and Woods, 1981, *Proc. Nat. Acad. Sci. USA* 78: 3824-3828; Kyte and Doolittle 1982, *J. Mol. Biol.* 157: 105-142, each of which is incorporated herein by reference in its entirety. Antibodies that are specific for one or more domains within an antigenic protein, or derivatives, fragments, analogs or homologs thereof, are also provided herein.

A protein of the invention, or a derivative, fragment, analog, homolog or ortholog thereof, may be utilized as an immunogen in the generation of antibodies that immunospecifically bind these protein components.

Various procedures known within the art may be used for the production of polyclonal or monoclonal antibodies directed against a protein of the invention, or against derivatives, fragments, analogs homologs or orthologs thereof (see, for example, Antibodies: A Laboratory Manual, Harlow E, and Lane D, 1988, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY, incorporated herein by reference). Some of these antibodies are discussed below.

5.13.1 Polyclonal Antibodies

For the production of polyclonal antibodies, various suitable host animals (e.g., rabbit, goat, mouse or other mammal) may be immunized by one or more injections with the native protein, a synthetic variant thereof, or a derivative of the foregoing. An appropriate immunogenic preparation can contain, for example, the naturally occurring immunogenic protein, a chemically synthesized polypeptide representing the immunogenic protein, or a recombinantly expressed immunogenic protein. Furthermore, the protein may be conjugated to a second protein known to be immunogenic in the mammal being immunized. Examples of such immunogenic proteins include but are not limited to keyhole limpet hemocyanin, serum albumin, bovine thyroglobulin, and soybean trypsin inhibitor. The preparation can further include an adjuvant. Various adjuvants used to increase the immunological response include, but are not limited to, Freund's (complete and incomplete), mineral gels (e.g., aluminum hydroxide), surface active substances (e.g., lysolecithin, pluronic polyols, polyanions, peptides, oil emulsions, dinitrophenol, etc.), adjuvants usable in humans such as Bacille Calmette-Guerin and Corynebacterium parvum, or similar immunostimulatory agents. Additional examples of adjuvants which can be employed include MPL-TDM adjuvant (monophosphoryl Lipid A, synthetic trehalose dicorynomycolate).

The polyclonal antibody molecules directed against the immunogenic protein can be isolated from the mammal (e.g., from the blood) and further purified by well known techniques, such as affinity chromatography using protein A or protein G, which provide

primarily the IgG fraction of immune serum. Subsequently, or alternatively, the specific antigen which is the target of the immunoglobulin sought, or an epitope thereof, may be immobilized on a column to purify the immune specific antibody by immunoaffinity chromatography. Purification of immunoglobulins is discussed, for example, by D.

5 Wilkinson (The Scientist, published by The Scientist, Inc., Philadelphia PA, Vol. 14, No. 8 (April 17, 2000), pp. 25-28).

5.13.2 Monoclonal Antibodies

The term "monoclonal antibody" (MAb) or "monoclonal antibody composition",
10 as used herein, refers to a population of antibody molecules that contain only one molecular species of antibody molecule consisting of a unique light chain gene product and a unique heavy chain gene product. In particular, the complementarity determining regions (CDRs) of the monoclonal antibody are identical in all the molecules of the population. MAbs thus contain an antigen binding site capable of immunoreacting with a
15 particular epitope of the antigen characterized by a unique binding affinity for it.

Monoclonal antibodies can be prepared using hybridoma methods, such as those described by Kohler and Milstein, Nature, 256:495 (1975). In a hybridoma method, a mouse, hamster, or other appropriate host animal, is typically immunized with an immunizing agent to elicit lymphocytes that produce or are capable of producing
20 antibodies that will specifically bind to the immunizing agent. Alternatively, the lymphocytes can be immunized in vitro.

The immunizing agent will typically include the protein antigen, a fragment thereof or a fusion protein thereof. Generally, either peripheral blood lymphocytes are used if cells of human origin are desired, or spleen cells or lymph node cells are used if non-human
25 mammalian sources are desired. The lymphocytes are then fused with an immortalized cell line using a suitable fusing agent, such as polyethylene glycol, to form a hybridoma cell (Goding, Monoclonal Antibodies: Principles and Practice, Academic Press, (1986) pp. 59-103). Immortalized cell lines are usually transformed mammalian cells, particularly myeloma cells of rodent, bovine and human origin. Usually, rat or mouse
30 myeloma cell lines are employed. The hybridoma cells can be cultured in a suitable culture medium that preferably contains one or more substances that inhibit the growth or

survival of the unfused, immortalized cells. For example, if the parental cells lack the enzyme hypoxanthine guanine phosphoribosyl transferase (HGPRT or HPRT), the culture medium for the hybridomas typically will include hypoxanthine, aminopterin, and thymidine ("HAT medium"), which substances prevent the growth of HGPRT-deficient cells.

Preferred immortalized cell lines are those that fuse efficiently, support stable high level expression of antibody by the selected antibody-producing cells, and are sensitive to a medium such as HAT medium. More preferred immortalized cell lines are murine myeloma lines, which can be obtained, for instance, from the Salk Institute Cell Distribution Center, San Diego, California and the American Type Culture Collection, Manassas, Virginia. Human myeloma and mouse-human heteromyeloma cell lines also have been described for the production of human monoclonal antibodies (Kozbor, J. Immunol., 133:3001 (1984); Brodeur et al., Monoclonal Antibody Production Techniques and Applications, Marcel Dekker, Inc., New York, (1987) pp. 51-63).

The culture medium in which the hybridoma cells are cultured can then be assayed for the presence of monoclonal antibodies directed against the antigen. Preferably, the binding specificity of monoclonal antibodies produced by the hybridoma cells is determined by immunoprecipitation or by an in vitro binding assay, such as radioimmunoassay (RIA) or enzyme-linked immunoabsorbent assay (ELISA). Such techniques and assays are known in the art. The binding affinity of the monoclonal antibody can, for example, be determined by the Scatchard analysis of Munson and Pollard, Anal. Biochem., 107:220 (1980). Preferably, antibodies having a high degree of specificity and a high binding affinity for the target antigen are isolated.

After the desired hybridoma cells are identified, the clones can be subcloned by limiting dilution procedures and grown by standard methods. Suitable culture media for this purpose include, for example, Dulbecco's Modified Eagle's Medium and RPMI-1640 medium. Alternatively, the hybridoma cells can be grown in vivo as ascites in a mammal.

The monoclonal antibodies secreted by the subclones can be isolated or purified from the culture medium or ascites fluid by conventional immunoglobulin purification procedures

such as, for example, protein A-Sepharose, hydroxylapatite chromatography, gel electrophoresis, dialysis, or affinity chromatography.

The monoclonal antibodies can also be made by recombinant DNA methods, such as those described in U.S. Patent No. 4,816,567. DNA encoding the monoclonal antibodies of the invention can be readily isolated and sequenced using conventional procedures (e.g., by using oligonucleotide probes that are capable of binding specifically to genes encoding the heavy and light chains of murine antibodies). The hybridoma cells of the invention serve as a preferred source of such DNA. Once isolated, the DNA can be placed into expression vectors, which are then transfected into host cells such as simian COS cells, Chinese hamster ovary (CHO) cells, or myeloma cells that do not otherwise produce immunoglobulin protein, to obtain the synthesis of monoclonal antibodies in the recombinant host cells. The DNA also can be modified, for example, by substituting the coding sequence for human heavy and light chain constant domains in place of the homologous murine sequences (U.S. Patent No. 4,816,567; Morrison, Nature 368, 812-13 (1994)) or by covalently joining to the immunoglobulin coding sequence all or part of the coding sequence for a non-immunoglobulin polypeptide. Such a non-immunoglobulin polypeptide can be substituted for the constant domains of an antibody of the invention, or can be substituted for the variable domains of one antigen-combining site of an antibody of the invention to create a chimeric bivalent antibody.

5.13.2 Humanized Antibodies

The antibodies directed against the protein antigens of the invention can further comprise humanized antibodies or human antibodies. These antibodies are suitable for administration to humans without engendering an immune response by the human against the administered immunoglobulin. Humanized forms of antibodies are chimeric immunoglobulins, immunoglobulin chains or fragments thereof (such as Fv, Fab, Fab', F(ab')₂ or other antigen-binding subsequences of antibodies) that are principally comprised of the sequence of a human immunoglobulin, and contain minimal sequence derived from a non-human immunoglobulin. Humanization can be performed following the method of Winter and co-workers (Jones et al., Nature, 321:522-525 (1986); Riechmann et al., Nature, 332:323-327 (1988); Verhoeyen et al., Science, 239:1534-1536

(1988)), by substituting rodent CDRs or CDR sequences for the corresponding sequences of a human antibody. (See also U.S. Patent No. 5,225,539.) In some instances, Fv framework residues of the human immunoglobulin are replaced by corresponding non-human residues. Humanized antibodies can also comprise residues which are found
5 neither in the recipient antibody nor in the imported CDR or framework sequences. In general, the humanized antibody will comprise substantially all of at least one, and typically two, variable domains, in which all or substantially all of the CDR regions correspond to those of a non-human immunoglobulin and all or substantially all of the framework regions are those of a human immunoglobulin consensus sequence. The
10 humanized antibody optimally also will comprise at least a portion of an immunoglobulin constant region (Fc), typically that of a human immunoglobulin (Jones et al., 1986; Riechmann et al., 1988; and Presta, Curr. Op. Struct. Biol., 2:593-596 (1992)).

5.13.3 Human Antibodies

15 Fully human antibodies relate to antibody molecules in which essentially the entire sequences of both the light chain and the heavy chain, including the CDRs, arise from human genes. Such antibodies are termed "human antibodies", or "fully human antibodies" herein. Human monoclonal antibodies can be prepared by the trioma technique; the human B-cell hybridoma technique (see Kozbor, et al., 1983 Immunol
20 Today 4: 72) and the EBV hybridoma technique to produce human monoclonal antibodies (see Cole, et al., 1985 In: MONOCLONAL ANTIBODIES AND CANCER THERAPY, Alan R. Liss, Inc., pp. 77-96). Human monoclonal antibodies may be utilized in the practice of the present invention and may be produced by using human hybridomas (see
Cote, et al., 1983. Proc Natl Acad Sci USA 80: 2026-2030) or by transforming human
25 B-cells with Epstein Barr Virus in vitro (see Cole, et al., 1985 In: MONOCLONAL ANTIBODIES AND CANCER THERAPY, Alan R. Liss, Inc., pp. 77-96).

In addition, human antibodies can also be produced using additional techniques, including phage display libraries (Hoogenboom and Winter, J. Mol. Biol., 227:381 (1991); Marks et al., J. Mol. Biol., 222:581 (1991)). Similarly, human antibodies can be
30 made by introducing human immunoglobulin loci into transgenic animals, e.g., mice in which the endogenous immunoglobulin genes have been partially or completely

inactivated. Upon challenge, human antibody production is observed, which closely resembles that seen in humans in all respects, including gene rearrangement, assembly, and antibody repertoire. This approach is described, for example, in U.S. Patent Nos. 5,545,807; 5,545,806; 5,569,825; 5,625,126; 5,633,425; 5,661,016, and in Marks et al. (Bio/Technology 10, 779-783 (1992)); Lonberg et al. (Nature 368 856-859 (1994)); Morrison (Nature 368, 812-13 (1994)); Fishwild et al. (Nature Biotechnology 14, 845-51 (1996)); Neuberger (Nature Biotechnology 14, 826 (1996)); and Lonberg and Huszar (Intern. Rev. Immunol. 13 65-93 (1995)).

Human antibodies may additionally be produced using transgenic nonhuman animals which are modified so as to produce fully human antibodies rather than the animal's endogenous antibodies in response to challenge by an antigen. (See PCT publication WO94/02602). The endogenous genes encoding the heavy and light immunoglobulin chains in the nonhuman host have been incapacitated, and active loci encoding human heavy and light chain immunoglobulins are inserted into the host's genome. The human genes are incorporated, for example, using yeast artificial chromosomes containing the requisite human DNA segments. An animal which provides all the desired modifications is then obtained as progeny by crossbreeding intermediate transgenic animals containing fewer than the full complement of the modifications. The preferred embodiment of such a nonhuman animal is a mouse, and is termed the XenomouseTM as disclosed in PCT publications WO 96/33735 and WO 96/34096. This animal produces B cells which secrete fully human immunoglobulins. The antibodies can be obtained directly from the animal after immunization with an immunogen of interest, as, for example, a preparation of a polyclonal antibody, or alternatively from immortalized B cells derived from the animal, such as hybridomas producing monoclonal antibodies. Additionally, the genes encoding the immunoglobulins with human variable regions can be recovered and expressed to obtain the antibodies directly, or can be further modified to obtain analogs of antibodies such as, for example, single chain Fv molecules.

An example of a method of producing a nonhuman host, exemplified as a mouse, lacking expression of an endogenous immunoglobulin heavy chain is disclosed in U.S. Patent No. 5,939,598. It can be obtained by a method including deleting the J segment genes from at least one endogenous heavy chain locus in an embryonic stem cell to

prevent rearrangement of the locus and to prevent formation of a transcript of a rearranged immunoglobulin heavy chain locus, the deletion being effected by a targeting vector containing a gene encoding a selectable marker; and producing from the embryonic stem cell a transgenic mouse whose somatic and germ cells contain the gene encoding the selectable marker.

A method for producing an antibody of interest, such as a human antibody, is disclosed in U.S. Patent No. 5,916,771. It includes introducing an expression vector that contains a nucleotide sequence encoding a heavy chain into one mammalian host cell in culture, introducing an expression vector containing a nucleotide sequence encoding a light chain into another mammalian host cell, and fusing the two cells to form a hybrid cell. The hybrid cell expresses an antibody containing the heavy chain and the light chain.

In a further improvement on this procedure, a method for identifying a clinically relevant epitope on an immunogen, and a correlative method for selecting an antibody that binds immunospecifically to the relevant epitope with high affinity, are disclosed in PCT publication WO 99/53049.

5.13.4 F_{ab} Fragments and Single Chain Antibodies

According to the invention, techniques can be adapted for the production of single-chain antibodies specific to an antigenic protein of the invention (see e.g., U.S. Patent No. 4,946,778). In addition, methods can be adapted for the construction of F_{ab} expression libraries (see e.g., Huse, et al., 1989 Science 246: 1275-1281) to allow rapid and effective identification of monoclonal F_{ab} fragments with the desired specificity for a protein or derivatives, fragments, analogs or homologs thereof. Antibody fragments that contain the idiotype to a protein antigen may be produced by techniques known in the art including, but not limited to: (i) an $F_{(ab)2}$ fragment produced by pepsin digestion of an antibody molecule; (ii) an F_{ab} fragment generated by reducing the disulfide bridges of an $F_{(ab)2}$ fragment; (iii) an F_{ab} fragment generated by the treatment of the antibody molecule with papain and a reducing agent and (iv) F_v fragments.

5.13.5 Bispecific Antibodies

Bispecific antibodies are monoclonal, preferably human or humanized, antibodies that have binding specificities for at least two different antigens. In the present case, one of the binding specificities is for an antigenic protein of the invention. The second binding target is any other antigen, and advantageously is a cell-surface protein or receptor or receptor subunit.

Methods for making bispecific antibodies are known in the art. Traditionally, the recombinant production of bispecific antibodies is based on the co-expression of two immunoglobulin heavy-chain/light-chain pairs, where the two heavy chains have different specificities (Milstein and Cuello, Nature, 305:537-539 (1983)). Because of the random assortment of immunoglobulin heavy and light chains, these hybridomas (quadromas) produce a potential mixture of ten different antibody molecules, of which only one has the correct bispecific structure. The purification of the correct molecule is usually accomplished by affinity chromatography steps. Similar procedures are disclosed in WO 93/08829, published 13 May 1993, and in Traunecker *et al.*, 1991 *EMBO J.*, 10:3655-3659.

Antibody variable domains with the desired binding specificities (antibody-antigen combining sites) can be fused to immunoglobulin constant domain sequences. The fusion preferably is with an immunoglobulin heavy-chain constant domain, comprising at least part of the hinge, CH2, and CH3 regions. It is preferred to have the first heavy-chain constant region (CH1) containing the site necessary for light-chain binding present in at least one of the fusions. DNAs encoding the immunoglobulin heavy-chain fusions and, if desired, the immunoglobulin light chain, are inserted into separate expression vectors, and are co-transfected into a suitable host organism. For further details of generating bispecific antibodies see, for example, Suresh *et al.*, Methods in Enzymology, 121:210 (1986).

According to another approach described in WO 96/27011, the interface between a pair of antibody molecules can be engineered to maximize the percentage of heterodimers which are recovered from recombinant cell culture. The preferred interface comprises at least a part of the CH3 region of an antibody constant domain. In this method, one or more small amino acid side chains from the interface of the first antibody molecule are replaced with larger side chains (e.g. tyrosine or tryptophan).

Compensatory "cavities" of identical or similar size to the large side chain(s) are created on the interface of the second antibody molecule by replacing large amino acid side chains with smaller ones (e.g. alanine or threonine). This provides a mechanism for increasing the yield of the heterodimer over other unwanted end-products such as homodimers.

Bispecific antibodies can be prepared as full length antibodies or antibody fragments (e.g. $F(ab')_2$ bispecific antibodies). Techniques for generating bispecific antibodies from antibody fragments have been described in the literature. For example, bispecific antibodies can be prepared using chemical linkage. Brennan et al., Science 229:81 (1985) describe a procedure wherein intact antibodies are proteolytically cleaved to generate $F(ab')_2$ fragments. These fragments are reduced in the presence of the dithiol complexing agent sodium arsenite to stabilize vicinal dithiols and prevent intermolecular disulfide formation. The Fab' fragments generated are then converted to thionitrobenzoate (TNB) derivatives. One of the Fab' -TNB derivatives is then reconverted to the Fab' -thiol by reduction with mercaptoethylamine and is mixed with an equimolar amount of the other Fab' -TNB derivative to form the bispecific antibody. The bispecific antibodies produced can be used as agents for the selective immobilization of enzymes.

Additionally, Fab' fragments can be directly recovered from *E. coli* and chemically coupled to form bispecific antibodies. Shalaby et al., J. Exp. Med. 175:217-225 (1992) describe the production of a fully humanized bispecific antibody $F(ab')_2$ molecule. Each Fab' fragment was separately secreted from *E. coli* and subjected to directed chemical coupling in vitro to form the bispecific antibody. The bispecific antibody thus formed was able to bind to cells overexpressing the ErbB2 receptor and normal human T cells, as well as trigger the lytic activity of human cytotoxic lymphocytes against human breast tumor targets.

Various techniques for making and isolating bispecific antibody fragments directly from recombinant cell culture have also been described. For example, bispecific antibodies have been produced using leucine zippers. Kostelny et al., J. Immunol. 148(5):1547-1553 (1992). The leucine zipper peptides from the Fos and Jun proteins were linked to the Fab' portions of two different antibodies by gene fusion. The antibody

homodimers were reduced at the hinge region to form monomers and then re-oxidized to form the antibody heterodimers. This method can also be utilized for the production of antibody homodimers. The "diabody" technology described by Hollinger et al., Proc. Natl. Acad. Sci. USA 90:6444-6448 (1993) has provided an alternative mechanism for making bispecific antibody fragments. The fragments comprise a heavy-chain variable domain (V_H) connected to a light-chain variable domain (V_L) by a linker which is too short to allow pairing between the two domains on the same chain. Accordingly, the V_H and V_L domains of one fragment are forced to pair with the complementary V_L and V_H domains of another fragment, thereby forming two antigen-binding sites. Another strategy for making bispecific antibody fragments by the use of single-chain Fv (sFv) dimers has also been reported. See, Gruber et al., J. Immunol. 152:5368 (1994).

Antibodies with more than two valencies are contemplated. For example, trispecific antibodies can be prepared. Tutt et al., J. Immunol. 147:60 (1991). Exemplary bispecific antibodies can bind to two different epitopes, at least one of which originates in the protein antigen of the invention. Alternatively, an anti-antigenic arm of an immunoglobulin molecule can be combined with an arm which binds to a triggering molecule on a leukocyte such as a T-cell receptor molecule (e.g. CD2, CD3, CD28, or B7), or Fc receptors for IgG (Fc γ R), such as Fc γ RI (CD64), Fc γ RII (CD32) and Fc γ RIII (CD16) so as to focus cellular defense mechanisms to the cell expressing the particular antigen. Bispecific antibodies can also be used to direct cytotoxic agents to cells which express a particular antigen. These antibodies possess an antigen-binding arm and an arm which binds a cytotoxic agent or a radionuclide chelator, such as EOTUBE, DPTA, DOTA, or TETA. Another bispecific antibody of interest binds the protein antigen described herein and further binds tissue factor (TF).

5.13.6 Heteroconjugate Antibodies

Heteroconjugate antibodies are also within the scope of the present invention. Heteroconjugate antibodies are composed of two covalently joined antibodies. Such antibodies have, for example, been proposed to target immune system cells to unwanted cells (U.S. Patent No. 4,676,980), and for treatment of HIV infection (WO 91/00360; WO 92/200373; EP 03089). It is contemplated that the antibodies can be prepared in

vitro using known methods in synthetic protein chemistry, including those involving crosslinking agents. For example, immunotoxins can be constructed using a disulfide exchange reaction or by forming a thioether bond. Examples of suitable reagents for this purpose include iminothiolate and methyl-4-mercaptopbutyrimidate and those disclosed, for example, in U.S. Patent No. 4,676,980.

5.13.7 Effector Function Engineering

It can be desirable to modify the antibody of the invention with respect to effector function, so as to enhance, e.g., the effectiveness of the antibody in treating cancer. For example, cysteine residue(s) can be introduced into the Fc region, thereby allowing interchain disulfide bond formation in this region. The homodimeric antibody thus generated can have improved internalization capability and/or increased complement-mediated cell killing and antibody-dependent cellular cytotoxicity (ADCC). See Caron et al., J. Exp Med., 176: 1191-1195 (1992) and Shopes, J. Immunol., 148: 2918-2922 (1992). Homodimeric antibodies with enhanced anti-tumor activity can also be prepared using heterobifunctional cross-linkers as described in Wolff et al. Cancer Research, 53: 2560-2565 (1993). Alternatively, an antibody can be engineered that has dual Fc regions and can thereby have enhanced complement lysis and ADCC capabilities. See Stevenson et al., Anti-Cancer Drug Design, 3: 219-230 (1989).

5.13.8 Immunoconjugates

The invention also pertains to immunoconjugates comprising an antibody conjugated to a cytotoxic agent such as a chemotherapeutic agent, toxin (e.g., an enzymatically active toxin of bacterial, fungal, plant, or animal origin, or fragments thereof), or a radioactive isotope (i.e., a radioconjugate).

Chemotherapeutic agents useful in the generation of such immunoconjugates have been described above. Enzymatically active toxins and fragments thereof that can be used include diphtheria A chain, nonbinding active fragments of diphtheria toxin, exotoxin A chain (from *Pseudomonas aeruginosa*), ricin A chain, abrin A chain, modeccin A chain, alpha-sarcin, Aleurites fordii proteins, dianthin proteins, Phytolacca americana proteins (PAPI, PAPII, and PAP-S), momordica charantia inhibitor, curcin,

croton, saponaria officinalis inhibitor, gelonin, mitogellin, restrictocin, phenomycin, enomycin, and the tricothecenes. A variety of radionuclides are available for the production of radioconjugated antibodies. Examples include ^{212}Bi , ^{131}I , ^{131}In , ^{90}Y , and ^{186}Re .

- 5 Conjugates of the antibody and cytotoxic agent are made using a variety of bifunctional protein-coupling agents such as N-succinimidyl-3-(2-pyridyldithiol) propionate (SPDP), iminothiolane (IT), bifunctional derivatives of imidoesters (such as dimethyl adipimidate HCL), active esters (such as disuccinimidyl suberate), aldehydes (such as glutaraldehyde), bis-azido compounds (such as bis (p-azidobenzoyl)
- 10 hexanediamine), bis-diazonium derivatives (such as bis-(p-diazoniumbenzoyl)-ethylenediamine), diisocyanates (such as tolyene 2,6-diisocyanate), and bis-active fluorine compounds (such as 1,5-difluoro-2,4-dinitrobenzene). For example, a ricin immunotoxin can be prepared as described in Vitetta et al., Science, 238: 1098 (1987). Carbon-14-labeled 1-isothiocyanatobenzyl-3-methyldiethylene triaminepentaacetic acid
- 15 (MX-DTPA) is an exemplary chelating agent for conjugation of radionucleotide to the antibody. See WO94/11026.

- In another embodiment, the antibody can be conjugated to a "receptor" (such as streptavidin) for utilization in tumor pretargeting wherein the antibody-receptor conjugate is administered to the patient, followed by removal of unbound conjugate from the
- 20 circulation using a clearing agent and then administration of a "ligand" (e.g., avidin) that is in turn conjugated to a cytotoxic agent.

4.14 COMPUTER READABLE SEQUENCES

- In one application of this embodiment, a nucleotide sequence of the present
- 25 invention can be recorded on computer readable media. As used herein, "computer readable media" refers to any medium which can be read and accessed directly by a computer. Such media include, but are not limited to: magnetic storage media, such as floppy discs, hard disc storage medium, and magnetic tape; optical storage media such as CD-ROM; electrical storage media such as RAM and ROM; and hybrids of these
- 30 categories such as magnetic/optical storage media. A skilled artisan can readily appreciate how any of the presently known computer readable mediums can be used to

create a manufacture comprising computer readable medium having recorded thereon a nucleotide sequence of the present invention. As used herein, "recorded" refers to a process for storing information on computer readable medium. A skilled artisan can readily adopt any of the presently known methods for recording information on computer readable medium to generate manufactures comprising the nucleotide sequence information of the present invention.

A variety of data storage structures are available to a skilled artisan for creating a computer readable medium having recorded thereon a nucleotide sequence of the present invention. The choice of the data storage structure will generally be based on the means chosen to access the stored information. In addition, a variety of data processor programs and formats can be used to store the nucleotide sequence information of the present invention on computer readable medium. The sequence information can be represented in a word processing text file, formatted in commercially-available software such as WordPerfect and Microsoft Word, or represented in the form of an ASCII file, stored in a database application, such as DB2, Sybase, Oracle, or the like. A skilled artisan can readily adapt any number of data processor structuring formats (*e.g.* text file or database) in order to obtain computer readable medium having recorded thereon the nucleotide sequence information of the present invention.

By providing any of the nucleotide sequences SEQ ID NO:1-739 or a representative fragment thereof; or a nucleotide sequence at least 95% identical to any of the nucleotide sequences of SEQ ID NO:1-739 in computer readable form, a skilled artisan can routinely access the sequence information for a variety of purposes. Computer software is publicly available which allows a skilled artisan to access sequence information provided in a computer readable medium. The examples which follow demonstrate how software which implements the BLAST (Altschul et al., J. Mol. Biol. 215:403-410 (1990)) and BLAZE (Brutlag et al., Comp. Chem. 17:203-207 (1993)) search algorithms on a Sybase system is used to identify open reading frames (ORFs) within a nucleic acid sequence. Such ORFs may be protein encoding fragments and may be useful in producing commercially important proteins such as enzymes used in fermentation reactions and in the production of commercially useful metabolites.

As used herein, "a computer-based system" refers to the hardware means, software means, and data storage means used to analyze the nucleotide sequence information of the present invention. The minimum hardware means of the computer-based systems of the present invention comprises a central processing unit (CPU), input means, output means, and data storage means. A skilled artisan can readily appreciate that any one of the currently available computer-based systems are suitable for use in the present invention. As stated above, the computer-based systems of the present invention comprise a data storage means having stored therein a nucleotide sequence of the present invention and the necessary hardware means and software means for supporting and implementing a search means. As used herein, "data storage means" refers to memory which can store nucleotide sequence information of the present invention, or a memory access means which can access manufactures having recorded thereon the nucleotide sequence information of the present invention.

As used herein, "search means" refers to one or more programs which are implemented on the computer-based system to compare a target sequence or target structural motif with the sequence information stored within the data storage means. Search means are used to identify fragments or regions of a known sequence which match a particular target sequence or target motif. A variety of known algorithms are disclosed publicly and a variety of commercially available software for conducting search means are and can be used in the computer-based systems of the present invention. Examples of such software includes, but is not limited to, Smith-Waterman, MacPattern (EMBL), BLASTN and BLASTA (NPOLYPEPTIDEIA). A skilled artisan can readily recognize that any one of the available algorithms or implementing software packages for conducting homology searches can be adapted for use in the present computer-based systems. As used herein, a "target sequence" can be any nucleic acid or amino acid sequence of six or more nucleotides or two or more amino acids. A skilled artisan can readily recognize that the longer a target sequence is, the less likely a target sequence will be present as a random occurrence in the database. The most preferred sequence length of a target sequence is from about 10 to 300 amino acids, more preferably from about 30 to 100 nucleotide residues. However, it is well recognized that searches for

commercially important fragments, such as sequence fragments involved in gene expression and protein processing, may be of shorter length.

As used herein, "a target structural motif," or "target motif," refers to any rationally selected sequence or combination of sequences in which the sequence(s) are chosen based on a three-dimensional configuration which is formed upon the folding of the target motif. There are a variety of target motifs known in the art. Protein target motifs include, but are not limited to, enzyme active sites and signal sequences. Nucleic acid target motifs include, but are not limited to, promoter sequences, hairpin structures and inducible expression elements (protein binding sequences).

4.15 TRIPLE HELIX FORMATION

In addition, the fragments of the present invention, as broadly described, can be used to control gene expression through triple helix formation or antisense DNA or RNA, both of which methods are based on the binding of a polynucleotide sequence to DNA or RNA. Polynucleotides suitable for use in these methods are preferably 20 to 40 bases in length and are designed to be complementary to a region of the gene involved in transcription (triple helix - see Lee et al., Nucl. Acids Res. 6:3073 (1979); Cooney et al., Science 15241:456 (1988); and Dervan et al., Science 251:1360 (1991)) or to the mRNA itself (antisense - Olmno, J. Neurochem. 56:560 (1991); Oligodeoxynucleotides as Antisense Inhibitors of Gene Expression, CRC Press, Boca Raton, FL (1988)). Triple helix-formation optimally results in a shut-off of RNA transcription from DNA, while antisense RNA hybridization blocks translation of an mRNA molecule into polypeptide. Both techniques have been demonstrated to be effective in model systems. Information contained in the sequences of the present invention is necessary for the design of an antisense or triple helix oligonucleotide.

4.16 DIAGNOSTIC ASSAYS AND KITS

The present invention further provides methods to identify the presence or expression of one of the ORFs of the present invention, or homolog thereof, in a test sample, using a nucleic acid probe or antibodies of the present invention, optionally conjugated or otherwise associated with a suitable label.

In general, methods for detecting a polynucleotide of the invention can comprise contacting a sample with a compound that binds to and forms a complex with the polynucleotide for a period sufficient to form the complex, and detecting the complex, so that if a complex is detected, a polynucleotide of the invention is detected in the sample.

5 Such methods can also comprise contacting a sample under stringent hybridization conditions with nucleic acid primers that anneal to a polynucleotide of the invention under such conditions, and amplifying annealed polynucleotides, so that if a polynucleotide is amplified, a polynucleotide of the invention is detected in the sample.

In general, methods for detecting a polypeptide of the invention can comprise
10 contacting a sample with a compound that binds to and forms a complex with the polypeptide for a period sufficient to form the complex, and detecting the complex, so that if a complex is detected, a polypeptide of the invention is detected in the sample.

In detail, such methods comprise incubating a test sample with one or more of the antibodies or one or more of the nucleic acid probes of the present invention and assaying
15 for binding of the nucleic acid probes or antibodies to components within the test sample.

Conditions for incubating a nucleic acid probe or antibody with a test sample vary. Incubation conditions depend on the format employed in the assay, the detection methods employed, and the type and nature of the nucleic acid probe or antibody used in the assay. One skilled in the art will recognize that any one of the commonly available
20 hybridization, amplification or immunological assay formats can readily be adapted to employ the nucleic acid probes or antibodies of the present invention. Examples of such assays can be found in Chard, T., *An Introduction to Radioimmunoassay and Related Techniques*, Elsevier Science Publishers, Amsterdam, The Netherlands (1986); Bullock, G.R. et al., *Techniques in Immunocytochemistry*, Academic Press, Orlando, FL Vol. 1 (1982), Vol. 2 (1983), Vol. 3 (1985); Tijssen, P., *Practice and Theory of immunoassays: Laboratory Techniques in Biochemistry and Molecular Biology*, Elsevier Science Publishers, Amsterdam, The Netherlands (1985). The test samples of the present invention include cells, protein or membrane extracts of cells, or biological fluids such as sputum, blood, serum, plasma, or urine. The test sample used in the above-described
25 method will vary based on the assay format, nature of the detection method and the
30 tissues, cells or extracts used as the sample to be assayed. Methods for preparing protein

extracts or membrane extracts of cells are well known in the art and can be readily be adapted in order to obtain a sample which is compatible with the system utilized.

In another embodiment of the present invention, kits are provided which contain the necessary reagents to carry out the assays of the present invention. Specifically, the invention provides a compartment kit to receive, in close confinement, one or more containers which comprises: (a) a first container comprising one of the probes or antibodies of the present invention; and (b) one or more other containers comprising one or more of the following: wash reagents, reagents capable of detecting presence of a bound probe or antibody.

In detail, a compartment kit includes any kit in which reagents are contained in separate containers. Such containers include small glass containers, plastic containers or strips of plastic or paper. Such containers allows one to efficiently transfer reagents from one compartment to another compartment such that the samples and reagents are not cross-contaminated, and the agents or solutions of each container can be added in a quantitative fashion from one compartment to another. Such containers will include a container which will accept the test sample, a container which contains the antibodies used in the assay, containers which contain wash reagents (such as phosphate buffered saline, Tris-buffers, etc.), and containers which contain the reagents used to detect the bound antibody or probe. Types of detection reagents include labeled nucleic acid probes, labeled secondary antibodies, or in the alternative, if the primary antibody is labeled, the enzymatic, or antibody binding reagents which are capable of reacting with the labeled antibody. One skilled in the art will readily recognize that the disclosed probes and antibodies of the present invention can be readily incorporated into one of the established kit formats which are well known in the art.

4.17 MEDICAL IMAGING

The novel polypeptides and binding partners of the invention are useful in medical imaging of sites expressing the molecules of the invention (e.g., where the polypeptide of the invention is involved in the immune response, for imaging sites of inflammation or infection). See, e.g., Kunkel et al., U.S. Pat. NO. 5,413,778. Such methods involve chemical attachment of a labeling or imaging agent, administration of

the labeled polypeptide to a subject in a pharmaceutically acceptable carrier, and imaging the labeled polypeptide *in vivo* at the target site.

4.18 SCREENING ASSAYS

5 Using the isolated proteins and polynucleotides of the invention, the present invention further provides methods of obtaining and identifying agents which bind to a polypeptide encoded by an ORF corresponding to any of the nucleotide sequences set forth in SEQ ID NO:1-739, or bind to a specific domain of the polypeptide encoded by the nucleic acid. In detail, said method comprises the steps of:

- 10 (a) contacting an agent with an isolated protein encoded by an ORF of the present invention, or nucleic acid of the invention; and
- (b) determining whether the agent binds to said protein or said nucleic acid.

In general, therefore, such methods for identifying compounds that bind to a polynucleotide of the invention can comprise contacting a compound with a
15 polynucleotide of the invention for a time sufficient to form a polynucleotide/compound complex, and detecting the complex, so that if a polynucleotide/compound complex is detected, a compound that binds to a polynucleotide of the invention is identified.

Likewise, in general, therefore, such methods for identifying compounds that bind to a polypeptide of the invention can comprise contacting a compound with a polypeptide
20 of the invention for a time sufficient to form a polypeptide/compound complex, and detecting the complex, so that if a polypeptide/compound complex is detected, a compound that binds to a polynucleotide of the invention is identified.

Methods for identifying compounds that bind to a polypeptide of the invention can also comprise contacting a compound with a polypeptide of the invention in a cell for
25 a time sufficient to form a polypeptide/compound complex, wherein the complex drives expression of a receptor gene sequence in the cell, and detecting the complex by detecting reporter gene sequence expression, so that if a polypeptide/compound complex is detected, a compound that binds a polypeptide of the invention is identified.

Compounds identified via such methods can include compounds which modulate
30 the activity of a polypeptide of the invention (that is, increase or decrease its activity, relative to activity observed in the absence of the compound). Alternatively, compounds

identified via such methods can include compounds which modulate the expression of a polynucleotide of the invention (that is, increase or decrease expression relative to expression levels observed in the absence of the compound). Compounds, such as compounds identified via the methods of the invention, can be tested using standard assays well known to those of skill in the art for their ability to modulate activity/expression.

The agents screened in the above assay can be, but are not limited to, peptides, carbohydrates, vitamin derivatives, or other pharmaceutical agents. The agents can be selected and screened at random or rationally selected or designed using protein modeling techniques.

For random screening, agents such as peptides, carbohydrates, pharmaceutical agents and the like are selected at random and are assayed for their ability to bind to the protein encoded by the ORF of the present invention. Alternatively, agents may be rationally selected or designed. As used herein, an agent is said to be "rationally selected or designed" when the agent is chosen based on the configuration of the particular protein. For example, one skilled in the art can readily adapt currently available procedures to generate peptides, pharmaceutical agents and the like, capable of binding to a specific peptide sequence, in order to generate rationally designed antipeptide peptides, for example see Hurby et al., Application of Synthetic Peptides: Antisense Peptides," In Synthetic Peptides, A User's Guide, W.H. Freeman, NY (1992), pp. 289-307, and Kaspczak et al., Biochemistry 28:9230-8 (1989), or pharmaceutical agents, or the like.

In addition to the foregoing, one class of agents of the present invention, as broadly described, can be used to control gene expression through binding to one of the ORFs or EMFs of the present invention. As described above, such agents can be randomly screened or rationally designed/selected. Targeting the ORF or EMF allows a skilled artisan to design sequence specific or element specific agents, modulating the expression of either a single ORF or multiple ORFs which rely on the same EMF for expression control. One class of DNA binding agents are agents which contain base residues which hybridize or form a triple helix formation by binding to DNA or RNA. Such agents can be based on the classic phosphodiester, ribonucleic acid backbone, or

can be a variety of sulfhydryl or polymeric derivatives which have base attachment capacity.

Agents suitable for use in these methods preferably contain 20 to 40 bases and are designed to be complementary to a region of the gene involved in transcription (triple helix - see Lee et al., Nucl. Acids Res. 6:3073 (1979); Cooney et al., Science 241:456 (1988); and Dervan et al., Science 251:1360 (1991)) or to the mRNA itself (antisense - Okano, J. Neurochem. 56:560 (1991); Oligodeoxynucleotides as Antisense Inhibitors of Gene Expression, CRC Press, Boca Raton, FL (1988)). Triple helix-formation optimally results in a shut-off of RNA transcription from DNA, while antisense RNA hybridization blocks translation of an mRNA molecule into polypeptide. Both techniques have been demonstrated to be effective in model systems. Information contained in the sequences of the present invention is necessary for the design of an antisense or triple helix oligonucleotide and other DNA binding agents.

Agents which bind to a protein encoded by one of the ORFs of the present invention can be used as a diagnostic agent. Agents which bind to a protein encoded by one of the ORFs of the present invention can be formulated using known techniques to generate a pharmaceutical composition.

4.19 USE OF NUCLEIC ACIDS AS PROBES

Another aspect of the subject invention is to provide for polypeptide-specific nucleic acid hybridization probes capable of hybridizing with naturally occurring nucleotide sequences. The hybridization probes of the subject invention may be derived from any of the nucleotide sequences SEQ ID NO:1-739. Because the corresponding gene is only expressed in a limited number of tissues, a hybridization probe derived from any of the nucleotide sequences SEQ ID NO:1-739 can be used as an indicator of the presence of RNA of cell type of such a tissue in a sample.

Any suitable hybridization technique can be employed, such as, for example, in situ hybridization. PCR as described in US Patents Nos. 4,683,195 and 4,965,188 provides additional uses for oligonucleotides based upon the nucleotide sequences. Such probes used in PCR may be of recombinant origin, may be chemically synthesized, or a mixture of both. The probe will comprise a discrete nucleotide sequence for the detection

of identical sequences or a degenerate pool of possible sequences for identification of closely related genomic sequences.

Other means for producing specific hybridization probes for nucleic acids include the cloning of nucleic acid sequences into vectors for the production of mRNA probes.

5 Such vectors are known in the art and are commercially available and may be used to synthesize RNA probes *in vitro* by means of the addition of the appropriate RNA polymerase as T7 or SP6 RNA polymerase and the appropriate radioactively labeled nucleotides. The nucleotide sequences may be used to construct hybridization probes for mapping their respective genomic sequences. The nucleotide sequence provided herein
10 may be mapped to a chromosome or specific regions of a chromosome using well known genetic and/or chromosomal mapping techniques. These techniques include *in situ* hybridization, linkage analysis against known chromosomal markers, hybridization screening with libraries or flow-sorted chromosomal preparations specific to known chromosomes, and the like. The technique of fluorescent *in situ* hybridization of
15 chromosome spreads has been described, among other places, in Verma et al (1988) Human Chromosomes: A Manual of Basic Techniques, Pergamon Press, New York NY.

Fluorescent *in situ* hybridization of chromosomal preparations and other physical chromosome mapping techniques may be correlated with additional genetic map data. Examples of genetic map data can be found in the 1994 Genome Issue of Science
20 (265:1981f). Correlation between the location of a nucleic acid on a physical chromosomal map and a specific disease (or predisposition to a specific disease) may help delimit the region of DNA associated with that genetic disease. The nucleotide sequences of the subject invention may be used to detect differences in gene sequences between normal, carrier or affected individuals.

25 4.20 PREPARATION OF SUPPORT BOUND OLIGONUCLEOTIDES

Oligonucleotides, i.e., small nucleic acid segments, may be readily prepared by, for example, directly synthesizing the oligonucleotide by chemical means, as is commonly practiced using an automated oligonucleotide synthesizer.

Support bound oligonucleotides may be prepared by any of the methods known to
30 those of skill in the art using any suitable support such as glass, polystyrene or Teflon. One strategy is to precisely spot oligonucleotides synthesized by standard synthesizers.

Immobilization can be achieved using passive adsorption (Inouye & Hondo, (1990) *J. Clin. Microbiol.* 28(6) 1469-72); using UV light (Nagata *et al.*, 1985; Dahlen *et al.*, 1987; Morrissey & Collins, (1989) *Mol. Cell Probes* 3(2) 189-207) or by covalent binding of base modified DNA (Keller *et al.*, 1988; 1989); all references being specifically incorporated
5 herein.

Another strategy that may be employed is the use of the strong biotin-streptavidin interaction as a linker. For example, Broude *et al.* (1994) *Proc. Natl. Acad. Sci. USA* 91(8) 3072-6, describe the use of biotinylated probes, although these are duplex probes, that are immobilized on streptavidin-coated magnetic beads. Streptavidin-coated beads may be
10 purchased from Dynal, Oslo. Of course, this same linking chemistry is applicable to coating any surface with streptavidin. Biotinylated probes may be purchased from various sources, such as, e.g., Operon Technologies (Alameda, CA).

Nunc Laboratories (Naperville, IL) is also selling suitable material that could be used. Nunc Laboratories have developed a method by which DNA can be covalently bound
15 to the microwell surface termed CovaLink NH. CovaLink NH is a polystyrene surface grafted with secondary amino groups (>NH) that serve as bridge-heads for further covalent coupling. CovaLink Modules may be purchased from Nunc Laboratories. DNA molecules may be bound to CovaLink exclusively at the 5'-end by a phosphoramidate bond, allowing immobilization of more than 1 pmol of DNA (Rasmussen *et al.*, (1991) *Anal. Biochem.*
20 198(1) 138-42).

The use of CovaLink NH strips for covalent binding of DNA molecules at the 5'-end has been described (Rasmussen *et al.*, (1991). In this technology, a phosphoramidate bond is employed (Chu *et al.*, (1983) *Nucleic Acids Res.* 11(8) 6513-29). This is beneficial as immobilization using only a single covalent bond is preferred. The phosphoramidate bond
25 joins the DNA to the CovaLink NH secondary amino groups that are positioned at the end of spacer arms covalently grafted onto the polystyrene surface through a 2 nm long spacer arm. To link an oligonucleotide to CovaLink NH via an phosphoramidate bond, the oligonucleotide terminus must have a 5'-end phosphate group. It is, perhaps, even possible for biotin to be covalently bound to CovaLink and then streptavidin used to bind the probes.

30 More specifically, the linkage method includes dissolving DNA in water (7.5 ng/ul) and denaturing for 10 min. at 95°C and cooling on ice for 10 min. Ice-cold 0.1 M

1-methylimidazole, pH 7.0 (1-MeIm₇), is then added to a final concentration of 10 mM 1-MeIm₇. A ss DNA solution is then dispensed into CovaLink NH strips (75 ul/well) standing on ice.

Carbodiimide 0.2 M 1-ethyl-3-(3-dimethylaminopropyl)-carbodiimide (EDC), dissolved in 10 mM 1-MeIm₇, is made fresh and 25 ul added per well. The strips are incubated for 5 hours at 50°C. After incubation the strips are washed using, e.g., Nunc-Immuno Wash; first the wells are washed 3 times, then they are soaked with washing solution for 5 min., and finally they are washed 3 times (where in the washing solution is 0.4 N NaOH, 0.25% SDS heated to 50°C).

It is contemplated that a further suitable method for use with the present invention is that described in PCT Patent Application WO 90/03382 (Southern & Maskos), incorporated herein by reference. This method of preparing an oligonucleotide bound to a support involves attaching a nucleoside 3'-reagent through the phosphate group by a covalent phosphodiester link to aliphatic hydroxyl groups carried by the support. The oligonucleotide is then synthesized on the supported nucleoside and protecting groups removed from the synthetic oligonucleotide chain under standard conditions that do not cleave the oligonucleotide from the support. Suitable reagents include nucleoside phosphoramidite and nucleoside hydrogen phosphorate.

An on-chip strategy for the preparation of DNA probe for the preparation of DNA probe arrays may be employed. For example, addressable laser-activated photodeprotection may be employed in the chemical synthesis of oligonucleotides directly on a glass surface, as described by Fodor *et al.* (1991) Science 251(4995) 767-73, incorporated herein by reference. Probes may also be immobilized on nylon supports as described by Van Ness *et al.* (1991) Nucleic Acids Res. 19(12) 3345-50; or linked to Teflon using the method of Duncan & Cavalier (1988) Anal. Biochem. 169(1) 104-8; all references being specifically incorporated herein.

To link an oligonucleotide to a nylon support, as described by Van Ness *et al.* (1991), requires activation of the nylon surface via alkylation and selective activation of the 5'-amine of oligonucleotides with cyanuric chloride.

One particular way to prepare support bound oligonucleotides is to utilize the light-generated synthesis described by Pease *et al.*, (1994) PNAS USA 91(11) 5022-6,

incorporated herein by reference). These authors used current photolithographic techniques to generate arrays of immobilized oligonucleotide probes (DNA chips). These methods, in which light is used to direct the synthesis of oligonucleotide probes in high-density, miniaturized arrays, utilize photolabile 5'-protected *N*-acyl-deoxynucleoside phosphoramidites, surface linker chemistry and versatile combinatorial synthesis strategies. A matrix of 256 spatially defined oligonucleotide probes may be generated in this manner.

4.21 PREPARATION OF NUCLEIC ACID FRAGMENTS

The nucleic acids may be obtained from any appropriate source, such as cDNAs, genomic DNA, chromosomal DNA, microdissected chromosome bands, cosmid or YAC inserts, and RNA, including mRNA without any amplification steps. For example, Sambrook *et al.* (1989) describes three protocols for the isolation of high molecular weight DNA from mammalian cells (p. 9.14-9.23).

DNA fragments may be prepared as clones in M13, plasmid or lambda vectors and/or prepared directly from genomic DNA or cDNA by PCR or other amplification methods. Samples may be prepared or dispensed in multiwell plates. About 100-1000 ng of DNA samples may be prepared in 2-500 ml of final volume.

The nucleic acids would then be fragmented by any of the methods known to those of skill in the art including, for example, using restriction enzymes as described at 9.24-9.28 of Sambrook *et al.* (1989), shearing by ultrasound and NaOH treatment.

Low pressure shearing is also appropriate, as described by Schriefer *et al.* (1990) Nucleic Acids Res. 18(24) 7455-6, incorporated herein by reference). In this method, DNA samples are passed through a small French pressure cell at a variety of low to intermediate pressures. A lever device allows controlled application of low to intermediate pressures to the cell. The results of these studies indicate that low-pressure shearing is a useful alternative to sonic and enzymatic DNA fragmentation methods.

One particularly suitable way for fragmenting DNA is contemplated to be that using the two base recognition endonuclease, *Cvi*II, described by Fitzgerald *et al.* (1992) Nucleic Acids Res. 20(14) 3753-62. These authors described an approach for the rapid fragmentation and fractionation of DNA into particular sizes that they contemplated to be suitable for shotgun cloning and sequencing.

The restriction endonuclease *Cvi*JI normally cleaves the recognition sequence PuGCPy between the G and C to leave blunt ends. Atypical reaction conditions, which alter the specificity of this enzyme (*Cvi*JI**), yield a quasi-random distribution of DNA fragments from the small molecule pUC19 (2688 base pairs). Fitzgerald *et al.* (1992) quantitatively evaluated the randomness of this fragmentation strategy, using a *Cvi*JI** digest of pUC19 that was size fractionated by a rapid gel filtration method and directly ligated, without end repair, to a lac Z minus M13 cloning vector. Sequence analysis of 76 clones showed that *Cvi*JI** restricts pyGCPy and PuGCPu, in addition to PuGCPy sites, and that new sequence data is accumulated at a rate consistent with random fragmentation.

As reported in the literature, advantages of this approach compared to sonication and agarose gel fractionation include: smaller amounts of DNA are required (0.2-0.5 ug instead of 2-5 ug); and fewer steps are involved (no preligation, end repair, chemical extraction, or agarose gel electrophoresis and elution are needed).

Irrespective of the manner in which the nucleic acid fragments are obtained or prepared, it is important to denature the DNA to give single stranded pieces available for hybridization. This is achieved by incubating the DNA solution for 2-5 minutes at 80-90°C. The solution is then cooled quickly to 2°C to prevent renaturation of the DNA fragments before they are contacted with the chip. Phosphate groups must also be removed from genomic DNA by methods known in the art.

4.22 PREPARATION OF DNA ARRAYS

Arrays may be prepared by spotting DNA samples on a support such as a nylon membrane. Spotting may be performed by using arrays of metal pins (the positions of which correspond to an array of wells in a microtiter plate) to repeated by transfer of about 20 nl of a DNA solution to a nylon membrane. By offset printing, a density of dots higher than the density of the wells is achieved. One to 25 dots may be accommodated in 1 mm², depending on the type of label used. By avoiding spotting in some preselected number of rows and columns, separate subsets (subarrays) may be formed. Samples in one subarray may be the same genomic segment of DNA (or the same gene) from different individuals, or may be different, overlapped genomic clones. Each of the subarrays may represent replica spotting of the same samples. In one example, a selected gene segment may be amplified from 64 patients. For each patient, the amplified gene segment may be in one 96-well plate

(all 96 wells containing the same sample). A plate for each of the 64 patients is prepared. By using a 96-pin device, all samples may be spotted on one 8 x 12 cm membrane. Subarrays may contain 64 samples, one from each patient. Where the 96 subarrays are identical, the dot span may be 1 mm² and there may be a 1 mm space between subarrays.

5 Another approach is to use membranes or plates (available from NUNC, Naperville, Illinois) which may be partitioned by physical spacers e.g. a plastic grid molded over the membrane, the grid being similar to the sort of membrane applied to the bottom of multiwell plates, or hydrophobic strips. A fixed physical spacer is not preferred for imaging by exposure to flat phosphor-storage screens or x-ray films.

10 The present invention is illustrated in the following examples. Upon consideration of the present disclosure, one of skill in the art will appreciate that many other embodiments and variations may be made in the scope of the present invention. Accordingly, it is intended that the broader aspects of the present invention not be limited to the disclosure of the following examples. The present invention is not to be limited in scope by the
15 exemplified embodiments which are intended as illustrations of single aspects of the invention, and compositions and methods which are functionally equivalent are within the scope of the invention. Indeed, numerous modifications and variations in the practice of the invention are expected to occur to those skilled in the art upon consideration of the present preferred embodiments. Consequently, the only limitations which should be placed upon
20 the scope of the invention are those which appear in the appended claims.

All references cited within the body of the instant specification are hereby incorporated by reference in their entirety.

5.0 EXAMPLES

5.1 EXAMPLE 1

25 Novel Nucleic Acid Sequences Obtained From Various Libraries

A plurality of novel nucleic acids were obtained from cDNA libraries prepared from various human tissues and in some cases isolated from a genomic library derived from human chromosome using standard PCR, SBH sequence signature analysis and Sanger sequencing techniques. The inserts of the library were amplified with PCR using primers
30 specific for the vector sequences which flank the inserts. Clones from cDNA libraries were

spotted on nylon membrane filters and screened with oligonucleotide probes (e.g., 7-mers) to obtain signature sequences. The clones were clustered into groups of similar or identical sequences. Representative clones were selected for sequencing.

In some cases, the 5' sequence of the amplified inserts was then deduced using a
5 typical Sanger sequencing protocol. PCR products were purified and subjected to
fluorescent dye terminator cycle sequencing. Single pass gel sequencing was done using a
377 Applied Biosystems (ABI) sequencer to obtain the novel nucleic acid sequences. In
some cases RACE (Random Amplification of cDNA Ends) was performed to further extend
the sequence in the 5' direction.

10

5.2 EXAMPLE 2

Novel Contigs

The novel contigs of the invention were assembled from sequences that were
obtained from a cDNA library by methods described in Example 1 above, and in some cases
15 sequences obtained from one or more public databases. Chromatograms were base called
and assembled using a software suite from University of Washington, Seattle containing
three applications designated PHRED, PHRAP, and CONSED. The sequences for the
resulting nucleic acid contigs are designated as SEQ ID NO: 1-739 and are provided in the
attached Sequence Listing. The contigs were assembled using an EST sequence as a seed.

20 Then a recursive algorithm was used to extend the seed EST into an extended assemblage,
by pulling additional sequences from different databases (i.e., Hyseq's database containing
EST sequences, dbEST version 120, gb pri 120, UniGene version 120, and Genpept 120)
that belong to this assemblage. The algorithm terminated when there was no additional
sequences from the above databases that would extend the assemblage. Inclusion of
25 component sequences into the assemblage was based on a BLASTN hit to the extending
assemblage with BLAST score greater than 300 and percent identity greater than 95%.

The nearest neighbor result for the assembled contig was obtained by a FASTA
version 3 search against Genpept release 120, using FASTXY algorithm. FASTXY is an
improved version of FASTA alignment which allows in-codon frame shifts. The nearest
30 neighbor result showed the closest homologue for each assemblage from Genpept (and

contains the translated amino acid sequences for which the assemblage encodes). The nearest neighbor results for SEQ ID NO: 1-739 are shown in Table 2.

Tables 1, 2, and 3 follow. Table 1 shows the various tissue sources of SEQ ID NO: 1-739. Table 2 shows the nearest neighbor result for the assembled contig. The nearest neighbor result shows the closest homologue for each assemblage and contains the translated amino acid sequences for which the assemblage encodes. Table 2 also shows homologues with identifiable functions for SEQ ID NO: 1-739. The polypeptides were predicted using a software program called FASTY (available from <http://fasta.bioch.virginia.edu>) which selects a polypeptide based on a comparison of translated novel polynucleotides to known polynucleotides (W.R. Pearson, Methods in Enzymology, Vol. 183: pp. 63-98, (1990), herein incorporated by reference). Table 3 shows the predicted amino acid sequence corresponding to the novel nucleic acid contig sequences.

Table 1 - Tissue Sources

Tissue Origin	RNA Source	Hyseq Library Name	SEQ ID NOS:
adult brain	GIBCO	AB3001	28 46 54 62 95 117 134 175 188-189 324 330 337 356 369 371 378 386 389 396 432 435-436 468 472-473 476-477 483 486 518 538-539 543 545 557 565 571 573 578 582 598 613-614 619 627 632 634 639 687 709
adult brain	GIBCO	ABD003	5 12 46 52 57 66 79 91 97 134 144 148 150 162 164 172 175-176 181 186 193 250 323 325-327 330 334 338 362 367 369 371 378-379 386 388-389 392 396-397 399-401 403 416 422 435 444 449 451 454 461 463-464 468 472-473 483 486 494 506 511 513 516 520 523-524 526 529 533 536-537 539 545 548 552 556 558-559 562-563 565 567 569 573-574 576 579-580 582-584 590 593-594 598 602 606 613-614 619- 621 623-624 627 634 637 641 646 648 659 675 688-689 694 696-698 703 714 729
adult brain	Clontech	ABR001	57 162 164 227 266 316 334 356 367 385 438 468 512 524 528 557 582 590 621 627 631 634 689 714
adult brain	Clontech	ABR006	189 228 385 438 571 584 632 650 677
adult brain	Clontech	ABR008	1 3 5 11-25 31-32 46-47 55-57 59

Tissue Origin	RNA Source	Hyseq Library Name	SEQ ID NOS:
			61 65-67 69 75 79 91 103 108 111 113-114 126 132 150 160 162 164 171-172 186 188-189 193 202-203 206 210-212 220 222-224 227-229 233 235-236 243-247 251-252 257 264-266 268 275 313 324 328-331 334-335 338-339 343 346-347 351 355 357 359-361 365 367 370-371 378 380 382 386-389 391 396 399- 400 402 406 413 419-420 423 426 432 434 437-438 442 446 448-449 459-460 465 468 470 472-473 475 481-483 487 489-490 495-497 499 501 503-504 507-509 511 520 524 526 528 532-533 536 539-540 543- 546 551-552 556-557 563 565-567 569 572-573 576-577 579-580 582 584 586 590-591 593 595-597 599- 602 604 610-616 620-621 624-625 627-628 632 634 637-638 641 643- 644 646-647 650 653-657 660-662 668 672 675 677-678 680-681 688- 689 691 693 695-696 698 706-707 709 711 713-727 729 731 733-734 736 738-739
adult brain	Clontech	ABR011	334 476 634 677
adult brain	BioChain	ABR012	379 587
adult brain	Invitrogen	ABR013	334 634
adult brain	Invitrogen	ABT004	3 19 57 62 66 75 110 122 150 160 162 167 171 176 186 197 203 211 230 232 259 328-331 334 369 382 389 394 400 406 417 426 429 442 457 472 483-484 492 511 514 529 531 534 537 540 553 558 562 572 580 582-584 590 604 611 613 615 622 637 639 643-644 648 688-689 692 695
cultured preadipo-cytes	Stratagene	ADP001	16 37-39 66 109 120 141 144 193 273 316 331 333 338 389 415 429 442 444 464-465 475 489 501 511 513 531 534 539-540 545-546 557 583-584 590 596 602 607 613 615 619 622 629 632 634 643
adrenal gland	Clontech	ADR002	4-5 12 48 53 57 162 164 172 186 188 192 196 203 207 213 258 316 330-331 333 339 354 356-357 369 383 385 388 392 395 402 406 411 415 434 454-455 465 468 473 475 477 491 498 501 509 511 517 528- 529 532 537-539 542 545 558 560 565 567 576-577 586 600 606 615 621 624 627 632 634 647 653 660 667 683 689 696 714

Tissue Origin	RNA Source	Hyseq Library Name	SEQ ID NOS:
adult heart	GIBCO	AHR001	28 39 57 64-65 75 79 89 97-98 108 117 134 144 157 159-160 164-166 169 171 174 184 192-193 203 207 220 243 256 258 266-267 281 314 316 318 328-329 331 338-339 341 346 348 354 356-357 366-367 369 371 377-379 382 385-386 388 393 395-396 399-401 403 415 420 422 425 431-432 435-436 445 451 459 465 472-473 477 483 486 488 490 496 501 503 508 515 519-520 526 528 531 533-534 537-538 540-541 544 546 552 556-557 562-563 566- 571 573 576-581 583-584 586-587 594 602 606 608 611 613-615 618 620-621 626-628 632 634 641 643 646 648 653 659 667 676 678 687 689 696 703-704 708 711 714 729- 730
adult kidney	GIBCO	AKD001	3 28-29 48 56-57 67 79 84 93 106 117 134 138 140 144 156 160-164 168-170 172 177 183 188-189 192- 193 199 203 207 235 251 257 275 319 321-323 328-330 337 346-347 349 354-356 360 367-369 371 375 378-381 383-386 388-389 392 396- 397 399 401 404 407 409 411-412 415-416 420-422 427 432 436-437 439-440 444 451-456 458-459 464- 465 468 470 472-473 477 481 483 486-487 492 496 501 503 505-506 508 511 513-516 518 524 526 529 533 535 537-541 543 545-546 548 552 557 559-560 562-563 565-569 572-574 576-577 579-587 589-591 593-594 602 604-607 613-614 617- 618 620-624 627-628 630 632-635 637-638 640-642 644-645 652 662 664 667-668 677 682 685 687 689 694-696 698 703 716 723 728-729 732 734
adult kidney	Invitrogen	AKT002	92 136 154 160 164 178 271 314 347 353 360 367 376 378-379 386 391 402 409 423 432 449 451 477 490 494 503 526 528 531 534 538-539 541 545-546 559 566 579 584 588 594 602 613 621 624 632 647 652 689
adult lung	GIBCO	ALG001	56-57 67 69 98 113 134 144 164 172 191-192 270 321 328 338 369 371 374 378 380 388-389 396 405 411 416 424 443-444 456 473-474 482- 483 497 508 518 529 531 534 536

Tissue Origin	RNA Source	Hyseq Library Name	SEQ ID NOS:
			540 552 556 559 563 568 573 579-580 585-586 588-589 593 601-602 606 612-613 618 634 662 667 685 696 702 726 729-730
lymph node	Clontech	ALN001	28 57 79 113 164 172 179 193 240 325 332 367 378-379 386 388 402 485 526 580 586 603 613-614 621-622 628 634 662 667 686 734
young liver	GIBCO	ALV001	3 24 28 54 60 117 134 137 154 160 193 196 242 273 316 328-329 334 351 354 370-371 388 392 395-396 401 406 411 415 432 435 439 448 454-455 477 483 486-487 495 506 509 514 518 523-524 526 529 531 534 537-538 540 544 548 566 568 571 573 579 587-588 591 594 602 621 641 645 686 713 723
adult liver	Invitrogen	ALV002	3 24 27 56-57 65-66 71 79 92 97 106 134 140 164 192 200 214 220 232 240 242 271-272 291 313 316 328 347 349-350 353 355 357 368-369 371-372 378-379 381-382 385 397 430 435 448 457 459 471-472 475 485 487 502 505-506 511 520 530-531 533-534 537 540-541 543 548 566 574-575 579 582 588 590 612 623 640 648-649 681 687 689 710 714
adult ovary	Invitrogen	AOV001	3 10 14 28 54 56-58 62 65-66 68 73 75 79 98 127 144 154 162 164-165 172-174 182 186 188-189 192-196 206 213 224 234-235 241 243 248 253 261 273 275 289 314 316 321-322 325-327 329-331 333-334 336-338 340 343 345-348 354-357 367 369 371-372 378 382 386 388 395-397 399-402 404 407 411 415-416 419-420 425 427 429 431 435-437 441 444 451 453-459 465 468-470 472-475 481 485 490 494 496 501 503 509-510 513 517-518 522-524 526 528-529 531-534 537-542 545-546 548 552 554 556-557 559-560 562-563 565 567-569 572-579 581-582 584-588 590-591 593-598 602-604 606 611-615 618 620-623 627 629 631-632 635-638 643 647 652-654 657 659 661-662 667 674-675 677-678 682 684 689 693 695-698 703 705-707 714 717-718 723 729 731 738
adult placenta	Clontech	APL001	172 224 239 363 371 392 437 531 534 622 690 696

Tissue Origin	RNA Source	Hyseq Library Name	SEQ ID NOS:
placenta	Invitrogen	APL002	57 66 122 161 172 241 326 329 334 369 388 407 427 429 436 459 464 506 508 511 539 541 545 566 573 575 590 597 637 648 690
adult spleen	GIBCO	ASP001	28 57 65 78 93 95 117 134 156-157 172 186 188 194 214 273 314 319 331 334 338 344 354 371 374 392 436 457 471-473 478-479 481 483 515 526 528-529 541 548 557 559 563 565 569 573 585-587 603 606 613 615 618 621-622 627 632 634 637 643 654 671 689 696-698 701 712 739
testis	GIBCO	ATS001	3 67 134 160 192 235 327 329 337 342 371 375 378 380-381 396 399 415 431 436 441 451 472 477-478 483 486 494 496 503 522 524 526 531 533-534 538 541-542 546 548 557 568 573 577 579 581 584 594 596 618 641 658 662 689 700 714 729-730
adult bladder	Invitrogen	BLD001	28 57 112 161 164 172 192 194 250 334 354 370 397 404 487 513 526 531 534 545 572 599 602 620 634 651 659 672 689 713 725
bone marrow	Clontech	BMD001	10-11 28 31 54 57 62 75 78-83 88 131-133 135-137 141-143 157 159 164 171-173 176-177 187-189 192 195 200 202 205 207 218 225 282 314-318 325 330 334-335 337 346- 348 367 369 372 378 383 386 388 395 401 405 412-413 416 422 436 442-443 447 449 455 465 472 475 477 503 516 523 528-529 533-534 539 545 551 556 559 563 565-567 571 573-574 576 579-586 594 601- 602 606 613 620-623 628-629 634 638 642-643 646 656 659 666 686 689 691 696 698-699 703 705 714 720 726 729
bone marrow	Clontech	BMD002	2 15 23 35 49 54 57 59 78 81 114 156-157 164 171-172 189-190 202 223 240 325 334 346 357 367 379 381-382 388 397 412 454 465 482 490 509 516 526 535 537 563 566 579 595 600 638 640-641 654-655 676 689 714
adult colon	Invitrogen	CLN001	48. 79 94 138 162 167 189 333 368- 369 375 386 404 409 414 435-436 455 470 525 541 548 553 567 603 634 656 659 689 694 721
adult cervix	BioChain	CVX001	3 28 35 54 57 79 83 95 97 113 117 154 162 164 172 176 220 235 248-

Tissue Origin	RNA Source	Hyseq Library Name	SEQ ID NOS:
			249 321 327 329 333 338 346 348 354 356 362 367-368 371 374-375 378-379 386 388-389 395 401-402 404 407 420 429 431 437 443 451 459 468 475 477 479 483 485 490 493-494 496 506 508 511 517 526 528 531 534 544 550 552 559 566 569 571-573 575-576 581-583 588 590 593-594 604 606 614 622 628 631-635 639 661-662 675 689 692 695 715 718 738
endothelial cells	Strategene	EDT001	3 28 31 39 54 58 65-66 79 89 144 160 173 187 189 191 193 197-199 207 220 230 267 273 314 324 326 329-331 336 347 354 369 372 378- 379 384 386 388 391-394 396-397 399 401 407 420 422 429 431-432 435-437 444 449 451 455 459 465 472 474-475 481-482 486 490 499- 501 503 506 511 513 515-517 520 522-524 528 531-534 538-539 541 545-546 548 550 552 557 559-560 563 565 567 569 571 573 577 579- 580 583-584 587-590 593-594 596- 597 599 602 611 614-615 618 620- 621 624 630 632-634 637-638 642- 643 647-648 651 675 677 680 682 694 696-698 703 708 714 719 724- 725 728-730 734
Genomic clones from the short arm of chromosome 8	Genomic DNA from Genetic Research	EPM001	38 41-45 118-121 164 198 292-312
Genomic clones from the short arm of chromosome 8	Genomic DNA from Genetic Research	EPM003	43 164 295
Genomic clones from the short arm of chromosome 8	Genomic DNA from Genetic Research	EPM004	121 164 306 482
Genomic clones from the short arm of chromosome 8	Genomic DNA from Genetic Research	EPM006	293

Tissue Origin	RNA Source	Hyseq Library Name	SEQ ID NOS:
esophagus	BioChain	ESO002	513 526
fetal brain	Clontech	FBR001	57 468 563 634
fetal brain	Clontech	FBR004	162 186 254 265 491 582
fetal brain	Clontech	FBR006	1-2 5-6 11-12 22-23 49 57 62 73 94 103 114 162 164 172 189 193 203 218 240 244 251-252 259 279 330- 331 334-335 346-347 351 367 378 386 388-389 399 413 420 422 424 434 442 444 448 465 468 470 472- 473 490 496 501 503-504 511 520 524 528 532-533 539 544-546 548 551 553 563 571 573 576 587 591 601 613 615-616 620-621 628 634 641 644 648 653 657 662 672-673 689 691 698 706 714 718 725-728 733 735-739
fetal brain	Clontech	FBRs03	444 587
fetal brain	Invitrogen	FBT002	17 66 157 162 164 186 190 193 250 270 324 331 334-335 338 346 354- 355 374 382 389-390 426 429-430 437 442 453 467 471 475 481 485 491 507-508 513-514 526 528 532 540 544 548 550 552-553 557-558 563 565-566 590 593 602 612 615 637 641 648 654 662 672 676 692 703
fetal heart	Invitrogen	FHR001	57 75 164 547
fetal kidney	Clontech	FKD001	57 164 172 179 188 194 208 218 230 240 250 330 334 369 388 401 413 439 454 465 529 546 550 573 576 581 583 594-596 602 634 648 667 676 689 698 706
fetal kidney	Clontech	FKD002	2 560
fetal kidney	Invitrogen	FKD007	565 596-597
fetal lung	Clontech	FLG001	75 164 355 386 428 455 513 524 528 631 689
fetal lung	Invitrogen	FLG003	30 157 162 169 188 243 253 256 283 330 392 400-401 404 407 424 428 435-436 479 506 508 520 530-531 534 572 578 584 602 611 613 631 654 658 662 676 689 701 716
fetal lung	Clontech	FLG004	371
fetal liver-spleen	Columbia University	FLS001	2-3 5 26 29 31 35 48 54-58 60 62 65 67 70 74-77 79-80 84-87 89 92 96 98-100 104 117 122-130 138 140 144-158 160 162 164 172-173 185- 186 188-189 192-194 196 199-200 207 214 218-219 237-238 241 269 273 280 282 314-316 318-322 324 327 329-331 334-335 337 340 345 348-350 354-358 363-364 367-371

Tissue Origin	RNA Source	Hyseq Library Name	SEQ ID NOS:
			373 375 377-380 382-383 385-386 388 394-396 399 402 409 411-412 418 420-422 424 427 431 435-437 440 442 448-451 453 455 459 461 464-465 470 472-473 475 477-478 480-485 488-490 501 503 505-506 509 511-513 515-518 520 522-524 526-534 538-539 541 543-547 549- 550 552-553 556-557 559-564 566- 567 569 571 573 576 578-580 582- 587 589 591-594 596-597 599-600 602 611-615 618 620-625 627-628 631-636 638 641-642 646 648 651 659-660 662-664 667-668 675-678 680-681 684 689-690 696-698 709 714 723 738
fetal liver-spleen	Columbia University	FLS002	15 31-32 39-40 47-49 52 56 60 65 69 72 75 78 84 97-98 100 104 115 123 138 140 144 146 152-153 157 161 164 172-173 182 188 194 196 199 220 241-242 246 249 253 255 266 273-275 280-281 288-291 314- 316 318-319 321-322 324 329-331 336-339 343 347-350 353-354 357- 358 363 367 369-370 372 374 378- 380 382-383 386 388-389 393-397 399 405 407 409-410 412 421 424 432 435 439 448 450-451 453-457 459 461 464-465 470 472-475 477 479-481 483 485 488 490 497 501 503 506 509 511-513 516-518 520 524 527-528 531-532 534 539 541- 546 556 559-560 565-566 569 571 574 576 579 582-586 588 590 597- 599 602-604 606 615 618 620-621 623 625 627 632-634 639 641 644 648 666-668 675-676 681 684 689- 690 696-697 701 703 714 719 723 734-735
fetal liver-spleen	Columbia University	FLS003	60 79 157 190 690
fetal liver	Invitrogen	FLV001	3 27 35 48 50 56-57 66 75 92 94 105 157 161 164 176 189 209 220 243 272 324 328 333 335 353 369- 370 381 392 396 429-430 435 439- 440 442 444 465 471 483 487 502 506 513-514 519 534-535 537 548 554 566 568 576-577 580 582 590 613 621 645 648-649 689
fetal liver	Clontech	FLV002	343
fetal muscle	Invitrogen	FMS001	51 79 97 108-110 166 194 196 266 341 352 380 389 402 407 444 464

Tissue Origin	RNA Source	Hyseq Library Name	SEQ ID NOS:
			475 501 513 524 546 552 554 560 570 572 598 605 628 634 649 675 703-704 714 737
fetal muscle	Invitrogen	FMS002	524
fetal skin	Invitrogen	FSK001	31 33 35 48 57 63 67 75 112-114 117 157 162 164 172 178 180 188 196 220 243 254 319 324 328 330 333-334 367 369 371 375 379-383 386 388-389 400 404 407 412 419- 420 429 444 455 472-473 491 499 503 508 511 514 517 522-524 529 531 534 537 540 542 547 552 554 556-557 560 563 565 567 571-572 574 576 579 590 596 599 616 621 625 627 631-632 634 639-640 648 653-654 662 689 708 714
fetal skin	Invitrogen	FSK002	501 537
fetal spleen	BioChain	FSP001	465 729
umbilical cord	BioChain	FUC001	27-28 35 57 68 83 105 136 157 159- 160 164 188 191 225 279 315-316 321 328 334 363 367 369 378-379 383 386 388-389 392 397 406-407 413 415-416 427 440 449 455 458 461 464-465 468 473-475 479 485- 486 488 490 496 514 517 522 524 526 528-529 531 533-534 538 540 546 550 552 556-558 572 582 584- 585 587-588 594-597 602 606 613 616 618-619 631 634 637 651 689 696 698 706 729
fetal brain	GIBCO	HFB001	3 5 22 26 46 53 66 73 94 117 134 139 164 172-173 188-189 212 215 230-231 248 251 262 288-289 316 325 329-331 334 337-338 348 352 365-367 369 371 377-379 385-386 388 392 394 396 400 403 420 422 429 437 444-446 449 451 455 459 461-463 466-468 472-473 475 477 481 483 485-486 488 490-491 496 503-504 506 513 523-524 529 532- 533 539-541 545 548 550 552 557- 560 563 565-566 569 571 576-577 579-580 583-584 586 590 593-594 596-599 601-602 604 606 611 613 615 618 621-623 627-628 634-635 637 641 643 647 662 664-665 667 675 677 680 689 695-697 703 726
macrophage	Invitrogen	HMP001	97 518 532 569
infant brain	Columbia University	IB2002	28 46 56-57 59 67 75 78 109 117 122 129 144 157 162 164-165 172 176 180 190 193 212 220 226 236-

Tissue Origin	RNA Source	Hyseq Library Name	SEQ ID NOS:
			237 251 261-262 316 318 324 328-330 334-335 337 340 354-356 361 364-365 367 369 371-373 377-380 382 385-386 389 392 395 397 400 411 416 421-422 429 432 436 438 444 448 451 456 464-465 469 471-475 484 486 496 504-506 511 520 524 526 529 531 533-534 537-540 544-546 548 553 556 558 562 565 567 576 579-580 582 584 586 589-590 593 597-598 602 613-614 618 620-621 627-628 632 634 636 641 650 654 659 662 667 683 689 721 730
infant brain	Columbia University	IB2003	46 54 75 109 156 164 220 244 251 314 324-325 331 335 340 361-362 367 369 377-379 400 408 438 442 456 460 464 469 472 496 506 523-524 526 529 538 540 544-545 547 558 560-562 565 567 569 579 584 598 602 613 615 621 627 632 634 637 639 650 738
infant brain	Columbia University	IBM002	262 340 432 436 438 472 531 534 569 613 634
infant brain	Columbia University	IBS001	162 231 283 331 369 385 438 444 472 506 513 523 531 534 580 615 636 689
lung, fibroblast	Strategene	LFB001	28 54 57 65 172 188 233 321 331 340 347 367 369 378-379 388 401 451 459 475 479 503 511 522 524 532 534 559-560 573 580 583 587 597 615 632 634 638 686 689 708
lung tumor	Invitrogen	LGT002	3 7 21 24 26 28 31 54 56-57 62-63 66 92-93 101 109 112 162 164 171-172 176 183 188-189 192-193 196 201-202 223 230 235 259 273-274 316 321 329-331 333-334 338 345 347-348 356 367 369 371-372 378-379 381-382 386 388-390 396 399-404 406 409 416 424-425 427 429 432 436-437 439 451 455-456 459 464-465 467 473 475 484-486 490 499 502-503 506 508 511 513-514 517-518 522 524 526 528 531-532 534-535 538-539 541 543-546 553 557-559 563 567-568 571 573 575-576 579-580 585-588 590-591 593-594 598 601-604 609 611-613 615 621 627-628 631-632 636-637 645 648 651-652 654 662 667 672 677 681 683 689 698 701-702 714 718 724 726 729 734
lymphocytes	ATCC	LPC001	4 31-32 35 57 65-66 70 110 116 156

Tissue Origin	RNA Source	Hyseq Library Name	SEQ ID NOS:
			162 164 230 243 250 282 287 326 328-330 334 336 346-347 359 378 386 388 397 407 414 416 419 472 497 520 525 539 545 549 551 582 590 606 615 618 621 631 634 686 692 698 701 714
leukocyte	GIBCO	LUC001	4 7 9-11 23 28 31 35 39 54 65 75- 76 79 90 97 110 117 134 152 157 159 162 164-167 171 173 176 188 193 199 204 207 220 244 253 255 314 316 318 321 324 326 329-330 337-339 346-347 352 354 356 367 369 371 378-379 382 388-389 392 396-397 400-402 405 415-416 420 422 429 432 435-436 443-444 449 454-455 457-459 465 479 481-486 491 497 501 503-504 506 508 511 514 516 520 523-525 529 532-533 535 538-539 545 548 552-554 556 559-560 562-563 565-566 569 571- 573 576 579 581 585-587 590 593- 594 598 600-602 604 606-609 613- 614 618 620-622 624 627 630 632- 634 636 638 643 645 660-662 667 678 682 684 686 689 691 693 696- 698 714 726
leukocyte	Clontech	LUC003	11 54 97 152 164 330 479 546 564- 565 593 613 627 634 646 696 729
melanoma from cell line ATCC #CRL 1424	Clontech	MEL004	2 57 67 79 164 171-173 188 193 196 232 321 337 341 346 367 379-380 388 407 427 454 472 477 482 501 520 539 545 552 556 579 588 593 598 611 621 631 648 665 714 730
mammary gland	Invitrogen	MMG001	3 20-21 29 31 54 56-57 63-66 79 94 109 112-113 117 122 125 138 141 154 160 162 164 172 176 186 189 192 204 214 220-221 232 238 251 255 257 273 276-278 324 326 328- 331 333 335 337 341-343 347 354- 355 357 367-371 374-375 379 382- 386 388-392 397 399-400 404 406- 408 410-411 425 431 435-436 444 451 455 457 459 461 464-465 470- 471 475 479 483 485 487-488 491 501 506-508 511 513-519 523-524 526 529 531-532 534-535 537 539- 540 542-545 552-554 557-560 563 566 569 572 577 580 584 587-588 590 597-598 602 604-605 609 611 613 615 624 627 631-634 637 639- 640 643 648-649 654 664 669-670 672-673 676-679 681 689 691-695 697-698 706 714 731 734 737

Tissue Origin	RNA Source	Hyseq Library Name	SEQ ID NOS:
induced neuron cells	Strategene	NTD001	36 57 164 284 388 397 420 481 485 501 524 528-529 539 542 545 560 571 579 582 595 602 620 637 654 667 689 730
retinoid acid induced neuronal cells	Strategene	NTR001	524 584 693
neuronal cells	Strategene	NTU001	36-38 120 204 331 351 354 357 386 388 399 411 442 459 516 533 539 545 565 586 606 615 621 637-638 642 646 648 714 730
placenta	Clontech	PLA003	503 579 690
prostate	Clontech	PRT001	15 40 65 164 187 207 229 337 348 367 375 377-378 395 406 416 428 458 468 476 511 524 526 531 534 538 555 559 563 576 584 597 613 622 624 631 642 667 672 677 684 724 734
rectum	Invitrogen	REC001	57 67 164 260 331 343 370-371 380 382 384 404 409 436 444 475 485 498 513 524 526 540 542 552 554 581 615 619 624 627 634 654 659 671 689 714
salivary gland	Clontech	SAL001	21 84 106-107 152 179 238 246 255 273 287 371 378 383 401 407 420 455 475 477 509 512 515 521 541 548 565 570-571 573-574 589 606 628 634 636 652 689 703 738
skin fibroblast	ATCC	SFB002	192
skin fibroblast	ATCC	SFB003	464
small intestine	Clontech	SIN001	57 66 71 98 116 150 164 172 327 336 343 362 367 379 388 397 401- 402 417 429 433 436 496 526 528 533 590 602 620 631 634 667 678 711
skeletal muscle	Clontech	SKM001	3 57 66 101 164 172 256 266 325 379 385 449 468 485 487 518 552 554 566-567 570 582 584 590 606 611 628 631 738
spinal cord	Clontech	SPC001	10 54 57 66 75 100 102 114 144 164 175 193 199 215-216 325 334 337 367 370 380 385-386 406 411-413 419 429 466 470 486 518 526 529 531 534 574 579 585 587 590 604 620-621 631-632 634 642 644 648 659 688-689 691 693 695
adult spleen	Clontech	SPLc01	478 572
stomach	Clontech	STO001	26 90 164 218 358 369 386 468 475

Tissue Origin	RNA Source	Hyseq Library Name	SEQ ID NOS:
			485 526 532 569 576 579 581 586 603 631 634 677 682 689
thalamus	Clontech	THA002	17 31 57 66 109 127 164 217-218 262 315-316 324 330 357 369 386 388 400 406 435 456 459 464 468- 469 515-516 537 540-541 556 566 574 590 611 622 631 634 644 648 656 677-678 680
thymus	Clontech	THM001	6 15 26 54 79 164 172 187 193 201 264 291 315 329 331 351 356 367 397-398 401 407 412 424 427 429 435-436 443 451 474 478 482 549 563 565 567 569 576 578 581-582 610 615 621 631-632 634 648 662 667 669 679 689 693 696
thymus	Clontech	THMc02	3-6 8 11 16 18 34 58-59 67 132 149 162 164 167 172-173 186 188-189 193 200 203 216 223 232 239 255 263 265 319-320 331 333-334 355 359 370 373 377-380 382 387-390 393 395 398-399 402 404 408 420 427 434 436 467 475-476 503 508 518 524 526 532 540 560 563 565 571-572 576-577 579 582 598 601 603 612-613 615 621 627 632 634 639 641 648 651 657 659 662 672 677-678 684-686 689 696 699 706 714-716 722 726-729 732
thyroid gland	Clontech	THR001	5 29-30 40 54 57 66 72 79 117 144 160 164 166 170 172 176 183 188- 189 208-209 219 230 285-286 314 318 327 331 335 338 344 347 354 363 367 375 377-380 382 384-386 388 393 397 399 401-403 419 422 429 436 442 444 451 456 458-461 464 467-468 470 472-473 476-477 481 488 494 503 508-509 511 516 519-521 524 528-529 533 537-538 543 548 557 559-560 563 565-566 571-574 576 582 585 587 590-591 593-594 596-597 606 614-615 620- 621 623-624 627 631-634 640 650- 651 653 662 667 669-670 675 679 689 708 712 714
trachea	Clontech	TRC001	156 164 171 240 375 378 390 400 422 468 484 565 574 581 585 587 631 654 689 714
uterus	Clontech	UTR001	65. 77 79 101 164 220 367 369 451 468 526 530 533 548 554 559 562 568 573 582 594 637 648 689

Table 2 - Nearest Neighbor Results

SEQ ID NO:	SEQ ID NO: in USSN 09/488,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
1	1000	gi7021484	Mus musculus	secretory carrier membrane protein 4	567	85
2	10017	R06463	Homo sapiens	Derived protein of clone ICA13 (ATCC 40553).	848	100
3	10020	gi1065967	Caenorhabditis elegans	similar to other protein phosphatases 1, 2A and 2B	325	36
4	10024	G03460	Homo sapiens	Human secreted protein,	439	98
5	10032	Y12505	Homo sapiens	Human 5' EST secreted protein	136	87
6	10042	Y29511	Homo sapiens	Human lung tumour protein SAL-25 1st predicted amino acid sequence.	701	100
7	1006	Y92324	Homo sapiens	Human alpha-2-delta-D polypeptide from splice variant 1.	763	100
8	10064	gi4589375	Homo sapiens	Gab2	425	58
9	1007	gi7018398	Homo sapiens		151	75
10	1008	gi896065	Homo sapiens	protein that is immuno-reactive with anti-PTH polyclonal antibodies	1226	99
11	10088	gi3779244	Homo sapiens	Metallo-protease 1	1512	98
12	10089	gi2947232	Homo sapiens	membrane associated guanylate kinase 2	523	100
13	10091	gi3347863	Mus musculus	cAMP-specific cyclic	223	54

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
				nucleotide phosphodiesterase PDE8; MMPDE8		
14	10098	gi69793 11	Homo sapiens	cysteine-rich repeat-containing protein S52 precursor	1068	100
15	10102	G01395	Homo sapiens	Human secreted protein, -	297	88
16	10103	gi85473 3	Rattus norvegicus	casein kinase 1 gamma 1 isoform	293	84
17	10104	Y60017	Homo sapiens	Human endometrium tumour EST encoded protein 77.	154	100
18	10108	G03290	Homo sapiens	Human secreted protein,	215	97
19	10110	gi72922 99	Drosophila melanogaster	CG1271 gene product	208	46
20	10111	gi45123 34	Rattus norvegicus	Ca/calmodulin-dependent protein kinase kinase alpha, CaM-kinase kinase alpha	822	89
21	10113	Y41694	Homo sapiens	Human PRO382 protein sequence.	633	97
22	10114	gi34907 5	Rattus norvegicus	calmodulin-binding protein	531	99
23	10116	gi16298 1	Bos taurus	endoneurine-related protein precursor	937	87
24	10121	gi89797 43	Canis familiaris	Band4.1-like5 protein	643	100
25	10126	Y99420	Homo sapiens	Human PRO1486 (UNQ755) amino acid sequence	607	100
26	1013	gi80475 0	Homo sapiens	protein tyrosine	614	73

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
				phosphatase		
27	10136	W02105	Homo sapiens	Human L-asparaginase.	1243	98
28	10142	Y35924	Homo sapiens	Extended human secreted protein sequence,	862	89
29	10148	gi3334982	Homo sapiens	R27216_1	329	98
30	1015	G02485	Homo sapiens	Human secreted protein,	120	72
31	10154	gi10798804	Homo sapiens	sperm antigen	2607	98
32	10175	Y96864	Homo sapiens	SEQ. ID. 37 from WO0034474.	536	100
33	10196	gi553621	Homo sapiens	profilaggrin	346	39
34	10198	gi1419016	Mus musculus	odorant receptor	281	53
35	10200	Y57903	Homo sapiens	Human transmembrane protein HTPMN-27.	448	100
36	10208	gi4062492	Escherichia coli		505	100
37	10212	gi882529	Escherichia coli	ORF_f141	625	96
38	10213	gi4062778	Escherichia coli	Hypothetical protein HI0761	773	98
39	10214	gi6693832	Rattus norvegicus	opioid growth factor receptor	661	44
40	10227	G01360	Homo sapiens	Human secreted protein,	384	100
41	10236	gi1651257	Escherichia coli	.	373	100
42	10241	gi2769262	Escherichia coli	catabolite gene activator protein	178	96
43	10245	gi1789539	Escherichia coli	orf, hypothetical protein	679	98
44	10246	gi882492	Escherichia coli	ORF_ol79	488	97
45	10247	gi1742149	Escherichia coli	Sn-glycerol-3-phosphate	323	100

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
				transport system permease protein UgpA.		
46	10282	Y29817	Homo sapiens	Human synapse related glycoprotein 2.	521	96
47	1031	gi6435130	Mus musculus	putative E1-E2 ATPase	990	86
48	1040	gi854124	Homo sapiens	Human giant larvae homologue	471	63
49	1043	gi3882285	Homo sapiens	KIAA0782 protein	154	61
50	1051	gi178216	Homo sapiens	anion exchange protein 1	172	100
51	1053	Y76748	Homo sapiens	Human protein kinase homologue, PKH-1.	180	92
52	1062	gi965014	Mus musculus	ADAM 4 protein precursor	492	65
53	1063	gi2393880	Drosophila melanogaster	A-kinase anchor protein DAKAP550	580	60
54	1066	gi2746788	Caenorhabditis elegans	contains similarity to transacylases	607	35
55	107	G00357	Homo sapiens	Human secreted protein,	183	77
56	1071	gi9105937	Xylella fastidiosa	Acetylglutamate kinase	505	36
57	1085	R95913	Homo sapiens	Neural thread protein.	257	55
58	1086	Y76332	Homo sapiens	Fragment of human secreted protein encoded by gene 38.	387	58
59	1088	gi4589642	Homo sapiens	KIAA0999 protein	873	99
60	109	gi763431	Homo sapiens	KIAA0999 protein	360	85
61	1095	Y94907	Homo sapiens	Human secreted	701	97

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Water man Score	% Identity
				protein clone cal06_19x protein sequence		
62	1102	Y07096	Homo sapiens	Colon cancer associated antigen precursor sequence.	1982	100
63	1105	Y84907	Homo sapiens	A human proliferation and apoptosis related protein.	983	91
64	1108	gi13989 03	Mus musculus	Ca2+ dependent activator protein for secretion	1307	89
65	1109	Y91524	Homo sapiens	Human secreted protein sequence encoded by gene 74	2400	99
66	1113	gi16574 62	Sus scrofa	calcium/cal- modulin- dependent protein kinase II isoform gamma-E	1348	94
67	1117	Y32169	Homo sapiens	Human growth- associated protease inhibitor heavy chain precursor.	2831	97
68	1118	gi30635 17	Homo sapiens		1138	98
69	1125	gi82482 85	Homo sapiens	sphingosine kinase type 2 isoform	1290	98
70	1132	Y94918	Homo sapiens	Human secreted protein clone dd504_18 protein sequence	437	59
71	1143	gi45806	Homo sapiens	prepro-major	209	40

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
		77		basic protein homolog		
72	1146	gi182395	Homo sapiens	focal adhesion kinase	131	87
73	1161	W90962	Homo sapiens	Human CSGP-2 protein.	931	100
74	117	W69428	Homo sapiens	Human secreted protein bp537_4.	159	93
75	1170	gi34339	Homo sapiens		586	87
76	1175	gi7960243	Homo sapiens	SNARE protein kinase SNAK	308	100
77	118	gi5360093	Homo sapiens	NY-REN-18 antigen	178	96
78	1183	gi292037	Homo sapiens	helix-loop-helix phosphoprotein	361	91
79	1193	gi1899186	Rattus norvegicus	polysialyltransferase	171	76
80	1195	gi1399462	Homo sapiens	serine/threonine-protein kinase PRP4h	208	71
81	1198	gi181535	Homo sapiens	defensin precursor	150	71
82	1201	gi5668935	Rattus norvegicus	plasma membrane Ca ²⁺ ATPase isoform 1kb	244	73
83	1207	gi6224868	Homo sapiens	TANK binding kinase TBK1	716	86
84	1210	gi179646	Homo sapiens	complement component C1s	242	61
85	1211	gi1483187	Homo sapiens		296	65
86	1214	gi7800638	Streptococcus pneumoniae	PspA	121	37
87	123	Y44810	Homo sapiens	Human Aspartic Protease-2 (NHAP-2).	218	93
88	1259	gi2116672	Homo sapiens	EAR-1r	128	70
89	1266	gi7243125	Homo sapiens	KIAA1372 protein	403	53
90	1270	gi1289445	Homo sapiens	diacylglycerol kinase epsilon DGK	125	96

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
91	1290	gi1429371	Drosophila melanogaster	ubiquitin-specific protease	470	41
92	1291	Y66755	Homo sapiens	Membrane-bound protein PRO1185.	993	100
93	1296	gi9652087	Homo sapiens	scavenger receptor cysteine-rich type 1 protein M160 precursor	1183	99
94	1299	gi7300398	Drosophila melanogaster	CG7683 gene product	397	40
95	1317	gi3695115	Rattus norvegicus	CL1AA	216	100
96	132	gi187171	Homo sapiens	12-lipoxygenase	176	97
97	1330	Y12482	Homo sapiens	Human 5' EST secreted protein	65	44
98	1336	gi10798814	Homo sapiens	MLTK-beta	2366	99
99	135	gi456090	Homo sapiens	effector cell protease receptor 1	190	74
100	1356	gi193057	Mus musculus	envelope polyprotein precursor	131	36
101	1369	gi458657	Homo sapiens	glucocorticoid receptor alpha-2	596	89
102	1392	gi8493519	Mus musculus	nuclear localization signal binding protein	145	59
103	1408	gi3127051	Rattus norvegicus	potassium channel regulatory protein KChAP	176	84
104	141	gi6453613	Mus musculus	putative protein kinase	204	33
105	1424	gi2982501	Homo sapiens	neuropathy target esterase	769	100
106	143	W50033	Homo sapiens	Human immunity related factor.	1201	98
107	1431	gi10644	Heterodera	hypothetical	133	36

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
		565	glycines	esophageal gland cell secretory protein 10		
108	1441	gi3044086	Myxococcus xanthus	unknown	149	32
109	1444	gi7248381	Homo sapiens	adaptor protein p130Cas	1615	97
110	1447	Y65168	Homo sapiens	Human 5' EST related polypeptide	403	97
111	1457	W19919	Homo sapiens	Human Ksr-1 (kinase suppressor of Ras).	227	77
112	1471	G02532	Homo sapiens	Human secreted protein,	97	59
113	1473	gi6062874	Homo sapiens	candidate tumor suppressor protein DICE1	581	100
114	1474	Y64896	Homo sapiens	Human 5' EST related polypeptide	197	100
115	1483	gi436218	Homo sapiens	KIAA0037	295	76
116	1486	gi5852834	Homo sapiens	bridging integrator-2	133	64
117	149	gi3327162	Homo sapiens	KIAA0674 protein	2243	98
118	1503	gi1736785	Escherichia coli	.	1270	97
119	1506	gi4062298	Escherichia coli	YhhI protein	612	90
120	1513	gi4062346	Escherichia coli	.	556	94
121	1514	gi216609	Escherichia coli	PhoQ protein	661	90
122	1523	gi5712756	Rattus norvegicus	calcium transporter CaT1	1178	90
123	1527	gi1853980	Mus musculus	glucocorticoid receptor interacting protein 1	171	84
124	1536	Y17227	Homo sapiens	Human secreted	452	100

SEQ ID NO:	SEQ ID NO: in USSN 09/488,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
				protein (clone yal-1).		
125	154	gi8515090	Pinus taeda	putative arabinogalactan protein	81	40
126	1544	gi3879933	Caenorhabditis elegans	Similarity to Xenopus F-spondin precursor (PIR Acc. No. comes from this gene)	134	34
127	1554	gi6523817	Homo sapiens	SlR protein	255	84
128	1555	gi6635205	Homo sapiens	beta-ureidopropionase	210	90
129	1556	Y39286	Homo sapiens	Phosphodiesterase 10 (PDE10) clone FB93a.	161	61
130	1564	gi8977945	Streptomyces coelicolor A3(2)	putative secreted serine protease	231	45
131	1576	gi3025828	Rattus norvegicus	signal transducer and activator of transcription 4	183	97
132	1578	gi5106572	Homo sapiens	transcriptional activator SRCAP	758	98
133	1579	gi8575527	Homo sapiens	toll-like receptor 8	595	99
134	158	gi406058	Mus musculus	protein kinase	168	70
135	1580	gi63340	Gallus gallus	c-Rmil	231	90
136	1588	gi2217931	Homo sapiens	PKU-alpha	127	92
137	1589	gi1272422	Mus musculus	Phosphoinositide 3-kinase	720	99
138	159	gi2224629	Homo sapiens	KIAA0344	215	43
139	1600	gi1016012	Rattus norvegicus	neural cell adhesion protein BIG-2 precursor	543	93
140	161	gi6649583	Homo sapiens	kidney and liver proline	1651	98

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
				oxidase 1		
141	1612	gi406113	Rattus norvegicus	protein kinase I	125	89
142	1615	gi219992	Homo sapiens	phSR2	150	78
143	1620	gi5714636	Homo sapiens	serine/threonine protein kinase Kp78 splice variant CTAK75a	126	71
144	1644	Y13352	Homo sapiens	Amino acid sequence of protein PRO228.	2542	100
145	1647	Y99444	Homo sapiens	Human PRO1575 (UNQ781) amino acid sequence	704	100
146	1650	gi3789765	Homo sapiens	transmembrane receptor UNC5C	271	100
147	1663	W75258	Homo sapiens	Fragment of human secreted protein encoded by gene 26.	163	96
148	1665	gi10432431	Homo sapiens	secreted modular calcium-binding protein	1428	99
149	1671	gi6708169	Mus musculus	inositol phosphatase eSHIPD183	169	97
150	1672	Y68773	Homo sapiens	Amino acid sequence of a human phosphorylation effector PHSP-5.	1030	99
151	1678	gi6063017	Homo sapiens	tousled-like kinase 1	132	86
152	1680	gi3510603	Homo sapiens	nuclear receptor co-repressor N-CoR	278	80
153	1692	gi1546084	Homo sapiens	farnesol receptor HRR-1	165	100
154	1698	gi520469	Oryctolagus cuniculus	597 aa protein related to	177	94

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Access- sion No.	Species	Description	Smith - Water man Score	% Identity
				Na/glucose cotransporters		
155	1702	gi10432 382	Homo sapiens		519	95
156	1704	Y91668	Homo sapiens	Human secreted protein sequence encoded by gene 73	214	75
157	1708	gi30807 57	Mus musculus	growth factor independence- 1B	457	78
158	1716	gi29653	Homo sapiens	putative oncogene	220	92
159	173	gi34524 73	Rattus norvegicus	serine/threo- nine protein kinase TAO1	699	100
160	1731	Y27581	Homo sapiens	Human secreted protein encoded by gene No. 15.	774	100
161	1732	gi96520 87	Homo sapiens	scavenger receptor cysteine-rich type 1 protein M160 precursor	1025	98
162	174	Y35923	Homo sapiens	Extended human secreted protein sequence,	1691	100
163	1740	Y53014	Homo sapiens	Human secreted protein clone fn189_13 protein sequence	337	60
164	1748	gi77702 37	Homo sapiens	PRO2822	218	93
165	1751	gi89798 25	Homo sapiens		306	50
166	1755	R95332	Homo sapiens	Tumor necrosis factor receptor 1 death domain ligand (clone	1184	62

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
				3TW) .		
167	1762	gi73809 47	Homo sapiens	Gem-interacting protein	1545	99
168	1776	gi59122 65	Homo sapiens	hypothetical protein	224	100
169	1777	Y70461	Homo sapiens	Human membrane channel protein-11 (MECHP-11) .	413	95
170	1781	R26060	Homo sapiens	Growth Factor Receptor Bound protein GRB-1.	398	98
171	1796	gi10312 169	Homo sapiens	serine carboxypeptidase 1 precursor protein	1381	99
172	180	gi30025 27	Homo sapiens	neuronal thread protein AD7c-NTP	477	61
173	182	gi73851 31	Homo sapiens	HBV pX associated protein-8; XAP-8	2066	82
174	1820	G03249	Homo sapiens	Human secreted protein,	370	97
175	1822	gi47396 9	Oryctolagus cuniculus	one of the members of sodium-glucose cotransporter family	1048	90
176	1829	gi10440 355	Homo sapiens	FLJ00012 protein	310	96
177	1832	gi16565 0	Oryctolagus cuniculus	phosphorylase kinase beta-subunit	146	96
178	1834	W75132	Homo sapiens	Human secreted protein encoded by gene 11 clone HCENJ40.	423	47
179	1837	gi60369	Saimiriine herpesvirus 2	ORF 48-EDLF5-sim. to EBV BRRF2	615	71

SEQ ID NO:	SEQ ID NO: in USSN 09/488,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
180	1859	gi9989696	Homo sapiens	ROR2 protein	645	87
181	1880	gi7340847	Mus musculus	chondroitin 4-sulfotransferase	275	40
182	1881	gi7573291	Homo sapiens		298	100
183	1890	gi3149950	Homo sapiens	ST1C2	183	94
184	1899	gi2143260	Homo sapiens	Phosphoinositide 3-kinase	346	98
185	19	gi1808582	Homo sapiens	U2AF1-RS2	224	46
186	192	G03192	Homo sapiens	Human secreted protein,	267	86
187	1922	gi485858	Mus musculus	IB3/5-polypeptide	1206	78
188	1945	gi37261	Homo sapiens		1402	97
189	195	W67863	Homo sapiens	Human secreted protein encoded by gene 57 clone HFEBF41.	551	98
190	1957	gi406738	Homo sapiens	Shb	263	44
191	1969	Y41701	Homo sapiens	Human PRO708 protein sequence.	975	98
192	1970	gi3979817	Caenorhabditis elegans	Weak similarity to Human tyrosine-protein kinase CSK	254	49
193	1973	G00796	Homo sapiens	Human secreted protein,	365	98
194	1985	gi4558637	Homo sapiens	Putative homolog of hypoxia inducible factor three alpha	1420	99
195	1986	gi4455015	Homo sapiens	host cell factor homolog	367	50

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
				LCP		
196	2	G02532	Homo sapiens	Human secreted protein,	106	85
197	2004	gi10503935	Homo sapiens	type A calpain-like protease	961	100
198	2023	gi1651341	Escherichia coli	.	1075	97
199	2025	Y71069	Homo sapiens	Human membrane transport protein, MTRP-14.	540	100
200	2038	gi8572543	Homo sapiens	membrane-associated lectin type-C	686	98
201	2041	gi37400	Homo sapiens	trk-2h polypeptide	228	89
202	2043	W75096	Homo sapiens	Human secreted protein encoded by gene 40 clone HNEDJ57.	290	38
203	2068	G03394	Homo sapiens	Human secreted protein,	595	97
204	2072	gi2116552	Rattus norvegicus	cationic amino acid transporter 3	1025	85
205	2076	gi157409	Drosophila melanogaster	fat protein	369	39
206	2078	gi1054940	Gallus gallus	cSH-PTP2	605	94
207	2084	gi9663128	Homo sapiens	hypothetical protein	874	99
208	2088	gi10567590	Homo sapiens	sodium bicarbonate cotransporter-like protein	609	100
209	2089	gi1789001	Escherichia coli	putative ATP-binding component of a transport system	961	98
210	2097	Y70460	Homo sapiens	Human membrane channel	258	96

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
				protein-10 (MECHP-10).		
211	2108	gi3207508	Rattus norvegicus	hexokinase	767	74
212	2111	gi6330233	Homo sapiens	KIAA1176 protein	3710	99
213	2118	W74797	Homo sapiens	Human secreted protein encoded by gene 68 clone HKIXR69.	156	96
214	2134	gi1780991	Homo sapiens	branched chain acyl-CoA oxidase	209	97
215	2146	gi7688148	Homo sapiens	hypothetical protein	1038	100
216	2149	gi2280485	Homo sapiens	KIAA0376	917	100
217	2153	gi1842429	Rattus norvegicus	ankyrin binding cell adhesion molecule neurofascin	592	88
218	2155	gi6526791	Homo sapiens	Eps15R	1126	100
219	2161	gi7300427	Drosophila melanogaster	CG7709 gene product	200	33
220	2163	Y52296	Homo sapiens	Human isomerase homologue-3 (HIH-3).	186	91
221	2173	W34526	Homo sapiens	hTCP protein fragment.	164	93
222	2178	gi3360512	Rattus norvegicus	Citron-K kinase	299	94
223	2180	Y74008	Homo sapiens	Human prostate tumor EST fragment derived protein #195.	261	41
224	2184	gi53041	Mus musculus		130	41
225	2186	gi401774	Homo sapiens	ribosomal protein S6 kinase 3	142	64
226	2190	gi577295	Homo sapiens	The ha1225 gene product is related to human alpha-	176	100

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
				glucosidase.		
227	2210	gi20553 92	Rattus norvegicus	transmembrane receptor UNC5H1	620	90
228	2214	gi78617 33	Homo sapiens	low density lipoprotein receptor related protein-deleted in tumor	1360	98
229	2223	gi79591 89	Homo sapiens	KIAA1464 protein	884	99
230	223	W88627	Homo sapiens	Secreted protein encoded by gene 94 clone HPMBQ32.	300	77
231	2233	gi78395 87	Homo sapiens	organic anion transporting polypeptide 14	1092	99
232	2237	gi10440 400	Homo sapiens	FLJ00033 protein	1212	99
233	2251	gi59237 86	Homo sapiens	zinc metallo-protease ADAMTS6	277	44
234	2256	W63698	Homo sapiens	Human secreted protein 18.	516	100
235	2259	gi46787 22	Homo sapiens	hypothetical protein	387	36
236	2262	Y33741	Homo sapiens	Beta-secretase.	793	99
237	2265	gi70185 45	Homo sapiens	hypothetical protein	608	94
238	2271	gi41861 83	Homo sapiens	unknown	684	53
239	2273	gi72430 35	Homo sapiens	KIAA1327 protein	1031	100
240	2280	gi58096 78	Homo sapiens	sperm membrane protein BS-63	342	95
241	2286	gi62246 91	Homo sapiens	Na ⁺ /sulfate cotransporter SUT-1	1221	99
242	2291	gi20762 1	Rattus norvegicus	uromodulin	345	50
243	2292	gi72963 04	Drosophila melanogaster	CG5274 gene product	272	35
244	2294	Y28503	Homo sapiens	HGFH3 Human Growth Factor	320	98

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
				Homologue 3.		
245	2296	W88799	Homo sapiens	Polypeptide fragment encoded by gene 45.	223	86
246	2303	gi7110160	Homo sapiens	guanine nucleotide exchange factor	1212	99
247	2306	gi6434874	Mus musculus	calcium/calmodulin dependent protein kinase kinase alpha	576	84
248	2309	Y95433	Homo sapiens	Human calcium channel SOC-2/CRAC-1 C-terminal polypeptide.	1203	99
249	2313	gi7300943	Drosophila melanogaster	CG4677 gene product	689	79
250	2318	W48351	Homo sapiens	Human breast cancer related protein BCRB2.	202	59
251	2329	G01772	Homo sapiens	Human secreted protein,	311	84
252	2330	Y41729	Homo sapiens	Human PRO1071 protein sequence.	886	99
253	2342	gi3786430	Caenorhabditis elegans		268	42
254	2350	gi930104	Homo sapiens	protein-tyrosine phosphatase	571	79
255	2359	gi9392591	Homo sapiens	CC chemokine CCL28	679	99
256	2361	gi1666689	Mus musculus	alpha-NAC, muscle-specific form gp220	357	41
257	2374	G03172	Homo sapiens	Human secreted protein,	112	78
258	2387	gi1399197	Homo sapiens	pyruvate dehydrogenase kinase isoform 4	201	85
259	2401	G01757	Homo sapiens	Human	612	99

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
				secreted protein,		
260	2409	gi181123	Homo sapiens	cleavage signal 1 protein	194	86
261	2431	gi7018547	Homo sapiens	hypothetical protein	473	50
262	2432	gi4826496	Homo sapiens		327	39
263	2467	G03667	Homo sapiens	Human secreted protein,	640	97
264	2471	gi7688148	Homo sapiens	hypothetical protein	1284	91
265	2478	gi790819	Homo sapiens	polycystic kidney disease-associated protein	615	90
266	2484	gi3327080	Homo sapiens	KIAA0633 protein	1747	99
267	249	G03793	Homo sapiens	Human secreted protein,	139	65
268	2490	gi6467371	Homo sapiens	thyrotropin-releasing hormone degrading ectoenzyme	757	98
269	25	G03203	Homo sapiens	Human secreted protein,	137	65
270	2504	gi4097712	Homo sapiens	HBV associated factor	166	74
271	2506	gi2072784	Homo sapiens	Na ⁺ /nucleoside cotransporter	201	95
272	2507	gi5924007	Homo sapiens		335	38
273	2510	gi7717385	Homo sapiens	beta-site APP-cleaving enzyme 2, EC 3.4.23.	383	89
274	2523	gi339709	Homo sapiens		150	96
275	253	gi36615	Homo sapiens	serine/threonine protein kinase	391	77
276	2533	gi45896	Homo sapiens	KIAA0985	191	61

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
		14		protein		
277	2536	gi2088685	Caenorhabditis elegans	strong similarity to the CDC2/CDX subfamily of ser/thr protein kinases	419	55
278	2544	gi1002425	Mus musculus	YSPL-1 form 2	280	80
279	2568	Y41738	Homo sapiens	Human PRO541 protein sequence.	379	49
280	2580	gi3004482	Rattus norvegicus	putative integral membrane transport protein	382	49
281	2593	gi7300049	Drosophila melanogaster	CG4525 gene product	582	50
282	2600	gi4530437	Homo sapiens	thyroid hormone receptor-associated protein complex component TRAP240	334	90
283	2625	gi8099652	Homo sapiens	toll-like receptor 9 form A	761	96
284	2641	gi148019	Escherichia coli	tolA	692	100
285	2667	gi1750387	Pseudomonas aeruginosa	Carbamoyl-phosphate synthetase large subunit	143	76
286	2670	gi4883437	Mus musculus	RNA binding protein	139	92
287	2673	Y66656	Homo sapiens	Membrane-bound protein PRO943.	1869	98
288	2676	gi3885978	Mus musculus	mismatch-specific thymine-DNA glycosylate	123	88
289	2680	gi6453438	Homo sapiens	hypothetical protein	465	82
290	2682	gi18417	Mus musculus	GATA-5	527	77

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
		56		cardiac transcription factor		
291	2684	gi9844920	Homo sapiens	nicotinic acetylcholine receptor subunit alpha 10	294	88
292	2695	gil789764	Escherichia coli	putative transport	879	98
293	2697	gi349229	Escherichia coli	peripheral membrane protein	936	99
294	2698	gi4062194	Escherichia coli	.	737	100
295	2700	gi529240	Escherichia coli	homoserine kinase	578	100
296	2704	gil552831	Escherichia coli	hypothetical	420	100
297	2712	gil789672	Escherichia coli	putative ATP-binding component of a transport system	262	100
298	2716	gi4062409	Escherichia coli	Transmembrane protein dppC	382	100
299	2719	gi304976	Escherichia coli	matches PS00017: ATP_GTP_A and PS00301: EFACTOR_GTP; similar	921	95
300	2724	gil45856	Escherichia coli	nmpC	647	97
301	2725	gil789473	Escherichia coli	putative transport protein	312	100
302	2728	gil805561	Escherichia coli		222	97
303	2729	gi43248	Escherichia coli		655	91
304	2744	gi396299	Escherichia coli	similar to E. coli pyruvate formate-lyase activating enzyme	675	100
305	2749	gil742648	Escherichia coli	.	592	100
306	2752	gi40622	Escherichia	Sensor kinase	357	100

SEQ ID NO:	SEQ ID NO: in USSN 09/488,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
		36	coli	CitA		
307	2762	gil787795	Escherichia coli	putative LACI-type transcriptional regulator	342	100
308	2764	gil799743	Escherichia coli	putative LACI-type transcriptional regulator	151	84
309	2768	gi405964	Escherichia coli	yohG	534	94
310	2774	gi4062338	Escherichia coli	.	387	97
311	2790	gi4062338	Escherichia coli	.	420	86
312	2800	gil789805	Escherichia coli	putative transport	572	100
313	2811	gi5305333	Mus musculus	protein kinase Myak-S	421	49
314	2827	gi10047251	Homo sapiens	KIAA1588 protein.	531	97
315	2830	G02872	Homo sapiens	Human secreted protein,	185	62
316	2836	gil91175	Cricetulus sp.	cAMP-dependent protein kinase alpha-catalytic subunit	1677	97
317	2851	gi558846	Homo sapiens	BCL2/adeno-virus E1B 19kD-interacting protein 3	220	61
318	2856	gi3882211	Homo sapiens	KIAA0745 protein	232	93
319	2866	gi6329708	Homo sapiens	KIAA1119 protein	1331	91
320	2874	gi2853033	Mus musculus	tousled-like kinase	203	82
321	2882	gil0185134	Schizosaccharomyces pombe	hypothetical zinc-finger protein	318	42
322	2886	G03797	Homo sapiens	Human secreted protein,	140	69
323	2899	gi4240325	Homo sapiens	KIAA0918 protein	170	53

SEQ ID NO:	SEQ ID NO: in USSN 09/488,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
324	2906	Y94988	Homo sapiens	Human secreted protein vll_1,	1738	100
325	2920	gi9453735	Homo sapiens		1926	100
326	2925	gi6434876	Homo sapiens	CDK4-binding protein p34SEI1	1210	100
327	2930	gi3941320	Schistosoma japonicum	myosin	208	28
328	2934	Y31645	Homo sapiens	Human transport-associated protein-7 (TRANP-7).	642	63
329	2955	G01165	Homo sapiens	Human secreted protein,	528	99
330	2967	gi7263960	Homo sapiens		466	100
331	2980	gi4589530	Homo sapiens	KIAA0943 protein	1849	94
332	2994	G03812	Homo sapiens	Human secreted protein,	124	61
333	2996	gi9857400	Homo sapiens	tumor endothelial marker 1 precursor	2666	98
334	2999	Y66697	Homo sapiens	Membrane-bound protein PRO1383.	2254	100
335	3	gi6289072	Homo sapiens	JM24 protein	930	100
336	3008	Y45219	Homo sapiens	Human CASB47 protein.	557	92
337	3013	gi5262678	Homo sapiens	hypothetical protein	1747	100
338	3041	Y73335	Homo sapiens	HTRM clone 1850120 protein sequence.	1315	99
339	306	gi4868443	Mesocricetus auratus	Mx-interacting protein kinase PKM	1867	95
340	3061	gi433338	Homo sapiens	protein-tyrosine kinase	3934	94

SEQ ID NO:	SEQ ID NO: in USSN 09/488,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
341	309	Y76145	Homo sapiens	Human secreted protein encoded by gene 22.	1313	99
342	3095	gi7300159	Drosophila melanogaster	CG14899 gene product	190	57
343	3098	gi532056	Homo sapiens	protein-tyrosine-phosphatase	2641	86
344	3105	gi285987	Homo sapiens	mitochondrial outer membrane protein 19	192	71
345	3118	gi9929935	Macaca fascicularis	hypothetical protein	180	61
346	3124	gi8131903	Mus musculus	transient receptor potential-related protein	226	100
347	3126	Y02370	Homo sapiens	Polypeptide identified by the signal sequence trap method.	261	100
348	3166	gi7290860	Drosophila melanogaster	CG1531 gene product	534	42
349	3175	gi6649583	Homo sapiens	kidney and liver proline oxidase 1	1752	95
350	3176	gi7208438	Homo sapiens	long-chain 2-hydroxy acid oxidase HAOX2	1048	95
351	3188	Y02693	Homo sapiens	Human secreted protein encoded by gene 44 clone HTDAD22.	243	57
352	3191	gi7105926	Homo sapiens	calcium channel alpha2-delta3 subunit	300	96
353	3208	gi10334774	Homo sapiens	MUCDHL-FL	613	98
354	3226	Y87209	Homo sapiens	Human secreted protein sequence	3147	99

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
355	3235	gi6715135	Homo sapiens	Fanconi anemia, complementation group F	1947	99
356	3257	gi5441615	Canis familiaris	zinc finger protein	326	42
357	3282	G03002	Homo sapiens	Human secreted protein,	211	61
358	3289	gi3288457	Homo sapiens	PI3-kinase	5832	97
359	3296	gi7770139	Homo sapiens	PRO1722	293	64
360	3298	gi2198815	Ambystoma tigrinum	electrogenic Na ⁺ bicarbonate cotransporter; NBC	1278	52
361	3303	gi4028015	Homo sapiens	potassium channel	1881	92
362	3305	gi5902966	Homo sapiens	very large G-protein coupled receptor-1	1770	100
363	3308	gi219944	Homo sapiens	The first in-frame ATG codon is located at nucleotides NPPase.	3967	86
364	3325	gi3510234	Homo sapiens	R31237_1, partial CDS	192	94
365	3341	W78899	Homo sapiens	Human UNC-5 homologue UNC5H-1.	1614	90
366	3342	gi1478205	Mus musculus	PNG protein	341	70
367	3350	gi2739460	Bos taurus	regulator of G-protein signaling 7	2263	98
368	3372	gi7671663	Homo sapiens		375	79
369	338	Y84322	Homo sapiens	A human cardiovascular system associated protein kinase-3.	2606	100
370	3383	gi10441	Homo sapiens	protein	1127	100

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
		382		kinase		
371	3395	gi530823	Homo sapiens	epidermal growth factor receptor kinase substrate	402	47
372	3405	Y29332	Homo sapiens	Human secreted protein clone pe584_2 protein sequence.	1220	94
373	3408	gi3334741	Homo sapiens	shal-type potassium channel	2888	90
374	345	gi4539527	Homo sapiens	NAALADase L protein	600	72
375	346	Y95434	Homo sapiens	Human calcium channel SOC-3/CRAC-2 C-terminal polypeptide.	1802	99
376	3470	gi9798452	Homo sapiens	putative capacitative calcium channel	277	100
377	3482	gi3818572	Homo sapiens	cAMP-specific phosphodiesterase 8B; PDE8B1; 3',5'-cyclic nucleotide phosphodiesterase	2353	96
378	3492	gi1665825	Homo sapiens		3878	99
379	3530	gi505100	Homo sapiens	KIAA0066	3637	100
380	3533	Y32169	Homo sapiens	Human growth-associated protease inhibitor heavy chain precursor.	2860	99
381	3545	gi6624133	Homo sapiens		449	98
382	3549	gi1469193	Homo sapiens	The KIAA0135 gene is related to	5374	99

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
				pim-1 oncogene.		
383	3595	gi6330190	Homo sapiens	KIAA1169 protein	1893	100
384	3601	gi808915	Homo sapiens	tumor necrosis factor receptor type 1 associated protein	992	99
385	3612	gi5305448	Mus musculus	SH2-B PH domain containing signaling mediator 1 gamma isoform	1439	92
386	3613	Y32194	Homo sapiens	Human receptor molecule (REC) encoded by Incyte clone 266775.	1438	100
387	3621	gi897849	Mus musculus	ubiquitinating enzyme E2-230 kDa	393	68
388	3624	R47858	Homo sapiens	Human LDL receptor Domains 1 and 2.	2895	100
389	3625	Y57949	Homo sapiens	Human transmembrane protein HTPN-73.	1868	100
390	3626	W69342	Homo sapiens	Secreted protein of clone CJ424_9.	442	94
391	3627	gi6537136	Homo sapiens	putative organic anion transporter	982	92
392	3630	Y06886	Homo sapiens	HWHHJ20 polypeptide.	1109	91
393	3642	gi4886467	Homo sapiens	hypothetical protein	570	52
394	3645	gi9588402	Homo sapiens		598	98
395	3647	Y12050	Homo sapiens	Human 5' EST secreted protein	517	98

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Water man Score	% Identity
396	3653	Y70018	Homo sapiens	Human Protease and associated protein-12 (PPRG-12).	2232	99
397	3676	W67818	Homo sapiens	Human secreted protein encoded by gene 12 clone HMSJJ74.	338	100
398	3677	gi32093	Homo sapiens	HGMP07J	650	52
399	3681	Y48443	Homo sapiens	Human prostate cancer- associated protein 140.	803	93
400	3682	gi46917 26	Homo sapiens	ARF GTPase- activating protein GIT1	2435	91
401	3688	gi66938 24	Homo sapiens	ubiquitin- specific protease	1995	99
402	3689	Y94927	Homo sapiens	Human secreted protein clone ck213_12 protein sequence	530	81
403	3690	gi18716 12	Oryctolagus cuniculus	ryanodine receptor	594	95
404	3706	gi60027 14	Homo sapiens	membrane-type serine protease 1	2630	94
405	3714	gi26957 08	Homo sapiens	SPOP	553	81
406	3720	gi93092 93	Homo sapiens	asc-type amino acid transporter 1	566	95
407	3726	gi10440 381	Homo sapiens	FLJ00026 protein	1023	69
408	373	gi57146 96	Mus musculus	alpha 2 delta calcium channel subunit	243	95
409	3788	gi69112 19	Homo sapiens	type II membrane serine protease	841	100

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
410	3789	Y45023	Homo sapiens	Human sensory transduction G-protein coupled receptor-B3.	1084	95
411	3790	gi1524088	Homo sapiens	Polio virus receptor protein	1508	99
412	3801	gi6723675	Homo sapiens	mitotic kinase-like protein-1	2035	99
413	3803	gi968973	Homo sapiens	mitotic kinase-like protein-1	332	86
414	3820	gi1770478	Homo sapiens	NK receptor	1988	99
415	3831	gi3781386	Homo sapiens		1493	99
416	3837	gi9367840	Homo sapiens	neuronal apoptosis inhibitory protein 2	2243	99
417	385	gi1526978	Homo sapiens	ryanodine receptor 2	149	96
418	3856	gi995654	Homo sapiens	interleukin-11 receptor	147	100
419	386	gi4960038	Mus musculus	T2K protein kinase homolog	669	66
420	3861	Y74129	Homo sapiens	Human prostate tumor EST fragment derived protein #316.	842	98
421	3883	gi6635205	Homo sapiens	beta-ureidopropionase	1576	100
422	3898	gi37231	Homo sapiens	DNA topoisomerase II	8436	99
423	3921	gi8648881	Homo sapiens	putative organic anion transporter	131	100
424	3932	gi8575775	Homo sapiens	KRAB zinc finger protein	1935	99
425	3934	gi4689128	Homo sapiens	SIH003	127	92
426	3963	gi3212996	Homo sapiens		339	64
427	3974	G03790	Homo sapiens	Human	232	63

SEQ ID NO:	SEQ ID NO: in USSN 09/488,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
				secreted protein,		
428	3983	gi181971	Homo sapiens	vascular endothelial growth factor	433	85
429	3999	gi1657464	Sus scrofa	calcium/calmodulin-dependent protein kinase II isoform gamma-G	484	75
430	4001	gi6572230	Homo sapiens		329	100
431	4009	gi2143260	Homo sapiens	phosphoinositide 3-kinase	521	99
432	401	gi6572379	Homo sapiens		1372	56
433	4020	gi2815624	Homo sapiens	tumor necrosis factor superfamily member LIGHT	1252	100
434	4024	Y21166	Homo sapiens	Human bcl2 proto-oncogene mutant protein fragment 14.	84	40
435	4040	Y57285	Homo sapiens	Human GPCR protein (HGPRP) sequence (clone ID 2214673).	1726	99
436	4057	W74873	Homo sapiens	Human secreted protein encoded by gene 145 clone HFXHL79.	531	100
437	4066	G03714	Homo sapiens	Human secreted protein,	92	70
438	4067	gi8331760	Homo sapiens	LUL protein	1077	92
439	4078	Y57900	Homo sapiens	Human transmembrane protein HTPMN-24.	996	100
440	4120	gi18715	Homo sapiens	mitogen-	927	100

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
		39		activated protein kinase phosphatase 4		
441	4123	gi5360125	Homo sapiens	NY-REN-58 antigen	140	100
442	4130	gi6289072	Homo sapiens	JM24 protein	604	100
443	4133	gi8575527	Homo sapiens	toll-like receptor 8	755	100
444	4166	gi6118555	Homo sapiens	DEAD-box protein abstrakt	2512	100
445	4167	gi3800830	Rattus norvegicus	putative four repeat ion channel	615	93
446	4172	gi7209676	Homo sapiens	potassium channel Kv8.1	369	100
447	4185	gi5305405	Homo sapiens	Na ⁺ /H ⁺ exchanger isoform 2	1769	100
448	4197	gi2811122	Xenopus laevis	NaDC-2	524	69
449	4203	Q89840_aal	Homo sapiens	Human death associated protein DAP-3.	198	97
450	4262	gi5901478	Marmota marmota	olfactory receptor	209	92
451	4276	gi32456	Homo sapiens	protein-tyrosine phosphatase	3270	99
452	4283	R41231	Homo sapiens	GAT-2 transporter gene.	477	100
453	4331	gi3171912	Homo sapiens	RAMP2	443	98
454	4340	gi8118223	Homo sapiens	unknown	1330	100
455	4351	gi1754515	Rattus norvegicus	aminopeptidase -B	2050	92
456	4354	Y57906	Homo sapiens	Human transmembrane protein HTPN-30.	1402	100
457	4385	gi5596433	Homo sapiens	candidate tumor suppressor protein NOC2	509	97

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Water man Score	% Identity
458	4388	W78140	Homo sapiens	Human secreted protein encoded by gene 15 clone HSDES04.	100	94
459	4405	Y48226	Homo sapiens	Human prostate cancer-associated protein 12.	1246	99
460	441	gi29153 6	Bovine herpesvirus 1	BICP4	106	35
461	4417	gi65625 33	Homo sapiens	sialin	939	100
462	4419	gi18415 55	Homo sapiens	NG5	146	33
463	4443	gi49613 9	Mus musculus	AMPA selective glutamate receptor	262	94
464	4470	gi72483 81	Homo sapiens	adaptor protein p130Cas	2592	100
465	4482	gi73299 79	Homo sapiens	apoptosis regulator	2071	100
466	4487	gi67066 59	Homo sapiens		405	100
467	4491	gi98373 41	Homo sapiens	CamKI-like protein kinase	1044	100
468	4492	Y42751	Homo sapiens	Human calcium binding protein 2 (CaBP-2).	586	99
469	4497	gi61797 40	Homo sapiens	paraneoplastic cancer-testis-brain antigen	352	37
470	4502	gi63297 42	Homo sapiens	KIAA1124 protein	327	100
471	4519	Y99426	Homo sapiens	Human PRO1604 (UNQ785) amino acid sequence	1563	100
472	4526	Y08008	Homo sapiens	Human HLIG-1 protein.	4023	99
473	4547	gi45895 62	Homo sapiens	KIAA0959 protein	4165	99
474	4554	gi13810 29	Mus musculus		1164	77

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Water man Score	% Identity
475	4555	gi27923 66	Homo sapiens	unknown protein IT12	4461	99
476	457	Y70551	Homo sapiens	Human latent transforming growth factor-beta binding protein 3 (I).	1825	100
477	4571	gi53601 15	Homo sapiens	NY-REN-45 antigen	869	100
478	4613	Y05868	Homo sapiens	Human Toll protein PRO358.	2413	100
479	4614	Y27129	Homo sapiens	Human bone marrow-derived polypeptide (clone OAF038- Leu).	1815	100
480	4622	G03789	Homo sapiens	Human secreted protein,	173	53
481	4667	gi76736 38	Danio rerio	Deddl	446	48
482	4670	gi40264 9	Homo sapiens	c-rel	2309	100
483	4683	Y68773	Homo sapiens	Amino acid sequence of a human phosphorylation effector PHSP-5.	2234	99
484	4698	Y73470	Homo sapiens	Human secreted protein clone yd141_1 protein sequence	746	100
485	4724	gi64568 46	Homo sapiens	hypothetical protein	1101	99
486	4734	gi33349 82	Homo sapiens	R27216_1	1151	80
487	4814	gi62744 73	Homo sapiens	pregnancy- induced growth inhibitor	1348	100
488	4819	Y07825	Homo sapiens	Human secreted protein fragment #4 encoded from	117	67

SEQ ID NO:	SEQ ID NO: in USSN 09/488,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
				gene 28.		
489	4821	Y81498	Homo sapiens	Human foetal bone-derived growth factor-like protein.	1200	100
490	4851	gi5689491	Homo sapiens	KIAA1077 protein	4364	99
491	4872	gi5911953	Homo sapiens	hypothetical protein	3723	99
492	4902	B08917	Homo sapiens	Human secreted protein sequence encoded by gene 27	717	100
493	5006	gi435774	Homo sapiens	receptor tyrosine kinase isoform FLT4 long, FLT41 {C-terminal}	385	100
494	5007	Y93951	Homo sapiens	Amino acid sequence of a Brainiac-5 polypeptide.	804	100
495	5027	gi3548791	Homo sapiens	R33590_1	1606	100
496	5029	gi5689527	Homo sapiens	KIAA1095 protein	5722	99
497	5033	Y14482	Homo sapiens	Fragment of human secreted protein encoded by gene 17.	166	66
498	5040	Y95019	Homo sapiens	Human secreted protein vql_1,	258	92
499	5061	gi1304434	Pseudorabies virus	EP0	85	38
500	5081	gi4038081	Homo sapiens	vascular endothelial cell growth inhibitor	134	100
501	5129	gi3169158	Homo sapiens	BC269730_2	2340	99
502	5139	gi4062856	Homo sapiens	HEXIM1 protein	293	47
503	5174	gi93685	Homo sapiens	140up gene	576	90

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
		40		product		
504	524	G00329	Homo sapiens	Human secreted protein,	565	100
505	5291	Y92515	Homo sapiens	Human OXRE-12.	1271	98
506	5335	gi7296158	Drosophila melanogaster	CG3862 gene product	753	46
507	5346	Y94987	Homo sapiens	Human secreted protein vjl_1,	849	100
508	5379	gi7144506	Homo sapiens	cytokine-inducible SH2-containing protein	1353	99
509	5441	gi8096551	Homo sapiens	similar to mouse Ehm2	1516	100
510	549	Y22113	Homo sapiens	Human ZSMF-3 protein sequence.	294	62
511	5542	Y76267	Homo sapiens	Fragment of human secreted protein encoded by gene 11.	1066	100
512	5560	G03790	Homo sapiens	Human secreted protein,	103	36
513	5696	gi7920398	Homo sapiens	PTOV1	1904	91
514	5704	B08930	Homo sapiens	Human secreted protein sequence encoded by gene 2	987	100
515	5758	W18878	Homo sapiens	Human protein kinase C inhibitor, IPKC-1.	368	100
516	5760	gi6562176	Homo sapiens	hypothetical protein	425	100
517	5763	Y41706	Homo sapiens	Human PRO381 protein sequence.	441	100
518	5787	Y57907	Homo sapiens	Human transmembrane protein HTPN-31.	952	100

SEQ ID NO:	SEQ ID NO: in USSN 09/488,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
519	5823	gi9800242	rat cytomegalovirus Maastricht	pr5	153	36
520	5886	gi1781037	Mus musculus	neuronal tyrosine threonine phosphatase 1	1135	52
521	5924	W69221	Homo sapiens	Human parotid secretory protein.	710	96
522	5960	Y91529	Homo sapiens	Human secreted protein sequence encoded by gene 79	1300	99
523	5962	W69784	Homo sapiens	Protein Kinase C Inhibitor-like Protein (IPKC-2).	395	100
524	5969	Y79141	Homo sapiens	Human haemopoietic stem cell regulatory protein SCM113.	1205	79
525	5976	gi780310	Homo sapiens	natural killer associated transcript 4	1808	91
526	6002	gi2104553	Homo sapiens		4367	67
527	6008	Y66765	Homo sapiens	Membrane-bound protein PRO1384.	822	100
528	6020	gi1911548	Homo sapiens	cytochrome c-like polypeptide	322	50
529	6036	W71362	Homo sapiens	Human cytokine/steroid receptor protein.	353	51
530	6070	Y42750	Homo sapiens	Human calcium binding protein 1 (CaBP-1).	626	100
531	6075	gi10732648	Homo sapiens	angiopoietin-like protein	2164	100

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
				PP1158		
532	6106	gi2217970	Homo sapiens	p40	1349	96
533	6420	W82000	Homo sapiens	Human adult brain secreted protein dm26_2.	929	100
534	6434	gi10732648	Homo sapiens	angiopoietin-like protein PP1158	2164	100
535	6439	gi189701	Homo sapiens	endothelial cell growth factor	376	100
536	6463	Y41720	Homo sapiens	Human PRO792 protein sequence.	360	82
537	6466	gi4884084	Homo sapiens	hypothetical protein	538	100
538	6508	gi5442030	Homo sapiens	aminopeptidase	2317	96
539	6570	gi5921491	Homo sapiens		1591	99
540	6719	gi31847	Homo sapiens	glypican	1625	87
541	6772	Y65432	Homo sapiens	Human 5' EST related polypeptide	180	53
542	6789	gi537292	Homo sapiens	ICH-1L	1556	100
543	6805	gi4454702	Homo sapiens	HSPC007	634	84
544	6833	gi1890660	Homo sapiens	protein tyrosine phosphatase receptor omicron	5726	87
545	6834	gi5921491	Homo sapiens		1746	88
546	6851	gi2407641	Homo sapiens	neuropilin	3968	98
547	6868	gi6714641	Drosophila melanogaster	MAP kinase phosphatase	218	49
548	6876	Y13138	Homo sapiens	Human secreted protein encoded by 5' EST	414	76
549	688	Y73463	Homo sapiens	Human secreted protein clone	701	98

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Water man Score	% Identity
				yk199_1 protein sequence		
550	6897	gi58151 80	Homo sapiens	unknown	509	97
551	690	gi10645 186	Homo sapiens	meningioma- expressed antigen 5s splice variant	522	100
552	6909	W78149	Homo sapiens	Human secreted protein encoded by gene 24 clone HSVBF78.	485	100
553	6924	Y35923	Homo sapiens	Extended human secreted protein sequence,	514	99
554	6937	G03798	Homo sapiens	Human secreted protein,	281	70
555	6951	gi51185 7	Homo sapiens	prostate- specific antigen	364	95
556	7008	G03200	Homo sapiens	Human secreted protein,	548	98
557	7009	Y22213	Homo sapiens	Human V201 protein sequence.	856	100
558	7057	gi60036 54	Homo sapiens	brain specific membrane- anchored protein BSMAP	1814	100
559	7098	W27291	Homo sapiens	Human H1075-1 secreted protein 5' end.	712	100
560	7114	gi32121 10	Homo sapiens	prefoldin subunit 1	534	98
561	712	gi45586 41	Homo sapiens	P85B_HUMAN; PTDINS-3- KINASE P85- BETA	470	74
562	7215	gi48683 66	Homo sapiens	delta-6 fatty acid desaturase	2437	100

SEQ ID NO:	SEQ ID NO: in USSN 09/488,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
563	7244	Y12445	Homo sapiens	Human 5' EST secreted protein	428	100
564	7248	gi311376	Homo sapiens	Humig	633	100
565	7252	gi5689531	Homo sapiens	KIAA1097 protein	5240	100
566	7292	gi5106998	Homo sapiens	HSPC040 protein	580	100
567	7306	Y32201	Homo sapiens	Human receptor molecule (REC) encoded by Incyte clone 2057886.	1974	95
568	7338	Y73880	Homo sapiens	Human prostate tumor EST fragment derived protein #67.	1566	100
569	736	gi10178317	Homo sapiens		1468	100
570	737	G00851	Homo sapiens	Human secreted protein,	522	98
571	740	W85610	Homo sapiens	Secreted protein clone eh80_1.	1115	87
572	7400	Y93948	Homo sapiens	Amino acid sequence of a lectin ss3939 polypeptide.	1982	98
573	7415	gi3043670	Homo sapiens	KIAA0573 protein	2392	100
574	7429	Y40864	Homo sapiens	A human glutathione-S-transferase (hGST) protein.	1183	99
575	7458	Y53643	Homo sapiens	A bone marrow secreted protein designated BMS6.	554	99
576	7516	gi4468311	Homo sapiens		1146	99
577	7526	gi4138922	Homo sapiens	promyelocytic leukemia zinc finger	3571	99

SEQ ID NO:	SEQ ID NO: in USSN 09/488,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
				protein; kruppel-like zinc finger protein; PLZF		
578	7571	G02915	Homo sapiens	Human secreted protein,	209	100
579	7614	W74726	Homo sapiens	Human secreted protein fg949_3.	1879	100
580	7663	gi5912548	Homo sapiens		1634	100
581	7686	gi4929711	Homo sapiens	CGI-121 protein	870	100
582	7714	gi388765	Homo sapiens	phospholipase D	4428	99
583	7724	G03933	Homo sapiens	Human secreted protein,	570	100
584	7834	gi8919166	Homo sapiens	mesenchymal stem cell protein DSC92	1133	100
585	7855	Y48505	Homo sapiens	Human breast tumour-associated protein 50.	684	100
586	7870	Y13372	Homo sapiens	Amino acid sequence of protein PRO223.	2559	100
587	7871	Y91689	Homo sapiens	Human secreted protein sequence encoded by gene 93	768	100
588	7892	gi34659	Homo sapiens	macrophage inflammatory protein-2alpha precursor	532	100
589	7927	gi32575	Homo sapiens		183	91
590	7944	gi1657458	Sus scrofa	calcium/calmodulin-dependent protein kinase II isoform gamma-B	2744	100
591	7947	G01131	Homo sapiens	Human	574	96

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
				secreted protein,		
592	800	gi3021428	Homo sapiens	neutral sphingomyelinase	167	68
593	8055	gi4929637	Homo sapiens	CGI-84 protein	1038	100
594	8082	gi4679014	Homo sapiens	HSPC014	715	100
595	8127	gi9955693	Homo sapiens	twisted gastrulation protein	905	95
596	8174	gi5532294	Homo sapiens	MUM2	767	100
597	8178	gi4530587	Homo sapiens	TADA1 protein	1132	100
598	8215	R66278	Homo sapiens	Therapeutic polypeptide from glioblastoma cell line.	830	100
599	8263	Y48371	Homo sapiens	Human prostate cancer-associated protein 68.	713	98
600	827	gi3172337	Cavia porcellus	phospholipase B	955	73
601	828	Y29517	Homo sapiens	Human lung tumour protein SAL-82 predicted amino acid sequence.	833	94
602	8294	gi4929767	Homo sapiens	CGI-149 protein	1085	100
603	8313	gi5771420	Homo sapiens	group IID secretory phospholipase A2	852	100
604	832	Y86260	Homo sapiens	Human secreted protein HELHN47,	319	78
605	8357	gi4191358	Mus musculus	claudin-7	164	47
606	8373	gi1945271	Homo sapiens	protein phosphatase 6	1666	100
607	8379	gi58529	Homo sapiens		1226	100

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Water man Score	% Identity
		81		cardiotrophin-like cytokine CLC		
608	8380	gi34022 16	Homo sapiens	protein	974	100
609	8386	gi38698 8	Homo sapiens	oncostatin M	1297	99
610	8418	Y70210	Homo sapiens	Human TANGO 130 protein.	722	98
611	8442	G01895	Homo sapiens	Human secreted protein,	490	95
612	8457	G04048	Homo sapiens	Human secreted protein,	450	98
613	8458	W97119	Homo sapiens	S-adenosyl-L- methyltransfer ase (SAM-MT) protein.	1484	100
614	8469	gi71597 99	Homo sapiens		255	100
615	8480	gi45895 30	Homo sapiens	KIAA0943 protein	1998	100
616	8521	gi57262 35	multiple sclerosis associated retrovirus element	unknown protein U5/2	250	82
617	857	gi96639 58	Homo sapiens	cysteinyl leukotriene CysLT2 receptor	612	99
618	8574	gi68412 60	Homo sapiens	HSPC305	1049	100
619	8606	gi33677 07	Homo sapiens	scrapie responsive protein 1	544	100
620	8632	G01158	Homo sapiens	Human secreted protein,	502	100
621	8646	gi38822 49	Homo sapiens	KIAA0764 protein	2175	100
622	8666	Y66196	Homo sapiens	Human bladder tumour EST encoded protein 54.	1080	95
623	8675	gi99639 08	Homo sapiens	NPD009	432	96
624	8683	G04018	Homo sapiens	Human	469	98

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
				secreted protein,		
625	8708	gi1633564	Homo sapiens	C8	364	98
626	8720	gi8248465	Homo sapiens	hepatocellular carcinoma-associated antigen 56A	191	69
627	8756	Y94984	Homo sapiens	Human secreted protein vell_1,	369	97
628	8765	Y00346	Homo sapiens	Fragment of human secreted protein encoded by gene 2.	1068	97
629	8783	Y27918	Homo sapiens	Human secreted protein encoded by gene No. 123.	1051	95
630	8804	Y25426	Homo sapiens	Human SIGIRR protein.	887	100
631	8838	Y99409	Homo sapiens	Human PRO1343 (UNQ698) amino acid sequence	1279	100
632	8851	W74785	Homo sapiens	Human secreted protein encoded by gene 56 clone HSAXS65.	454	100
633	8853	W75116	Homo sapiens	Human secreted protein encoded by gene 60 clone HILCJ01.	245	95
634	8857	gi2565196	Homo sapiens	non-functional folate binding protein	479	74
635	8859	Y02690	Homo sapiens	Human secreted protein encoded by gene 41c lone	600	100

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
				HSZAF47.		
636	8901	Y86491	Homo sapiens	Human gene 59-encoded protein fragment,	548	99
637	8907	W88745	Homo sapiens	Secreted protein encoded by gene 30 clone HTSEV09.	2004	99
638	8934	W75088	Homo sapiens	Human secreted protein encoded by gene 32 clone HAGBB70.	421	98
639	8960	Y02693	Homo sapiens	Human secreted protein encoded by gene 44 clone HTDAD22.	267	72
640	8979	Y76143	Homo sapiens	Human secreted protein encoded by gene 20.	1374	98
641	8980	Y11433	Homo sapiens	Human 5' EST secreted protein	466	100
642	8986	G02626	Homo sapiens	Human secreted protein,	306	100
643	8987	G02093	Homo sapiens	Human secreted protein,	486	97
644	8995	Y12908	Homo sapiens	Human 5' EST secreted protein	181	100
645	9035	Y71108	Homo sapiens	Human Hydrolase protein-6 (HYDRL-6).	800	100
646	9062	gi8886005	Homo sapiens	lysophosphatidic acid acyltransferase-delta	523	100
647	9074	Y25761	Homo sapiens	Human	1366	99

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Water man Score	% Identity
				secreted protein encoded from gene 51.		
648	9075	Y73336	Homo sapiens	HTRM clone 1852290 protein sequence.	1591	100
649	9098	Y57878	Homo sapiens	Human transmembrane protein HTPN- 2.	516	100
650	9109	gi23903	Homo sapiens	63kDa protein kinase	1141	97
651	911	gi32456	Homo sapiens	protein- tyrosine phosphatase	2591	100
652	912	gi11367 43	Homo sapiens	human P5	212	46
653	9163	Y34129	Homo sapiens	Human potassium channel K+Hnov28.	377	71
654	9164	Y41324	Homo sapiens	Human secreted protein encoded by gene 17 clone HNFIY77.	1083	99
655	9173	gi68512 56	Mus musculus	protein tyrosine phosphatase- like protein PTPLB	631	93
656	9187	Y66721	Homo sapiens	Membrane- bound protein PRO511.	1173	95
657	9190	W40378	Homo sapiens	Human breast cancer protein CH14-2a16-1 from 2.0 kB DNA fragment #2.	792	81
658	9194	Y02781	Homo sapiens	Human secreted protein.	462	70
659	9210	G02994	Homo sapiens	Human secreted protein,	166	80

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
660	9222	G02520	Homo sapiens	Human secreted protein,	186	43
661	9230	gi6706554	Homo sapiens	inositol 1,4,5-trisphosphate 3-kinase B	1315	95
662	9258	gi522145	Homo sapiens	B-cell growth factor	120	56
663	9260	G04072	Homo sapiens	Human secreted protein,	138	51
664	9271	gi6690095	Homo sapiens	tetraspanin protein	317	67
665	9272	gi163042	Bos taurus	factor activating exoenzyme S	444	72
666	9275	gi401774	Homo sapiens	ribosomal protein S6 kinase 3	424	81
667	930	G02355	Homo sapiens	Human secreted protein,	167	41
668	9304	gi8979743	Canis familiaris	Band4.1-like5 protein	1493	93
669	9346	gi2738989	Mus musculus	high mobility group protein homolog HMG4	384	89
670	9347	gi36613	Homo sapiens	serine/threonine protein kinase	199	91
671	935	gi5541870	Homo sapiens	QA79 membrane protein, allelic variant airm-1b	334	57
672	9350	gi3327124	Homo sapiens	KIAA0655 protein	757	87
673	9351	W57260	Homo sapiens	Human semaphorin Y.	573	95
674	9356	gi59977	Human endogenous retrovirus	tripartite fusion transcript PLA2L	127	59
675	9363	Y17834	Homo sapiens	Human PRO361 protein sequence.	968	92
676	9366	gi72431	Homo sapiens	KIAA1374	649	96

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
		29		protein		
677	9369	G03793	Homo sapiens	Human secreted protein,	222	69
678	9378	gi4468311	Homo sapiens		163	39
679	9393	gi2738989	Mus musculus	high mobility group protein homolog HMG4	384	89
680	9444	G01399	Homo sapiens	Human secreted protein,	157	93
681	9467	gi4454702	Homo sapiens	HSPC007	230	71
682	9486	gi10047243	Homo sapiens	KIAA1584 protein	605	93
683	949	Y30895	Homo sapiens	Human secreted protein fragment encoded from gene 25.	704	99
684	9499	W36002	Homo sapiens	Human Fchd531 gene product.	2173	96
685	9510	gi1665799	Homo sapiens		867	83
686	9523	Y53022	Homo sapiens	Human secreted protein clone qf116_2 protein sequence	1252	89
687	9534	Y66670	Homo sapiens	Membrane-bound protein PRO1180.	998	100
688	9539	Y76144	Homo sapiens	Human secreted protein encoded by gene 21.	633	100
689	954	G02490	Homo sapiens	Human secreted protein,	160	78
690	9546	gi181121	Homo sapiens	chorionic somatomammotropin	616	96
691	955	gi7243103	Homo sapiens	KIAA1361 protein	2042	100
692	9551	gi17723	Homo sapiens	ras-related	341	57

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
		45		GTP-binding protein		
693	9558	W88403	Homo sapiens	Human adult testis secreted protein ga63_6.	2252	100
694	9561	gi6690017	Herpesvirus papio	NTR	100	30
695	957	Y86260	Homo sapiens	Human secreted protein HELHN47,	319	78
696	9572	gi972940	Mus musculus	Elf-1	806	92
697	9576	gi3249005	Homo sapiens	geminin	448	98
698	9586	gi2887288	Homo sapiens	mRNA cleavage factor I 25 kDa subunit	208	100
699	9587	G00995	Homo sapiens	Human secreted protein,	726	99
700	9592	gi495273	Rattus norvegicus	ribosomal protein S15a	202	78
701	9595	gi7799912	Homo sapiens	UBASH3A protein	453	47
702	9610	Y07875	Homo sapiens	Human secreted protein fragment encoded from gene 24.	574	100
703	9634	Y73325	Homo sapiens	HTRM clone 001106 protein sequence.	820	99
704	9639	G00805	Homo sapiens	Human secreted protein,	155	67
705	9647	G03786	Homo sapiens	Human secreted protein,	196	73
706	9653	gi3882341	Homo sapiens	KIAA0810 protein	523	100
707	9654	G01924	Homo sapiens	Human secreted protein,	469	100
708	9678	Y99376	Homo sapiens	Human PRO1244 (UNQ628) amino	474	100

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Water man Score	% Identity
				acid sequence		
709	9709	Y11825	Homo sapiens	Human 5' EST secreted protein	657	100
710	9722	gi76774 22	Mus musculus	GTPase Rab37	189	75
711	9731	Y12424	Homo sapiens	Human 5' EST secreted protein	207	100
712	9742	Y57954	Homo sapiens	Human transmembrane protein HTPN- 78.	484	100
713	9749	gi36878 29	Homo sapiens	hT41	386	65
714	9755	gi20552 95	Homo sapiens	Similar to a C.elegans protein in cosmid C14H10	2583	100
715	9762	G03436	Homo sapiens	Human secreted protein,	176	61
716	9763	gi61800 11	Homo sapiens	anaphase- promoting complex subunit 4	1016	100
717	9784	G03570	Homo sapiens	Human secreted protein,	401	96
718	9794	G00803	Homo sapiens	Human secreted protein,	333	69
719	9795	gi25162 42	Mus musculus	Rab33B	669	94
720	9798	gi55859 9	Homo sapiens	ZID, zinc finger protein with interaction domain	605	96
721	9805	Y25881	Homo sapiens	Human secreted protein fragment encoded from gene 61.	566	96
722	9816	gi53205 6	Homo sapiens	protein- tyrosine- phosphatase	384	100
723	9830	G00857	Homo sapiens	Human	539	96

SEQ ID NO:	SEQ ID NO: in USSN 09/488,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
				secreted protein,		
724	9836	G00914	Homo sapiens	Human secreted protein,	527	100
725	9837	gi2662099	Homo sapiens	KIAA0409	230	67
726	984	Y29517	Homo sapiens	Human lung tumour protein SAL-82 predicted amino acid sequence.	833	94
727	9849	gi7229305	Homo sapiens	ZNF264, partial cds	140	90
728	9851	gi5262560	Homo sapiens	hypothetical protein	369	64
729	9859	gi3881976	Homo sapiens	hypothetical protein	167	93
730	9863	gi7295707	Drosophila melanogaster	CG15433 gene product	837	78
731	9888	gi3319677	Homo sapiens		209	72
732	989	gi4557143	Rattus norvegicus	zinc finger protein RIN ZF	604	92
733	9919	G01843	Homo sapiens	Human secreted protein,	586	100
734	9922	W67869	Homo sapiens	Human secreted protein encoded by gene 63 clone HHGDB72.	551	93
735	9947	W78239	Homo sapiens	Fragment of human secreted protein encoded by gene 3.	251	78
736	9956	Y36203	Homo sapiens	Human secreted protein #75.	273	77
737	9961	Y99357	Homo sapiens	Human PRO1190 (UNQ604) amino acid sequence	650	99
738	9972	Y12149	Homo sapiens	Human 5' EST secreted protein	284	100
739	9977	gi10039	Homo sapiens	osteoblast	822	98

SEQ ID NO:	SEQ ID NO: in USSN 09/488,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
		439		differentiation promoting factor		

Table 3 - Amino Acids

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
1	740	2	557	FVGRLLRLGEALRLRPDPSSGGCRLQPALVGETEMSEKENNFPP LPKFIPVKPCFYQNFSDIPEVHQVLVKRIYRLWMFYCATLGV NLIACLAWWIGGSGTNFGLAFVWLLLFPCGYVCWFRPVYKA FRADSSFNMAFFFI FRSPVCPDRHPGDWLLRLGRVRLAVGNW ILPVQPGRCRGHA
2	741	305	838	FLGAGADIFCAYLRMSSKQATSPFACAADGEDAMTQDLTSREK EEGSDQHVASHLPLHPIMHNKPHSEELPTLVSTIQDADWDSV LSSQQRMESNNKLCSLYSFRNTSTSPHKPDEGSRDREIMTSV TFGTPERRKGS LADVDTLQKKLEEMTRTEQEDSSCMEKLLS KDWKE
3	742	12	1315	EGYLTGRPTRPVAVRGKSTADLRMMGRSPGFAMQHIVGVPHVL VRRGLLGRDLFMTRTLCSPGPSQPGKEKPEEVALGLHHRPAL GRALGHSIQQRATSTAKTWWDREYEEFVGLNEVREAQGVTEAE KVFMVARGLVREAREDELEVHQAKLKEVRDRLDRVSREDSQYLE LATLEHRMLQEEKRLRTAYLRAEDSEREKSLFSAAVRESHEK ERTRAERTKNWSLIGSVLGALIGVAGSTYVNRVRLQELKALLL EAQKGPVSLQEAIREQASSYSRQQRDHLNLMVDLRLGLVHAAGP GQDSGSQAGSPPTRDRDVLVSAALKEQLSHSRQVHSCLEGLR EQLDGLEKTCSQMAGVVQLVKSAAHPGLVEPADGAMP SFLEQ GSMILALSDTEQRLEAQVNRNTIYSTLVTCVTFVATLPVLYML FKAS
4	743	112	745	NLPPLTPQGPRLAGSGPSHWFSPLSLPVASKAPGTMAQALGE DLVQPPELQDDSSSLGSDSELSPGPYRQADRYGFIGGSSAEP GPGHPPADLIRQREMKWVEMTSHWEKTMSRRYKKVKMQCRKGI PSALRARCWPLLCAHVCQKNSPGTYQELAEAPGDPQWMETIG RDLHRQFPLHEMFVSPQGHGQQGLLQVLKAYTLRPEQG
5	744	99	265	LRGMAAAAAGPAASQRFFQSFSDALIDQDPQAALVEVGEPFLLP PLPADPPPSSTA

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
6	745	210	758	WACFRSAHCSRHLNRNRI FMYLYWDKTRSPVCKGPALREERPQP RLKLEDYKDRLKSGEHLNPDQLEAVEKEYEEVLHNLEFAKELQK TFSGLSLDLLKAQKKAQRREHMLKLEAEKKKLRTILQVQYVLQ NLTQEHVQKDFKGGNLGAVYLP SKELDYLIKPSKLTCPERNES LRQTLEGSTV
7	746	48	450	XAGVQMKLEFLQRKFWAATRQCSTVDGPCTQSCEDSDLLDCFVI DNNGFILISKRSRETGRFLGEVDGAVLTQLLSMGVFSQVTMYD YQAMCKPSSHHHSAAQPLVSPISAFLTATRWLLQELVLFLEW SVWGSX*
8	747	1	469	CRGRLAQLLEAAVAATMSAGDAVCTGWLVKSPPERKLQRYAWR KRWFLVLRGRMSGNPDVLEYRNRKHSSKPIRVIDLSECAVWKH VGPSFVRKEFQNNFVFIKTTSTRTFYLVAKTEQEMQVWVHSIS QVCNLGHLEDAADSMESLSYTRSYLQ
9	748	242	409	IPAVPLTSCVTVGSYSLSVRDYPDPRQGD TVKHYKIRTL\DKRG FYISP\RSTFSTLQ
10	749	1	1146	KDSVLNIARGKKYGEKTKRVSSRKKPALKC/TSQKQPALKATC DKEDSVPTATEKKDEQISGTVSSQKQPALKATSDKKDSVSNI PTEIKDGGQSGTVSSQKQPAWKATSVKKDSVSNIATEIKDGGI \RGTVSSQRQPALKA\TGDEKDSVSNIAREIKDGEKSGTVSPQ KQSAQKVI FKKKVSLLNIATRITGGWKSGETEYPENLPTLKATI ENKNSVLNTATKMKDVQTSTPEQDLEMASEGEQKRLEEYENNO PQVKNQIHSRDDLDIIQSSQTVSEDDSLCCNCKNVILLIDQ HEMKCKDCVHLLKIKKTFCLCKRLTELKDNHCEQLRVKIRKLK NKASVLQKRLSEKEEIKSQLKHETLELEKELCSLRFAIQQ
11	750	3	892	SPLRYRAGQSGSTISSSSCAMWRCGGRQGLCVLRRLSGGHAHH RAWRWNSNRACERALQYKLGDKIHGFTVNOVTSVPELFLTAVK LTHDDTGARYLHLAREDTNNLFSVQFRTTPMDSTGVPHILEHT VLCGSQKYPGRDPFFKMLNRSLSFMNAFTASDYTLYPFSTQN PKDFQNL LSVYLDATFFPCLRELD FWQEGWRLEHENPSPDQTP LVFKGVVFNEMKGAFTDNERIFSQHLQNRLLPDHTYSVVS GGD PLCIPELTWEQLKQFHATHYHPSNARFFTYGNFPLDQH
12	751	367	856	RGAKAKSAVLPPGPPCSSILILSPPAPLTPRSPGTEATRPTAM SKSLKKKSHWTSKVHESVIGRNPEGQLGFELKGAENGQFPYL GEVKPGKVAYESGSKLVSEELLLEVNETPVAGLTIRDVLAVIK HCKDPLRLKCVKQGESSGLLSVLPGGGTARGAGQ
13	752	144	442	SHRPQPDARQGNFQCVQKEKMQVSSAEVRIGPMRLTQDPIQ VLLIFAKEDSQSDGFWWACDRAGYRCNIARTPESALECFLDKH HEIIVIDHRQTQN
14	753	1	581	FRLAGCGHLLVSLGLLLLLLARS GTRALVCLPCDESKCEEPRN CPGSIVQGVCGCCYTCASQRNESC GGTFGIYGTCDRGLRCVIR PPLNGDSLTEYEAGVCEDENWTDQLLGFKPCNENLIAGCNII NGKCECNTIRTCSNPFEFSPQDMCLSA LKRIEEKPDCKSKARC EVQFSPRCPEDSVLIEGYAPP

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
15	754	1	219	FRMAANVGSMFQYWKRFDLQQLQRELDATATVLANRQDESEQS RKRLIEQSREFKNTPEVRRVTIVFALKGS
16	755	313	562	ETLSCRIMDHPSREKDERQRTTKPMAQRSACSRPSGSSSSSSG VLMVGPNFVRVGKKIGCGNFGELRLGEGLPQVYFPGCGKY
17	756	273	574	GCCKD*HSGVIGRSWAMLFASGGFQVKLYDIEQQQIRNALENI RWASRRSPEGMEVGLFSLVGLVCHILKAMRICDVTFSDDGYCS ASELVKARPTVAGM
18	757	3	390	NSRVDDFVSARPKPRPLPRARGMVVVVTGREPDSRRQDGAMSSS DAEDDFLEPATPTATQAGHAL/PPAAT/GSFLRLFLPTSEGLT SLHACPHCGATKTPCWQPCSVGGTTSPTFRAGTSSTEMAHTL EMC
19	758	98	461	RALWVGCGSGEACGIGMSGLLTDPEQRAQEPYPGFVLGLDVG SSVIRCHVYDRAARVCGSSVQKVENLYPQIGWVEIDPDVLWIQ FVAVIKEAVKAAGIQMNQIVGLGISTQRATFITWN
20	759	100	731	GLAAEQSMQFVKLWCGCSGEFPTRLRRRTPLTEAMEGGPAVCC QDPRAELVERVAIDVTHLEEADGGPEPTRNGVDPPPRARAAS VIPGSTSRLLPARPSLSARKLSLQERPAGSYLEAQAGPYATGP ASHISPAWRRPTIESHHVAISDAEDCVQLNQYKLQSEIGKGA YGVVRLAYNESEDRHYAMKVLSSKKLLKQYGFRRPPP
21	760	2	520	FVYGKPVTLWPTISSVVPSTFLGLGNYEVEVEAEPDVRGPEIV TMGENDDPAVEAPFSRSLFGLDDLKISPVPADADAVAAQILS LLPLKFFPIIVIGIIALILALAIGLGIHFDSCGKYRCRSSFKC IELIARCDGVSDCKDGEDEYRCVVRVGGQNAALQVFTAASRKT
22	761	158	470	SLAMPFGCVTLGDKKNYNQPSVETDRYDLGQVIKTEEFCEIFR AKDKTTGKLHTCKKFQKRDGRKVRKAAKNEIGILKMVKHPNIL QLVDVFTVTRKEYFIFLEL
23	762	1	749	QRRFRAGLWGGHGLTDGLRRNGGCGCSARVPRVGERLRGHR PDPLCLLLDMLFLSFHAGSWESWCCCCLIPADRPWDRGQHWQL EMADTRSVHETRFEAAVKVIQSLPKNGSFQPTNEMMLKFYSFY KQATEGPKLSRPGFWDPIGRYKWDWSSSLGDMTKEEAMIAVY EEMKKIIETMPMTEKVEELLRVIGPFYEIVEDKKSGRSSDITS DLGNVLTSTPNAKTVNGKAESSDSGAEESEEEAC
24	763	3	558	SCFKGRTGGRSGSSGDSRRWARCGRHFSASTEPPPLSQPCSAL PRSGRRGCAVPSSVTKMLSFFRRTLGRRSRMRKHAERLREAQ RAATHIPAAGDSKSIITCRVSLDGTVDVSLPKKAKGQELFD QIMYHLDLIESDYFGLRFMDSAQVAHWLDGTSIKKQVKIGSP YCLHLRVKFYSS
25	764	9	424	ESRERSGNRRGAEDRGTCGLQSPSAMLGAKPHWLPGLHSPGL PLVLVLLALGAGWAQEGSEPVLLGECLVVCEPGRAAAGGPGG AALGEAPPGRVAFAAVRSHHHEPAGETGNGTSGAIYFDQVLVN EGGGFDRAS

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, / = possible nucleotide deletion, \ = possible nucleotide insertion)
26	765	2	507	EDVKSYYTVHLPQLENINSGETRTTISHFHYTTWPDFGVPQSPA SFLNFLFKVRESGSLNPDHGPVVIHRSAGTGRSSTFSVVHTCL VLMEKGDDINIKQVLLNIRKFMGLI\QTPDQLRFSYMAITEG AKCVKGDSSIQKRWKELSKE/DLPPAFDHSNPKIMTEKYNR
27	766	84	852	LNRRQRCGDQVLVPGTGLAAILRTLPMFHDDEEHARARGLSEDTL VLPPASRNQRILYTVLEQCPLFDSSDMTIAEWVCLAQTIKRHY EQYHGFVVIHGTDMAFAASMLSFMLENLQKTVILTGAQVPIH ALWSDGRENLLGALLMAGQYVIVEVCLFFQNLFRGNRATKVD ARRFAAFCSPNLLPLATVGADITINRELVRKVDGKAGLVVHSS MEQDVGLLRLLYPGIPAALVRAFLQPPLKGVVMTFTGSGNG
28	767	992	210	LFRLAPGFLRSLARQGYHQIWAFFPLPSGATATWPAASRSRSL AARSLPRSPARPGPNDAALLGEHDFRGQGVRAQRFRFSEEPGPG ADGAVLEVHVPQIGAGVSLPGILAACKGAEVILSDSSELPHCL EVCRCQSCQMNNLPHLQVVGLTWGHIISWDLALPPQDIILASDV FFEPEDFEDILATIIYFLMHKNPKVQLWSTYQVRSADWSLEALL YKWDMMKCVHIPLESFDADKEDIAESTLPGRHTVEMLVISFAKD SL
29	768	23	624	SFIYKHTHRARFGPRAIVASPALTAGPHVSLTASCRVGMWVSC SPSPFLHPTNTLVAVLERDTLGIREVRLFNAVVRWSEAEQCRQ QLQVTPENRRKVLGKALGLIRFPLMTIEEFAAGNRARAQGLVW EGSGTQVGIW/CTEDSAPEFTAESLADAWHIQIGNRLACEDAS T/WAIC*PRPGSVPTVHTARPLSCLSSCF
30	769	100	2	MASTQDAELAVSRXRATLXPGXQSSXXPSQKKK
31	770	158	1957	LLKSCGVLLSGVCIPCEGKGPTVLVIQTAVPQDRPTKSSMRSA AKPWNPAIRAGGHGPDVRPLPAASSGMKSSKSSTSLAFESRL SRLKRASSEDTLNKPSTAAAGVVRLKKTATAGAISELTESRL RSGTGAFTTTKRTGIPAPREFSVTVSRERSVPRGSPNPRKSVS SPTSSNTPPTPKHLRTPSTKPKQENEGGEK\VRSLPK/FRELL AEAKAKDSEINRLRSELKKYKEKRTLNAEGTDALGPNVDGTSV SPGDTEPMIRALEEKNKQKELSDLEENRVLKEKLIYLEHS PNSEGAASHTGDSSCPTSITQESSFGSPTGNQLSSDIDEYKKN IHGNALRTSGSSSSDVTKASLSPDASDFEHITAETPSRPLSST SNPFKSSKCSTAGSSPNSVSELSLASLTEKIQKMEENHHSTAE ELQATLQELSDQQQMVQELTAENEKLVDEKTILETFSHQHRER AEQLSQENEKLMNLLQERVKNPEPTTQEGKIIIELEQKCTGILE QGRFEREKLNIQQQLTCSLRKVEEENQGALEMIKRLKEENEK LNEFLELERHNNMMMAKTLEECRVTLLEGLKMENGSLKSHLQG
32	771	203	514	SQMHRLIFVYTLICANFCSCRDTSATPQSASIKALRNANLRD ESNHLTDLYRRDETIQVKNGYVQSPRFPNSYPRNLLLTWRLH SQENTRIQLVFDNQFGL

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
33	772	59	713	PFFKMTDLLRSVTVIDVFYKYTKQDGECGTLKSGELKELLEK ELHPVLKPNDDPDVIMHMLDRDHRRDLDFTEFLLMIFKLT MACNKVLSKEYCKASGSKKHRRGHRHQEESETEDEEDTPGH KSGYRHSSWSEGEHGYSSGHSRGTVKCRHGNSRRLGRQGNL SSSGNQEGSQKRYHRSSCGHSWSGGKDRHGSSSVELRERINKS HIK
34	773	209	601	VPKISGPDHIDFIPWDQLFMASSSSVTEFLVLGFSSSLGELQLV LFAVFLCLYLIILSGNIIISVIHLDSLHTPMYFFLGILSIS EIFYTTVILPKMLINLFSVFTLSFVSCATQMFYEIVGPGTQE R
35	774	373	987	DHSTETPGIPAAEPVSHGTGKLERAPTLPAGAELPAPAAVPCP TL*VC/LYPQLLGLSVATMVTLTLYFGAHFAVIRRASLEKNPYQ AVHQWGTQQRLLIQHPESGSEGQSLLGPLRAFSAGLSLVGLLTL GAVLSAAATVREAQGLMAGGFLCFLAFAQVQVFWRLHSPT QVEDAMLDTYDLVYEQAMKGTSHVRRQELAAIQ
36	775	102	466	QPGYSEYDKNRGQGMMLNMMCGRQLSAISLCLAVTFAPLFNAQ ADEPEVIPGDSPPAVSEQGEALPQAQATAIMAGIQPLPEGAAE KARTQIESQLPAGYKPVYLNQLQLLYAARGISCSV
37	776	2	430	RTRAADVVFSLTGKSRNVSSSTVRRSAVGGMSALALFDLLKP NYALATQVEFTDPEIVAIEYITYPSPNGHGEVRGYLVKPAKMSG KTPAVVVVHENRGLNPYIEDVARRVAKAGYIALAPDGLSSVGG YPGNDIKVVSAAA
38	777	106	556	VKQRHGNSLLTTETKTCISCR LGVPLSPQRRFQAIRIEEVKLW FAFLIVLLAGCSSKHDTNPPWNAKVPVQRAMQWMPISQKAGA AWGVDPQLITAI IAIESGGNPNNAVSKSNAIGLMQLKASTSGRD VYRRMGWSGEPTTSELKNSSR
39	778	3	892	HAAGIRHEAKPKRSFYAARDLYKYRHQYPNFKDIRYQNDLSNL RFYKNKIPFKPDGVYIEEVL SKWKGDYKLEHNHTYIQWLFP LREQGLNFYAKELTTYEIEEFKKTKEAIRRFLAYKMMLEFFGI KLTDKTGNVARAVNWQERFQHLNESQHNYLRITRILKSLGELG YESFKSPLVKFILHEALVENTIPNIKQSALEYFVYTIRDRRER RKLLRFAQKHYPSENFIWGPPEKEQSEGSKAQKMSSPLASSH NSQTSMHKKAKDSKNSSSAVHLNSKTAEDKKVAPKEPV
40	779	123	395	ELQVFQPIGMSDSGSQLGSMGSLTMKSQLOITVISAKLKENK KNWFGPSPYVEVTVDGQSKKTEKCNNTNSPKWKQPLTIVTPV SKLH
41	780	173	438	IETLSFVIRNWNTHAMSKPIVMERGVKYRDADKMALIPVKNVA TEREALLRKPEWMKIKLPADSTRIQGIKAAMRKNGLHSVCEEAS C
42	781	287	393	PRMVLGKPQTDPTLEWFLSHCHIKYPSKSTLIPQ
43	782	119	556	GLRISVQERIKACFTESIQTQIAAAEALPDAISRAAMTLVQSL LNGNKILCCGNGTSAANAQHFASMINRFETERPSLPAIALNT DNVVLTAIANDRLHDEVYAKQVRALGHAGDVLLAISTRGNSRD IVKAVEAAVTRDTTIV

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
44	783	248	554	KQTQHAPGMMKKYLALALIAPLLISCSTTKKGDYNEAWVKDT NGFDILMGQFAHNIENIWGFKEVVIAGPKDYVKYTDQYQTRSH INFDDGTITIEPIPGT
45	784	77	311	TDR TALNPGQESAMNRLFSGRSDMPFALLLLAPSLLLGGLVA WPMVSNIEISFLRLPLNPNIESTFVGVSNYVRILS
46	785	184	627	KELVDEKSERGRAMDPVSQLASAGTFRVLKEPLAFRLALELLF AIFAFATCGGYSGGLRLSVDCVNKTESNLS IDIAFAYPFR LHQ VTFEVPTCEGKERQKLALIGDSSSSAEFFVTVAFAFLYSLAA TGRYIFFHNKNRENNRGPL
47	786	3	742	LGTVSYGADTMDETIQSHVRDSYSQM QSQAGGNTGSTPLRKAQ SSAPKVRKSVSSRIHEAVKAIVLCHNVTPVYESRAGVTEETEF AEADQDFSDENRTYQASSPDEVALVQWTESVGLTLVSRDLTSM QLKTPSGQVLSFCILQLFPFTSESKRMGVIVRDESTAEITFYM KGADVAMSPIVQYNDWLEEECGNMAREGLRTLVAKKALTEEQ YQDFEVSRLPGIPSSYDGAFTLTKLVLPVFV
48	787	864	335	EGPHR\RLFQMVKA/LQEAPEDPNQILIGYSRGLVVIWDLQGS RVLYHFLSSQQLENIWWQDGRLLVSDGSGSYCQW\ PVSSEA QQPEPLRSLVPYGPFPCKAITRILWLTTROGLPFTIFQGGMPR ASYGDRHCISVIHDGQQTAFTDFTSRVIGFTVLTEADPAASRA SGVGAQG
49	788	410	951	KQGLEVRDLHFKEITSGRALLRVACKRPSMVPGGQLQRAGAGA QARITGLSPALWGARVHGWIPELPAGLPAGACLWPLIPACPSR HWGWVSAPVKG/WAQAILGLALCL/RGEHRGLGAGVSKVRSLK MDRKVWTETLIEVGMPLLATDTWGLPHSTAVVWSQPPPYLSDH STLELERDPL
50	789	1	437	LSCNSEQALLSLVPVQRELLRRRYQSSPAKPDSSFYKGLGTCP SQLRLSEPPPTPRHLSVASVSHMFP SHRSLCPHLPDFFAAPF PSDNLPTYTLQSPFPSPPPATPSDHALILHH\DLNGGPD DPLOQ TGQLFGGLVRDIRRRYP
51	790	1	198	SPSSKLVMWAGRAGSSRTTSVSLLCPL/SAPFGASNLLVNP LEPQNADKIKIKIADLGNACWV
52	791	3	435	RVDPRVRAPRCGDKIKNHMY\KDCGSLKDCASDRCCETSCTL SLGSVCNTGLCCHKCKYAAPGVVCRDLGGICDLPEYCDGKKEE CPNDIYIQDGTPCS AVSVCIRGNCSDRDMQCQALFGYQVKDGS PACYRKLNRIGNRFGT
53	792	1	728	PGRPTRPDASLAQ/DPRTTMFRIPEFKWSPMHQRLLTDLLFAL ETDVHVWRS\HSTKSVMDFVNSNENIIFVHNTIHLISQMV DNI IIACGGILPLLSAATSPTGSKTELENIEVTQGMSAETAVTFLS RLMAMVDVLVFASSLNFSEIEAEKNMSSGGLMRQCLKLVCVA VRNCLECRQRQDRGNKSSHGSSKPQEVQSVTATAASKTPLE NVPGNLSP IKDPDRLLQDVDINRLRAVVF

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
54	793	2230	990	NSSGVKLLQALGLSPGNGKDHSILHSRNDLEEAFIHFMGKGAA AERFFSDKETFDHIAQVASEFPGAQHYVGGNAALIGQKFAANS DLKVLLCGPVGPKLHELDDNVFVPPESLQEVDEFHLILEYQA GEEWGQLKAPHANRFIFSHDLSNGAMNMLEVFVSSLEEFQPD GGLSGLHMMEGQSKELQRKRLLEVVTISDIPTGIPV\HLELG \SMTNRELMSSIV\LQQVFPVAVTSLGLNEQELLFLTQSASGPH SSLSSWNGVPDVGMSDILFWILKEHGRSKSRASDLTRIHFHT LVYHILATVDGHWANQLAAVAAGARVAGTQACATETIDTSRVS LRAPQEFMTSHSEAGSRIVLNPKNPVEWHREGISFHFTPVLV CKDPIRTVGLGDAISAEGLFYSEVHPHY
55	794	249	3	DDSSGWGLEQLVVRWSLALWPRLECSGMSIAHCNLC/LGSSD SPASAPRVAGITDVCHHAWLVFVFLVVMGFPHVGVGLELL
56	795	2	1176	LGEVLKCCQGVSSLAFAFLQRMMDKPLVVLGLPAPTAPSGC LSFWEAKAQLAKSCKVLVDALRHNAAAVPPFFGGSVLRAAEP APHASYGGIVSVETDLLQWCLESGSIPILCPIGETAARRSVLL DSLEVTASLAKALRPTKIIFLNNTGGLRDSSHVKLSNVNLPAD LDLVCNAEWVSTKERQOMRLIVDVLSRLPHHSSAVITAASTLL TELFSENKSGTLFKNAERMLRVSLDKLDQGRVLVDLVNASFGK KLRRDYLASLRPRLHSIYVSEGYNAAILTMEPVLGGETPYLDK FVVSSSRQGGSGQMLWECLRRDLQTLFWRSRVTNPINPWYFK HSDGSFSNKQWIFFWFGGLADIRDSYELVNHAKGLPDSFHKPAS DPGS
57	796	755	374	YHAPALQPGQSKTLSQEKKNFFRPGAVAHTCNPSTLGGRGGR ITRSGDRDHPG*HGETPSLLKIQKKLAGRDGGRL*SQLLGRLR QENGVPNGGGGCSEPRLRHCTPAW*QSETISRKKRKKERKY
58	797	2	476	FRPIGIIRQALCSADGHQRRILTLRLGLLVIPFLPASNLFFRV GFVVPSVGGCCVMLLFGFG/ALRKHTEKKKLIAAVVLGILLS/N DAERLRCAVRGGEWRSE/EAVFRGAVSVCPLSAEVR CNIGRNL AAKGNQTGAIRYHREAVSLNPKTKSSTREFRPC
59	798	3	711	KIADFGFSNLFTPGQLLKTWCGSPPYAAPELFEGKEYDGPKVD IWSLGVVLYVLVCGALPFDGSTLQNLRARVLSGKFRIPFMST ECEHLIRHMLVLDPNKRLSMEQICKHKWMKLGADPNFDRLIA ECQQLKEERQVDPLNEDVLLAMEDMGLDKEQTLQSLRSDAYDH YSAIYSLLCDRHKRHKTLRLGALPSMPRALGLSSTSQYP\AEQ AGTAMNISVPQVQLINPENQIV
60	799	2	344	AREFLGHRASITWS*ARVHHRFPKAEVA*P/SLLRDTLTDRT KCCHGDLLECADDRADLVEDIWENQDSISTILIECCEKPLEK SHCIAEVENDEMPADLPSLAADFVESKDV

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
61	800	142	594	VPPKMKRGTSLSRRGKPEAPKGSPPQINRKSGQEMTAVMQSGR PRSSSTTDAPTGSAMMEIACAAAAAAACLPGEEGTAEIERL EVSSLAQTSSAVASSTDGSIHTDSVDGTPDPQRTKAAIAHLQQ KILKLTEQIKIAQTARRNRPGS*KDCTP*KCLRKSDEALNRV LQQI\RVPPKMKRGTSLSRRGKPEAPKGSPPQINRKSGQEMTA VMQSGRPRSSSTTDAPTGSAMMEIACAAAAAAACLPGEEGTAE ERIERLEVSSLAQTSSAVASSTDGSIHTDSVDGTPDPQRTKAA IAHLQQKILKLTEQIKIAQTARRNRPG
62	801	232	1299	MQTIERLVKERDDLMSALVSVRSSLADTQOREASAYEQVKQVL QISEEANFEKTKALIQCDQLRKELERQAERLEKELASQQEKRA IEKDMMKKEITKEREYMGSKMLILSQNIAQLEAQVEKVTKKI SAINQLEEIQSQLASREMDVTKVCGEMRYQLNKTNMEKDEAEK EHREFRAKTNRDLEIKDQIEKLRIELDESKQHLEQQQKAAL AREECLRLTELLGESEHQLHLTRQEKDSIQQSFSKEAKAQAALQ AQQREQLTQKIQQMEAQHDKTENEQYLLLTSTNTFLTCLKKEE CCTLAKKLEQISQKTRSEIAQLSQEKRYTYDKLGLQRRNEEL EEQCVQHGRST*
63	802	3	334	SYFVWVNSPLTAEVPPPELLAAAGFFHTGHQDKVRCFFCYGGLQ SWKRGDDPWTEHAKWFPSCQFLLRSGRDFVHVSQETHSQQLLG SWDPWEEPEDAAPVAPSVPASGYPELPTPRREVQSESAQEPGG VSPAQAQRAWVLEPPGARDVEAQLRRLQEERTCKVCLDRAVS IVFVPCGHLVC\AECAPGLQLCPI\CRSPCGPLRPCLWVP
64	803	70	456	MCSYREKKAEPQELLQLDGYTVDYTDPPQGLEGGRAFFNAVKE GDTVIFASDDEQDRILWVQAMYRATGQSHKVPPTQVQKLNK GGNVPQLDAPISQFYADRAQKHGMDEFISSNPCNFDHASLFEM *
65	804	2	1376	KQLIVLGNKVDLLPQDAPGYRQRLRERLWEDCARAGLLLAPGH QGPQRPVKDEPDQGENPNPPNWSRTVVRDVRLLISAKTGYGVEE LISALQRSWRYRGDVYLVGATNAGKSTLFNTLLES DYCTAKGS EAIDRATISPPWPGTTNLNLLKFPICNPTPYRMFKRHQRLKKDST QAEEDLSEQEQNLNVLKKHGYVVGVRVGRFTFLYSEEQKDNI PF EFDADSLAFDMENDPVMGTHKSTKQVELTAQDVKAHWFYDTP GITKENCILNLLTEKEVNIVLPTQSIVPRTFVLKPGMVLFLGA IGRIDFLQGNQSAWFTVVASNILPVHITS LDRADALYQKHAGH TLLQIPMGKKERMAGFPPLVAEDIMLKEGLGASEAVADIKFSS AGWVSVTPNFKDRLHLRGYTPEGTVLTVRPPLLPYIVNIGQR IKKSVAKYTKKPPSLMYNVRKKKGKINV
66	805	1	874	STVASMMHRQETVECLRKFNARRKLKGAILTTMLVSRNFSAAK SLLNKKSDGGVKPQSNKNSLVSPAQEPAPLQTAMEPQTTVVH NATDGIKGSTESCNTTTEDEDLKAAPLRTGNGSSVPEGRSSRD RTAPSAGMQPPSLCSSAMRKQEI IKITEQLIEAINNGDFEAY TKICDPGLTSFEPEALGNLVEGMDFHKFYFENLLSKNSKPIHT TILNPHVHVIGEDAACIAYIRLTQYIDGQGRPSNPAKSEE\TR VWH\RR\DGKWLNVHYHCSGAPCPHRCSELSHRGF

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
67	806	3	1714	LPKNVVFVLDSSASVMGTLRQTKDALFTILHDLRPQDRFSII GFSNRKIVWKDHLISVTPDSIRDGKVYIHMSPTGGTDINGAL QRAIRLLNKYVAHSGIGDRRVSLIVFLTDGKPTVGETHTLKIL NNTREARGQVCIFTIGIGNDVDFRLLLEKLSLENCGLTRRVHE EEDAGSQLIGFYDEIRTPLLSDIRIDYPPSSVVQATKTLFPNY FNGSEII IAGKLVDRKLDHLHVEVTASNSKKFIILKTDPVPRP QKAGKDVTSRPPGGDGEDTNHIERLWSYLTTKELLSSWLQS DDEPEKERLRQRAQALAVSYRFLTPFTSMKLRGPVPRMDGLEE AHGMSAAMGPEPVVQSVRGAGTQPGPLLKKPYQPRIKISKTSV DGDPHFVVDFFLSRLTVCFNIDGQPGDILRLVSDHRDSGVTN GELIGAPAPPNGHKKQRTYLRITITILINKPERSYLEITPSRVI LDGGDRLVLPNCQSVVVGSGWLEVSVSANANVTYTIQGSIAFV ILIHLYKKPAPFQRHHLGFYIANSEGLSSNCRVFCESGILIQE LTQQSVAVAGR
68	807	2	841	FFLEQVSQYTFAMCSYREKKSEPQELMQLEGYTVDYTDPHPGL QGGCMFFNAVKEGDTVIFASDDEQDRILWVQAMYRATGQSYPK VPAIQTQKLNPKGGTLHADAQLYADRFQKHGMDDEFISANPCKL DHAFLFRILQRQTLDRHLNDSYSCLGWFSPPGVFVLDEYCARY GVRGCHRHLCYLAELMEHSENGAVIDPTLLHYSFAFCAS\HVV GNRPDGGIGTVSVEEKERFEEIKERLSSLENQISHFRYCFPFGR PEGALKATLSLLERVLMKDIA
69	808	2	757	DGLLHEVLNGLLDRPDWEEAVKMPVGILPCGSGNALAGAVNQH GGFEPALGLDLLNCSLLLCRGGHPLDLLSVTLASGSRCSF LSVANGFVSDVDIQSERFRALGSARFTLTGTVLGLATLHTYRGR LSYLPATVEPASPTPAHSLPRAKSELTLTPDPAPMAHSPLHR SVSDLPLPLPQPALASPGSPEPLPILSLNGGGPELAGDWGGAG DAPLSPDPQLSSPPGSPKAALHSPV*KKAPVIPPPDM
70	809	3	530	KGVPTLLMAAGSFYDILAITGFNTCLGIAFSTGSTVFNVLRGV LEVVGIVATGSVLGFFIQYFPSRDQDKLVCKRTFLVLGLSVLA VFSSVHFGFPGSGGLCTLVMAFLAGMGWTSEKAEVEKIIAFAV DIFQPLLFLGLIG\AEVSI\SSLRPETVGLCVATVGI\AVLIRI FDYIF
71	810	228	541	LLKEVVVQASPVCKTCCSQLVTRTPVTFTEVQNV/CRCASAGYLI SVCSYTSSDHNQCYAGTASLALLWIGGILKGCLLWKQFRWTER SHWNFGYWALWSPGNGNGC
72	811	173	404	ICTSTYLQIFPGKPSCFMCKGRLMCIYFILWYLGHYTSLHWNW CRYISDPNVD/ACPDPRNAEVSMTHTVPALMELID
73	812	2	586	LES LPGFKEIVSRGVKVDYLTDPFSLSYPNYYTLMTGRHCEV HQMIGNYMWDPPTNKSFDIGVNKDSLMLPWNGSEPLWVTLTK AKRKVYMYYPGCEVEILGVRPTYCLEYKNVPTDINFANAVSD ALDSFKSGRADLAAIYHERIDVEGHYGPASPQRKDALK\VD TVLKYMTKWIQERGLQDRNLVII

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, / = possible nucleotide deletion, \ = possible nucleotide insertion)
74	813	2	348	ARDFHPKQTLDFLRSDMANSKITEEVKRSIAQQYLDLTVA/LE QVDPDAEVDAA PSTTSSCGH*DSHAGS*RVLSLLGD*GPA*TG ANSMAGKLLLVAWLGFDPDPFWGKELSDPAFK
75	814	2	366	KQSGDVTCTNCTDGR LAPSC LTCVGHCI FGGYCTMNSKMMPECQ SPPHMTGPRCEEHVFSQHQP GHITS ILIPML*LLLLVLVAGVI FCHKRRVQGA KGFQHQ RMTNGAMNAQ IANPTYKMY
76	815	420	681	TVENAGRWL*EEAEIQAE LERLERVRNLHIRELKRINNEDNSQ FKDHPTLNERV LLLHLLGRGGFSEVYKVMYGLFWFFYT NVARI
77	816	37	428	MCEEFLVMGKGCSCVF*ILLSNPQMWWLND SNPETDNRQESPS QENIDRVSD/MAFVPSAWTASGGVAWGNLGE SGRSGRTGGVRAET LAPRLQV*PAHLRGHPRSNRGQGRPPWKAGKLGK CQEVLFRFA AF
78	817	1	358	FRAMFLAVQHDCRPM DKSAGSGHKSEEKREKMKR TLLKDWKTR LSYFLQNSSTPGKPKTGKSKQQA FIK*VENPELANINS*LLN *KGEL**A*ANIQLN SSCRPSPEEAQLWSEAFDE
79	818	1	169	GFFNFSSPKLKGWKIN SSSLVLEIRKNILRFLDAERDVSVVKSS FPSKDARHSSVHR*FTQLHWGPPSHTPARP*RGFFNFSSPKLK GWKIN SSSLVLEIRKNILRFLDAERDVSVVKSS FPSKDARHSSV HR
80	819	55	310	RIDDQOELKRV T*YSQKEYTKKKLHKKCNIIQADIKPDNILDN ESITILKLSDFGSASHVADNDITPSSSQTTSAASSPRTLRR
81	820	1	134	SSKPWD*SLAPKHSG*TKNMDCYCI IPTCIGRERCYGT CIGDT V
82	821	187	360	NSSKKLVMEHQWKYLR RNYQRMLNRLITLIGSCGVL*LISTI PTSRLKFLKETGHGTPMEEIPEEELSEDVEQIDHADRELRRGQ NLRCKGIHRLP THIQVGQN
83	822	208	723	KWMLLHSFKIFCLSLYPQL*CPFEFFSHSATIFHEL VYKQTKI ISSNQELIYEGRRVLVLEPGRLAQHF PKTTEENPIFVVSREPLN TIGLIYEKISLPKVHPRYDLGDASMAKAITGVVCIACRIAST LLLYQELMRKGIRWLI ELIKDDYNETVHKKTEVVITLGLVSR
84	823	1	314	GTRKMGPTVSPICLP GTWGDYNLMDGDLGLISGWGRTEKRDRA DRLKAGRSPAAG*RKWEPGRGDPTWEESEEDVHKSKWTRCVDE KGA*C*TDNKRPLRCGVT
85	824	3	302	HELENLIKSAHSYSLY*G*YLHGA*TAEPEASFCPRRGWNRQA GAAGSRMNF RPGVLSSRQLGLPGPPDGPDYTVYYPFHRLAMVT AASRLEREHLTHL
86	825	87	422	PVPLPHPILEVCPGQ*EPQSAISLTAFQVQAGASRASPGPPAP SSSKPGRKAKVASPCPDRPAPPPT*PRPAAAPGSESSPRPPRP RTGRRQQR AHARRAAARTAPWRPSC
87	826	3	289	HEGRRRGWASASQRFL RNWAF LTPSKVRRLKGQKAFGKLPSHS DTSLTSDLGFHHRFNP NASSSFKPSGTFKAIQYGTGRVDGILS EDKLT VSG L
88	827	1	101	GRNIMHYPNGHAICTIANGHC IIL*NSHN IKVWV

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, / = possible nucleotide deletion, \ = possible nucleotide insertion)
89	828	1	535	INLGNTCYMNSVI*ALFMATDFRRQVLSLNLNGCNSLMKKLQH LFAFLAHTQREAYAPRIFFEASRPPWFPRSQQDCSEYLRFLLDRLHEEEKILKVQASHKPSEILECSETSLQEVASKAAVLTETPRTSDGEKTLIEKMFGGKLRTHIRCLNCTSTSQKVEAFTDLSLAFWPSSS
90	829	1	434	ARDDPRVRLSLSPNFF*LASKLGKQWTPLIILANSLSGTMGE
91	830	3	782	MHRIKLNDRMTFPEELDMSTFIDVEDEKSPQTESCTDSGAENEGSCHSDQMSNDFSNDGDVDEGICLETNSGTEKISKSGLEKNSLIYELFSVMVHSGSAAGGHYYACIKSFSDEQWYSFNDQHVSRITQEDIKKTHGGSSSGRGYSSAFASSTNAYMLIYRLKDPARNAKFLEVDEYPEHIKNLVQKERELEEQEKRQREIERNTCKIKLFC LHPTKQVMMED*IEVHKDKTLKEAVEMAYKMDLEEVIPLDCCRL
92	831	2	604	SVMPVPALCLLWALAMVTRPASAAPMGGPPELAQHEELTLFHHGTLQLGQALNGVYRTTEGRLTKARNSLGLYGRTELLGQEVSRGRDAAQELRASLLETQMEEDILQLQAEATAEVLGEVAQAQKVL RDSVQRLEVQLRSAWLGPAYREFEVLKAHADKQSHILWALTGHVQRQRREMAVQQHRLRQIQERLHTAALPA
93	832	16	690	ITSVDPRVRGNASTGYGKIWLDDVSCDGDSEDLWSCRN SGWGN NDCSHSEDVGVICSDASDMELRLVGGSSRCAGKVEVNVQGA VG ILCANGWGMNIAEVVCRQLECGSAIRVSREPHTERTLHILMS NSGCAGGEASLWDCIRWEWKQTACHLNMEASLICS AHRQPRLV GADMPCSGRVEVKHAHTWRSVCDSDFSLHAANVLCRELNCGDA ISLSVGDHFG
94	833	108	727	SNYPSSRFRVAGITGVKLGMRSIPIATACTIYHKFFCETNLDA YDPYLIAMSSIYLAGKVEEQHLRTRDIINVSNRYPNPSGEPL ELDSRFWELRDSIVQCELLMLRVLRVQVSFQHPHYLLHYLVSL QNWLNRHSWQRTPVAVTAWALLRDSYHGALCLRFQAQHI AVAV LYLALQVYGVEVPAEVEA/DEAVGWQIYAMDTEIP
95	834	118	376	RGSRHAVHGWAFGLLFINKESVVMAYLFTTFNAFQGVFIFV FH CALQKKVRSRRGPGSQPPLETFPGYPGEGGEGGGDSGAPSSPQ
96	835	3	333	ARKDDLPPNMRFHEEKRLDFEWTLKAG*EKG*PSK*NKGWEGQ E***TVRD*GIS**VKPQHLS*\ALQMALKRVYTLSSWNCLE DFDQIFWGQKSALAGQWFPEVSIIP
97	836	740	951	GKQQRETLRRPSPTISVQRAGSPEHSSASH*HSPCPAPGQRVL PTALCTLMTSKHFHGCPLAGQGRAVTL

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
98	837	81	1503	GVCGLPRFCGSIILCHYEMSSLGASFVQIKFDDLQFFENC GGG SFGSVYRAKWISQDKEVAVKLLKIEKEAEILSVLSHRNIIQF YGVILEPPNYGIVTEYASLGSLYDYINSNRSEEMDMDHIMTWA TDVAKGMHYLHMEAPVKVIHRDLKSRNVVIAADGVLKICDFGA SRFHNTTHMSLVGTFFWMAPEVIQSLPVSETCDTYSYGVVLW EMLTREVPFKGLEGLQVAWLVEKNERLTIPSSCPRSFAELLH QCWEADAKKRPSFKQIISILESMSNDTSLPDKCNSFLHNKA EW RCEIEATLERLKKLERDLSFKEQELKERERRLLKMWQKLTEQS NTPLLLPLAARMSEESYFESKTEESNSAEMSCQITATSNNGEGH GMNPSLQAMMLMGFGDIFSMNKAGAVMHSGMQINMQAKQNSSK TTSKRRGKKVNMALGFSDFDLSEGDDDDDDGEEYNDMDNSE
99	838	185	328	MLWETGCSAACRVTVSPTVTFATFSTRGIDAMRPGPSFLWRQQ LSQG*
100	839	1	348	PTLGDQPDLSITRASRPKLC*TRKNCNPLTITVHDPNSTQ*YY GMSWELRFYIPGFDVGTMTI*QKILVSWSPKPIGPLTDLGDP MFQKPPNKVDLTVPFPLVIKDTLQKFEKI
101	840	1	416	SLNNVTLPQAKTEKDFIQLCTPGVIKQEKLGTVYQCASSPGAN MIGNKMSAISVHGVSTSGGQMYHYDMNTASLSQQ*DQKPIFNV IPPIPVGSSENWNRCSQSGDDNLTSLGTLNFPGRTVSFSFEMES RSVAGAGVQ
102	841	105	354	RHTQECRCPTHITHTHSHTHSHTHSHSHSHTTPRCSHTQPP HAQAPALC*S*EDRGQPTWKLCARPRLKVIKEGGWLGG
103	842	171	347	NYSLSVYLVRQLTAGTLLQKLRAKGIRNPDHSRALSE*HLSSL PHLIWIQVFLALQPS
104	843	2	690	ATYIVDFGFSTTFREGQMLTAFCGMPYPVAPERSLGQACQ*PA RDIQSLSVILYFRNTVGRRTLPFYS/AEASKLQEKILTGRY HAPPLALQLDSL/IKLLMLNARKCPSL*LMKNPWVKSSQKMP LIPYEEPL/RGPPQTIQLMVAMGFQAKNISVAIIERKFNPMA TYLILEHTKQERKCS*TIRESLPPGVPTSPSPSTELSTFPLSL MRAHREPAFNVQPPEESQ
105	844	2	777	AKQELAKLMRIEDPSLLNSRVLLHHAKAGTIIARQGDQDVS LH FVLWGLHVVYQRMIDKAEDVCLFVAQPGELVGQLAVLTGEPLI FTLRAQRDCTFLRISKSDFYEMRAQPSVVLSSAHTVAARMSP FVRQMDFAIDWTAVEAGRALYRCSSHRAAQARPRGGDLGVVRP C*PPRPLRQGRSDCTYIVLNGRLRSVIQRGSGKKELVGEYGR GD LIGVVSATPTH*PLAFSRPVPRQLTRIIPGNPGSGEVFPGA
106	845	3	709	HASGWTPGTTQTLGQGTAWDTVASTPGTSETTASAEGRRTPGA TRPAAPGTGSAEGSVKAPAPIPESPPSKSRMSNTTEGVWEG TRSSVTNRARASKDRREMTT*TKADRPREDIEGVRIALDAKKV LGTIGPPALVSETLAWELPQATPVSKQSQSGSIGETTPAAGM WTLGTPAADVWILGTPAADVWTSMEAASGECSAAGDLDAATGD RGPQATLSQTPAV*PWGPPG

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
107	846	3	406	AGTSGTGDGTGPGNTAVSGTPVVS PGATPGAPGSSTPGEADIGN TSFGKSGTPTVSAASTTSSPVSKHTDAASATAVTISGSKPGTP GTPGGATSGGKITPGIA*PTLDQKSPCFSGYGGYFPVNP HQNP CADSL
108	847	1	565	RAHRCCLPLPSLSCEIQIGFS*SSIFPGQ*ACPCSCCRSCRRN WPQSPRCPHPPAPCSLLLSSCLPPPLSCSWRGTSGKPPSQSP AASRSMRPRCSPTSSSLRGASCRGPGGSAPAAASGPRCRGCSR SPRRCSRSGCCAAASPPRSQRRSPPLSPPPFPSTGTL LKTSRF GSATRE*SSPRPRPRP
109	848	2	987	DDVPPAPDLYDVPPGLRRPGPGTLYDVPRERVLPPPEVADGGV VDSGVYAVPPPAEREAPAEGRKLSASSTGSTRSSQSASSLEVA GPGREPLELEVAVEALARLQQGVSA TVAHLLDLASGATGSW RSPSEPQEPLVQDLQA AVAVQSAVHELLEFARSAVGNAHTS DRALHAKLSRQLQKMEDVHQT LVAHQALDAGRGGSGATLEDL DRLVACSRAPPEDAKQLASFLHGNASLLFRRTKATAPGPEGGG TLHPNPTDKTSSIQSRPLSPPKFTSQDSPDQYENSEGGWME DYDVHLTGGRRSF*KTQKELLGKRAA
110	849	84	372	MATDEENVYGLEENAQSRQESTRRLILVGR TGAGKSATGNSIL GQRRFFSRLGATSVTRACTTGSRRWDKCHVEVDTPDIFSSQV SKTDPGCEERX*
111	850	2	47	TLGLRSLTKEGGGGDVAAFEVGTGAAASRALGQCGQLQKLIV IFIGSLCGLCTKCAVSNDLTQQEIQTPEIQQRNA*CDSRVTF NEGGRWWG
112	851	1192	1040	FFFLVETRFFHHIGQAGLELLTSLIK*SARLGLPKCWDDRREPP YLAGFMI
113	852	791	362	RRSPPAPPPPLPSPLSPPPRAPVSPASTMPILLFLIDTSAMN QRSHLGT TYLD TAKGAVETFMKLRARDPASRGDRYMLVTFEPP PYAIKAGWKENHATFMNELKNLQAEGLTTLGQSLRTAFD LNL NRLVTGIDNYGQVG
114	853	812	348	NCRTYVFCFVLVFRLLFLHGSPLSPSLLSRAGLLCGSAENPTP FLCGITMAAGVSLALVVRVILSTAILCPSGASRRQRSSEVEW GTDSGVYRLYCWRVGF LGPGGELRLGLSEARGGRVWGRGEKRC RVWAVRSLRKGFSGVAALRRGIWAG
115	854	93	170	VTPTPPQYYTCSVLFGIACSI FLQMSLKPKVMLLTVALVACL VLFNLSQCWQRDCCSQGLGNLT EPGTNR*GPAAVSWASLPAP SSCR
116	855	1	183	GKAGGAAGLFAKQVQKKFSRAQEK*TRRF GKTCQPEERAREER QEGPEIEFGFSFFSLSLY

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
117	856	53	2400	PKRFLFLQDVNTLQGGGQPVVTPSVQPSLQPAHPALPQMTSQA PQPSVTGLQAPSAALMQVSSLDHSAVSGNAQSFPYAGMQAY AYPQASAVTSQLQPVVRPLYAPPLSQPPHFQSGDMASFLMTEA RQHNTEIRMAVSKVADKMDHLMTKVEELQKHSAGNSMLIPSMS VTMETSMIMSNIQRIIQENERLKQEILEKSNRIEEQNDKISEL IERNQRYVEQSNLMMEKRNNSLQTATENTQARVLHAEQEKAKV TEELAAATAQVSHLQLKMTAHQKKETELQMLTESLKETDLLR GQLTKVQAKLSELQETSEQAQSKFKSEKQNRKQLELKVTSLEE ELTDLRVEKESLEKNLSERKKKSAQERSQAEEDIRKSYQE ELDKLRQLLKKTRVSTDQAAAEQLSLVQAEQLQTWEAKCEHLL ASAKDEHLQOYQEVCAQRDAYQQKLVLQLEKSVCFACLALQA QITALTQKNEQHIKELEKNKSQMSGVEAAASDPSEKVKKIMNQ VFQSLRREFELEESYNGRTILGTIMNTIKMVTQLLNQQEQEK EESSEEEEEKAEERPRRPSQEQSASASSGQPAPLNRERPES PMVPSEQVVEEAVPLPPQALTTSDGHRRKGDSEAEALSEIKD GSLPPELSCIPSHRVLGPPTSIPPEPLGPVSMDECEESLAAS PMAAK\PDNPSGK\VCVQGK*APDGPTYKE\SSRLFPGFQDP E\EGDPLALGLE\SPG\EPQPPQLQGVVDH*VPPVPHKGAFO EQEGRFPQFCRE
118	857	1	791	SETAQQIIDRLRVKLAKPEGANLFLMAVQDIRVGGGRQSNASYQ YTLSDDLAALREWEPKIRKKLATLPELADVNSDQQDNGAEMN LVYDRDTMARLGIDVQAANSLNNAFGQRQISTIIYQPMNQYKV VMEVDPRYTQDISALEKMFVINNEGKAIPLSYFAKWQAPANAPL SVNHQGLSAAITISFNLPTGKSLSDASAAIDRAMSQLGVPSTV RGSFAGPAQVFQETMNSQVILIIAAIATVYIVLGIPYERYVHP PTILL*RPGANLFLMAVQDIRVGGGRQSNASYQYTLSDDLAAL REWEPKIRKKLATLPELADVNSDQQDNGAEMNLVYDRDTMARL GIDVQAANSLNNAFGQRQISTIIYQPMNQYKVMEVDPRYTQD ISALEKMFVINNEGKAIPLSYFAKWQAPANAPLSVNHQGLSAAI TISFNLPTGKSLSDASAAIDRAMSQLGVPSTVRGSFAGPAQVF QETMNSQVILIIAAIATVYIVLGIPYERYVHPPTILL
119	858	3	417	IITPDAMGCQKDIAEKIQKQGGDYLFAVKGNQGRNLKAFEEKF PLKELNNPEHDSYAISEKSHGREETRLHIVCDVPDELIDFTFE WKGLKKLCVAVSFRSIIAEQKKEPEMTVRYNIS*LGIAGDISV TAISGTDD
120	859	2	373	HYLKMLTQARREVIIANAYFFPGYRFLHALRKAARRGVRIKLI IQGEPDMPIVRVGARLLYNYLVKGGVQVFEYRRRPLHGKVALM DDHWATVGSSNLHPVS*SGNLQANVILHVLRVPTLNP
121	860	286	495	CWSKSAAFHSKLATTCTIVPVCAAGHCSAAW*SLRPIEALAKEV RELK*HTR*LLNPATTRELTSLGRNLNRLKSERERYDKYRTT LTDLTHSLKTPLAVLQSTLRSRSEKMSVSDAEPVMLEQISRI SQQIGYYLHRASMRGGTLLSRELHPVAPLLDNLTSAIKGKPR KGGNVTVFPFTAMYRDGH

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
122	861	2	725	GNTVMFOHLMQKRKHTQWTYGPLTSTLYDLTEIDSSGDEQSLL ELIITTKKREARQILDQTPVKELVSLKWKRYGRPYFCMLGAIY LLYIICFTMCCIIYRPLKPRNTNNRTSPRDNLTLLQOKLLQEAYMT PKDDIRLVGELVTVIGAIILLVEVPDIFRMGVTRFFGQTILG GPFHVLIIYAFMVLVTMVMRLISASGEVVPMSFALVLGWCNV MYFARGFQMLGPFTIMI QKMI FGDLM
123	862	1	135	EKAAAANIDEVQKSDVSSTGQGVIDKDALGPMMLLEV AHLHFS A VF
124	863	2	364	LEVPSEVTPLGFAMQATKTL LRTCCLOEFNIMEKNKGWALLG GKDGHLQGLFLLANALLERNQLLAQKVMYLLVPLLN RGN DKHK LTSAGFFVELLRSPVAKRLPSIYSVARFKDWLQD
125	864	1	374	RPAPAPSAAP EEA P S P \ G V K G R G M A K R R V P A P V W G A G G G T K S A R R A A A P D T E R S E E G G R A V K E A Y P S S R Q P P P S P * P L R C A R R C H P N L A P S M P I S N R E G K G K R R E E K I R P L S P A S T H T S A R A
126	865	3	364	LQGVHGSSSTFCSSLSDFDPLEYCS PKGDPQRVDMQPSVTSR PRSLDSEVPTGETQVSSHVYHRHRHHYKKRFQRHGRKPGPE TGVPQSRPPIPRTPQPEPPSPDQQVTRSNSAAP
127	866	2	250	MADPDPRYPRSSIEDDFNYGSSEASDTVHIRMAFLRRVYSILS LQDLLATVTSTDNLAFEDGRTDWLQRPCVSKIHVLP M
128	867	194	375	AGMSVVVPPIGSSYLGLISQEHFPNEFTSGDGKKAHQDFGYF YGSSYVAASDSSRTPGL
129	868	104	339	VAAALTFLFPQQLSPPGAWGLGLSACFCCAEGFSRLNQQLSSS LLLLSRTNCPCKYSFLDNLKKLTPRRDVPTYPKVR
130	869	2	360	RDDACLYSPASAPEVITVGATNAQDQPVTLGTLGTNFGRCVDL FAPGEDIIGASSDCSTCFVSQSGTSQAAAHVAGIAAMMLSAEP ELTLAELRQRLIHFS AKDVINEAWFPEDQRVLT
131	870	2	105	LEIKFLEQVDQFYDDNFPMEIRHLLAQWIENQDW
132	871	2	466	EAGDADEDEADANS SDCEPEGPVEAEPPQEDSSSQSDSVEDR SEDEEDEHSEEEETSGSSASEESESESESEDAQSQSQADEEEED DDFGVEYLLARDEEQSEADAGSGPPTPGPTTLGPKKEITDIAA AAESLQPKGYTLATTQVKTPIPLLL
133	872	1	354	LKNLRELLLEDNQLPQIPSGLPESLTEL SLIQTNIYNITKEGI SRLINLKNLYLAWNCYFNKVCEKTNIEDGVFETLTNLELLSLS FNSLSHVPPKLPSSLRKLFLSNTQIKYISEED
134	873	59	184	MRSQALGQSAPSLTASLKELSLPRRGSPFVPCNAGRTSPLG*
135	874	1	210	LLCVCLPVGACPSLSLLTAPLNQLMRCLRKYQSRTPSPLLSV PSEIVDFEFPGPVFRGSWALLSWSTRP
136	875	131	254	QTPDKKQNDQRNRKRKAEPYETSQGSNNFVSTKVLNSNVLR
137	876	84	504	YFIKGMVELVPASDTLRKIQVEYGVTSFKDKPLAEWLRKYN PSEEEYEKASENFIYSCAGCCVATYVLGICDRHNDNIMLRSTG HMFHIDFGKFLGHAQMFGSFKRDRAPFVLTSDMAYVINGGEKP TIRFQLFVDL

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, / = possible nucleotide deletion, \ = possible nucleotide insertion)
138	877	3	215	PSPLPSLSLPPPVAPGGQESPSPHTAEEVESEASPPPARPLPGE ARLAPISEEGKPQLVGRF\QVTSSK\NRLSLFPCSQHPPPLSLV LQNLQPLSSLQRAQIQRTV/PGGGPETREALAESDRAAEGLG GVEEEGDDGKEPQVGGSPQPLSHPSVWMNYSYSSSLCLSSEES ESSGEDEEFWAEQLSLRQKHLSEVETLQTLQKKEIEDLYSRLG KQPPPGIVAPAAMLSSRQRRLSKGSFPTSRNSLQSEPPGPG ETA/GHPASIFSLRPLSVDCFSPGPGGLPRGNRPPLPTSPFLT *CSPSPHTAEVESEASPPPARPLPGEARLAPISEEGKPQLVGR FPSDFIQGTG
139	878	1	337	RRFVSQETGNLYIAKVEKSDVGNVTCVVTNTVTNHKVLGPPTP LILRNDGVMGEYEPKIEVQFPETVPTAKGATVKLECFALGNPV PTI IWRADGKPIARKARRHKS RVGK
140	879	72	917	MLRTC YVLC SQAGPRSRGWQSLSFDGGAFHLKGTGELTRALLV LRLCAWPPLVTHGLLLQAWSRRLGSRLLSGAFLRASVYGQFVA GETAEVKGCVQQLRTLRLPLLA VPTEEEPDSAAKSGEAWYE GNLGAMLRCDLSRGLLEPPSLAEASLMQLKVTALTSTRCKE LASWVRPGASLELSPERLAEAMDSGQNLQVSCLNAEQNQHRL ASLSRLHRVAQYARAQHVRLLVDAEYTS LNPALLVAALAVR WNSPGEGGPWWNTYQACLKDTF*
141	880	219	308	PHHRIAGDTAIDKNIHQSVSEQIKKNFAK
142	881	182	317	QMTNPFFLCFTTMSNCNFFKGPPGPPGEGKDRGPTGESGPRG FP
143	882	177	341	NGIIASFFLRTFIFCFIHIQGCQAGQTIKQVVSFDLLSLMFTF VSPCTNDLIH
144	883	3	1441	KLSVNHRRTHLTKLMHTVEQATLRISQS FQKTTEFDNSTDIA LKVFFFD SYNMKHIHPHMNDGDYINIFPKRKAAYDSNGNVA AFLYYK SIGPLLSSDNFLLKPQNYDNSEEEERVISSVISVSM SSNPPTLYELEKITFTLSHRKVTDRYRSLCAFWNYSPTMNGS WSSEGCELTYSNETHTSCRCNHLTHFAILMSSGPSIGIKDYN LTRITQLGIIISLICLAICIFTFFWFFSEIQSTRTTIHKNLCCS LFLAELVFLVGINTNTNKLFC SIIAGLLHYFFLAFAWMCI EG IHLYLIVGV IYKNGFLHKNFYIFGYLSPAVVVGFS AALGYRY YGTTKVCWLSTENNFIW SFIGPACLIILVNLLAFGVIIYKVFR HTAGLKPEVSCFENIRSCARGALALLFLLGTTWIFGVLVHVA SVVTAYLFTVSNAFQGMFIFLFLCVLSRKIQEEYYRLFKNVPC CFGCLR
145	884	1	429	GTREAA PSRFMFLFLLTCELAEEVAAEVEKSSDGPAAQEPT WLTDPVPAAMEFIAATEVAVIGFFQDLEIPAVPILHSMVQKFP VSFGISTDSEVLTHYNITGNTICLFR LVDNEQLNLEDEDIESI DATKLSRFIEINSL
146	885	1	156	DETSGLIVREVSI EISRQQVEELFGPEDYWCQCVAWSSAGTTK SRKAYVRIA
147	886	1	121	GTRSIHVKLDVGLHTQPKLAAQLRMVDDGSGKVEGLPGI

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
148	887	128	652	XCGEDGSFTQVQCHTYTGWCWVTPDGKPISGSSVQNKTPVCS GSVTDKPLSQNSGRKDDGSKPTPTMETQPVFDGDEITAPTLW IKHLVIKDSKLNNTNIRNSEKVYSCDQERQSALEEAQQNPREG IUIPECAPGGLYKPVQCHQSTGYCWCVLVDTRPLPGTSTRYV MPSX*
149	888	128	273	VLQLIKSQKFLNKLVLVETEKEKILRKEYVFADSKVSDSKLL KWAVR
150	889	1	948	RRLSLLDLQLGLGRDPPQECSTFSPTDSGEEPQQLSPGVQFQ RRQNQRRFSMEDVSKRLSLPMDIRLPQEFQKLQMESPDLPKP LSRMSRRASLSDIGFGKLETYVKLDKLGEGTYATVFKGRSKLT ENLVALKEIRLEHEEGAPCTAIREVSLKLNKXANIVTLHDLI HTDRSLTLVFEYLDSDLKQYLDHCGNLMHNVKVRPRGQGP ILAATCPEAQCGDPLSPPGIRLLRWLKP SHVGKRERAMPSTSP GTGLSALPQEQHTTVCHCLAVGIKPTLNSEHQFPSLSNGSVSY LPKCREASGEARGYE
151	890	3	108	HERHEPSPTALAFGDHPIVQPKQLSFKIIQVNDN
152	891	2	208	ARGPSLLSEFHPGSDRPQERRTSYEPHGPSPVDHDSLESKR PRLEQASDSHYQGHITGESLPGRVH
153	892	1	116	GTRKEEFSAEENFLILTEMATNHVQVLVEFTKKLPGIF
154	893	74	661	HTHKLVAAPRGLPPTSQWPRDAGRQASGGLPSLSTGPPKGRPD GLARGHPAEWLAGSPGNNSPTQGSLLPQLDLYAGALFVHICLG WNFYLSLITLTLGITALYTIAGMVPAAGRSTQGTCKGVRPPPP TGPREQPRKWPQEPQKFLPVSLLPGARAPSSNLA STGRGPC CNLHGRPADAHGGGGCHPDNQR
155	894	55	312	MVNHSLQETSEQNVILQHTLQQQQQMLQOETIRNGELED TQTK LEKQVSKLEQELQKQRESSAEKLRKMEEKCESAAHEADLKRQK *
156	895	38	185	VCPKWCRFLTMLGHCCYFWHVWPAS*ALSAGPTPTSRSFSPSP LRSIST
157	896	37	462	MRGPPVLLLQAAPMECPVPQGI PAGSSPEPAPDPFGPHFLRQE RSFECRMCGKAFKRSSTLSTHLLIHS DTRPYPCQFCGKR FHQK SDMKKHTYIHTGEKPHKCTQREPTMVLS PADKTNVKAAX*
158	897	3	175	HEQLTNNTATAPSATPVFGQVAASTAPSLFGQQTGITASTAVA TPQVISSRFINLDF
159	898	187	677	VSVFKNCPMY*ICIFLT KMFCVLII*NKF*VHKKPLQEVEIA AITHGALQGLAYLHSHTMIHRDIKAGNILLTEPGQVKLADFGS ASMASPANSFVGTPYWMapevILAMDEGQYDGKVDVWSLGITC IELAERKPPFLNMNAMSALYHIAQNESPTLQSNW

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
160	899	2	1060	RHARPGGGGHSNQRKMSLEQEEETQPGRLLGRRDAVPAFIEPN VRFWITERQSFIRRFLQWTELLDPTNVFISVESIENSRLCT NEDVSSPASADQRIQEAWKRSLATVHPDSSNLIPKLFRAAFL PFMAPTVFLSMTPLKGIKSVILPQVFLCAYMAAFNSINGNRSY TCKPLERSLLMAGAVASSTFLGVIPQFVQMKYGLTGPWIKRLL PVIFLVQASGMNVMSRSLESIKGIAVMDKEGNVLGHSRIAGT KAVRETLASRIVLFGTSALIEVFTYFFKRTQYFRKNPGSLWI LKLSCTVLAMGLMVPFSFSIFPQIQIQCYSLEEKIQSPTEET EIFYHRGV
161	900	3	564	HASGRLEVfyngtWGSVGRRNITTATAGIVCRQLGCGENGVS LAPLSKTGSGFMWVDDIQCPKTHISIWQCLAPWERRISSPAE ETWITCEDRIRVRGGDTECSGRVEIWHAGSWGTVCCDSWDLAE AEVVCQQLGCGSALAALRDASFGQGTGTIWLLDMRCKGNESFL WDCHAKPWGQSDCG
162	901	1099	2	LGDFPQPQRQRRPGASDLPPHLAGARQWEVFRHLPARTLPP SLRMEGPELHLASQFVNEACRALVFGGCVEKSSVSRNPEVPF ESSAYRISASARGKELRLILSPLPGAQPQQEPLALVFRFGMSG SFQLVPREELPRHAHLRFYTAPPGRALALCFDIRRFGRWDLG GKWQPGRGPCVLQEQYQQFRENVLRLNADKAFDRPICEALLDQR FENGIGNYLRAEILYRLKIPPEKARSVLEALQQHRPSPELTL SQKIRTKLQNPDLLELCHSVKPEVVQLGGRGYGSESGEEDFAA FRAWLR CYGMPGMSSLQDRHGRTIWFQGDGPGPLAPKGRKSRKK KSKATQLSPEDRVEDALPPSK
163	902	3	335	LTWSACYWRDILRIQLWIAADILLRMLEKALLYSEHQNISNTG LSSQGLLIFAEILPAIKRTLARLLVITASLDYGIEKPHLGTM HRVIGLMLLYLIFANAESVIRVIG
164	903	2	135	FFFEMESRSAAQAGVQWCNLGSLQALPPRFTPFSCLSLPSSWD Y
165	904	74	645	YECEELAKKLENSQRDGISRNKLALAELYEDEVKCKSSKSNRP KATVFKSPRTPPQRFYSSEHEYSGLNIVRPSTGKIVNELFKEA REHGA VPLNEATRASGDDKSKSFTGGGYRLGSSFCRSEYIYG ENQLQDVQIILLKLSNGFSLDDGELRPYNEPTNAQFLESVKRG VTLIACMPEIQQLMLEIF
166	905	14	1257	WPCGAAPGLTHASERMFLLTTMIQALAPVMGWDRKPLKMFSS EEMRGLHHHHKCLTKILKVEGQVPDLPSCLPLTDNTRMLASIL INMLYDDLRCDPERDHFRIKICEEYITGKFDPQDMDKNLAIQT VSGILQGPFDLGNQLLGLKGVMMMVVALCGSERETDQLVAVEA LIHASTKLSRATFIITNGVSLKQIYKTTKNEKIKIRTLVGLC KLGSAAGTDYGLRQFAEGSTEKLAKQCRKWL CNMSIDTRTRRW AVEGLAYLTLDADV KDDFVQDVPALQAMFELAKTSDKTIYSV ATTLVNCTNSYDVKEVIPELVQLAKFSKHVPPEEHPKDKKDFI DMRVKRLLKAGVISALACMVKADSAILTDQTKELLARVFLALC DNPKDRGTIVAQQGGGKALIPLALEGTD

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
167	906	3	894	VDSVGGGSESRLDSPTSSPGAGTRQLVKASSTGTESDDFEE RDPDLGDLGLNLGSPFGKWTLSAAQTHQLRRLRGPACRECE EAFMVSGTECEECFLTCHKRCLETLLILCGHRRLPARTPLFGV DFLQLPRDFPEEVFVVTCTAEIEHRALDVQGIYRVSGSRVR VERLCQAFENGRALVELSGNSPHDVSSVLKRFQLTEPVIPIF HLYDAFISLAKTLHADPGDDPGTSPSPSEVIRSLKTLVLQLPD SNYNTLRHLVAHLFRVAARFMENKMSANNLGIVFGPTL
168	907	1	394	GLHVISLHSDGRHWEDPLSELDSESVSAFLVTETLVFYLFCL LADETVVPPDVPSYLSQGTLSDRQETVVRTEGGPQANGHIES NGKASVTVKQSSAVTVSLGAGGGLQVFTGQVPGIRWGKLGEAH AS
169	908	179	551	KIKHRPEEEPRWAAAGASAGPGAAEVAPPRPGTVAPGANGMT DSATANGDDRDPFIELFVKAGIDGESIGNCPFSQRLFMILWLK GVVFNVTVDLKRKPADLRNLAPGTHPPFLAFNWYVKT
170	909	1	335	LGFSDGQEARPEEIGWLNNGYNETTGERGDFPGTYVEYIGRKKI SPPTPKPRPPRPLPVAPGSSKTEADVEQQVLYKYRKKPSSSHR PQTPHNGKSKNFLHKQGLKKKKASL
171	910	1	895	RTRGVMELALRRSPVPRWLLLLPLLLGLNAGAVIDWPTEEGKE VWDYVTVRKDAYMFWWLYYATNSCKNFSELPLVMWLQGGPGGS STGFGNFEEIGPLDSLKPRKTTWLQAASLLFVDNPNVGTGFSY VNGSGAYAKDLAMVASDMMGLLKTFFSCHKEFQTVPFYIFSES YGGKMAAGIGLELYKAIQRGTIKCNFAGVALGDSWISPVDSVL SWGPLYLYSMSLLEDKGLAEVSKVAEQVLNAVNGLYREATLW GKAEMIEQVKGNTQRRACLAFSGGYRAHGWCQTWSLH
172	911	553	194	PGWSRSPDLVIRLPRPPKVLGLQYYHFFFLRWSL/DSVAQAE VQWHDRLSLQAPPPGFTPFSCSLPGSWDYRCPPPRANFLYF **RRGFTVLARMVIS*PRDPPASASQSAGITVLSLFFFEME SCSVAQAGVQWRYLGSLLQALPPGFTPFSCSLPSSWDYRRPP RANFFVFLVETGVSPC*PGWSRSPDLVIRLPQPPKVLGLQV
173	912	1761	1	PSMKTGELEKETAPLRKADSSISVLEIHSQKAQIEPDPPM ETSLDSSEMAKDLSSKTALSSSTESCTMKGEKSPKTKKDKRPP ILECLEKLEKSKKTFDLKDAQRLSPIPEVPKSTLESEKPGSP EAAETSPPSNIIDHCEKLASEKEVVECQSTSTVGGQSVKKVDL ETLKEDSEFTKVMEDNLDNAQTSGIEEPSETKGSMQSKFKYK LVPEEETTASENTEITSERQKEGIKLTIRISSRKKKPDSPPKV LEPENKQEKTEKEEEKTNVGRTLRRSPRISRPTAKVAEIRDQK ADKKRGEDEVEEESTALQKTDKKEILKKSEKDTNSKVSQVK PKGKVRWTGSRTGRWKYSSNDESESGSEKSSAASEEEEEKE SEEAAILADDEPCKKCGLPNHPILLLCDSCDSGYHTALPFAP PLMIHPQMGGW\F\CPTFCPTLNLLLLLEKLEDQF\QDL\DV ALKERALPERRK\ERLVYVGI\SIENIIPPQ\EPDFSEDQEEK KDSKSKANLL\ERRSTRTRKCISYRFDEFDEAIDEAIEDDIK EADGGGVGRGKDITITGHRGKDITILDEER

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
174	913	3	539	KRRGSFKMAELDQLPDESSAKALVSLKEGSLSNWTWNEKYSSL QKTPVWKGRNTSSAVEMPFRNSKRSRLFSDEDDRQINTRSPKR NQRVAMVPQKFTATMSTPDKKASQKIGFRLRNLLKLPKAKHWC IYEFYFNSNIDKPLFEGDNDFCVCLKESFPNLKTRKLTTRVEWGK IRRIMG
175	914	166	635	MPEYLRKRFRGGIRIPITILAVLYLFYIFTKISVDMYAGAIFIQ QSLHLDLYLAIVGLLAITAVYTVAGGLAAVIYTDALQTLIMLI GALTLMGYSFAAVGGMEGLKEKYFLALASNRSENSSCGLPRED AFHIFRDLPLTSDLPWPGVLFMGMSIPSLX*
176	915	673	1025	XSASATSLTLSHCVDVVKGLLDFFKRRGHSIGGAPEQRYQIIP VMCCSLLATGGADRLIHLWNVVGSRLEANQTLEGAGGSITSVD FDPSPGYQVLAATYNQVAQFWK*
177	916	3	139	QKRFPSPNCGRDGKFLWGGQALHIIAKLLGKWRLGMVFFSLLL SY
178	917	1	541	VHVCSSKMGALSTERLQYYTQELGVRERSGHSVSLIDLWGLLV EYLLYQEEENPAKLSDDQAEAVRQGNPYPIYTSVNVRTNLSGED FAWECEFTPYEVGF PKYGAYVPTLFGSELFMGRLLQLQPEPR ICYLQGMWGSFAFATSLDEIFLKTAGSGLSFLEWYRGSVNITDD CQKPQLHN
179	918	1	628	EFLGRPTRPAKDEGNDEGKDEGKDEGKDEGKDEGKDEGKDERK DEGKDEGKDERKDEGKDEGKDEGKDEGKDEGKDEGKDEGKDEG NDEGKDEGKDEGKDEGKDEGKDEGKDERKDEGKDEGKDERKDE GKDEGKDEGKDEGKDEGKDEGKDEGKDEGNDEGKDEGKDEGKD EGKDEGKDEGKDEGNDEGNDEGNDEGKDEGKDERNDEGKDEGK DEGKDEGKDERNDEGKDERKDEGKDEGKDEGKDEGKDEGKDEG NDEGKDERKDEGKDEGKDEGKDK
180	919	27	471	PSLRPAWHEGEDFSYGLQPYCGYSFQVVGEMIRNREVLPCPDD CPAWAYALMIEGWNEFPSSRRARFKDIHSRLRAWGNLSNYSSE QTSNGRNTTQTSSLSTSPLCNVSNAPYVGPQKQVPPFPQTQVI PMKGQIRPMVPPPPQLYVP
181	920	2	454	RNSGRHPRVRWILEERKRVMEACAKYRASSRRRAVTPRHVSR IFVEDRHRVLYCEVPKAGCSNWKRVLMLAGLASSTADIQHNT VHYGSALKRLDTFDRQGIHLRLSTYTKMLFVREPFERLVSAFR DKFEHPNSYYHPVFCMAILAR
182	921	2	378	IMYSISPANSEEGQELYVCTVKDDVNLDTVLLLPFLKEIAVSQ LDQLSPEEQLLVKCAAIIGHSPHIDLLQHLLPGWDKNKLLQVL RALVDIHVLCWSDKSQELPAEPIIMPSSIDIIDGTKEKK
183	922	181	513	GPHVVVLVLRRCFLLSYFKGVEKAKAMPSPRIKTHLSTQLLPP SFWENNCKVRYQQLPVTEGKVSQPKRVLQPTQTSIRDHLCLST VSDAYQQRENIFKFIQQDIHLNSFK
184	923	32	239	FYYICRLSKEDKAFLWEKRYCFKHPNCLPKILASAPNWKWVN LAKTYSLLHQWPALYPLIALELLDSK

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
185	924	3	361	KMMI*GLFEIQQCPIGKHCNLFQVLRN/PNRDL/WLVSSF GKSSKGRERMGGHHDEYYRLRGR/HNPSPDHSYKRNSESERKRKKSH*HMSKSQERHNSPSRGRNSDRSGGRCSRSDNGRSRYR
186	925	443	1412	PLSLFARVAGSRVEMPEPPGLGDEGRPLLHPGRREAVGWSVSAFAGDSTPCGPGDLSVPRREPFRLTAL*PHRSPVVRTSLIGLLL GFSVKEELRGVGWAARTPLGIR
187	926	2	917	FDKRQHEARIQQMENEIHYLQENLKSMEEIQGLTDLQLQEADE EKERILAQLRELEKKKKLEDAKSQEQVFGLDKELKKLKKAVAT SDKLATAELTIAKDQLKSLHGTVMKINQERAEELQEAERFSRK AAQAARDLTRAEAEIELLQNLRLQKGEQFRLEMEKTGVGTGAN SQVLEIEKLNEMTERQTEIARLQNVLYLTGSDNKGGFENVLE EIAELRREGSYQNDYISSMADPFKRRGYWYFMPPPPSSKVVSSH SSQATKDSGVGLKYSASTPVRKPRPGQQDGKEGSQPPPASGYW VYSP
188	927	171	1082	SDASSFKTRVIVVPRPRVFPLGSAITENSLESDSQIGQFGVGF YSAFLVADKVIVTSKHNDTQHIWESDSNEFSVIADPRGNTLG RGTITITLVLKEEASDYLELDTIKNLVKKYSQFINFPIYVWSSK TETVEEPMEEEEAAKEEKEESDDEAAVEEEEEKKPKTKKVEK TVVDWELMNDIKPIWQRPSKEVEEDEYKAFYKSFSKESDDPMA YIHFTAEGEVTFKSIILFVPTSAPRGLFDEYGSKKSDYIKLYVR RVFITDDFHDMMPKYLNLFVKGVVDSDDLPLNVSRETLOQHKLK KV
189	928	718	275	CGSWMRRALIPPCRGGPSASDRCCSCSPSGFSAGRGRCPVQGC LRPHRVQLLRWGPSPAGQRLSKGFQLLRWWGPGSPAPEPRK GPFPPDPWPVTAVTVMAGSVPSAQSVDALESPGPLALEGPS SPRNLLWREMSIFLPGIF
190	929	1	550	PGPTPPPRHGSPPHRLIRVETPGPPAPPADERISGPPASSDRL AILEDYADPFQVQETGEGSAGASGAPEKVPENDGYMEPYEAQK MMAEIRGSKETATQPLPLYDTPYEPEEDGATPEGEGAPWPRES RLPEDDERPPEEYDQPWEWKKERISKAFVADIKVIKDLWPWPP VQQLDSSPSLP
191	930	1	562	QFFSLFLRYQIHTGLQHSIIIRPTQPNCLPLDNATLPQKLKEVG YSTHMVGKWHLGFYRKECMPTRRGFDTFFGSLLGSGDYTHYK CDSPGMCYDLYENDNAAWDYDNGIYSTQMYTQRVQOILASHN PTKPIFLYIAYQAVHSPLOAPGRYFEHYRSIININRRRYAAML SCLDEAINNVTLALK
192	931	3	580	RVRKGRGGERLQSPLRVPQKPERPPLPPKQFLNSGAYPQKPL RNQGVVRTLSSAQEDIIRWFKEQLPLRAGYQKTSDTIAPWF HGILTLKKANELLLSTGMPSFLIRVSEIKGYALSYLESDGC KHFLIDASADAYSFLGVDQLQHATLADLVEYHKEEPITSLGKE LLLYPCGQQDQLPDYLELFE

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
193	932	3	1641	GSLEKALFQLLKVGWQWAEQTRRLQRLDVSLSVARVRSAGPSC QNKGDLMVEALLEGIQNRGHGGGFLTSCEAELQELMKQIDIMV AHKKSEWEGRTHALETCLKIREQELKSLRSQLDVTHKEVGMHLH QQVEEHEKIKQEMTMKEYKQELKKLHEELCILKRSYEKLQKKQM REFRGNTKNHREDRSEIERLTAKIEEFQKSLDWEKQRLIYQQ QVSSLEAQRKALAEQSEIIQAQLVNRKQKLESVELSSSQSEIQH LSSKLERANDTICANELEIERLTMRVNDLVGTSMTVLQEQQQK EEKRESEKLLLEALQEEKRELKAALQSQENLIHEARIQKEKLQ EKVKATNTQHAVEAISLESVSATCKQLSQELMEKYEELKRMEA HNNEYKAEIKKLKEQILQGEQSYSSALEGMKMEISHLTQELHQ RDITIASTKGSSSDMEKRLRAEMQKAEDKAVEHKEILDQLES LKLENRHLSEMVMKLELGLHECSLPVSPGLSIATRFLIEEEELRS HHILERLDAHIEELKRESEKTVRQFTALK
194	933	159	1053	TGFLGWSQGPSLTPTSLSALYPSQVEETGVVLSLEQTEQHSRR PIQRGAPSKDTPNPGDSLDTGPRILAFILHPPSLSEAAALAD PRRFCSPDLRRLGPILDGASVAATPSTPLATRHQPSPLSADL PDELPGVTENVHRLFTSGKDTEAVETDLDIAQDADALDLEMLA PYISMDDDFQLNASEQLPRAYHRPLGAVPRPRARSFHGLSPPA LEPSLLPRWGS DPRLS CSSPSRGDPSASSPMAGARKRTLAQSS KDEDEGVELLGVRPPKRSPSPEHENFLLFPLSLSFLLTG
195	934	3	425	ELQDCFDVHDASWEEQIFWGWHDVHIFDTKTQTWFQPEIKGG VPPQPRAAHTCAVLGNKGYIFGGRVLQTRMNDLHYLNLDFTWV SGRITINGESPKHRSWHTLTPIADDKLFLCGGLNAYNMPLSDG WIHNVTTCHWK
196	935	2	295	FFFLRTRSHSVTPRWECSDDITAHWQPQPWGSSDPLTFS/RPQ VVVPPRHTTLCPI\ANFFVFCIFCRNRISPCWPGWSRTPWAQLI RLPRPPKVLGLQV
197	936	2	737	PREGQVQKQLLGDCWFLCACAALQKSRHLLDQVIPPGQPSWAD QEYRGSFTCRIWQFGRWVEVTTDDRPLCLAGRLCFSRCQREDV FWLPLEKVYAKVHGSYEHLWAGQVADALVDLTGGLAERWNLK GVAGSGGQQDRPGRWEHRTCRQLLHLKDQCLISCCVLSPRAGE ARGQHGRAAASVPPTARPQAHCSFLCDWLHSPVVRTKWEVSLF SRVSSVCDLPLLSSSRGTWPFSPLTSPFH
198	937	3	638	AECLEASIARYAHRVANSRYTFDGETVTLSPSQGVNQLHGGPE GFDKRRWQIVNQNDRQVLFALSSDDGDQGFPGNLGATVQYRLT DDNRISITYRATVDKPCPVNMTNHVYFNLDGEQSDVRNHLQI LADEYLPVDEGGIPHDGLKSVAGTSFDFRSAKIIASEFLADDD QRKVKGYDHAFLQLAKGDGKKVAHVWSADEKLQLKLYT
199	938	69	425	PLSRFLSKESQEDWGMERQSRVMSEKDEYQFQHQGAVELLVFN FLLILTILTIWLFKNHRFRFLHETGGAMVYDKPPKFAMSREQM SQSCSHTAHNASLLTDAGPLSCGESRASCLFL

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
200	939	3	435	DSKEPRLQQLGLLEEEQLRGLGFRQTRGYKSLAGCLGHGPLVL QLLSFTLLAGLLVQVSKVPSSISQEQSRQDAIYQNLTLKAAV GELSEKSLQEIYQELTQLKAAVGELPEKSKLQEIYQELTWLK AAVGELPEKSKMQE
201	940	657	469	MQSIAWGHRRDRGESPLGWGQSEASPSALTEAPKAAHTTRLG FLAANNPNNGHSQPQDSFLL*
202	941	1	714	FETLSMRGIPHMLALGPQQLLAQDEEGDTLLHLFAARGLRWAA YAAAEVLQVYRRLDIREHKGKTPLLVAAAANQPLIVEDLLNLG AEPNAADHQGRSVLHVAATYGLPGVLLAVLNSGVQVDLEARDF EGLTPLHTAILALNVAMRPSDLCPRVLSTQARDRLDCVHMLLQ MGANHTIQVSGDVGGQTLGDCVEWGHLDVRELQANADFASSLL RALEHVTSLLCALRVFCLFLCQL
203	942	3	479	DAWADAWVGTKMADLDSPPKLSGVQQPSEGVGGRCSEISAEL IRSLTELQELEAVYERLCGEEKVVERELDALLEQONTIESKMG TLHRMGPNLQLIEGDAKQLAGMITFTCNLAENVSSKVRQLDLA KNRLYQAIQRADDILDLKFCMDGVQTALR
204	943	1	706	AVEFRVPRSGSAYLYSYVTVGELWAF TTGWNLLISYVIGTASV ARAWSSAFDNLIGNHISKTLQGSIALHVPVLAEPDFALGL VLLLTGLLALGASESALVTKVFTGVNLLVLGFVMISGFVKGDV HNWKLTEEDYELAMAE LN DTYS LGPLGSGGFVPFGFEGILRGA ATCFYAFVGFDCIATTGEEAQN PQRSIPMGIGISLSVCFLADF AVSSALTLMMPYYQLQPESP
205	944	1	852	GFHPNTTHYRARAARAGAGSFVGEVSAVDKDFGPNGEVRYSF EMVQPDFELHAISGEITNTHQFDRESLMRRRTAVFSFTVIAT DQGI PQPLKDQATVHVYMKDINDNAPKFLKDFYQATISESAAN LTQVLRVSASDVDEGNGLIHYSIIKGN EERQFAIDSTSGQVT LIGKLDYEATPAYS LVIQAVDSGTIPLNSTCTLNIDILDENDN TPFF/LLNQHFFVDVLENMRIGELGASGTATDS\DSGDIADLY YKFTGT KHP PGTF SISP KHLGVFFLAQK
206	945	3	363	GDCYDLYGGEKFATLAEVLQYYMEHHGQLKEKNGDVIELKNPL NCADPTSQRWFHGHLSGKEAEKLLTEKGKHSSFLVRESQSHPG DFVLSVCTGD DKGESNDGKSKVTHVMIH CQELK
207	946	218	717	IDSGNQNGGND DKT KNAERNYLNVLPGEFYITRHSNLSEIHVA FHL CVDDHVKSGNITARDPAIMGLRNILKVCCTHDIT TIS IPL LLVHDMSEEMTIPWCLRRAE LVFKCVKGFMEMASWDGGISRT VQFLVPQSISEEMFYQLSNMLPQIFRVSSTLT L TSKH
208	947	3	368	SILPALLVTILIFMDQQITAVIVNRKENKLKKAAGYHLDLFWV GILMALCSFVGLPWPYVAATVISIAHIDSLKMETETYSAPGEQPQ FLGVREQRVTGIIVFILTGISVFLAPILKCIPLPV
209	948	2	575	GASRVEAGSANGMLIDGGSQIVKVQGHADGTTINKSGSQDVVQ GSLATNTT TINGGRQYVEQSTVETTTIKNGGEQRVYESRALDTT IEGGTQSLNSKSTAKNTHIYSGGTQIVDNTSTSDVIEVYSGGV LDVRGGTATNVTQHDGAILKTNTNGTTVSGTNSEGAFSIHNHV ADNVLLENGGHL D INAYGS

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
210	949	1	296	FFSSIQLTDDQGPVLMTTVAMPVFSKQNETRSKGILLGVVGT VPVKELLKTIPKYKVMNDLIPEIKATEMPRALFSQSSGFKLYF GAMFLTTITAC
211	950	3	594	SCSGTGTNACYMEDMSNIDLVEGDEGRMCINTEWGAFGDDGAL EDIRTEFDRELDLGS LNPGKQLFEKMISGLYLGLVRLILLKM AKAGLLFGGEKSSALHTKGKIE TRHVAAMEKYKEGLANTREIL VDLGLEPSEADCI AVQHVCTIVSFRSANLCAAALAAILTRLRE NKKVERLRTTVGMDGTLYKIH PQY
212	951	2	2167	FVAIATNGVVPAGGSYYMISRLSGPEFGGAVGLCFYLGTTFAG AMYILGTIEILLAYLFPAMAIFKAEDASGEAAAMLNMMRVYGT CVLTCMATVVFVGKYNKFALVFLGCVILSILAIYAGVIKSA FDPNFPICLLGNRTLSRHGF DVC AKLAWEGNETVTTRLWGLF CSSRFLNATCDEYFTRNNVTEIQGIPGAASGLIKENLWSSYLT KGVIVERSGMTSVGLADGTPIDMDHPYVFS DMTSYFTLLVGIY FPSVTGIMAGSNRSGDLRDAQKS IPTGTILAIATTS AVYISSV VLFGACIEGVLRDKFGEAVNGNLVVGTLAWPSPWVIVIGSFF STCGAGLQSLTGAPRLLQAISR DGIVPFLQVFGHGKANGEPTW ALLLTACICEIGILIASLDEVAPILSMFFLMCYMFVNLCACAVQ TLLRTPNWRPRFRYYHWTL SFLGMSLCLALMFICSWYYALVAM LIAGLIYKYIEYRGAKKEWGDGIRGLSLSAARYALLRLEEGPP HTKNWRPQLLVLRVDQDQNVVHPQLLSLTSQ LKAGKGLTIVG SVLEGTFLENHPQAQRAEESIRRLMEAEKVKGFCQVVISSNL R DGVSHLIQSGGLGGLQHNTVLVGWPRNWRQKEDHQTWRNFIEL VRETTAGHLALLVTKNVSMFPGNPERFSEGSIDRWGIGHDGGM LMLVPFLLRRHHKVWRCKM RIFTVAQMVDMMHAM
213	952	1	128	FYLRLLSFFCFQEHEKRCWSVDFNLMDPKLLASGSDDAKGTV
214	953	3	244	RNSKAMHRSSCDGPLL SLPSVGRSATHALVQAQLICSGARRGM HAFIVPIRSLQDHTPLPGKPIMLPQGTLP GGEPWP
215	954	2	609	CGTLILQARAYVGPHVLAVVTRTG FCTAKGGLVSSILHPRPIN FKFYKHS MKFVAALS VLALLGTIYSIFILYRNRVPLNEIVIRA LDLVTVVVPPALPAAMTVCTLYAQSR LRRQGIFCIHPLRINLG GKLQLVCFDKTGTLTEDGLDVMGVVPLKGQAPLPLVPEPRRLP VGPLLRLALATCHALSRLQDTPVGD PMDLKM
216	955	292	855	QIEYFRSLLD EHHISYVIDEDVKSGRYMELEQRYMDLAENARF EREQLLG VQQHLSNTLKMAEQDNKEAQEMIGALKERSHMERI IESEQKGKAALATLEEYKATVASDQIEMNRLKAQLENEKQKV AELYSIHNSGDKSDIQDLLESVRLDKEKAETLASSLQEDLAHT RNDANRLQDAIAKGRG
217	956	2	400	ARYRFTLSARTQVGSGEAVTEESPAPPNEATPTAAPPTLPPTT VGATGAVSSTDATAIAATTEATTVP I IPTVAPTTMATTTTIVAT TTTTTAAATTTTESPPTTTSGTKIHESAPDEQSIWNVTVLPNS KWA

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, / = possible nucleotide deletion, \ = possible nucleotide insertion)
218	957	1	662	LKSTQDEINQARSKLSQLHESRQEAHRSLEQYDQVLDGAHGAS LTDLANLSEGVSLAERGSFGAMDDPFKNKALLFSNNTQELHPD PFQTEDPFKSDPFKGADPFKGDPFQNDPFAEQQTSTDPFGGD PFKESDPFRGSATDDFFKKQTKNDPFTSDPFTKNPSLPSKLD FESSDPFSSSSVSSKGSDFGTLDPFSGSGSFNSAEGFADFSTI EGRRG
219	958	1	752	RTRGGSGNSSQPSLREGHDKPVFNGAGKPHSSTSSPSVPKTS SRTQKSAVEHKAKKSLSHPSHSRPGMVTPHNKAKSPGVRQPG SSSSAPGQPSTGVARPTVSSGPVPRRQNGSSSSGPERSISGS KKPTNDSNPSRRTVSGTCGPQPASSSSGGPGRPISGSVSSARP LGSSRGPGRPVSSPHELRRPVSGLGPPGRSVSGPGRSISGSIP AGRTVSNVPGRPVSSSLGPGQTVSSSGPTIKPKCT
220	959	439	582	RGKGITPRYHLCISDPHNLKICCRVNGEVVQSSNTNQMVFKTE DLIAW
221	960	230	420	VVAVTRWLCENGVSYLKRCVCSACRHGTRCAGEVAAAANNSHC TVGIAFNAKIGGMGNQLTWM
222	961	311	490	GAPPPFVPTLKSDDDTSNFDEPKNSWVSSSPCQLSPSGFSGE ELPFVGFYSKALGIL
223	962	2	422	FVERLAHLHAACAPRRKVALLLEVCRDVYAGLARGENQDPLGA DAFLPALTEELIWSPDIGDTQLDVEFLMELLDPELRGEAGYY LTTWFGALHHIAHYQPETDRAPRGLSSEARASLHQWHRRTLH RKDHPRQAQLD
224	963	385	844	FWMDPYNPLNFKAPFQTSGENEKGCRDSKTPSESIVAISECHT LLSCKVQLLGSQSECPDSVQRDVLSSGGRHTHVKRKKVTFLEE VTEYYISGDEDRKGPWEFARDGCRFQKRIQETEDAIGYCLTF EHRERMFNRLQGTCTFKGLNVLKQC
225	964	3	166	AASTAYSFFGTVENMAPKVNNRPGHTQSADWGSFGGLMGRFEF GIFLKGKEIVK
226	965	1	118	GFVFLPGPMSVGLDFSLPGMEHVYGIPEHADNLRLLKVTE
227	966	1	390	GSECQGTDLDRNCTSDLCVHTASGPEDVALYVGLIAVAVCLV LLLLVLILVYCRKKEGLDSDVADSSILTSGFQPVSIKPSKADN PHLLTIQPDLSSTTTTYYQGS LCPRQDGPSPKFQLTNGHLLSPL G
228	967	1	777	LIYNEDMICWIESRESSNQLKCIQITKAGGLTDEWTINILQSF HNQQMAIDWLTRNLYFVDHVGDRIFVCNSNGSVCVTLIDLEL HNPKAIAVDPIAGKLFFTDYGNVAKVERCDMDGMNRTRIIDSK TEQPAALALDLVNKLIVYVVDLYLDYVGVVDYQGKNRHAVIQGR QVRHLYGITVFEDYLYATNSDSYNIVRISRFGTDIHSLIKIE NAWGIRIYQKRTQPTVRSHACEVDYPYGMPPGGCSHICLLSSSYT K
229	968	3	488	SSGNPQPGDSSGGGAGGGLPSPGEQELSRRLQRLYPVAVNQET PLPRSWSPKDKYNYIGLSQGNLRVHYKGHGKHNKDAASVRATH PIPAACGIYYFEVKIVSKGRDGYMIGLSAQGVNMNRLPGWDK HSYGYHGDDGHSFCSSGTGQPYGPTFTTGDVI

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, / = possible nucleotide deletion, \ = possible nucleotide insertion)
230	969	1	228	FFFFKMGSRSVTQAGVQWCDVSSSLQAPPPRFTLCLSLPSSWDYRCVPPCPANFFVFLVETGFHRVSYGLDLT
231	970	2	119	QLSLARGKVFLCALSFVYFAKALAEGLKSTITQIERRVDIPS SLVGVIDGSFEIGNLLVITFVSYFGAKLHRPKIIGAGCVIMGV GTLIAMPQFFMEQYKYERYSPSSNSTLSISPCLLESSQLPV SVMKSKSKISNECEVDTSSSMWIYVFLGNLLRGIGETPIQPL GIAYLDDFASEDNAAFYIGCVQTVAIIGPIFGFLLGSLCAKLY VDIGFVNL/DHF*VSAQLGTRKGVLCVLCVCLLCQSIGRRLSE EHHHSREK
232	971	221	1068	QPAGRVEAFCKFHMWAEGMTSLMKAALDLTYPITSMFSGAGFN SSIFSVFKDQQIEDLWIPYFAITTDITASAMRVHTDGLWRVY RASMSLSGYMPPLCDPKDGHLLMDGGYINNLPADVARSMAKV VIAIDVGSRDDETDLTNYGDALSGWLLWKRWNPLATKVKVLM AEIQTRLAYVCCVRQLEVVKSSDYCEYLPPIDSYSTLDFGKF NEICEVGYQHGRVFDIWRSGVLEKMLRDQGPSKKPASAVL TCPNASFTDLAEIVSRIEPAKPAM
233	972	133	635	LWVIMFVSYLILTLHVQTAVLARPGGESIGCDDYLGSDKVVD KCGVCGDNTGCGQVVSQVFKHALTSLGYHRVVEIPEGATKINI TEMYKSNNYLALRSRSGRSIINGNWAIDRPGKYEGGGTMFTYK RPNEISSTAGESFLAEGPTNEILDVYVSLDVSGLFFGF
234	973	1	420	ISGGTRSAGPLRRNYNFIAAVVEKVAPSVVHVQLWGRNQOWIE VVLQNGARYEAVVKDIDLKLDLAVIKIESNAELPVLMLGRSSD LRAGEFVVALGSPFSLQNTATAGIVSTKQRGKELGMKDSMD YVQIDATINYG
235	974	2	860	PRVRELKEILDRKGHFSENETRWIIQSLASAIAYLHNNDIVHR DLKENIMVKSSLIIDNNEINLNKVTDFGLAVKKQSRSEAML QATCGTPIYMAPEVISAHDYSQQCDIWSIGVVMYMLLRGEPPF LASSEKLFELIRKGEHFENAVWNSISDCAKSVLKQMLMKVDP AHRITAKELLDNQWLTGNKLSSVRPTNVLEMMKEWKNNPESVE ENTTEEKKNPSTEEKLSYQPWGNVPETNYTSDEEEKQVGRI IAAFLEPSVKYPHHTWNIFLQICLFVVSL
236	975	1	467	LSISVSDVSLSDEGQYTCSLFTMPVKTSKAYLTVLGVPEKPQI SGFSSPVMEGDLMQLTCKTSGSKPAADIRWFKNDKEIKDVKYL KEEDANRKTFTVSSTLDFRVDSDDGVAVICRVDHESLNATPQ VAMQVLEMHYTPSVKIIIPSTPFPQEG
237	976	3	417	YNQKVDLFLSLGIIFFEMSYHPMVTASERIFVLNQLRDPSTPKF PEDFDDGEHAKQKSVISWLLNHDPAKRPTATELLKSELLPPQ MEESLHEVLHHTLTNVDGKAYRTIDGPRSFQRISPAIA\YT YD\SDILKGN

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
238	977	2	740	DQDYKYDSTSDSNFLNPPRGWDHTAPGHRTFETKDQPEYDST DGEGDWSLWSVCSVTTCGNGNQKRTRSCGYACTATESRTCDRPN CPGIEDTFRTAATEVSLLAGSEEFNATKLFVDTDCERWMSK KSEFLKKYMHKVMNDLPSCPCSYPTVEVAYSTADIFDRIKRKDF RWKDASGPKEKLEIYKPTARYCIRSMLSLESTTLAAQHCCYGD NMQLITRGKGAGTPNLISTEFS AELHYKVDV
239	978	2	612	ESEENGESAMDSTVAKEGTNVPLVAAGPCDDEGIVTSTGAKEE DEEGEDVVTSTGRGNEIGHASTCTGLGEESEGLICESAEGDS QIGTVVEHVAEAEAGAAIMNANENNVDSMSGTEKGSKDTDICSS AKGIVESSVTSAVSGKDEVTPVPGGCEGPM TSAASDQSDSQLE KVEDTTISTGLVGGSYDVLVSGEVPECEVAH
240	979	79	361	VCIIICLIFSYYSFDSALQSAKSSLGNDLSATFLEMKGHFYM YAGSLLLKMGQHGNVQWRALSELAALCYLIAFQVSLPLGAID ISRSLDVF
241	980	2	681	QHPSQEKPOVLTPSPRKQKLNRYRSHHDQMICKCLSLISISYS ATIGGLTTIIGTSTSLIFLEHFNNQYPASEVNVFGTWFLFSFP ISLIMLVSWFWMHWLFLGCNFKETCSLSKKKKTKREQLSEKR IQEEYKLGDISYPEMVTGFFFILMTVLWFTREPGFVPGWDSF FEKKGYRTDATVSVFLGFLFLIPAKKPCFGKKNDGENQEHSL GTEPIITWKDF
242	981	1	491	LEREGDKGTPVLRGFSSVSGSWSRRMPFLLLTCLFITGTSVS PVALDPCSAYISLNEPWRNTDHLQDESQGPPLCDNHVNGEWYH FTGMAGDAMPTFCIPENHCGTHAPVWLNHSHPLEGDGIVQRQA CASFNGNCCLWNTTVEVKACPGGYVYRLTKPSV
243	982	1	983	CGRMTSDIRHSLRRDALSAAKEVLYHLDIYFSSQLQSAPLPI VDKGPVELLEEFVFPVKERSAQPKRLNSLQELQLEIMCNYF QEQTKDSVRQIIFSSLSFPQGNKADDSRMSLLGKLVSMAVAVC RIPVLECAASWLQRTPVVYCVRLAKALVDDYCCLVPGSIQTLK QIFSASPRFCCQFITSVTALYDLSSDDLIPMDLLEMIVTWIF EDPRILITFLNTPIAANLPIGFLELTPLVGLIRWCVKAPLAY KRKKKPPLSNGHVSNKVTKDPGVGMDRDSHLLYSKLHLSVLQV LMTLQLHLTEKNLYGPPGADPLRPHG
244	983	32	362	SACSTGPELPGRATRSLTRPANQKCGDGRLLYYDGCAMIAMNG SVFAQGSQFSLDDVEVLATLDLEDVRSYRAEISSRNLA VSAP VDTCVGCSSKTKVAPFVRAWWRP
245	984	158	398	APLSRLCFPQVLVNEGGSFDRASGSFVAPVRGVYSFRFHVVKV YNRQTVQVTSALAPIPGSGGWGGRRGAQLTSGWTLH
246	985	2	707	PHIIGAEDDDFGTEHEQINGQCSCFQSIELLSKSRPAHLAVFLR HVVSQFDPATLLCYLYSDLYKHTNSKETRRIFLEFHQFLLDRS AHLKVSVPDEMSADLEKRRPELIPEDLHRHYIQTMQERVHPEV QRHLEDFRQKRSMGLTLAESELTKLDAERDKDRLTLEKERTCA EQIVAKIEEVLMTAQAVEEDKSSTMQYVILMYMKHLGVKVKEP RNLEHKRGRIGFLPKIKQSM

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, / = possible nucleotide deletion, \ = possible nucleotide insertion)
247	986	18	441	SPGTGRGPGPSTSFVCLPTPQCPFIDDFILALHRKIKNEPVVFP EGPEISEELKDLILKMLDKNPETRIGVPDIKLHPWVTKNGEELP LPSEEEHCSVVEVTEEEVKNSVRLIPSWTTVILVKSMLRKRSF GNPFEPQARMA
248	987	3	732	HASGIKIDKTSDBGPKLFLTEEDQKKLHDFEEQCVEMYFNEKDD KFHSGSEERIRVTFERVEQMCIQIKEVGDRVNYIKRSLQSLDS QIGHLQDLSALTVDTLKTLTAQKASEASKVHNEITRELSISKH LAQNLIIDGVPVRPSVWKKHGVNTLSSSLPQGDLESNNPFHCN ILMKDDKDPQCNI FGQDLPAVPQRKEFNFEAGSSSGALFP VSPPELRQRLHGVLELLKIFNKKQKKRA
249	988	3	468	CCRWIDCFALYDQQEELVRHIEKVHIDQRKGEDFTCFWAGCPR RYKPFNARYKLLIHMVRHSGEKPKNCTFEGCEKAFSRLENLKI HLRSHTGEKPYLCQHPGCQKAFSNNSSDRAKHQRTHLDTKPYAC QIPGCTKRYTDPSSSLRKHVKAHSSK
250	989	356	553	LPLLWTLSDFGGTMDQSGMEIPVTLLIKAPNQKYSQDTISCFL NWTVGKCLKTHLSNVYPSKPVS
251	990	1	895	AGTRMCVVAEEELVCGA\RGLWMRRTRRPRFVLMNMDDNLN HYRFLNWRRIEIREVRAFRYQERFKHILVDGDTLSYHGNSG EVGCYVASRPLTKDSNYFEVSIVDSGVRGTIAVGLVPQYYSLD HQPGLWLPDSVAYHADDGKLYNGRAKGRQFGSKCNSGDRIGCGI EPVSFDVQTAQIFFTKNGKRVGSTIMPSPDGLFPAVGMHSLG EEVRLHLNAELGREDDSVMMVDSYEDWGRHLHDVRVCGTLLEY LGKKGKSIDVGLAQARHPLSTRSHYFEVEIVDPGEKCYIA
252	991	51	674	QQAEEHLAAYSVSDDSDSGKDPMECCRRATPGTLLFLAFLLL SSRTARSEEDRDGLWDAWGPWSECRTCGGGASYSLRCLSSK SCEGRNIRYRTCSNVDCPPEAGDFRAQQCSAHNDVKHHGQFY WLPVSNPDNPNCSLKCAKGTTLVVELAPKVLDTGTRCYTESLD MCISGLCQVSADLFSFNLSSRGFQCLCVNGLHSLTL
253	992	2	554	RLLRQELVVLCHLHHPSLISLLAAGIRPRMLVMELASKGSLDR LLQQDKASLTRLQHRIALHVADGLRYLHSAMIYRDLKPHNV LLFTLYPNAIIAKIADYGIAQYCCRMGIKTSEGTGPFRAPEV ARGNVIYNQQADVYSFGLLLYDILTGGRIVEGLKFPNEFDEL EIQGKLPDPVKE
254	993	3	437	KASNSTHEFRIGLPEGWESEKKAVIPLGIGPPLTLICLGLVGG ILYIGRKGFTAHFYLKDSPSPKVISTPPPIFPISKEVGPIPI IKHFPKHVANLHASRGFTEKFETLKKFYQEGQSCVTDLGITAN SSNHDPNRRHRNRSII
255	994	3	445	SFPDRASLVLLSVPGVQAGMQQRGLAIVALAVCAALHASPAI LPIASSCCTEVSHHISRLLERNMCRIOQADGDCDLAAVILH VKRRRICVSPHNHTVKQWMKVQAAKNGKGNVCHRKKHHGKRN SNRAHQGHETYGHKTPY

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine; C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, / = possible nucleotide deletion, \ = possible nucleotide insertion)
256	995	2	737	FEQPGNPGDPRVRTPPPWGPHFFALIPSSPKEVPATPSSRRDP IAPTATLLSKKTPATLAPKEALIPAMTVSPKKTPAIPTPKE APATPSSKEASSPPAVTPSTYKGAPSPKELLIPPAVTPSPSPKE APTPPAVTPPSPEKGPATPAPKGTPTSPVTPSSSLKDSPTSPA SVTCKMGATVPQASKGLPAKKGPTALKEVLVAPAPESTPIITA PTRKGPQTKKSSATSPPICPDPSAKNGSKG
257	996	79	3	FFLKIQGLGWARWLTVPVPLWEAE
258	997	307	475	AGFGYGLPISRLYAKYFQGDNLNLYSLSGYGTDAIIYLKVSLEF NSKILFLKPLLLL
259	998	26	622	WMRAPMLQKQAPRMDTPPPEERLEKQNEKLNQEEETEFKEL DGLREALANLRGLSEERSEKAMLRRIEEQSQLICILKRRSD EALERCQILELLNAELEEKMMQEAELKAQGEYSRKLEERFMT LAANHEMLRLRFKDEYKSENIKLREENEKLRLNNSLFSQALKD EEAKVLQLTVRCEALTGELETLKERC
260	999	2	241	DPGASHASVQVQLKEQLFAGRMPSPPFRSCALMGMCGRSADN LSCPSPLNVMEPVSFPLKSLGKGMIIQHRHIVSLV
261	1000	1	620	VTTTTHSVGRGHELQLLNEELRNIELECQNIMQAHRLQKVTDQ YGDWTLHDGGFRNYNTSIDMQRGKLDDIMEHPEKSDKDSSSA YNTAESCRSTPLTVDRSPDSSLPRVINLTNKKNLSTMAATQS SSGQSSKESTSTKAKTTEQGCSAESKEKVLEGSKLDPQEKAVS EHIPYLSPYHSSSYRYANIPAHARHYQSYMQLIQ
262	1001	3	420	VWGCLATVSTHKKIQGLPFGNCLPVSDGPFNNSTGIPFFYMTA KDPVVADLMKNPMASLMLPESEGEFCRKNIVDPEDPRCVQLTL TGQMIASVPEEVEFAKQAMFSRHPGMRKWPRQYEWFFMKMRIE HIWLQKWYG
263	1002	43	441	QAANMAVARVDAALPPGEGSVVNWSGQLQKLGPNLPCEADIH TLILDKNQIIKLENLEKCKRLIQLSVANNRLVRMMGVAKLTLL RVLNLPHNSIGCVEGLKELVHLEWLNLAGNNLIAMEQINSCTA LQHL
264	1003	3	834	FRAAVGAVPEGAWKDTAQLHKSEEAKRVLRYYLFQGGORYIWI TQQAIFYQVSLLDHGRSCDDVHRSRHGLSLQDQMERKAIYGPV ISIPVKSYPQLLVDEAFSIALWLADHYWYALCIFLISSISIC LSLYKTRKQSQTLRDMVKLSMRVCVCRPGGEEEWDSSELVPG DCLVLSQEGGLMPCDAALVAGECMVNDSSLTGESIPVLKTALP EGLGPYCAETHRRHTLFCGTLILHARAYVGPHVLAVVTRTGMS REAGLERDPGSAPLKRWS
265	1004	2	670	FVGGGLHLHLCLLLCFMLPEDAAMAVLTASNHVSNTVNYNIT VERMNRMQGLRVSTVPAVLSNATLALTAGVLVDSAVEVAFLW TFGDGEQALHQFQPPYNESFPVPDPSVAQVLVEHNVTHTYAAP GEYVLTVLASNAFENRTQQVLIRSGRVPIVSLECVSCKAQAVY EVSRSYVYLEGRCLNCSSGSKRGRWAARTFSNKTLLVLDETTT STGSASM

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
266	1005	2	1093	PEFLGRLFRGKAATLHVHSDQKPLHDGALGSQQNLVRMKEALR ASTMDVTVVLPSPGLEKRSVLNGSHAMMDLLVELCLQNHLNPSH HALEIRSETQQPLSFKPNTLIGTLNVHTVFLKEKVPEEKVKP GPPKVPEKSVRLVVNYLRTQKAVVRVSPEVPLQNILPVICAKC EVSPEHVLLRDNIAGEELELSKSLNELGIKELYAWNRRETF RKSSLGNDETDKEKKKFLGFFKVNKRNSKGLCTTPNSPSMHS RSLTLGPSLSLGSISGVSVKSEMKKRRAPPPPGSGPPVQDKAS EKVSLGSQIDLQKKKRRAPAPPPPPQPPPPSPLIPNRTEDKEEN RKSTMVYCCASFPTQAKRF
267	1006	686	400	VQWHNLHSLQPLPAGFK*FLCFSLPSSWDYRCAPPLP/APFFF YFLFLVELGFHHIG*AGLELTSTDLPASAS/ESAGITGMSHRA RPMDFLLKIL
268	1007	1	453	GRRFRPPSDEEREPEPWTQLRLSGHLKPLHYNLMLTAFMENF TFSGEVNVEIACRNATRYVVLHASRVAVEKVQLAEDRAFGAVP VAGFFLYPQTQVLVVVLNRTLDAQRNYNLKIIYNALIENELLG FFRSSYVLHGERRFLGVTQFSP
269	1008	333	526	KELDPFYNS*RKIKYLRITYLTKEVKDLYKENYKTLLKEITDDT N/KKHIPSSWTGRINTVKMTIL
270	1009	699	882	VPHPLQAIHEQMNCKEYQEDLALRAQNDAAARRPSEMFKVRLA QGRGLASLSSGIQSGVG
271	1010	16	148	RWNSLTCVVLTFGLGHRLLKRFLVPKLRRFLKPQGHPRLLLWFK R
272	1011	1	659	YGEFVTYQGVAVTRSRKEGIAHNYKNETEWRANIDTVMAWFTE EDLDLVTLTYGEPDSTGHRYGPESPERREMVRQVDRTVGYLRE SIARNHLTDRLNLIITS DHGMTTVDKRAGDLVEFHKFPNFTFR DIEFELLDYGPNGMLLPKEGRLEKVYDALKDAHPKLHVYKKEA FPEAFHYANNPRVTPLLMYSDLGVIHGVSRLLEAPPPGAPSP GSGS
273	1012	146	413	RIPLLRLRSSTYRSKGFDTVKSHSGSWTGFGGEDLATIPKGL NTYFLVNIAITIFESKNFFLPGIKWNGILGLSYATLAKPSSSLE TFF
274	1013	3	251	IKSYSGPNRSCQIWQRLRWGSRELLLGWKLSHSFSTCPFPQP DIVEFCEAMANAGKTVIVAALDGTQFQKVRRLIQVWSWD
275	1014	326	651	YCFCFDLLH*CIHRDVKPENILITKHSVIKLCDFGFARLLTGP SDYYTDYVATRWYRSPPELPGDTQY\GPPV\DVW\AIGCVSAE \LLSGKCLWWPGKS/DMLDQLYLIRK
276	1015	224	435	RGWALDWIGADLSLHLQEEVETEVAWEECGHVLLSLCYSSQQG GLLVGVLRCAHLAPMDANGYSDPFVRL
277	1016	2	429	GGILAMEYAPGGTLAEFIQKRCNSLLEEETILHFFVQILLALH HVHTHLILHRDLKTQNILLDKHRMVVKIGDFGISKILSSKSKA YTVVGTPCYISPCEGKPYNQKSDI WALGCVLYELASLKRAF EAANLPALVLKIM

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
278	1017	1	262	VQCGGIHQVSGAVVVSGLLQGMGLLGSPPGHVFPHCGPLVLAP SLVVAGLSAHREVAQFCFTHWGLALLYVSPERRGMVPSGGVWG D
279	1018	1	480	PRMTGSTHASAPSYGGSCRNNLFYREETYTPKAETDEMNEVET APIPEENHVWLQPRVMRPTKPKKTSAVNYMTQVVRCDTKMKDR CIGSTCNRYQCPAGCLNHKAKIFGSLFYESFASICRAAIHYGI LDDKGGGLVDITRNGKVPFFVKSERHGVQSLR
280	1019	271	792	VPQNIICAFFCVPCRFASTIPFWGLTLHLQHLGNVFLQLTFL GAVTLLANCVAPWALNHMSRRLSQMLLMFLATCLLAIIFVPQ EMQTLRVVLATLGVGAAASLGITCSTAQENELIPSIIRGRATGI TGNFANIGGALASLVMILSIYSRPLPWIIYGVFAILSGLVLL LP
281	1020	2	679	VLVSRDHMKSAQQFFQLVGGASASECDTIPGRQCMASCFLLKQ FDDVLIYLSNFKSHFYNDIIFNFNYAQAKAATGNTSEGEAFL LIQSEKMKNDYIYLSWLARGYIMNKKPRLAWELYLKMETSSES FSLQLLIANDCYKMGQFYYSAKAFDVLRLDPNPEYWEGRGA CVGIFQMI IAGREPKETLREVLHLLRSTGNTQVEYIMIRIMKKW AKENRVSILK
282	1021	3	359	LKVSDELVQQYQIKNQCLSAIASDAEQEPKIDPYAFVEGDEEF LFPDKKDRQNSEREAGKKHKVREITVHQRVTVDFVALHIVTLL LPQLSHFFCLRIERVIIYLEKPIFARLRWLMP
283	1022	3	538	GVPRNLPSSLEYLLLSYNRIVKLAPEDLANLTALRVLDVGGNC RRCDHAPNPCMECPRHFPQLHPDTFSLSLRLEGLVLKSSLSW LNASWFRGLGNLRVLDLSENFLYKCIITKTAKFQGLTQLRKLNL SFNYQKRVSFAHLVSGPPFLRGSLGRPLKGAGTWHGNLSFPLH FEWGKT
284	1023	3	442	ILFAALIWSSFDENIEASAGGGGGSSIDAVMVDGAVVEQYKR MQSQESSAKRSDEQRKMKEQQAAEELREKQAAEQERLKQLEKE RLAAEQKKQAEAAKQAEKQKQAEAAAKAAADAKAKAEAD AKAAEEAAKKAADAKK
285	1024	1	119	AMEIVHEPRDLERYMREAVKVSNDSPVLLDRFLNDAIEC
286	1025	67	227	MLSPGYDYGVCVEFSLLEDAIGCMEANQVALYFGQMMEGYI FLYMGREGFK
287	1026	2	1101	PRVRSSGGQEDPASQQWARPRFTQPSKMRRRVIRPVGSSVRL KCVASGHPRPDITWMKDDQALTRPEAAEPRKKKWTLSLKNLRP ED SGKYT CRVSNRAGAINATYKVDVIQRTSRKPVLTGTHPVNT TVDFGGTTSFQCKVRS DVKPIQWLKRVEYGAEGRNSTIDVG GQKFVVLPTGDVWSRPDGSYLNKLLITRARQDDAGMYICLGAN TMGYSFRSAFLTVPDPKPPGPPVASSSSATSLPWPVVGIPA GAVFILGTLTLLWLCQAQKKPCTPAPAPPLPGHRPPGTARDRS G DKDLPSLAALSAGPGVGLCEEHGS PAAPQHLLGPGPVAGPKLY PKLYT\DI PHHTHTHTPHPPAN
288	1027	3	96	NFHFTGKCLFMSGLSEVQLTHMDDHTLPGY

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
289	1028	95	407	SPRKRKTRHSTNPPLECHVGWVMDSRDHGPGTSSVSTSNASPS EGAPLAGSYGCTPHSFQHPHSHELLKENGFTQQVYHKYRRR CLSERKRLGIGQSQEMNT
290	1029	1	359	PGSGGSAGGRDGSAYQGALLPREQFAAPLGRPVGTSSYSATYPA YVSPDVAQSWTAGPFDGSLVHLGLPGRRPFTFVSDFLEEFPGEGR ECVNCGALSTPLWRRDGTGHYLCNACGLYHKMN
291	1030	2	513	PDHRHGALWWWYSCGVLPVTVSRNEGDERNQVLTLYLWIRQEW TDAYLRWDPNAYGGLDAIRIPSSLVWRPDIVLYNKYCLS /AAP PLSYPSLDLPLAVGV**SPLPTT*PGCHAALEAFPQDPSKLPS TQPLHGTPTLGYPRPAQAERLLGTYCVVQGRCLNHKGLSRAHF
292	1031	1	595	YALTGALVIVTGMVMGNIADYFNLVSSMSNTFTFLNAGILIS IFLNAWLMEIVPLKTQLRFGFLMVLAVAGLMFSHSLALFSAA MFI LGVVSIGITMSIGTFLVTQMYEGRQGRSRLFTDSFFSMAG MIFPMIAAFLARSIEWYVYACIGLVYVAIFILTFGCEFPAL CSHATKLGTAASSYPSLDVVQLRTLNA
293	1032	71	479	MAKVGLKTEHYDRYPHMFSGGQRQRIAIARGMLDPDVVIAD PVSALDVSVAQVLNLMMDLQQLGLSYVFISHDLVVEHIAD EVMVMYLGRCVEKGTQDQIFNNPRHPYTQALLSATPRLNPDDR RERIKLSX*
294	1033	2	427	SATLERVNLNHPDETQARRLMTLEDIVSGYSNVLISLADSQGKT VYHSPGAPDIREFTDAIPDKDAQGGEVYLLSGPTMMMPGHGH GHMEHSNWRMINLPVGPLVDGKPIYTLYIALSIDFHLHYINDL MNKLIMTASVII
295	1034	3	342	VLAYPGIKVSTAEARAILPAQYRRQDCIAHGRHLAGFIHACYS RQPELAAKLMKDVAIEPYRERLLPGFRQARQAVAEIGAVASGI SGSGPTLFLALCDKPKETPAQRVADWLKG
296	1035	2	279	GQQQRVALARALILKPKVLLFDEPLSNLDANLRRSMRDKIREL QKQFDITSLYVTHDQSEAFVSDTVLVMNKGHIMQIGSPQDLR VRRLNW
297	1036	3	157	AVHYLERVRIAEHAHKFPGQISGGQQQRVAIARSLCMKPKIML FDEPTSAL
298	1037	1	217	APYDAENYFDYDNLNNGPSLQHWFGVDSLGRDIFSRVLVGAQI SLAAGVFAVFIGAAIGTLLGLLAGYYEGW
299	1038	3	570	VFCLIAIDLDPIDELVDFPIVYASALNGIAGLDHEDMAEDMTPL YQAIVDHVPAPDVLDDGPFQMQISQLDYNYSYVGVIGIGRIKRG KVKPNQQVTIIDSEGKTRNAKVGKVLGHLGLERIEIDLAEAGD IVAITGLGELNISDTVCDTQNVLEALPALSVDPTVSMFFCVNT SPFCGKEGKFVTSRQI
300	1039	1	366	QGTRAESQGSSKDKTRLAFAGLKFGDYGSIDYGRNYGVAYDIG AWTDVLPEFGGDTWTQTDVFMTRATGVATYRNNDFGLVDGL NFAAQYQKGKNDRSDFDNYTEGNHGFSGFSATYEEYEG
301	1040	3	201	DTYSVSIPLGATINMAGAAITITVLTAAVNTLGIPVDLPTAL LLSVVASLCACGASGVAGGSLL

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
302	1041	1	140	ANAAQQLPSGITLKLNNLVDKGLVDRLYAASSSGVPVNNLLVRG TCS
303	1042	2	442	ARMTLIPGTHLLENIHNIWVNGVGTNSAPFWRMLLNSFVMAFS ITLGKITVSMLSAFAIVWFRFPLRNLFFWMIFITLMLPVEVRI FPTVEVIANLQMLDSYAGLTPLPLMASATATFLFRKLNMSPDK VVPAARISGYGPRVRKQ
304	1043	2	403	CAKCLRDADECPSGAFERIGRDISLDALEREVMKDDIFFRTSG GGVTLSGGEVLMQAEFATRFLQRLRLWGVSCAIETAGDAPASK LLPLAKLCDEVLFDLKIMDATQARDVVKMNLPRVLENLRLLLVS EGVN
305	1044	1	346	YLLLFVCFVLMSLLVGLVYKFTAERAGKQSLDDLMNSSLYLMR SELREIPPHDWGKTLKEMDLNLSFDLRVEPLSKYHLDDISMHR LRGGEIVALDDQYTFQLQRI PRSHYVLAVG
306	1045	1	207	VELFLSDEGDDVVIEVADQCGVPESLRDKIFEQGVSTRADEP GEHGIGLYLIASVYVTRCGGVITLEDN
307	1046	3	213	DAIIAPDANALPAAQAENLKNDRKVAIVGFSTPNVMRPYVER GTVKEFGLWDVVQQGKISVYVADALQ
308	1047	1	129	YIVVTGKTHCGTPLTTVTGDATQSGYLTNLNPEMWEVSGYNRV
309	1048	271	46	XEGVEPDINASKTRQQLNDVAGMKKIEARLSALTNNQTKSLK LNPVALPKVASQLLDELGYSLARRADLQSAHX*
310	1049	16	253	ENIAEEYATKRYRSNVINWGMLPLQMAEVPTFEVGDYIYIPGI KAALDNPGETTFKGYVIHEDAPVTEITLYMESQEART
311	1050	2	299	LQTEIGSMVYAVKPGDGSAREQAASCQRVIGGLANIAEEYATK RYRSNVINWGMLPLQMAEVPTFEVGDYIYILGFKAAYSPGTA FTVYAISGYGPRI
312	1051	1	344	TLEDLLMALDGEQHLQQQVSEKVLADNVLIAPGSVKPDATFWS ALIQDRYNVMTCTIEKDACLVEQDLNSDGAERILFAFNDDRIV IVYGFSDSRKEWDALDMSLLPNEITKEK
313	1052	2	630	ESNSRCRKMPGERCRGGPARLSLLLDLPTRPLPHPRQVIDFGS ASIFSEVRYVKEPYIQSRFYRAPEILLGLPFCEKVDVWSLGCV MDELHLGWPLYPGNNEYDQVRYICETQGLPKPHLLHAACKAHH FFKRNPDPDAANPWQLKSSADYLAETKVRPLERRKMYLMSLDQ IETVNGGSVASRLTFPDREALAEHADLKSMVEL/MKRL
314	1053	1	302	RLVKKRVECRQCGKAGRNQSTLKTMRSHTEKPYECDHCGKA FSIGSNLVHRRHTGKPYECLVCGEAFSDHSSLRSHVKTHR GEKLFVSSVWKRLQ
315	1054	1318	730	CGPGFSLSFFFLRWSF\ALVAQAGVQWHDLGSLQPPAPGFKRF SSLSLLSRWDYRHAHARLIFVFLVEMGFLHVQAGLELPTSGD PPTSASQSARITGVTTPLGTFFFFLRWSFALVAQAGGQCLDLG SLQLPPPGFKRLVCHFQTPQKHRCSCQAPGDCLQESFVMTGCV LRTVSESQVRANAGAGAETVQGL

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, / = possible nucleotide deletion, \ = possible nucleotide insertion)
316	1055	2486	1429	MGNAAAAGKGGSEQESVKEFLAKAKEDFLKKWESPAQNTAHLDO FERIKTLGTGSFGRVMLVKHKETGNHYAMKILD*QKVGKLLKQI EHTLNEKRILQAVNFPFLVKLEFSFKDNSNLYMMEYVPGGEM FSLRRIGRFSEPHARFYAAQIVLTFEYLHSLDLIYRDLKPEN LLIDQQGYIQVTDGFGAKRVKGRWTWLCGTPEYLAPEIILSKG YNKAVDWWALGVLIYEMAAGYPFFADQPIQIYEKIVSGKVRF PSHFSSDLKDLLRNLLQVDLTKRFGNLKNGVNDIKNHKWFATT DWIAIYQKVEAPFIPKFKGPGDTS\NFDDYEEEEIRV\SINE KFG\KEFSEF
317	1056	867	461	SSSRSSHGDSPPHSQTPCDTNRGLDTKH*/DSQSIEEKDSSQS E*NRIERRKEVERILQTNSDYM*HWSN*PENILPKKFFSKHQK CTATLSMRNTSIM/KKEGLF*AQFPSSLSSHLPVGLGIYTGT HLTTSTSTF
318	1057	544	784	TFHSSLEKNILQPCR*RRALICLPLLL*PSVPLLPQYFSDLR NSIVNSQPPEKQQAMHLCFENLMEGIERNLLTKNRDR
319	1058	1606	228	GTSGVQQEISRLTNENLDLKEKLEKNERKLLKKQLKIYMKK AQDLEAAQALAQSERKRHELNQVTVQRKEKDFQGMLEYHKED EALLIRNLVTDLPQMLSGTVPCLPAYILYMCIRHA\DYTNDD LKVHSLLTSTINGIKKVLKKHNDDEFMTSFWLSNTC\RLLHCL KOYSGDEGFMQNTAKQN\EHCLKNFDLTEYRQV\L\SDLSIQ IYQQLIKIAEGLVQPMIVSAMLEN*SIQGLSGVKPTGSQKHSS SMADEDNSYRLEAIIRQMNAFHTVMCDQGLDPEIILQVFKQLF YMINAVTLNDLLLRKDVCSWSTGMQLRYNISQLEEWLRGRNLH QSGAVQTMELIQAAQLLQLKKKTQEDAEAICSLCTSLSTQOI VKILNLYTPLNEFEERTVAFIRTIQAQLQERNDPQQLLLDAK HMFVPLFPNPSSLTMDSIHIPACLNLEFLNEV
320	1059	3	250	HEENTILKAAEVQVPPK*VVTPEAKAFI*RCLAYQKEDCIDAQ QLACDP\YLLHYIQKLVFVSSPAGAAIASTFGVSNSSCSN
321	1060	1332	500	GTTDEIMTRWARVSTTYNKRPLPATSWEDMKKGSFEGTSQNL KPKQLEANRLSLKNDAPQAKHKKKKKKKEYLNEDVNGFMEYLR QNSQMVHNGQIIATDSEEVREEIAVALKKDSRREGRRLLKQAA KKNAMVCFHCRKPGHGIADCPAALNQDMGTGICYRCGSTEHE ITKCKAKVDPALGEFFPAKCFVCGEMGLSRSCPDNPGLYAD GGGCKLCGSVEHLKKDCPESQNSERMVTVGRWAKGMSADYEEI LDVPPKQPKPKTKIPKVVNF
322	1061	384	102	DHVRKSLKNAENIVNIFKCNVSLPNLPAFGQAQWLTPVIP ALWEAEVGGG*GQEIETILANAVK/SPFLKIQKKKISRWWR AP/VSPRYSGG

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
323	1062	1	777	SDAWADAWARSLSVSPSSYPELHTEVPLSVLILGLLVVFILSV CFGAGLFFVFLKRRKGVPSVPRNTNNLDVSSFQLQYGSYNTET HDKTDGHVYNYIPPPVQMCQNPIYMAGREGRPSSLLPKPGKE FQLLGNLEEKKEEPPATPAYTISATELLEKQATPREPELLYQNI AE/PSQGT/TAQA*STITFVPYLKGQFAPSYESRRQNQDRIN KTVLYGTPRKCFVQGSKPNHPLLQAKPQSEPDYLEVLEKQTAI SQL
324	1063	1	1496	ALCHIAVGQQMNLHWHKIGLVVILASTVVMASAVAQLWEDEW EVLLISLQGTAPFLHVGAVAAVTMLSWIVAGQFARAERTSSQV TILCTFFTIVVFALYLAPLTISSPCIMEKKDLGPKPALIGHRGA PMLAPEHTLMSFRKALEQKLYGLQADITISLDGVPFLMHDTTL RRTTNVEEEFPELARRPASMLNWTTLQRLNAGQWFLKTDPPFWT ASSLSPSDHREAQNQSICSLAELELAKGNATLLNLRDPPRE HPYRSSFINVTLEAVLHSGFPQHQMVLPSRQRPLVRKVAPGF QQTSGSKEAVASLRRGHIQRLNLRYTQVSRQELRDYASWNLSV NLYTVNAPWLFSLWCAGVPSVTSDNSHTLSQVPSPLWIMPPD EYCLMWVTADLVSTLIVGIFVLQKWRLLGIRSYPNQIMLSA AVRRTSRDVSIMKEKLIFSEISDGVEVSDVLSVCSDNSYDTYA NSTATPVGPRGGGSHTKTLIERSGR
325	1064	1899	776	NSADYGDGPDSSDADPDGTEEGVLDGSDPFSTEVKPRILLMG LRRSGKSSIQKVVFHKMSPNETLFLESTNKICREDVSNSSSVN FQIWDFFPGQIDFFDPTFDYEMIFRGTGALIFVIDSQDDYMEAL ARLHLTVTRAYKVNTDINFEVFIHKVDGLSDDHKIETQRDIHQ RANDDLADAGLEKIHLSFYLTISIYDHSIFEAFSKVVQKLIPO PTLENLLNIFISNSGIEKAFLFDVVSKIYIATDSTPVDQMOTYE LCCDMIDVVIDISCIYGLKEDGAGTPYDKESTAIKLNNTTVL YLKEVTKFLALVCFVREESFERKGLIDYNFHCFRKAIHEVFEV RMKVVKSRKVQNRLOKKKRATPNGTTPRVLL
326	1065	1181	346	RTRGRDPGAGFRRTANKRCCRRRFLIGCGWPLRSDWPLVSKM LSKGLKRKREEEEEKEPLAVDSWWLDPGHAAVAQAPPVASSS LFDLSVLKLHLSLQQSEPDRLHLVLVVNTLRRIQASMAPAAAL PPVPSPPAAPSVADNLLASSDAALSASMASLLEDLSHIEGLSQ APQPLADEGPPGRSIGGAAPSLGALDLLGPATGCLDDGLEGL FEDIDTSMYDNEWAPASEGLKPGPEDGPGKEEAPELDEAELD YLMVDVLVGTQALERPPGPGR

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
327	1066	1844	337	LQEVKARRNTLHKEKDHLVNDYEQNMKLLQTKYDADINLLKQE HALSASKASSMIEELEQNVCCQLKQQLQESELQRKQQLRDQENK FQMEKSHLKHIYEKKAHDLQSELDKGKEDTQKKIHKFEEALKW KKWRQI*LDPN/LLREKQSKEFLWQLEDIRQRYEQQIVELKLE HEQEKTHLLQQHNAEKDSLVRDHEREIENLEKQLRAANMEHEN QIQEFKKRDAQVIADMEAQVHKLREELINVNSQRKQQLVELGL LREEEKQRATREHEIVVNKLKAESEKMKIELKKTHAAETEMTL EKANSKLKQIEKEYTQKLAKSSQIIAELQTTISSLKEENSQQQ LAAERRLQDVRQKFEDKKQLIRDNDQAIKVLQDELENRSNQV RCAEKKLQHKELESQEQITYIRQYETKLKGLMPASLRQEL TISSLSQVNFLQKRASILQEE/RDYISRQKVQPISR*LHERM QRMRI SRLCCGTSSSRFEDLDIVNCEISGIF
328	1067	1149	238	VINLVYLISPRPELKPVDKESVVMKFPDGFKEKFSPPILQLD EVDFFYDPKHVIFSRLSVSADLESRICVVGENGAGKSTMLKLL LGDLAPVRGIRHAHRNLKIGYFSQHHV\EQL\DLNVQCLWELA GHASFPG\RPEEEY\RHQLGFGMGISGEL\AMRPLCQPVLGAR KKPKWPFAQMDYCPAPTFYIL\DEPTN\HLGHGRAIEALGPCL QTISGVGVILVSHE*SALSRLVCRE\LWVC*G\GGVTRVERKD FDQYRALLQGTVSAREGFPLGPPRLKDSPRDMGLVSQTPWGH VGYPLPGRG
329	1068	26	674	CSAVEVKMAARTAFGAVCRRLWQGLGNFSVNTSKGNTAKNGGL LLSTNMKWVQFSNLHVDVPKDLTKPVVTISDEPDILYKRLSVL VKGHDKAVLDSYEYFAVLAAKELGISIKVHEPPRKIERFTLLQ SVHIYKKHRVQYEMRTLRYRCLELEHLTGSTADVXLEYIQRLP EGVAMEVTKFCFFIFL\TQLEQLPEHIKEPIWETLSEEKEESK S
330	1069	2105	1283	DFWDTAGQERFQSMHASYYHKTHACIMVFDVQRKVTHRNLSW YTELREFRPEIPCIVVANKIDGGAIPAPGC*QFTGDLPSYISS SIPRAGNLQ*LVLPPPTIRYNPWLVA CILPTL*RSQLSRPALFP RHRSLTELFLGPVSQSSLPPLSGMKASSGPPLQTFPPSLDR QTNVLP SLY\ADINVTQKS FNF AKKFS LPLYFVSAADGTNVVK LFNDAIRLAVSYKQNSQDFMDEIFQEL ENFSLEQEEEDVPDQE QSSSIETPSEEVASPHS
331	1070	1	1109	GATPLGSGVGGRTGKMDAATLT YDTLRF AEFEDFPETSEPVWIL GRKYSIFTEKDEILSDVASRLWFTYRKNFPAIGGTGPTSDTGW GCMLRCGQMIFAQALVCRHLGRDWRWTQKRQPD SYFV LNAF IDRKDSYYSIHQIAQMGVGEKSGIQWYGPNTVAQVLKKLAVF DTWSSLAVHIAMDNTVMEEIRRLCRTSVPCAGATAFPADSDR HCNGFPAGAEVTNRPSRPLVLLIPLRLGLTDINEAYVETLK HCFM\MPQSLGVIGGKPN SAH\YFIG*VG\EELIYLDPHTTQP AVEPTDGC FIPDES FHCQHPPCRMSIAELDPSIAVVRGGHLS QAFGAECCLGMTRKTFGFLRFFFSMLG
332	1071	39	284	ALCVVPFNTFHN\DFLLLDKEGTLDPVMDSFSTHWTIGPADM FFS\FRQHYKNFKSHGTNPSKSVWAHATCQSCAFPNLLGW

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
333	1072	2	1484	TRLAIEFGTRDPCAQAPCEQQCEPGGPQGYSCHRLGFRPAEDD PHRCVDTDECQIAGVCQQMCVNYVGGFECYCSEGHELEADGIS CSPAGAMGAQASQDLGDELDDGEDEDEDEAWKAFNGGWTEM PGILWMEPTQPPDFALAYRPSFPEDREPQIPYPEPTWPPPLSA PRVPYHSSVLSVTRPVVVSATHPTLPSAHQPPVIPATHPALSR DHQIPVIAANYPDLPSAYQPGILSVSHSAQPPAHQPPMISTKY PELFPAHQSPMFPDTRVAGTQTTHLPGIPPNHAPLVTTLGAQ LPPQAPDALVLRQTQATQLPIIPTAQPSLTSTSRSPVSPAHOIS VPAATQPAALPTLLPSQSPTNQTSPISTPHPSKAPQIPREDG PSPKLALWLPSPAPTAAPTALGEAGLAHSQRDDRLLVALLV PTCVFLVLLALGIVYCTRCGPHAPNKRITDCYRWVIHAGSKS PTEPMPPRGSALTGVQTCRTSV
334	1073	1	1406	LRVRRRPHLPAPPALRARRSDRRSSRAPAAFPPRPPHASAPAG PAMAQAVWSRLGRILWLACLLPWAPAGVAAGLYELNLTDDSPA TTGAVVTISASLVAKDNGSLALPADAHLYRFHWIHTPLVLTGK MEKGLSSTIRVVGHVPGFEPVSVWVTAADCWMCQPVARGFVVL PITEFLVGDLVVTQNTSLPWSSYLTKTVLKVSFLLHDPNSNEL KTALFLYSWDFGDTQMVTEDSVVYYNYSIIIGFTTVKLKVVAE WEEVEPDATRAVKQKTGDFSASLKLQETLRGIQVLGPTLIQTF QKMTVTNLNFGSPPLTVCWRLKPECLPLEEGECHPVSVASTAY NLTHTRFDPGDYCFISRAENIISKTHQYHKIQVWPSRIQPAVF AFPCATLITVMLAFIMYMTLRNATQQKDMVENPEPPSGVRCCC QMCCGPFLLETPSEYLEIVRENHGLLPPLYKSVKTYTV
335	1074	1	866	VVEFAFQLSSSVSVCLTVSFGWQLGTVSSCLSRDWFLKGNLLII IVSVLIILPLALMKHLGYLGYTSGLSLTCMLFFLVSVIYKKFQ LGCAIGHNETAMESEALVGLPSQGLNSSCEAQMFTVDSQMSYT VPIMAFAFVCHPEVLPIYTELCRPSKRRMQAVANVSIGAMFCM YGLTATFGYLTIFYSSVKAEMLMYSQKDPLILCVRLAVLLA\V TLTVPVVLFPIRRALQQLLFPKGAFSWPRHVAIALILLVLVNV LVICVPTIRDIFGVIGSTSAPSLIFILPSCI
336	1075	3	825	GAGSKSSMMQLMHLESFYEK\PPPGLIKEDDTKPEDCIPDVPG NEHAREFLAHTPTKGLWMPLEKEVKVKH/CTFWHIAS*FLGDG KFIPKATRLKDVWVSN*FTCLFWDLTRFIHDCIFF*NWSLMNK NFNIYY*FFISLR*NTLILQKYFPFSLLLGWHCKWYGHRTGYK ECPFFIKDNQKLQQFRVAHEDFMYDIIRDNKQHEKNVRIQQLK QLLEDSTSGEDRSSSSSSSEGKEKHKKKKKKEKHKRKKKEKKKK KKRKHKSSKSNEGSDSE

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
337	1076	3	2451	ETAGAAAENMLGSLCLPGSGSVLLDPCTGSTISETTSEAWSV EVLPSDSEAPDLKQEERLQELESCGLGSTSDDTDVREVSSRP STPGLSVVSGISATSEDI PNKIEDLRSECSDFGGKDSVTSPD MDEITHDFLYILQPKQHFQHIEAEADMRIQLSSSAHQLTSPPS QSESLAMFDPLSSHEGASAVVRPKVHYARPSHPDPPDPPILEG AVGGNEARLPNFGSPMF*LPAMEAFKQRHS/YTPERLVRSR S\DIVSSVRRPMSDPSWNRPP\GNEERELPPAAIGATSLVAA PHSSSSSPSKDSSRGETEERKSDDEKSDRNRPPWRKRFSAM PKAPIPRKKEKQEKDKDDLGPDRFSTLTDDPSRSLSAQAQVA EDILDKYRNAIKRTSPSDGAMANYESTEVMGDGEAHDSRDE ALQNISADDLPDSASQAHPQDSAFSYRDAKKLRLLALCSADS VAFPVLT\HSTRNGLPDHTDPEDNEIVCFKQVIAEAINLQDK NLMAQLQETMRCVCRFDNRTCRKLLASIAEDYRKRAPYIAYLT RCRQGLQTTQAHLERLLRVLRDKEVANRYFTTVCVRLLESK EKKIREFIQDFQKLTAAADDKTAQVEDFLQFLYGAMAQDVIWQN ASEEQLODAQLAIERSVMNRIFKLAFYPNQDGDILRDQVLHEH IQRLSKVVTANHRALQIPEVYLREAPWPSAQSEIRTISAYKTP RDKVQCILRMCSTIMNLLSLANEDSVPGADDFVPVVLVFLIKA NPPCLLSTVQYISSFYASCLSGEESYWWMQFTA AVEFIKTIDD RK
338	1077	536	1305	WPSMLARGHGDTAASTAAPLSEEGEVTSGLQALAVEDTGGPSA SAGKAEDGEDEGGREETEREGSGGEEAQGEVPSAGGEEPAAEDS EDWCVPSCSDEEVELPADGQPPMPPSEIQRLYELLAAGHTLEL QAEILPRRPPTPEAQSEERSDEEPEAKEEEEEKPHMPTEFDF DDEPVTPKDSLIDRRRTPGSSARSQKREARLDKVLSDMKRHK LEEQILRTGRDLFSLDSEDPSPASPPLRSSGSSLFPRQRKY
339	1078	2	1771	LGRGTFGQVV*CWKRGTNETVAIKILKNHPSYARQGQIEVSIL ARLSTESADDYNFVRAYECFQHKNTCLVFEMLEQNLYDFLKQ NKFSPLPLKYIRPVLQQVATALMKLSLGLIHADLKPENIMLV DPSRQPYRVKVIDFGSASHVSKAVCSTYLSRYRAPEIILGL PFCEAIDMWSLGCVIAELFLGWPLYPGASEYDQI/RYSISQTQG LPAEYLLSAGTKTTRFFNRDTSPIPLWRLKTPDDHEAETGIK SKEARKYIFNCLDDMAQVNMTTDLEGSDMLVEKAVRREFIDLL KKMLSIDSVKRFPVGSNLNHPFVTMSLFLDFPHSTHVKSCFQN MEICKRRVNMVDTVNQSKTPFITHVAPSTSTNLMTFNNQLTT VHNQPSAASMAAVAQRSMPLQTGTQAICARPDFFQALIVCPP GFQGLQASPSKHAGYSVRMENAVPIVTPAQAPGAQPLQIQPGLLA QQAWPSGTQQILLPPAWQQLTGVATHTSVQHA AVIPETMAGTQ QLADWRNTHAHGSHYNPIMQQPALLTGHVTLPAAQPLNVGVAH VMRQQPTSTTSSRKSQKQHLVYCGRARVSKIASR

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
340	1079	2	2721	EFAICRYPLGMSGGQIPDEDITASSQWSESTAACYGRDLSEEG DGAWCPEIPVEPDDLKEFLQIDLHTLHFITLVGTQGRHAGGHH IEFAPMYKINYSRDGTRWISWRNRHGKQVLDGNSNPYDIFLKD LEPPIVARFVRFIPVTDHSMNVCMRVELYGCWLDGLVSYNAP AGQQFVLPGGSI IYLNDSVYDGAVGYSMTEGLGQLTDGVSGLD DFTQTHEYHVWPGYDYVGWRNESATNGYIEIMFEFDRIRNFTT MKVHCNNMFAKGVKIFKEVQCYFRSEASEWEPNAISFPLVDD VNPSARFVTVPPLHHRMASAIKCQYHFADTWMFSEITFQSDAA MYNNSEALPTSPMAPTTYDPMCLKVDDSNTRILIGCLVAIIIFIL LAIIVIIILWRQFWQKMLEKASRRMLDDEMTVSLSLPSDSSMFN NNRSSSPSEQGSNSTYDRIFFPLRPDYQEPSRLIRKLPEFAPGE EESGCSGVVKPVQPSGPEGVPHYAEADIVNLQGVGTGNTYSVP AVTMDLLSGKRCGCGREFPPGKLLTFKEKLGEQFGEVHLCEV EGMEKFKDKDFALDVSAHQPVLVAVKMLRADANKNARNDFLKE IKIMSRCLKDPNI IHLISVCITDDPLCMITEYMEGDLNQFLSR HEPPNSSSSDVRTVSYTNLKFMTATQIASGMKYLSSLNFVHRDL ATRNCVLGKNYTIKIADFGMSRNLYSGDYYRIQGRAVLPIRWM SWESILLGKFTTASDVWAFG\VTLWE\TFTFCQRKGPYS\QLS \DETG*RTNGEFFPRPKGGQTYLPSTSPFVPDSCVIKMLLSC WRRDTKNRPSFQEIHLILLQOQDERCCQCLAMFLRLRSSLQDL PLTHAYATPSGHLMLKLRDRGLFALPSFPGHPSLPLTHIYFFF FTLKN
341	1080	916	3	CSASPLRPGLLAPDLLYLPAGQPPRPEAEPGQKPVVPTLYVT EAEAHSPALPGLSGPQPKWVEVEETIEVRVKMGPGQVSPTE VPRSSSGHLFTLPGATPGDPNSNNSNNKLLAQEAWAQGTAMV GVREPLVFRVDARGSVDAASGMGSLEEETMEEAGEEEGEDG DAFVTEESQDTHSLGDRDPKILTHNGRMLTLADLEDYVPGEGE TFHCGGPGPGAPDDPPCEVSVIQREIGEPTVG\SLCCSAWGMH WVPEALSASLGLSPMGR\HHRDPRSVALRAPPSSCGRPRLGLW AVLPG
342	1081	862	444	QGLAAEFLOVPAVTRAYTAACVLTTAAVQLELLSPFQLYFNPH LVFRKFQAPFLPWALMGFSLLLGNSILVDLLGIAGVGHIIYFLE DVFPNQPGGKRLQLTPGFLGLQSSKAPAGSSSLTIWTQQSQGGP GTAGELAAPS

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, / = possible nucleotide deletion, \ = possible nucleotide insertion)
343	1082	3658	337	EKNALEPTVYFGMGV*APQVPRFQQRITGYQYYLQLRKDIWEE GIPCTLEQPIHLGLAVQAIFGDFDQYESQDFLQKFALFPVWG LQDEKVLLEATQKVALLHQKYRGLTAPDAEMLYMQEVERMDGY GEESYPAKDSQGSDISIGACLEGIFVKHKNGRHPVFRWHDIA NMSHNKSFFALELANKEETIQFQTEDMETAKYIWRLCVARHKF YRLNQCNLQTQTVTVNPIRRRSSRMSLPKPQPYVMPPPP\QL HYNGHYTEPYASSQDNLFVPNQEG\YYGQFQTSLNRAQIDFNG RIR\NASVYSAHSTNSLNNPQPYLQSPMSNPSITGSDVMRP DYLPSHRHSAVIPPSPYRPTPDYETVMKQLNRGLVHAERQSHSL RNLNIGSSYAYSRAALVYSQPEIREHAQLPSPAAAHCPFSLS YSFHSPPSPYPYPAERRPVVGAVSVPELTNAQLQAQDYPSPNIM RTQVYRPPPPYPPPRPANSTPDLSRHLYISSNPDLTIRRVHH SVQTFQEDSLPVAHSLQEVSEPLTAARHAQLHKRNSIEVAGLS HGLEGRLKERTLSASAAEV\APRAVSQVSGP\SVFTERTQRE GPEEAEGRLRYGHKKSLSDATMLIHSSEEEDEDFEESGARAP PARAREPRPGLAQDPPGCPRVLLAGPLHILEPKAHVPDAEKRM MDSSPVRTTAEARQRPWRDGLLMPMSSESDLTTSGRYRARRDSL KKRPVSDLLSGKKNIVEGLPPLGGMKKTRVDAKKIGPLKLAAL NGLSLSRVPLPDEGKEVATRATNDERCKILEQRLEQGMVFTEY ERILKKRLVDGECSTARLPENAERNRFQDVL PYDDVRVELVPT KENNTGYINASHIKVSVSGIEWDYIATQGPLQNTCQDFWQMVW EQGIAIIAMVTAEEEGGREKSFRYWPRLGSRHNTVTYGRFKIT TRFRTDSGCYATTGLKMKHLLTGQERTVWHLQYTDWPEHGCPE DLKGFLSYLEEIQSVRRHTNSTSDPQSPNPPLL VHCSAGVGRT GVVILSEIMIACLEHNEVLDIPRVLDMLR\QQRMLLVQTLQCY TFVYRVLIQVPEKAPRLILSSPQFPYGAQSCEAFTA
344	1083	6	304	RKKQKLAEE*VELSKLADLKDAEAVQKFFLEET*L\GEEILAK GVDHLTNPSAVCGQPQWLLQVLQQTLPPLVIMQLLTKPLPVNQ RLVSAG/SLAKDDVE
345	1084	1255	635	SFCLHEFGWLGGSSPQSDHPVPALLGLGAFVHHSLLQVHSSPGA GPVSFLFLGESCSPVDEPRCVPSCAFGLSCFPLLSAALERG LFFFVVFVFFLESGSCQVARAGVRD/RDRGSLQPPPPGLKQFCL SLPSRWDRHPPPLRVP*FVFVFLVELGFHHVAQAGLKLTLTSL DPPAPASHSAGITGVSQRDQPVLFRLWASCSELVG
346	1085	116	415	EGFPGRSLSGGLCCRLRRRFPIDGYRPRRRRWSCCPSGVRPV RRMSQKSWIESTLTKRECVYIIPSSKDPHRCPLPGCQICQQLVR RGFTVRLARMSIS
347	1086	918	760	QNSTCLTAQTHSLLQHQPQLTLLDQYIREQREKDSVMSANG KPDPTVPDS

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
348	1087	1	750	LNPWKNALQDFCLPFLRITSLLQHHLFGEDLPSCQEEEEFSVL ASCLGLLPTFYQTEHPFISASCLDWPVPAFDIITHWCFEIKSF TERHAEQ GKALLIQESKWKLP HLLQLPENYNTIFQYYHRKTCS VCTKVPKDP AVCLVCGTFVCLKGLCKQ QSYCECVLHSQNCGA GTGIFLLINASV IIIIRGHRFCLWGSVYLD AHGEEDRDLRRGK PLYICKERYKVLEQQWISHTFDHINKRWGPHYNGL
349	1088	3	1374	KGQLVNLLPPENFPWC GGSQGPRLRTC YVLC SQAGPRSRGWQ SLSF DGGAFHLKGTGELTRALLVRLCAWPPLVTHG LLLQAWS RRLG SRLSGAFLRASVYGQFVAGETAEEVKGC VQLRTLRL PLLA VPTEEEPDSAAKSGEAWYEGNLGAMLR CVDLSRGLLEPP SLAEASLMQLKV TALTSTR LCKELASWVR RRGASLELSPERLA EAMDSGQNLQVSCLNAEQNH LRLASLSRLHRVAQYARAQHVRL LVDAEYTS LNPALSLLVAALAVRWNSP GEGGPWVWNTYQACLK DTFERLGRDAEAAHRA GLAFGVKLVRGAYL DKERAVAQL\HG\ MEDPPTQADYEATS\QSYS\RCL EMLTHVARHGPMCHLMVAS HNEESVRQATK\GQAGYV VYKSI PYGSLEEVI PYLIRRAQENR SVLQGARREQUELLSQKLWRRLLPGCRRIPH
350	1089	1036	306	VVEFGEMSTARAPEGLRWFQLYVHPDLQLNKQLIQRVESLGFK ALVITLDT PVCNRRHD IRNQLRRNLTLTDLQSPKKGNAI PYF QMTPISTSLCWN DL SWFQSITRLPIILKGILTKEDAELAVKH N VQGIIVSNHGGRLDEV LASIDALTEVGAAE*GNMKYYLDAGV RTGNDVQKALALGAKCIFLGRPI LWGLACKGEHGVKEVLNILT NEFHTSMA\LTGCRSVAE INRNLVQFSRL
351	1090	1229	957	FFLRWSFTL\LPRLE/CQWLN LGSLQPPPPGFK*SSCLRLLS WGLQVPTSM LG*FFCIFSREGISPCWPGWSQTPKVIHLPRPPR VLRLQA
352	1091	1145	365	LLCFVHTALQSFOGELYEPHVVIAIVVFLVKLGICK*RASWRK KVTLVVK*S/LKICFTKYGSCYHPGEKSSSWLFN*RMVNDCLA TSCSNRSFVIQQIPSSNLFMVVDSSCLCESVAPITMAPIEIR YILLCAGPLTTTETSKGYQW*GNLGEKY*RRKITSFPLLERES S*ESCHCQILTSEMQRKKQSLETCLNYSQHNESLKCERLKAQ KIRRRPESCHGFHPEENARECGGAPSLQAQTVLLLLPLLLMLF SR
353	1092	1140	790	VPSPTHDPKPAEAPMPA*PAPPGPASPGGALEPPAAARAGGSP TAVRSILTKERRPEGGYKAVWFGEDIGTEADVVLNAPTLDVD GASDSGSGDEGEGAGRGGPYDAPGGDDSYI

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
354	1093	3	2293	LISLAGPTDDIQSTGQPQVHALNLRALFRDTRLGENIIPYVAD GAKAAILGFTSPVWAVRNSSTLLFSALITRIFGVKRAKDEHSK TNRMTGREFFSRFPELYPFLKQLETVANTVDSMGEPNRHPS MFLLLLVLRLYASPMGTSSALSMGPFVFPFIMRCGHSVPYHS REMAARALVPFVMIDHIPNTIRTLLSTLPSCTDQCFRQNHIG TLLQVFHLVQAYSDSKHGTNSDFQHELTDTITVCTKAKLWLAKR QNPCLVTRAVYIDILFLLTCCLNRSKDNQPVLES LGFWEEVR GIISGSELITGFPWAFKVPGLPQYLQSLTRLAIAAVWAAAAS GERETNPVISFSQLLESAPFEVRS LTLEALLEKFLAAASGLGE KGVPPLLCNMGEKFLLLAMKENHPECFKILKILHCMDPGEWL PQTEHCVHLTPKEFLIWTMDIASNERSEIQSVALRLASKVISH HMQTCVENRELIAAELKQWVQLVILSCEDHLPTE SRLAVVEVL TSTPLFLTNPHPILELQDTLALWKC VLTLLQSEEQAVRDAAT ETVTTAMSQENTCQSTEF AFCQVDASIALALALAVLCDLLQW DQLAPGLPILLGWLLGESDDL VACVESMHQVEEDYLF EKA EVN FWAETLIFVKYLCKHLFCLLSKSGWRPPSPEMLCHLQRMVSEQ C\HLLSQFFRELPPAAEFVKTVEFTRLRIQEERTLACLRLIAF LEGKEGEDTLVLSVWDSYAESRQLTLPRTEAAC
355	1094	25	1265	HAFRPIALQRGVSFRGCSNQYAESRRLQGESGSRFAHLMESL LQHLDRFSELLAVSSTTYVSTWDPATVRRALQWARYLRHIHRR FGRHGPIRTALERRLHNQWRQEGGFGRGPVPGLANFQALGHCD VLLSLRLLENRALGDAARYHLVQQLFPGPGVRDADEETLQESL ARLARRRSAVHMLRFNGYRENPNLQEDSLMKTQAE LLLERLQE VGKAEAERPARFLSSLWERLPQNNFLKVI AVALLPPLSRRPQ EELEPGIHKSPGEGSQVLVHLLGNSEVF AAFCRALPAGLLTL VTSRHPALSPVYLGLLTDWGQRLHYDLQKGIWVGTESQDVPWE ELHNR FQSLCQAPPPLKDKVLT ALETCKAQDGD FEEPGLSIWT DLLLALRSGAFRKRQVLGLSAGLSSV
356	1095	3	1027	SHLIQHQR IHT*E*AHECNECGKAFSQTSLIQHHKMRKEKS YECNEYEGSFSSDLILQQEVLTRQKAFDCDVWEKNSSQRAH LVQHQS IHTKE/K/PHECNEDGKIF/NQIQ A/LIQHLRVHTRE K\YVCTACGKAFSHSSAIAQHQIIHTREK PSECDE*RGKISVK LLIDSC/RIYTSEKSYKCI ECGKFMLLVFSYLSHIWRIHMG I KFHCCNECEKAISQRNYLV*YQIHAMQKDYKCN/EACMCVRRF SHNPTLIQHQR IYT*ENLFGCSK/C/GRSFNRS LSTLCHIRIS I/RRQEF DVTQMEKLD TTFQA/STQHRNNGEKIVDYLFMKLLI HSPNLFHCTKI
357	1096	2638	2867	AVTLTAKIC SFTPEPSETMSPAGTNNSRHAALRAVTL PVKVC SFTPEPARSRTHQKEETPNTSEHQKEQTPEAPP

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corre- sponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corre- sponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
358	1097	4747	4550	<p>MAYSWQTDPNPNESHEKQYEHQEFLLVFNQPHSSSQVSLGFDQI VDEISGKIPHYESEIDENTFFVPTAPKWDSTGHSLNEAHQISL NEFTSKSRELSWHQVSKAPAIGFSPSVLPKPQNTNKECSWGS IGKHGADDSRFSILAPSFTSLDKINLEKELENNHNYHIGFE SSIPPTNSSSFSSDFMPKEENKRSQGHVNIPEPSMLLLKGS LQPGMWESTWQKNIESIGCSIQLVEVPQSSNTSLASFCNKVK KIRERYHAADVNFNSGKIWSTTTAFPPYQLFSKTKFNIHIFID NSTQPLHFMPCANLVLKDLIAEILHFCNTDQLLPKDHILSVWG SEEFLLQNDHCLGSHKMFQKDKSVIQLHLQKSREAPGKLSRK HEEDHSQFYLNQLLLEFMHIWKVSRQCLLTILIRKYDFHLKY LLKTQENVYNIIEEVKKICSVLGCVETKQITDAVNELSLILQ RGENFYQSSETSAKGLIEKVTTTELSTSIYQLINVYCNSFYAD FQPVNPRCTSYLNPGLPSHLSFTVYAAHNIPETWVHRINFPL EIKSLPRESMLTVKLFGIACATNNANLLAWTCLPLFPKEKS ILGSMFLFSMTLQSEPPVEMITPGVWDVSQPSVTLQIDFPATG WEYMKPDSEENRSNLEEPLKECIKHIALRSQKQTPLLLSEEK KRYLWFYRFYCNNENCSLPLVLGSAPGWDERTVSEMHTILRR WTFSPLEALGLLTSSFPDQEIIRKVAVQQLDNLNDELLEYLPQ LVQAVKFEWNLESPLVQLLLHRSLSQSIQVAHRLYWLLKNAE NEAYFKSWYQKLLAALQFCAGKALNDEFSKEQKLILKILGDI GERVKASDHQRQEVLKKEIGRLEEFFQDVNTCHLPLNPALC IKGIDHDACS YFTSNALPLKITFINANLMGKNISIIIFKAGD DLRQDMLVLQLIQVMDNIWLQEGLDMQMIIYRCLSTGKDQRL VQMPDAVTLAKIHRHSGLIGPLKENTIKKWFSQHNLKADYE KALRNFFYSCAGWCVVTFILGVC DRHNDNIMLT KSGHMFH IDFGKFLGHAQTFGGIKRDRAPIFTSEM\ EYFITEGG\ KNPQ HFQDFV\ ELCCRAYNIIRKHSQLLL\ NLL\ EMLLYAG\ LPEL SGI\ QDLKYVYNNLRPQD TDLEATSHFTKKIKESLECFPVK LNNLIHTLAQMSAISPAKSTSQTFFQESC LLSTTRSIERATI LGFSKSSNLYLIQVTHSNNETSLTEKSFE QFSKLHSQLQKQF ASLTLPEFPHWWHLPTNSDHRRFRDLNHY MEQILNVSHEVT NSDCVLSFFLSEAGQQTVEESSPVYLGEKFP DKKPKVQLVIS YEDVKLTILVKHMKNIHLPDGSAPS AHVEFYLLPYPSEVRRR KTKSVPKCTDPTYNEIVVYDEVTELGHVLM L I VKSKTVFVG AINIRLCSVPLDKEKWYPLGNSII* P L L L F Y T S N FMQSVLH</p>
359	1098	679	346	<p>FFLRWSLDSVTQAGVQSHDLSSSLQPPPPGFKQSSLFGLPSSWE *RWVPPCPANFFVFLVETGFRHVGQAGLELLTSNDLPVSACQS AGITGVTTVPQRKSMILYEVTICYP</p>

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
360	1099	2	1601	<p>FVREIRGPAVPRLTSAEDRHRHGPHAHSPPELQRTGRDYSLDYL PFRLWVGIVVATFCLVLVATEASVLVRYFTRFTEEGFCALISL IFIYDAVGKMLNLTHTYPIQKPGSSAYGCLCQYPGPGGNESQW IRTRPKDRDDIVSMDLGLINASLLPPPECTRQGGHPRGPGCHT VPDIAFFSLLLFLTSFFFAMALKCVKTSRFFPSVVRKGLSDFS SVLAILLGCGLDAFLGLATPKLMVPREFKPTLPGRGWLVSPFG ANPWWWSVAAALPALLLSILIFMDQQITAVILNRMEYRLQKGA GFHLDLFWVAVLMLLTSALGLPWYVSATVISLAHMDSLRRESR ACAPGERPNFLGIREQRLTGLVVFILT GASIFLAPVLKFI PMP VLYGIFLYMGVAALSSIQFTNRVKLLL\MPAKHQPDLLLRLHV PLTRVHLFTAISFA\CLGLLW\IIKSTPAAIIFPLMLLGLVGV RKALERVFSQPCELLWLDLMP EEERSIPEKGLEPEHSFSGSDS EDSEL MYQPKAPEINISVN*LE*EFVREIRGPAVPRLTSAEDR HRHGPHAHSPPELQRTGRDYSLDYLPFRLWVGIVVATFCLVLVA TEASVLVRYFTRFTEEGFCALISLIFIYDAVGKMLNLTHTYPI QKPGSSAYGCLCQYPGPGGNESQWIRTRPKDRDDIVSMDLGLI NASLLPPPECTRQGGHPRGPGCHTVPDIAFFSLLLFLTSFFFA MALKCVKTSRFFPSVVRKGLSDFS SVLAILLGCGLDAFLGLAT PKLMVPREFKPTLPGRGWLVSPFGANPWWWSVAAALPALLLSI LIFMDQQITAVILNRMEYRLQKGAGFHLDLFCVAVLMLLTSAL GLPWYVSATVISLAHMDSLRRESRACAPGERPNFLGIREQRLT GLVVFILT GASIFLAPVLKFI PMPVLYGIFLYMGVAALSSIQF TNRVKLLLDASKTPARPATLAACASDQGPPLHSHQLCPVWGCF GIIKSTPAAIIFPLMLLGLVGV RKALERVFSQPCELLWLDLMP EEERSIPEKGLEPEHSFSGSDSESEL MYQPKAPEINISVN</p>

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
361	1100	1	2636	MGLKARRAAGAAGGGGDDGGGGGGGAANPAGGDAAAAGDEERKV GLAPGDVEQVTLALGAGADKDGTLILLEGGGRDEGQRRTPQGIG LLAKTPLSRPVKRNNAKYRRIQTLIYDALERPRGWALLYH\AL VFLIVLG\CLILAVL\TTFKEYETVSGDWLLLLLETFAIFIFGA EFALRIWAAGCCCRYKGWRGRLKFARKPLCMLDIFVLIASVPV VAVGNQGNVLATSLRSLRFLQILRMLRDGPGEGETWKLLG\SA ICAH\$KELITAWYIGFLTILSSFLVYLVEKDVPEVDAQGEEM KEEFETYADALWWGLITLATIGYDKTPKTWEGRLIAATFSLI GVSFFALPAGILGSGALAKVQEQHRQKHFEKRRKPAEELIQAA WRYATNPNRIDL VATWRFYESVVSFPFRKEQLEAASSQKLG LLDRVRLSNPRGSNTKGKLF TPLNVDAIEESPSKEPKPVGLNN KERFRTAFRMKAYAFWQSSDAGTGDPMAEDRGYGNDFPIEDM IPTLKAAIRAVRILQFRLYKKKFKETLRPYDVKDVIEQYSAGH LDMLSR IKYLQTRIDMIFTGPPSTPKHKKSQKGSATFPSPQQ SPRNEPYV\ARPST\SEI\EDQRH*WGKFVKS LKGQV\QGLGR KLDFLVDMHMQHMERLQVQVTEYYPTKGTSSPAEAEKKEDNRY SDLKTI ICNYSETGPPEPPYSFHQVTIDKVPYGGFFAHDPVNL PRGGPSSGKVQATPPSSATTYVERPTVLPILTLLDSRVSCHSQ ADLQGPYS DRISPRQRRSITRSDTPLSLMSVNHEELERSPSG FSISQDRDDYVFGPNGSSWMREKRYLAEGETD TDTDFTPSG SMP\LSSTGDGISDSVWTPSNKPI

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corre- sponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corre- sponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide(A = Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F= Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
362	1101	1	5433	<p>RTRGIIIEFDPKYTAFEVEEDVGLIMIPVVRHLHGTGYVVTADFISQSSSASFGG VDYILHGSTVTFQHGQNLISFINISIIDDNESEFEPIEILLTGATGGAVLGRH LVSRIIIAKSDSPFGVIRFLNQSKISIANPNSTMILSLVLERTGGLGEIQVN WETVGPNSQEALLPQNRDIADPVSGLFYFGEGEGGVRTIILTIYPHEEIEVEE TFI IKLHLVKGEAKLDSRAKDVTLTIQEFQDPNGVVQFAPETLSKKTYSPLA LEGPLLITFFVRRVKGTFGGEIMVWELSSSEFDITDFLSTSGFFTIADGESEA SFDVHLLPDEVPEIEEDYVIQLVSVEGGAELDLKESITWFSVYANDDPHGVA LYSDRQSLIGQNLIRSIQINITRLAGTFQGDVAVGLRISSDHKEQPIVTENAE RQLVVKDGATYKVDVVPKIKNVFLSLGSNFTLQLVTVMLVGGRFYGMPTILQE AKSAVLVPSEKAANSQVGFESTAFQLMNTAGTSHVMISRRGTYGALSVAVTT GYAPGLEIPEFIVVGNMPTLGSLSFSGHQQRKGVLWTFPSPGWPEAFVLHL SGVQSSAPGGAQLRSGFIVAEIPEMGVVFQFSTSSRNIIIVSEDTQMIRLHVQRL FGFHSDLIKVSYQTTAGSAKPLEDFEPVQNGELFFQKFQTEVD FEITTIINDQL SEIEEFFYINLTSVEIRGLQKFDVNWSPRLNLD FSVAVITILDNDLAGMDIS FPETTAVAVD TTILIPVETESTTYLSTSKTTTILQPTNVVAIVTEATGVSAIP EKLVTLHGT PAVSEKPDVATVTANVSIHGTFSLGPISIVYIEEEMKNGTFNTAE VLIRRTGGFTGNVSIIVKTFGERCAQMEPNALPFRGIYGISNLTWAVEEEDFE EQTLTLIFLDGERERKVSQIILDDDEPEGQEFFYVFLTNPQGGAAQIVEGKDDT GFAAFAMVITIGSDLHNGIIGFSEESQSGLELREGAVMRRLHLIVTRQPNRAF EDVKVFWRVTLNKT VVVVLQKDGVLNMEELQSVSGTTCTMGQTKCFISIELKP EKVPQVEVYFFVELYEATAGAINNSARFAQIKILESDESQSLVYFSVGSRLA VAHKKATLISLQVARDSGTGLMMSVNFSTQELRSAETIGRTIISPASIGKDFV ITEGTLVFEPGQRSTVLDVILTPETGSLNSFPKRFQIVLFDPKGGARIDKVG TANITLVSDADSQAIWGLADQLHQPVNDDILNRVLHTISMKVATENTDEQLSA MMHLIEKITTEGKIQA FSVASRTLFEYLCSLINPKRKDTRGFSHFAELTENF AFSLLTNVTCGSPGEKSKTILDSCPYLSILALHWYPQINGHKFEGKEGDYIR IPERLLDVQDAEIMAGKSTCKLVQFTEYSSQWFI SGNNLPTLKNKVLSSLVK QSSQLLTNDNEVLYRIYAAEPRIIPQTS LCLLWNQAAASWLSDSQFCKVIEE TADYVEACALHMSVYAVYARTDNLSYNEAFTSGFICISGLCLAVLSHFCA RYSMFAAKLLTHMMAASLGTQILFLASAYASPQLAEECSAMAATHYLILCQ FSWMLIQSVNFVYVLMNDEHTERRYLFFLLSWGLPAFVVILLVILKGIYH QSMSQIYGLIHGDLCFIPNVYALFTAALVPLTCLVVVFVFIHAYQVKPQWK AYDDVFRGRTNAAEIPILILYLFALISVTWLGGLHMA YRHFVWLVLVFI FNSL QLLYPLFYFLLL*QSSSASPGGVVDYILHGSTVTFQHGQNLISFINISIIDDN ESEFEPIEILLTGATGGAVLGRHLVSRIIIAKSDSPFGVIRFLNQSKISIAN PNSTMILSLVLERTGGLGEIQVNWETVGPNSQEALLPQNRDIADPVSGLFYF GEGEGGVRTIILTIYPHEEIEVEETFI IKLHLVKGEAKLDSRAKDVTLTIQEF GDPNGVVQFAPETLSKKTYSPLALEGPLLITFFVRRVKGTFGGEIMVWELSS EFDITDFLSTSGFFTIADGESEASFDVHLLPDEVPEIEEDYVIQLVSVEGGA ELDLKESITWFSVYANDDPHGVAFLYSDRQSLIGQNLIRSIQINITRLAGTF GDVAVGLRISSDHKEQPIVTENAE RQLVVKDGATYKVDVVPKIKNVFLSLGSN FTLQLVTVMLVGGRFYGMPTILQEAKSAVLVPSEKAANSQVGFESTAFQLMNI TAGTSHVMISRRGTYGALSVAVTTGYAPGLEIPEFIVVGNMPTLGSLSFSGH EQRKGVFLWTFPSPGWPEAFVLHLSGVQSSAPGGAQLRSGFIVAEIPEMGVVF FSTSSRNIIIVSEDTQMIRLHVQRLFGFHSDLIKVSYQTTAGSAKPLEDFEPVQ NGELFFQKFQTEVD FEITTIINDQLSEIEEFFYINLTSVEIRGLQKFDVNWSPR LNLDFSVAVITILDNDLAGMDISFPETTAVAVD TTILIPVETESTTYLSTSK TTTILQPTNVVAIVTEATGVSAIPEKLVTLHGT PAVSEKPDVATVTANVSIH TFSLGPISIVYIEEEMKNGTFNTAEVLIRRTGGFTGNVSIIVKTFGERCAQMEP NALPFRGIYGISNLTWAVEEEDFEETLTLIFLDGERERKVSQIILDDDEPEG QEFFYVFLTNPQGGAAQIVEGKDDTGFAAFAMVITIGSDLHNGIIGFSEESQSG LELREGAVMRRLHLIVTRQPNRAFEDVKVFWRVTLNKT VVVVLQKDGVLNMEEL QSVSGTTCTMGQTKCFISIELKPEKVPQVEVYFFVELYEATAGAINNSARF AQIKILESDESQSLVYFSVGSRLAVAHKKATLISLQVARDSGTGLMMSVNFST QELRSAETIGRTIISPASIGKDFVITEGTLVFEPGQRSTVLDVILTPETGSLN SFPKRFQIVLFDPKGGARIDKVG TANITLVSDADSQAIWGLADQLHQPVNDD ILNRVLHTISMKVATENTDEQLSAMMHLIEKITTEGKIQA FSVASRTLFEYL CSLINPKRKDTRGFSHFAELTENFAFSLLTNVTCGSPGEKSKTILDSCPYLSI LALHWYPQINGHKFEGKEGDYIRIPERLLDVQDAEIMAGKSTCKLVQFTEYS SQWFI SGNNLPTLKNKVLSSLVKQSSQLLTNDNEVLYRIYAAEPRIIPQTS LCLLWNQAAASWLSDSQFCKVIEETADYVEACALHMSVYAVYARTDNLSYNE AFTSGFICISGLCLAVLSHFCA RYSMFAAKLLTHMMAASLGTQILFLASAY ASPQLAEECSAMAATHYLILCQFSWMLIQSVNFVYVLMNDEHTERRYLFF FLLSWGLPAFVVILLVILKGIYH QSMSQIYGLIHGDLCFIPNVYALFTAAL VPLTCLVVVFVFIHAYQVKPQWKA YDDVFRGRTNAAEIPILILYLFALISVTW LWGLHMA YRHFVWLVLVFI FNSLQLLVPSVLLFTSMRSTFFSFHTGTLTSRE KKSTFVLTCLLSPDSKGLGVLCFLNTEWAFQVH</p>

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
363	1102	2	2855	AAGATMERDGCAGGSGRGEGGRAPREGPAGNGRDRGRSHAAE APGDPQAAASLLAPMDVGEEPLEKAARARTAKDPNTYKVLSLV LSVCVLTTILGCIFGLKPSCAKEVKSCKGRCFERTFG\NCRCD AACVELG\NCCLGLPGGTCTI\EP\EHIW\TCNKFRCG\EKRLT RSLCACSDCKD\RGDCLPSNLQFLCVQGE\KSWGRKNPCESH LMEP\QCP\AGFETPSLPLLIIF/SLDGFRAEYLHTWGGLLPVI SKLKKCGTYTKNMRPVYPTKTFPNHYSIVTGLYPESHGIINN MYDPKMNASFSLKSKEKFNPEWYKGEPIWVTAKYQGLKSGTFF WPGSDVEINGIFPDIYKMYNGSVPFEEIILAVLQWLQLPKDER PHFYTTYLEEDSSGHSYGPVSSEVIKALQRVDGMVGMMDGL KELNLHRCNLNLILISDHGMEQGSCKKYIYLNKYLGDVKNIKVI YGPAARLRPSDVPDKYYSFNYEGIARNLSCREPNQHFQPYLKH FLPKRLHFAKSDRIEPLTFYLDPOWQLALNPSEKRYCGSGFHG SDNVFSNMQALFVGYPGPFKHGIEADTFENIEVYNLMCDLLNL TPAPNNGTHGSLNHLLKNPVYTPKHPKEVHPLVQCPFTRNPRD NLGCSCNPSILPIEDFQTFNLTVAAEKIKHETLPYGRPRVL QKENTICLLSQHQFMSGYSQDILMPLWTSYTVDRNDSFSTEDF SNCLYQDFRIPLSPVHKCSFYKNNTKVSYGFLSPQNLKNSSG IYSEALLTTNIVPMYQSFQVIWRYFHDTLRLKYAEERNGVNVV SGPVDFDFDYDG\RCDL\ENLRQKRRVHPVTQENFWIPNSTSF Y/VVLTSC\KDTSTQPLHC\ENL\DTLGFPPCLHRDWINSETC \VHG\KHDSSW\VEEFVKCLHRA\RITGC*GTSGLGSFYQQRK EPVSDILKLKTHLPTFSQED
364	1103	657	1	TVPPPPGGPSPAPLHPKRSPTSTGEAELKEERLPGRKASCSTA GSGSRGLPPL\SPMVSSAHNPNAEIPERRKOSTSTPNNLPPS MMTRNTYVCTERPGAERPSSLNPKENSSGTPRVPPASPSSH SLAPPSGERSRLARGSTIRSTFHGGQVRDRRAGGWGWFNKAHA LQRAPRNAGAPSLMPGHRTVLINYGQDLKNWETCLAAPPNK HRR
365	1104	1	1313	HTLHHSSPTSEAEFEVSRSLSTQNYFRSLPRGTSNMTYGTNFI GGRLMIPNTGISLLIPPDAIPRGKIYEIYLTLLHKPEDVRLPLA GCQTLLSPIVSCGPPG\VLLTRPVILG\MDHCG\EPSPDSW\S LRLKKQSCGSDWEDVLHLGEEAPSHLYYCQLEASACYVFTEQL SRYALVGEALSVAACKRLKLLFAPVACTSLEYNILVYCLHDT HDALNVVVQLEKQLQGQLIQEPLVLHFKDSYHNLRLSIHDVPS SLWKSLLVSYQEIIPFYHIWNGTQRYLHCTFTLERVSPSTSDL ACKLWVWQVEGDGQSFSINFNITKDTRFAELLALESEAGVPAL VGPSAFKIPFLIRQKIISLDPCCRAGADWRTLAQKLHLDLHSL SFFASKPSPTAMILNLWEARHFPNGNLSQLAAAVAGTGPAGRW LLSQCSEAE
366	1105	1	343	GSAAGQVQQQQRRHQGKVTVKYDRKELRKLVLLEEWIVEQL GQLYGCEEEEMPEVEIDIDDLFDAYSDEQRASKLQEALVDCYK PTEEFIKELLSRIRGMRKLSP\PQKKS

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, / = possible nucleotide deletion, \ = possible nucleotide insertion)
367	1106	2	1398	IMLDGRVRWLTPVISALWEAEMEDVIARMQDEKNGIPIRT VKS FLSKIPSVFSGSDIVQWLKLNLTIEDPVEALHLGLTMAAHGYF FPISDHVLTLLKDDGTFYRFQTPYFWPSNCWEPENTDYAVYLCK RTMQNKARLELADYEAESLARLQRAFARKWEFI FQAEQAQKV DKKRDKIERKILDSQERAFWDVHRPVPVPGCVNTEVDIKKSSRM RNPHKTRKSVYGLQNDIRSHSPHTHTPTPETKPPTTEDELQQQIK YWQIQLDRLRLKMSKVADSLLSYTEQYLEYDPFLPPDPSPNPW LSDDTTFWELEASKEPSQQRVVRWGFMDKALDPVGREQFLK FLESEFSSSENLRFWLAVEDLKKRPIKEVPSRVQEIWQEFLLAPG APSAINLDSKSYDKTTQNVKEPGRYTFEDAQEHYKLMKSDSY PRFIRSSAYQELLQAKK\KGKSLTSKRLTSLAQSY
368	1107	1	461	GTRDYPRIVNHLHTYVTAPQAFMMFQYFVKVPTVYMKVDGE VLTNNQIYVTRHEKAAYVLMGDQGLPGVFILYELSPMMVNLT IHTFFSLFLTIVGA\TIGGMFFEHFVINYLTWKWGLGFYFKNE NSLQGGHRTLYGVNFFMYWSLRGGS
369	1108	2	1522	SVWVNSQRQFVVRWAGCAGPCGRAVFLAFGLGLGLIEEKQAES RRAVSACQEIQAIFTQKSKPGPDPLDTRRLQGRLEEYLIGQS IGKGCSSAAVYEATMPTLPQNLEVTGSTGLLPGRGPGTSAPGEG QERAPGAPAFPLAIKMMWNI SAGSSSEAILNTMSQELVPASRV ALAGEYGAVTYRKS KRGPQLAPHPNIIRVLRAFTSSVPLLP ALVDYDPVLP SRLHPEGLGHGRTLFLVMKNYPCTLRQYLCVNT PSPRLAAMMLLQLEGV DHLVQQGIAHRDLKSDNILELDPDG CPWLVIADFGCCLADESIGLQLPFSSWYVDRGGNGCLMAPEVS TARPGPRAVIDYSKADAWAVGAIAYEIFGLVNPFFYQGKAHLE SRSYQEAQLPALPESVPPDVRQLVRALLQREASKRPSARVAAN VLHLSLWGEHILALKNLKLDKMGWLLQSSAATLLANRLTEKC CVETKMKMLFLANLECE TLCAALLCSWRAAL
370	1109	105	1252	RPLRLAELPDHCYRMNSSPAGTPSPQPSRANGNINLGPSANP NAQPTDFDFLKVIGKNGYGVLLAKRKSDGAFYAVKVLQKKS I LKKKEQSHIMAERSVLLKNVRHPFLVGLRYSFQTPEKLYFVLD YVNGGELFFHLQRERRFLEPRARFYAAEVASAI GYLHSLNIIY RDLKPENILLDCQGHVVLTD FGLCKEGVEPEDTTSTFCGTPEY LAPEVL\RKEPYDRAVDWWCLGAVLYEMLHGLPPFYSQDVSQM YENILHQPLQIPGGRTVAACDLLQSLHLDQRQRLGSKADFLE IKNHVFFSPINWDDLYHKRLTPPFNPNTGPADLKHDFPEFTQ EAVSKSIGCTPDTVASSSGASSAFLGFSYAPEDDDILD C

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
371	1110	3	1608	RPQTLKGHQEKIRQRQSI LPPPPQGPAPIPFQHRGGDSPEAKNR VGPQVPLSEPGFRRRESQEEPRAVLAQKIEKETQILNCALDDI EWFVARLQKAAEAFKQLNQRKKGKKKKKAPAEGLTLRARPP \SEGEFIDCFQKIKLAINLLAKLQKHQNPSAAELVHFLFGPL DLIVNTCSGPDIA RSVSCPLLSRDAVDFLRGHLVPKEMSLWES LGESWMRPRSEWPREPQVPLYVPKFHSGWEPPVDVLQEAPWEV EGLASAPIEEVSPVSRQSI RNSQKHSPTSEPTPPGDALPPVSS PHTHRGYQPTPAMAKYVKILYDFTARNANELSVLKDEVLEVLE DGRQWWKLRSRSGQAGYVPCNILGEARPEAGAPFEQAGQKYW GPASPTHKLPPSPFGNKDELMQHMDEVNDELIRKISNIRAQPQ RHFRVERSQPVSQPLTYESGPDEVRAWLEAKAFSPRIVENLGI LTGPQLFSLNKEELKKVCGEEGVRVYSQLTMQKAFLEKQQSGS ELEELMNKPFHSMNQRRGEDS
372	1111	3	1046	AWHEGLVSSPAIGAYLSASYGDSLVLVATVVALLDICFILVA VPESLPEKMRPVSWGAQISWKQADPFASLKKVGDSTVLL\IC ITVCLSYLPEAG\QYSSFF\LYLR\QVIGFG\SVKIAAFIAMV GILSIVAQTAFLSILMRSLGNKNTVLLGLGFQMLQLAWYGFGS QAWMMWAAGTVAAMSSITFFPAISALVSRNAESDQQGVAQGIIT GIRGLCNGLPALYGFIFYMFHVELTELGPKLNSNNVPLQGAV IPGPPFLFGACIVLMSFLAALFIPEYSKASGVQKHSNSSSGSL TNTPERGSDIEDIEPLLQDSSIWELSSFEEPGNQCTEL*TRQKV GFCIRHL
373	1112	1	1950	MAAGLATWLPFARAAAVGWLPLAQQLPPAPGVKASRGDEVLV VNVSGRRFETWKNLTDRYPDTLGSSSEKEFFYDADSGEYFFDR DPDMFRHVLNFYRTGRLHCPQECIQAFDEELAFYGLVPELVG DCCLEEYRDRKKENAERLAEDEEAEQAGDGPALPAGSSLRQRL WRAFENPHTSTAALVFYYVTGFFIAVSVIANVETIPCRGSAR RSSREQPCGERFPQAFFCMDTACVLIFTGEYLLRLFAAPSRCR FLRSVMSLIDVVAI LPYYIGLLVPKNDDVSGAFVTLRVFRVFR IFKFSRHSQGLRILGYTLKSCASELGFLFLSLTMAIIIFATVM FYAEKGTNKTNFTSIPAAFWYTIVTMTTLGYGDMVPSTIAGKI FGSICSLSGVLVIALPVPVIVSNFSRIYHQNQRADKRRQQKV RLARIRLAKSGTTNAFLQYKQNGGLEDSSGSGEEQAVCVNRSA FEQQHHHLLHCLEKTTCHFTDELTFSEALGAVSPGGRTSRST SVSSQPVGPGSLLSSCCPRRAKRRRAIRLANSTASVSRG\SMQE LDMLAGL\RRSHAP\QSRSSL\NAKPHDSL DLNCD SG\DFVAA IISIPTPPANTPDESQSSPGGGGRAGSTLRNSSLGTPCLFPE TVKISSL
374	1113	4	664	GWGKPFKDWTGGQDTGGEPALLVGAGEGRAPRLNCPSPGQIRS PGPGDLSIYDNWIRYFNRSSPVYGLVP/RSKTSARIYPTYHTA FDTFDYVDKFLDPGEEGDKGHPETRTGEAED*ALALSPCRR\F SSHQAVARTAGSVILRLSDSFFLPLKVSDYSETLRSFLQAAQQ DLGALLEQHSISLGPLVTAVEKFEAEAAALGQRISTLQKGSPD PLQVRML

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
375	1114	1	1147	GIRGGGSLASGGPGPGHASLSQRLRLYLADSWNQCDLVALTCF LLGVGCRLLTPGLYHLGRITVLCIDFMVFTVRLLIHIFTVNKQLGP KIVIVSKMMKDVFLLFFLGVWLVAYGVALEGLLRPRDSDFPS ILRRVFYRPLYQIFGQIPQEDMDVALMEHSNCSSEPGFWAHP GAQAGTCVSQYANWLVLVLLLVIFLLVANILLVNLLIAMFSYTF GKVQGNSDLYWKAQRYRLIREFHSPALAPPFVIVISHRLLLLR QLCRRPRSPQPSSPALEHFRVYLSKEAERKLLTWESVHKENFL LARARDKRESDSERLKRTSQKVDLALKQLGHIREYEQRLKVLE REVQQCSRVLGWVAEALSRSALLPPGGPPPPDLPGSKD
376	1115	3	329	LTKLCKSKAKSCENDLEMGMLNSKFKKTRYQAGMRNSENLTAN NTLSKPTRY/QGELKEIKQDISSRLRYELLEKSQATGELADLI QQLSEKFGKNLNDHLRVNKGKDI
377	1116	1	2043	LPLLHAGFNRRFMENSSIIACYNELIQIEHGEVRSQFKLRACN SVFTALDHCHEAIEITSDDHVIQYVNPAPFERMMGYHKGELLGK ELADLPKSDKNRADLLDTINTCIKKGKEWQGVYARRKSGDSI QQHVKITPVIGQGGKIRHFVSLKKLCCTTDNNKQIHKIHRDSG DNSQTEPHSFRYKNRRKESIDVKSISSRGSDAPSLQNRYP SMARIHSMTIEAPITKVINIINAAQENSPVTVAEALDRVLEILRT TELYSPQLGTDKDEDPHTSDLVGGLMTDGLRRLSGNEYVFTKNV HQSHSHLAMPITINDVPPCISQLLDNEESWDFNIFELEATHK RPLVYLGLKVFSRFGVCEFLNCSETTLRAWFQVIEANYHSSNA YHNSTHAADV LHATAFFLGKERVKGSLLDQLDEVAALIAATVHD VDHPGRTNSFL/CNAGSELAVLYNDT\AV\LESHHTALAFQ/L TVKDTK/CNIFKNID/RGNHYRTLROAIDMVLATEMTKHFEH VNKFVNSINKPMAAEIEGSDCECNPAKGNFPENQILIKRMMIK CADVANPCRPLDLCIEWAGRISEEYFAQTDEEKRQGLPVVMPV FDRNTCSIPKSQISFIDYFITDMFDAWDAFAHLPALMQHLADN YKHWKTLDDLKCKSLRLPSDRLKPSHRGGLLTDKGHCESQ

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, / = possible nucleotide deletion, \ = possible nucleotide insertion)
378	1117	1	3585	<p>AFLSKVEEDDYPSEELLEDEDENAINAKRSKEKNPGNQGRQFDVN</p> <p>LQVPDRAVLGTIHPDPEIEESKQETSMILDSEKTSETAAKGVN</p> <p>TGGREPNTMVEKERPLADKKAQRPFERSDFSDSIKIQTPELGE</p> <p>VFQNKDSYDLKNDNPEEHLKTSGLAGEPEGELSKEDHENTEKY</p> <p>MGTESQGSAAEPEDDSFHWTPHTSVEPGHSDKREDLLI ISSF</p> <p>FKEQQSLQRFQKYFNVHELEALLQEMSSKLKSAQQESLPYNME</p> <p>KVLDKVFRASESQILSIAEKMLDTRVAENRDLGMNENNI FEEA</p> <p>AVLDDIQDLIYFVRYKHSTAEETATLVMAPPLEEGLGGAMEEM</p> <p>QPLHEDNFSREKTAEELNVQVPEEPHTLDQRVIGDTHASEVSQK</p> <p>PNTEKDLDPGPVTTEDTPMDAIDANKQBPETAEEEPASVTPLEN</p> <p>AILLIYSFMFYLTSLVATLPDDVQPGPDFYGLPWKPVFITAF</p> <p>LGIASFALFLWRTVLVVKDRVYQVTEQQISEKLKTIMKENTEL</p> <p>VQKLSNIEQKIKESKKHVQETRKQNMILSDEAIKYKDKIKTLE</p> <p>KNQEILDDTAKNLRVMLESEREQNVKNQDLISENKKSEIKLKD</p> <p>VISMNASEFSEVQIALNEAKLSEEKVKSECHRVQEENARLKKK</p> <p>KEQLQQEIEDWSKLHAELSEQIKSFEKSQKDLEVALTHKDDNI</p> <p>NALTNCITQLNLLECESESEGNKGGNDSDELANGEVGGDRNE</p> <p>KMKNQIKQMDVSRQTQTASVVEEDLKLLQLKL \RASVSTKC \</p> <p>NLEDQVKKLEDDRNSLQAAKAGLEDECKTLRQKVEILNELYQQ</p> <p>KEMALQKKLSQEEYERQEREHRLSAADEKAVSAAEEVKTYKRR</p> <p>IEEMEDELQKTERSFKNQIATHEKKAHENWLKARAAERAIAEE</p> <p>KREANLRHKLLDLTQKMAMLQEEPVIKPMMPGKPNTPNPPRR</p> <p>GPLSQNGSFGPSPVSGGECSPPLTVEPPVRPLSATLNRDMPR</p> <p>SEFGSLDGPLPHPRWSAEASGKPSPSDPGSGTATMMNSSRGS</p> <p>SPTRVLDEGKVNMAKGPFPFPGVPLMSTPMGGPVPPP IRYGP</p> <p>PPQLCGPFGPRPLPPFPGPMRPPLGLREFAPGVPPGRDLPL</p> <p>HPRGFLPGHAPFRPLGSLGPREFYFIPGTRLPPTTHGPQEYPPP</p> <p>PAVRDLLPSGSRDEPPASQSTSQDCSQALKQSP</p>

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
379	1118	3	2946	MAADSEPESEVFEITDFTTASEWERFISKVEEVLNDWKLIGNS LGKPLEKGIFTSGTWEEKSDEISFADFKFSVTHHYLVQESTDK EGKDELLEDVVPQSMQDLLGMNDFPPRAHCLVRWYGLREFVV IAPAAHSDAVLSESKCNLLSSVSIALGNTGCQVPLFVQIHHK WRRMYVGECQGPVVRTDFEMVHLRKVPNQYTHLSGLLDIFKSK IGCPLTPLPPVSAIRFTYVLQDWQQYFWPQQPPDIDALVGGE VGGLEFGKLPFGACEDPISELHLATTW\PHLTEGIIVDNDVYS DLDPIQAPHWSVRVRKAENPQCLLGDFVTEFFKICRRKESTDE ILGRSAFEEEGKETADITHALSKLTEPASVP IHKLSVSNMVHT AKKKIRKHRGVEESPLNNDVLNTILLFLFPDAVSEKPLDGTTS TDNNNPPSESEDYNLYNQFKSAPSDSLTYKLALCLCMINFYHG GLKGV AHLWQEFVLEMRFRWENNFLIPGLASGPPDLRCCLLHQ KLQMLNCCIERKKARDEGKKTASDVTNIYPGDAGKAGDQLVP DNLKETDKEKGEVGSWDSWSDSEEEFFEC LSDTEELKGNQGE SGKKGGPKEMANLRPEGRLYQH GKLTLLHNGEPLYIPVTQEPA PMTEDLLEEQSEVLAKLGTS AEGAHLRARMQSACLLSDMESFK AANPGCSLED FVRWYSPRDYIEEEVIDEKG NVVLKGELSARMK IPSNMWVEAWETAKPI PARRQRRLFDDTREAEKVLHYLAIQKP ADLARHLLPCVIAAVLKVKEEESLENISSVKKI IQKIISHSS KVLHFPNPEDKKLEEIIHQITNVEAL IARARSLKAKPGTEKCE QEEEEKEDLERFVSC LLEQPEVLVTGAGRGHAGRI IHKLFVNAQ RAAAMTPPEEELKRMGSPEERRQNSVSDFP PPAGREFILRTTV PRPAPYSKALPQRMYSVLTKEDFRLAGAFSSDTSFF
380	1119	2333	670	SPTRTGDRSVSLIVFLTEGKPTVGETHTLKI LNNTREAAARGQV CIFTIGIGNDVDFRLLEKLSLENCGLTRRVHEEEDAGS QLIGF YDEIRTPLLSDIRIDYPPSSVVQATKTLFPNYFNGSEII IAGK LVDRKLDHLHVEVTASNSKKFI ILKTDVPVRPQKAGKDV TGSP RPPGGDGE GDTNHIERLWSYLT TKELLSSSWLQSDDEPEKERLRQ RAQALAVSYRFLTPFTSMKLRGPVPRMDGLEEAHGMSAAMGPE PVVQSVRGAGTQPGPLLKKPYQPRIKISKTSVDGDPHFVDFP LSRLTVC FNIDGQPGDILRLVSDHRDSGVTVNGELIGAPAPPN GHKKQRTYLR TITILINKPERSYLEITPSRVILDGGDR LVLP NQSVVVG SWGLEVSVSANANVTVTIQGSIAFVILIHLYKKPAP FQRHHLGFYIANSEGLSSNCHGLLGQFLNQDARLTEDPAGPSQ NLTHPLLLQVGEGPEAVLTVKGHQVPV VWKQRKIYNGEEQIDC WFARNNAAKLIDGEYKDY LASHPFD TGM TLGQGMSREL
381	1120	102	426	VPLESLSCSHADNWKQELTKFISPDQLPVEFGGTMTPDGNPK CLTKINYGGEVPKSYYLCKQVRLQYEHTRSVGRGSSLQVENEI LFPGCVLRCP EVLQHLQPGSF

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
382	1121	3	3726	<p>PAAPEHTDPSEPRGSVSCCSLLRGLSSGWSSPLLPAVPCNPKNK AIFTVDAKTTEILVANDKACGLLGYSQDLIGQKLTQFFLRSD SDVVEALSEEHEADGHAADVFGTVVDIIISRSGEKIPVSVWMK RMRQERRLCCVVVLEPVERVSTWVAFQSDGTVTSCDSLFAHLH GYVSGEDVAGQHITDLIPSVQLPPSGQHIPKNLKIQRSVGRAR DGTTFPLSLKLKSQPSSEEATTGEAAPVSGYRASVWVFCTISG LITLLPDGTIHINGINHSFALTIFGYGKTELLGKNITFLIPGFYS YMDLAYNSSLQLPDLASCLDVGNESGCGERTLDPWQGDPAEG GQDPRINVVLAGGHVVPDEIRKLMEQDIFTGTQTELIAGGQ LLSCLSPQPAPGVNDVPEGSLPVHGEQALPKDQQITAGREEP VAIESPGQDLLGESRSEPVDVKPFASCEDSEAPVPAEDGGS DA GMCGLCQKAQLERMGVSGPSGSDLWAGAAVAKPQAKGQLAGGS LLMHCPCYGSEWGLWWRSDLAPSPSGMAGLSFGTPTLDEPWL GVENDREELQTCLIKEQLSLSLAGALDVPHAELVPTECAV APVSSCDLGGRDLCGGCTGSSSACYALATDLPGGLEAVEAEV DVNSFSWNKELFFSDQTDQTSNNCS CATSELRETPSSSLAVGS DPDVGSLQEQGSCVLDRELLLLLTGTCDVLGQGRFRFESCVGH DPTEPLEVCLVSSEHYAASDRESPGHVPSTLDAGPEDTCPSAE EPRLNVQVTSTPVI VMRGAAGLQREIQEGAYSGSCYHRDGLRL SIQFEVRRVELQGPTPLFCCWLKDLLHSQRDSAARTRFLAS LPGSTHSTA AE L TGPSLVEVLRARPWFEEPPKAVELEGLAACE GEYSQKYSTMSPLGSGAFGFVWTAVDKEKNKEVVVKFIKKEKV LED CWIEDPKLGKVTLEIAILSRVEHANI IKVLDIFENQGFQ LVMEKHGSGLDLFAFIDRHPRLDEPLASYIFRQVRAG\QSRLV SAVGYLRLKDI IHRDIKDENVIAEDFTIKLIDFGSAAYLERG KLFYTFCGTIEYCAPEVLMGNPYRGPELEMWSLGVTLVTLVFE ENPFCELEETVEAAIHPPYLVSKELMSLVSGLLQVPERRTTL EKLVTDPWVTQPVNLADYTWEVFRVKNKPESGVLSAASLEMGN RSLSDVAQAQELCGGPVPGEAPNGQGCLHPGDPRL LTS</p>
383	1122	177	1365	<p>PGTSAATCRFLSPPVISLSFTGLCISDLVAVNGVWILVETFM LKGGNFFSKHVPWSYLVLFTIYGVELFLKVAGLGPVEYLSSGW NLFDFSVTVF AFLGLLALALNMEPFYFIVVLRPLQLRLFKLK ERYRNVLDTMFELLPRMASLGLTLLIFYYSFAIVGMEFFCGIV FPNCCNTSTVADAYRWRNHTVGNRTVVEEGYNNFDNINLS FVTLFELTVVNNWYIIMEGVTSQTS HWSRLYFMTFYIVTMVVM TII VAFILEAFVFRMNYSRKNQDSEVDGGITLKEISKEELVA VLELYREARGASSDVTRLLETLSQMERYQQHSMVFLGRRSR TK SDLSLKMYQEEIQEWYEEHAREQEQQRQLSSSAAPAAQQPPGS RQRSQTVT</p>

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
384	1123	1	986	LAGVGTQAPRRPGGEMAAGQNGHEEWVGSAYLFEVSSLDKVV LSDAYAHPQQKVAVYRALQAALAESGGSPDVLQMLKIHRSDPQ LIVQLRFCGRQPCGRFLRAYREGALRAALQSRSLAAALQHSVP LQL\DLRAGAERLEALLADEERCLSCILAQPPDRLRDEELAEL EDALRNLCGSGARGGDGEVASAPLQPPVPSLSEVKPPPPPPP AQTFLFQGPVVNRPLSLKDQQTFFARSVGLKWRKVGRSLQRC RALRDPALDSLAYEYEREGLYEQAFQLLRFRVQAEGRATLQR LVEALEENELTSLAEDLLGLTDPNGGLA
385	1124	2409	399	SSKPKLKKRFSLRSVGRSVRGSVRGILQWRGTVDPPSSAGPLE TSSGPPVLGGNSNSNSGGAGTVGRGLVSDGTSPGERWTHRFE RLRLSRGGGALKDGAGMVQREELLSFMGAEEAAPDPAGVGRGG GVAGPPSGGGGQPQWQKCRLLLRSEGGGGGSRLEFFVPPKAS RPRLSIPCSSITDVRTTTALEMPDRENTFVVKVEGPSEYIMET VDAQHVKAWSIDIQECCLSPGPCPATSPRPMTLPLAPGTSFLTR ENTDSLELSCLNHSESLPSQDLLLGPSSENDRLSQGAYGGLSD RPSASISPSSASIAASHFDSMELLPPPELPPRIPIIEGPPAGTV HPLSAPYPLDTPETATGSFLFQG\EPEGGEDQPLSGYPWFH GMLSRKAAQLVLTGGTGSFGVFLVRQSETRRGEYVLTFFNQG KAKHLRLSLNEEGQCRVQHLWFQSI FDMLEHFRVHIPLES GG SSDVVLVSYPSSQRQQGEQSR SAGEEVPVHPRSEAGSRLGAM RGCAREMDATPNASCTLMPFGASDC\EPTTSHDPPQPPEPPSW TDPPQPGEE\EASR\APSGGGQAAAAAKERQEKEKAGG\GGV PEE\LVPVV*LVPVGELGEGHRPQAQEAQGLPGGDAGVPP\ MVQLQQSPLGG\DGEEGGHPR\AI\NNQYSFV
386	1125	2204	1042	FRAPVGTAAARSPQVVIRRLPPGLTKEQLEEQLRPLPAHDYFEF FAADLSLYPHLYSRAYINFRNPDDILLFRDRFDGYIFLDSKDP EYKKFLETYCVEEEKTSANPETLLGEMEAKTRELIARRTTPLL EYIKNRKLEKQRIREEKREERRRRELEKKRLREEEKRRRREEE RCKKKETDKQKKIAEKEVRIKLLKKPEKGEPTTEKPKERGE IDTGGGKQESCAPGAVVKARPMEGSLEEPQETSHSGSDKEHRD VERSQQESEAQRYHVDGRRHRAHHEPERLSRRSEDEQRWGK GPGQDRGKKGSQDSGAPGEAMERLGRAQRCDSPAPRKERLAN KDRPALQLYDPGARFRARECGGNRRICKAEGSGTGPEKREEAE
387	1126	176	800	GVWGVCVSGLLQVGSQRAQAWRAWSPMETPLTGTFLWPHIPQG LFFDDSYGFYPGQVLIGPAKIFSSVQWLSGVKPVLSKSKFRV VVEEVQVVELKVTWITKSFCPGGTDSVSPP/PSVITQENLGRV KRLGCFDHAQR/HAWGALSVCLPSQGRASQDCLGMSRKKLRPG GGLYGQEGEAPVEEAGCADHVMLPRHPVFPFPGFHRPR

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
388	1127	1	2017	FRDSSPCSAFEFHCLSGECIHSSWRCDGGPDCKDKSDEENCAV ATCRPDEFQCS DGNCIHGSRQCDREYDCKDMSDEVGCVNVTL EGPNKFKCHSGECITLDKVCNMARDCRDWSDEPIKECGTNECL DNNGGCSHVCNDLKIGYECLCPDGFQLVAAQRRCEDIDECQDPD TCSQLCVNLEGGYKCQCEEGFQLDPHTKACKAVGSIAYLFFTN RHEVRKMTLDRSEYTS LIPNLRNVVALDTEVASNRIYWSDL RMICTQLDRAHGVS S YDTVISRDIQAPDGLAVDWIHSNIYWT DSVLGTVSVADTKGVKRTLFRENGSKPRAIVVDPVHGFMWY DWGTPAKIKKGGGLNGVDIYSLVTENIQWPNGITLDDL VDSKLHSSISSIDVNGGNRKTILEDEKRLAHPFSLAVFEDK TDIINEAIFSANRLTGSDVNLLAENLLSPEDMVL FHNLTQPRG VNW CERTT LSN GGCQYLCLPAPQINPHSPKFTCACPDGM LLAR DMRSCLTEG\ EAAVATQETSTVRLKVSSTAVRTQHTT TRPVPTSRPLPGATPGLTTVEIVTMSHQALGDVAG\RGN\ EKKP SSVRA LSIVLP IV\ LLVFLCLGVFLLWKNWRLKNINSINFDN PVYQKT TEDEVHICHNQDGYSPSRQMVSLLEDDVA
389	1128	2299	1148	RIPGLGPPGSPPPPPHVRGMPCPCPGCGMAGPRLFL TALAL ELLGRAGGSQPALRSRG TATACRLDNKESESWGALLSGERLDT WICSLGSLMVGLSGVFLLVIPLEMGTM LRSEAGAWRLKQLL SFALGGLLGNVFLHLLPEAWAYTCSASPGGEGQSLQQQQQLGL WVIAGILTFLALEKMF LDSKEEGTSQAPNKDPTAAAAALNGGH CLAQPA AEPLGAVVRSIKVSGYLNLLANTIDNFTHGLAVAAS FLVSKKIGLLTMAILLHEIPHEVGDFAILLRAGFDRWSAAKL QLSTALGGLLGAGFAICTQSPKGVEETAAWVL PFTSGGFLYIA LVNVLPDLLEEDPWRS LQQLLLCAGIVVMVLFSLFVD
390	1129	1	523	GKVSAGQAGADRTLRRAP EPRFSQEPTGNSAYPQLRPF LDPQG RDLKPSALVPPTRSHTGRRPWLHTQPLPGPQGRAGWPTC/TPA CVDRVLESEEGRREYLAFPTSKSSGQKGRKELLKGNGRRIDYM LHAE EGLCPDWKAEEVEEFSFITQLSGLTDHLPVAMRLMVSSGE EEA
391	1130	1459	765	PCGGIRLSASEAATLFGYLVVPAGGGGTFLGGFFVNKLR LRG S AVIKFCLFCTVVSLLGILVFS LHCPSVPMAGVTASYGGSLLPE GHLNLTAPCNAACSCQPEHYS P VCGSDGLMYFSLCHAGCPAAT ETNVDGQKVSGAAAYRPCPLDPGKGPPCLPLVIGAI VGLPRC TETVAVSLRIFPLVLAM\HCREMHFNLS EKAPPSGFHIRC NFL YIPQQHSCTNGNST MCP
392	1131	1668	962	LLRKVGAPGGARGVIRLLDWFERPDGFLLVLERPEPA\QD\LF DFITERGALDEPLARRF\FAQVLA AVRHCHSCGVVHRDIKDN LLVDLRSGELKLIDFGSGALLKDTVYTDFDGT RVYSPPEWIRY HRYHGRSATVWSLGVLLYDMVCGDIPFEQDEEILGRLLFRRR VSPECQQLIRWCLSLRPSERPSLDQIAAHPWMLGADGGAPESC DLRLCTLD PDDVASTTSSSESL

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
393	1132	3	817	GKNSQKASPVDDQLSVCLSGFLDEVMKKYGSVLPLSEKEVLG RLKDVFNEDFSNRKPFINREITNYRARHQKCNFRIFYNKHM LD MDDLATLDGQNWLNQVINMYGELIMDAVPDKVHFNSFFHRQ LVTKGYNVGRWTKKVDLFKKSLLLIPIHLEVHWSLITVTL SN RIISFYDSQGIHFKFCVENIRKYLLTEAREKNR\NLQGWQTA VTKCIPQQKNDSDCGVFVLQYCKCLAL\KQPFQFSQEDMPVR KRIYKELCECLMD
394	1133	1252	628	PPGG*QGSAAKHR/FP/KGYRHPALEARLGRRRTVQEARALLR CRRAGISAPVFFVDYASNCLYMEEIEGSVTVRDYIQSTMETE K\TPQGLSNLAKTIGQVLARMHDEDLIHGDLTTSNMLLKPPLE QLNIVLIDFGLSFISALPEDKGVLDLYVLEKAFLSTHPNTETVF EAFKSYSTSSKKARPVLKKLDEVRLRGKKRSMVG
395	1134	2	1595	RACVFRPEDMMQGEAHPASASLIDRTIKMRKETEARKVVLAWGL LNVSMAGMIYTEMTGKLISYYNVTYWPLWYIELALASLFSLN ALFDFWRYFKYTVAPTSLVVSPGQQTLLGLKTAVVQTTTPPHDL AATQIIPPAPPSPSIQGQSVLSYSPSRSPSTSPKFTTSCMTGYS PQLQGLSSGGSGSYSPGVTYSPVSGYNKLASFSPSPSPYPTT VGPVLESSGLRSRYRSSPTVYNSPTDKEDYMTDLRTLDTLRSE EEKQHRVKLGSPDSTSPSSSPTFWNYSRSMGDYAQTLKKFQYQ LACRSQAPCANKDEADLSSKQAAEEVWARVAMNRQLLDHMDSW TAKFRNWINETILVPLVQEIIEVSTQMRMGCPQLQIGEASIT SLKQAALVKAPLIPTLNTIVQYLDLTPNQEYLFERIKELSQQG CMSSFRWNRGGDFKGRKWDTLPTDSAIIMHVCTYLD SRLPP HPKYPDGKTFTSQHFVQTPNKPVDVTNENVFCIYQSAINPPHYE LIYQRHVYIPAKGQK
396	1135	16	1542	SSAVEFINRNSVQVLLAAGADPNLGDDFSSVYKTAKEQGIH SLEVLITREDDFNNRLNNRASFKGCTALHYAVLADDYRTVKEL LDGGANPLQRNEMGHTPLDYAREGEVMKLLRTSEAKYQEKQRK REAEERRRFPLEQRLKEHIIQESAIATVGAAIRRKENGWYDE EHLPLVFLFLGSSGIGKTELAKQTAKYMHKDAKKGFIRLDMSEF QERHEVAKFIGSPGYVGHEEGQLTKKLKQCPNAVVLDFEVD KAHDPVLTIMLQLFDEGRITDGKGKTIDCKDAIFIMTSNVASD EIAQHALQLRQEALEMSRNRIAENLGDVQISDKITISKNFKEN VIRPILKAHFRRDEFLGRINEIVYFLPFCHSELIQLVNKELNF WAKRAQRHNITLLWDREVADVLVDGYNVHYGARSIKHEVERR VGNQLAAAYEQDLLP\GGCTLRITVEDSDKQLLKSPELPSPQA EKRLPKLRLEIIDKDSKTRRLDIRAPLHPEKVCNTI
397	1136	1848	1602	SSCDRERHGSLSGMSGSFILCLALVTRWSPQASSVPLAVYESK TRKSYRSQRDRDGKDRSQGMGLSLLVETRKLILLSANQG

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
398	1137	1497	717	HTPMA/FFL/SFLSTSET/VYTFVILPKMLINLLSVARTISFN CCALQMFFFLGFAITNCLLLGVMGYDRYAAICHPLHYPTLMSW QVCGKLAAACAIGGFLASLTVVNLVFSLPFCSTNKVNHYFCDI SAVILLACTNTDVNGFVIFICGVLVLVVPFLFICVSYFCILRT ILKIPSAEGRRKAFSTCASHLSVVIVHYGCASFYLRPTANYV SNKDRLVTVTYTIVTPLLNPVMSLRNKDVQLAIRKVLGKKGS LKLYN
399	1138	2	1185	RPPAATRYPREKLKSMTSRDNYKAGSREAA\AAAAAVALAAAA AAAAAEPYPVSGAKRKYLEDSDPERSDYEEQQLQEEEEARKVK SGIRQMRLFSQDECAKIEARIDEVVSRAEKGLYNEHTVDRAPL RNKYFFGEGYTYGAQLQKRGPQGERLYPPGDVDEIPEVWHQLV IQKLVEHRVIPEGFVNSAVINDYQPGGCIVSHVDPIHIFERPI VSVSFFSDSALCFGCKFQFKPIRVSEPVLSLPVRRGSVTVLGS YAADIETHCIRPQDIKERRAVIILRKTRLDAPRLETKSLSSSV LPPSYASDRLSGNNRDPALKPKRSHRKADPDAAHRPRILEMDK EENRRSVLLPTHRRRGSFSSSENYWRKSYESSEDCSEAAGSPAR KVKMRRH
400	1139	60	1699	VTWHFYFCSDHKNGHYIIPQMADRSRQKCMSQSLDLSELAKAA KKKLQALSNNLFEELAMDVYDEVDRRENDVWLATQNHSTLVT ERSAVPFLPVNPEYSATRNQGRQKLARFNAREFATLIIDILSE AKRRQQGKSLSSPTDNLELSLRSQSDLDQHDYDSVASDEDTD QEPLRSTGATRSNRARSMDSSDLSDGAVT\LQEYLELKKALAT SEAKVQQLMKVNSSLSDEL\RRLQREHFAP\IHKLQAE NLQL RQPPGPVPTPPLPSERAETPMAPGGSTHRRDRQAFSMEYEPGS ALKPFGGPPGDELTTTLQPFHSTELEDDAIYSVHVYPAGLYRIR KGVASAVPFTPSSPLLSCSQEGSRHTSKLSRHGSGADSDYEN TQSGDPLLGLGKRFLELGKEEDFHPELES LDGDLDPGLPSTE DVILKTEQVTKNIQELLRAAQEFKHDSFVPCSEKIH LAVTEMA SLFPKRPALPVRSSRLRLNASAYRLQSECRKTVPPPEPGAPVD FQLLTQQVIQCAVDIAKAAKQLVTITTTREKKQ

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
401	1140	1	1863	RYLSYSGSGPKRFPLVDVLQYALEFASSKPVCTSPVDDIDASSP PSGSI PSQTL PSTTEQQGALSSLPSTSPSSVAAISSRSVIHK PFTQSRIPDLPMPHPAPRHITTEELSVLESCLHRWRTEIENDT RDLQESISRIHRTIELMYSDKSMIQVPYRLHAVLVHEGQANAG HYWAYIFDHRESRWKYNDAVTKSSWEELVRDSFGGYRNASAY CLMYINDKAQFLIQEEFN/K/ETGQPLVGIETLPPDLRDFVE EDNQRFEKELEEWDAQLAQKALQEKLLASQKLRESESVTTAQ AAGDPKYLEQPSRSDFSKHLKEETIQIITKASHEHEDKSPETV LQSAIKLEYARLVKLAQEDTPPETDYRLHHVVYFIQNQAPKK IIEKTLLEQFGDRNLSFDERCHNIMKVAQAKLEMIKPEEVNLE EYEEWHQDYRKFRETTMYLIIGLENFQRESYIDSLFLICAYQ NNKELLSKGLYRGHDEELISHYRRECLLKLNEQAALFESGED REVNNGLIIMNEFIVPFLPLLLVDEMEEKDILAVEDMRNRWCS YLGQEMEPHLQEKLTDFLPKLLDCSMEIKSFHEPPKLPSSYTH ELCERFARIMLSLSRTPADGR
402	1141	1	465	AQVYVRMDSFDIEDLARPSGLLAQERKLCRDLVHSNKKEQEFRS IFQHIQSAQSQRSPSELFAQHM\VPVIVHHVKEHHFGSSGMTLH ERFT\KYLKRG\TEQEAANKKSPETIHRRIDISPSTFRKHGLA HDEMKS PREPGYKDGHN SKNELQRVNFY
403	1142	2	369	TYTFCFSLMI\ILLTIIQGLILEAFGELRDQDQVKEDMETKC FICGIGNDYFDTVPHGFETHLTQEHNLANYLFFFLMYLINKDET EHTGQESYVWKMYQERCWEFFPAGDCFRKQYEDQLN
404	1143	3115	557	FRKGGGGPKDFGAGLKYNSRHEKVNGLEEGVEFLPVNNVKKV EKHGPGRWVLA AVLIGLLLVLGIGFLVWHLQYRDVRVQKVF NGYMRITNENFVDAYENSNSTEFVSLASKVKDALKLLYSGVPF LGPYHKESAVTAFSEGSVIAYYWSEFSIPQHLVEEAERVMAEE RVVMLPPRARSLKSFVVTSVVAFPTDSKTQVQRTQDNSCSFGLH ARGVELMRFTTPGFDPSPYPAHARCQWALRGDADSVLSLTFRS FDLASC DERGRHLV\TVYNT\LSPMEPHA\LVQLCGTYPPSYN LTFHS\S\QNVLLITLITNTERRHPG\FEATFFQLPRMSSCGG RLRKAQGT FNSPYYPGHYPNIDCTWNIEVPNNQHVKVRKFF YLLEPGVPAGTCPKDYVEINGEKYCGERSQFVVTSSNSNKITVR FHSDQSYTDTGFLAEYLSYDSSDPCPGQFTCRTGRCIRKELRC DGWADCTDHSDELNCSCDAGHQFTCKNKFCCKPLFWVCDLSLND GDNSDEQGCSCP\AQTFRC SNGKCLSKSQQCNGKDDCGDGSDE ASCPKVNVTCTKHTYRCLNGLCLSKGNPECDGKEDCS DGSDE KDCDCGLRSFTRQARVVG GTDADEGEWPWQVSLHALGQGHICG ASLISP NWLVSAAH CYIDDRGF RYSDPTQWTAFLGLHDQSQRS APGVQERRLKRIISHPFFNDFTFDYDIALLELEKPAEYSSMVR PICLPDASHVFPAGKAIWVTGWGHTQYGGTGALILQKGEIRVI NQTT CENLLPQQITPRMMC VGFLSGGVDSCQDSSGGPLSSVEA DGRIFQAGVVS WGDGCAQRNKP GYVTRLP LFRDWIKENTGV

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
405	1144	1	424	RHEEDLGNLWENTRFTDCSFFVRGQEFKAHKSVLAAARSPVFNA MFEHEMEESSKKNRVEINDLDPEVFKEMMRFIYTGRAPNLDKMA DNLLAAADKYALERLKMCEKALCSNLSVENVADTLVLADLHS \AEQLKAQAIDFINRCSVLRQLGCKDGKNWNSNQATDIMETSG GKSMIQSHPLVAEAFRALASAQGPQFGIPRKRLKQS*NLGNL WENTRFTDCSFFVRGQEFKAHKSVLAAARSPVFNAMFEHEMEESS KKNRVEINDLDPEVFKEMMRFIYTGRAPNLDKMA DNLLAAADK YALERLKMCEKALCSNLSVENVADTLVLADLHSGRTVESTSH RLY
406	1145	1	1021	QRGGIPGKFQEDSGSVDWALGPFWGIQADFGCMRFYLSAQTS DPVLRM*WGPSPISHPTSLCPGGGGAGQTTGSLCLGQQCCPLS CPNIPSRHKRWRL*AALVAGSRGSCITLRS*R*RTPLPVTRNLP R/CHLHLHPTGDLRVHVHQHCLLHGHVPPGAALLQCGGCDLRG EAAGLLFLGHACLRGSVNLRRDQWLPV\PYSRLCFSGAREGHL PSLLAMIHVRHCTPIPALLC\PIKVNLLIPVAYLVFWAFLLV FSFISEHMCVGVGVIIILTGVPPIFFLGVFWRSKPKCVHRLTES MTHWGQELCFVVYPQDAPEEEENGPCPPSLLPATDKPSKPO
407	1146	2	1280	AAALVAEYLALLEDHRHLPVGCVSFQNISSNVLEESAISDDIL SPDEEGFCSGKHFTLGLVGLLEQAAGYFTMGGLYEAVNEVYK NLIPILEAHRDYKKLAHVHGLQEAFTKIMHQSSGWERVFGTY FRVGFGYGAHFGLDEQEFVYKEPSITKLAEISHRLEEFYTERF GDDVVEIIKDSNPVDKSKLDSQKAYIQITYVEPYFDTYELKDR VTYFDRNYGLRTFLFCTPFTPDGRAHGELEQHKRKTLLSTDH AFPIYIKTRIRVCHREETVLTP\VEVAIEDMQKKTRELAFAEQ DPPDAKMLQMV LQGSVGPTVNQGPLEVAQVFLAEIPEDPKLFR HHNKLRLCFKDF*KKCEDALRKNKALIGPDQKEYHRELERNY CRLREALQPLLTQRLPQLMAPTPPGLRNSLNRAFRKADL
408	1147	55	651	GEGQQWQSTPLSPLOPTVADFLNLAWWTSAAAW*VLSGRWVEK VLPGREGSEEK*GMASSADHLHSAPRALQ\SLFQQLLYGLIY HSWFQAGR*GFGGASSPGPQSELRRHLHGEGGVYD*GRPETLP GSVGGAEALWALADPAEAEGSPETRESSCVMKQTQYYFGSVNA SYNAIIDCGNCSRCWQWGGRGQGRNL
409	1148	1855	904	VAGIPACFDN/FTEALAETACRQMGYSSKPTFRAVEIGPDQDL DVVEITENSQELMRNSSGPGCLSGSLVSLHCLACGESLKTPTPV VGGEASVDSWPWQVSIQYDKQHVCGGSILDPHWVLTAAHCFR KHTDVFNWKVRAGSDKLGSFPSLAVAKIIIEFNPMYPKDNDI ALMKLQFPLTFSGTVRPICLPFFDEELTPATPLWIIGWGFTKQ NGGKMSDILLQASVQVIDSTRCNADDAYQGEVTEKMMMCAGIPE GGVDTCQGDGGPLMYQSDQWHVVGIVSWGYGCGGPSTPGVYT KVSAYLNWIYNVWKAEL

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
410	1149	3	964	TISTVRWNSRIGMVLGVAIQKRAV\ PGLY\ AFEEAYARADKEA PRPCHKGSWCSSNQLCRECQAFMAHTMPKLKAFSMSSAYNAYR AVYAVAHGLHQLLGCASGACSRGRVYPWQLLEQIHKVHFLHKK DTVAFNDNRDPLSSYNIIAWDWNGPKWTFITVLGSSTWSPVQLN INETKIQWHGKDNQVPKSVCSDDCLEGHQRRVVTGFHHCCFECV PCGAGTFLNKS/SYLGKDLPENYNEAKCVTFSLLFNFVSWIAF FTTASVYDGKYLPAANMMAGLSSSLSSGGGYFLPKCYVILCRP DLNSTEHFQASIQDYTRRCGST
411	1150	2	1378	VARGAFHPKMGPSFPSPKPGSERLSFVSAKQSTGQDTEAELQD ATLALHGLTVEDEGNYTCEFATFPKGSVRGMTWLRVIAKPKNQ AEAQKVTFSDPPTTVALCISKEGRPPARISWLSLSDWEAKETQ VSGTLAGTVTVTSRFTLVPSGRADGVTVTCKVEHESFEPPALI PVTLSVRYPPEVSISGYDDNWYLGRTDATLSCDVRSNPEPTGY DWSTTSGTFTPTSAVAQGSQLVIIHAVDSLNTTFTVCTVNAVGM GRAEQVIFVRETPNTAGAGATGGIIGGIIAIIATADA\TGIL ICRQQRKEQTLQGAEEDEDELEGPPSYKPPTPKAKLEAQEMPSQ LFTLGASEHSPKTPYFDAGASCTEQEMPRYHELPTLEERSGP LHPGATSLGSPIPVPPGPPAVEDVSLDLEDEEGEEEEYLDKI NPIYDALSYSSPSDSYQKGKGFVMSRAMYV
412	1151	1	1828	GTRLREDKNHNMVYVAGCTEVEVKSTEEAFEVFWRGQKKRRIAN THLNRESSRSHSVFNIKLVQAPLDADGDNVLQEQEITISQLS LVDLAGSERTNRTAEGNRLREAGNINQSLMTLRTCMDVLREN QMYGTNKMVPYRDSKLTHLFKNYFDGEGKVRMIVCVNPKAEDY EENLQVMRFAEVTQEVEVARPVDKAICGLTPGRRYRNQPRGP\ IGNEPLVTDVVLQSFPPPLPSCEILDINDEQTLPRLEALEKRH NLRQMMIDEFNKQSNFAKALLQEFDAVLSENHMQGKLNEKE KMISGQKLEIERLEKKNKTLEYKIEILEKTTTIYEDKRNLOQ ELETQNKQLQRQFSDKRRLEARLQGMVTETTMKWEKECERRVA AKQLEMQNKLVWKDEKLKQLKAIVTEPKTEKPERPSRERDREK VTQRSVSPSPVPLLFQPDQNAPPRLRHRRSRSAGDRWVDHKP ASNMQTETVMQPHVPHAITVSVANEKALAKCEKYM LTHQELAS DGEIETKLIKGDIIYKTRGGGQSVQFTDIETLKQESPNGSRKRR SSTVAPAQPDGAESEWTDVETRCVAVEMRAGSQLGPGYQHHA QPKRKKP
413	1152	1	336	PFSSSSVSSKGSDFPGLTDPFGSGSFNSAEGFADFQSMS/KGK STPVSQGLSADFPEAPDPFQPLGADSGDPFQSKKGFDPFSGK DPFVPSAASKPSKASASGFADFTSVS

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
414	1153	1	1334	MSLMVVSMACVGLFLVQRAGPHMGGQDKPFLSAWPSAVVPRGG HVTLRCHYRHRFNNFMYLKEDRIHIPIFHGRIFQESFNMSPV TAHAGNYTCRGSHPHSPTGWSAPSNPVVIMVTGNHRKPSLLAH PGPLVKSGERVILQCWSDIMFEHFFLHKEGISAKDPSRLVGQIH DGVSKANFSIGPMMQDLAGTYRCYGSVTHSPYQLSAPSDPLDI VITGLYEKPSLSAQPGPTVLAGESVTLCSSRSSYDMYHLSRE GEAHERRFSAGPKVNGTFQADFPLGPATHGGTYRCFGSFRDSP YEWSNSSDPLLVSVTGNPSNSWPSPTEPSSETGNPRHLHLVIG TSVVIILFILLFFLLHRWCN\KKNAAVMDQESAGNRTANSE DSDEQDPQEVYTYQLNHCVFTQRKITRPSQRPKTPPTDIIIVYT ELPNAESRSKVVS
415	1154	1	1570	MSLRVHTLPTLLGAVVRPGCRELLCLLMITVTVGPGASGVCPT ACICATDIVSCTNKNLSKVPGNLFRLIKRLDLSYNRIGLLDSE WIPVSFAKLNTLILRHNNITSISTGSFSTTPNLKCLDLSSNKL KT\VKNAVFQELKVLEVLLLYNNHISYLDPSAFGGLSQLQKLY LSGNFLTQFPMPLYVGRFKLAELMFLDVSYNRIPSGMPMHINL VPGKQLRGIYHLGNPFVCD\CSLVSLLVFWYRRHFSSVMDFKN DYTCRLWSDSRHSRQVLLQDSFMNCSDSIINGSFRALGFIHE AQVGERLMVHCDSKTGNANTDFIWVGPDNRLLPEPKEMENFYV FHNGSLVIESPRFEDAGVYSCIAMNKQRLNETVDVTINVSNF TVSRSHAHEAFNTAFTTLAACVASIVLVLLYLYLTPCCKCKT KRQKNMLHQSNHSSILSPGPASDASADERKAGAGKRVVFLEP LKDTAAGQNGKVRLFPSEAVIAEGILKSTRGKSDSDSVNSVFS DTPFVAST
416	1155	2	1928	ASDFIRSLDHCGYLSLEGVFSHKFDFELQDVSSVNEDVLLTTG LLCKYTAQRFPKPKYKFFHKSFQEYTAGRRLSSLLTSHEPEEVT KNGYLQKMVSISDITSTYSSLLRYTCGSSVEATRAVMKHLAA VYQHGCLLGLSIAKRPLWRQESLQSVKNTTEQEILKAININSF VECGIHLVQESTSKSALSQEFEAFFQGKSLYINSGNIPDYLF FFEHLPNCASALDFIKLGFYGGAMASWEKAAEDTGGIHMEEAP ETYIPSRVSLFFNWKQEFRTLEVTLRDFSCLNKQDIRYLGKI FSSATSLRLQIKRCAGVAGSLSLVLSTCKNIYSLMVEASPLTI EDERHITSVTNLKTLSTIHDLNQRLPGGLTDSLGNLKNLTKLI MDNIKMNEEDAIIKLAEGLNKLNKMLFHLTHLSDIGEMDYIV KSLSSEPCDLEEIQLVSCCLSANAVKILAQNHLNLVKLSILD SENYLEKDGNEALHELIDRMNVLEQLTALMLPWGCDVQGSLS LLKHLEEVQVLVGLGLKNWRLTDTEIRILGAFFGKNPLKNFQQ LNLAGNRVSDGWLAFMGVFENLKQLVFFDFSTKEFLPDALV RKLSQVLSKLTFLQEARLVGWQFDDDDLSVITGAFLVTA
417	1156	342	718	ASDRKVAMTCDCFWFRMTLDQHASCMEVGTERERQAG/GLVMF DPSGFPTGEKVLQDDEFTCDLFRFLQLLCEGHNSGL*VPGTSD DTKA*IMFSSQ**QEPVSSNYASF*RQQIILEHGSALGSG

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
418	1157	1	135	EITHIVGETAAFLCPRLRLRRGGKDGSPKPGFLASVIPVDRRP GE*DITHIVGETAAFLCPRLRLRRGGKDGSPKPGFLASVIPVD RRPGE
419	1158	173	943	SKFIFYVDSQSMIFFFQTPTRHKVLIMEFCPCGSLYTVLEEPS NAYGLPESEFLIVLRDVVGGMNHLRENGIVHRDIKPGNIMRVI GEDGQSVYKLTDFGAARELEDDEQFVSLYGTEEYLHPDMYERA VLRKDHQ\KKYGAT\VDLW\SIGVTFFYQGKPTGS\LAI*HPFE GASVRNKASDGIKIITGKGLLGAIS\GVQKSKKNG\PI\DWEW EDMPVSCSPSSGVL RVPNLPPVLA\NILESRSRKKCWGF*PSF LQEN
420	1159	987	500	GSTISCERSLRSLWTAHWALPEMDSRIPYDDYPVVFLPAYENP PAWIPPHERVHHPDYNNELTQFLPRTITLKKPPGAQLGFNIRG GKASQLGIFISKVIPDSDAHRAGLQEGDQVLAVNDVDFQDIEH SKAVEILKTAREISMRVRFPPYNYHRQKERTVH
421	1160	3	890	HEQVSALHRRIKAIVEVAAMCGVNIICFQEAWTMPFAFCTREK LPWTEFAESAEDGPTTRFCQKLAKNHDMVVVSPILERDSEHGD VLWNTAVVISNSGAVLGKTRKNHI PRVGDFNESTYYMEGNLGH PVFQTQFGRIAVNICYGRHHPLNWL MY SINGAEIIFNPSATIG ALSESLWPIEARNAAIANHCFTCAINRVGTEHFPNEFTSGDGK KAHQDFGYFYGSSYVAAPDSSRTPGLSRSRDGLLVAKLDLNL C QQVNDVWNFKMTGRYEMYARELA EAVKSNYSPTIVKE

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
422	1161	5214	352	MAKSGGCGAGAGVGGGNGALTWVNNAAKKEESETANKNDSSKK LSVERVYQKKTQLEHILLRPDTYIGSVEPLTQFMWVYDEDVGM NCREVTFVPGLYKIFDEILVNAADNKQORDKNMTCIKVSIDPES NIISIWNNGKGI PVVEHKVEKVYPALIFGQLLTSSNYDDDEK KVTGGRNGYGAKLCNIFSTKFTVETACKEYKHSFKQTWNNMM KTSEAKIKHFDGEDYTCITFQPDLSKFKMEKLDKDIVALMTRR AYDLAGSCRGVKVMFNGKKLPVNGFRSYVDLYVKDKLDETGVA LKVIHELANERWDVCLTLSEKGFQQISFVNSIATTKGGRHVDY VVDQVVGKLI EVVKKKNKAGVSVKPFQVKNIHWVFINCLIENP TFDSQTKENMTLQPKSFGSKCQLSEKFFKAAASNCGIVESILNW VKFKAQTQLNKKCSSVKYSKIKGIPKLLDANDAGGKHSLECTL ILTEGDSAKSLAVSGLGVIGRDRYGVFPLRGKILNVREASHKQ IMENAEINNI IKIVGLQYKKSYYDAQSLKTLRYGKIMIMTDQD QDGSNIKGLLINF IHHNWPSLLKHGFLEEFITPIVKASKNKQE LSFYSIPEFDEWKKHIENQKAWKIKYYKGLTSTAKEKEYFA DMERHRI LFRYAGPEDDAAITLAFSKKKIDDRKEWLTNFMEDR RQRLHGLPEQFLYGTATKHLTYNDFINKELILFSNSDNERSI PSLVDGFKPGQRKVLFTCFKRNDKREVKVAQLAGSVAEMSAYH HGEQALMMTIVNLAQNFGVGSNNINLLQPIGQFGTRLHGKDA SPRYIFTMLSTLARLLFPAVDDNLLKFLYDDNQ RVEPEWYIPI IPMVLINGAEGIGTGWACKLPNYDAREIVNVRMLDGLDHPH MLPNYKNFKGTIQELGQONQYAVSGEIFVVDNRNTVEITELPVRT WTQVYKEQVLEPMLNGTDKTPALISDYKEYHTDTPVKFVVKMT EEKLAQAEAAAGLHKVFKLQTTLTCSNMVLFDHMGCLKKYETVQ DILKEFFDLRLSYGLRKEWLVGMLGAFTKLNNQARFILEKI QGKITI*NRSKKDLIQMLVQRGYESDPVKAWKEAQEKAEEDE TQNQHDDSSSDSGTPSGPDFNYILNMSLWSLTKEKVEELIKQR DAKGREVNLDLKRKSPSDLWKEDLAAFVEELDKVESQEREDVLA GMSGKAIKGVGKPKVKKLQLEETMPSPYGRRIIPEITAMKAD ASKKLLKKKKGDLDTAAVKVEFDEEFSGAPVEGAGEEALTPSV PINKGPKPKREKKEPGTRVRKTPTSSGKPSAKKVKKRNPWSDD ESKSESLEETEPVVI PRDSLRLRAAAERPKYTDFDSEEDDD ADDDDDDNNDLEELVKKASPIITNDGEDEFVPSDGLDKDEYTF PGKSKATPEKSLHDKKSQDFGNLFSFSPYSQKSEDDSAKFDSN EEDSASVFSFSGFLKQTDKVPSTVAACKGKPSDTPVKPKRA PKQKKVVEAVNSDSDSEFGIPKKTTPKKGKRGAKKRKASGSE NEGDPNPGRKTSKTTTSKKPKKTSFDQSDVDI FPSDFPTEPPS LPRTGRARKEVKYFAESDEEEDDVDFAMFN
423	1162	1	219	KGCLAASFNCIFLYTGELYPTMIR*VEA*WENDSLFLGKDILL CTGQTPELNQVHPSPKAPPNTHHCKAHSSH

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
424	1163	1454	446	ENSFECKDCGKAFSRGYQLSHHQKIHTGEKPYECKECKKAFRW GNQLTQHQKIHTGEKPYECKDCGKAFRWGSSSLVIHKRIHTGEK PYECKDCGKAFFRGDELTHQHFHTGEKDYECKDCGKTFSRVY KLIQHKRIHSGEKPYECKDCGKAFIGSSLIQHKRIHTGEKPY ECQECGKAFTRVNYLTQHQKIHTGEKPHECKECKGAFRWGSSSL VKHERIHTGEKPYKCTECGKAFNCGYHLTQHERIHTGETPYKC KECGKAFIYGSSLVKHERIHTGVKPYGCTECGKSFSHGHLTQ HOKTHSGAKSYECKECKGACNHLNHLREHQRIHNS
425	1164	826	407	HQYLLDLYPLHVMTILLKSHFFTMLKRPVGSSSFASLPFYHQS ILLRKNQMKRKKTKQDLTHINWTLQAVSIQTCIWLQKKPSSYF HQLPNQVL*PENSGPESCLYDLAAVVVHHGSG
426	1165	464	29	XLDPDTLPAVATLLMDVMFYNSGVKDPMATGDDCGHIRFFSFS LIEGYISLVMDVQTQQRFPNLLFTSASGELWKMVRIGGQPLG FGPVWESGPTGPTSPLILPVTSPSSSHRQAASQVTTTKQGQWLC LKRPSARSPPDHTACLG*
427	1166	649	901	EAPLTSVCFSLERRFGSSSNTTSFGTLASQNAPTFGSLSQQTS GFGTQSSGFSFGSGTGGFSFGSNNS*VSPFLSLTLIKSIK
428	1167	3	340	EEPQGSPIVWVLGSLTSVSCFLPFFQRMRIKPHQGQYIGEMSF LQHHKGECRPQKD*ARQENPCGPCSERRKHLGQDPKTCCKSC KNTDSRCKARPLELNERTCRCDKPRR
429	1168	355	1312	TLWAGPGLCPQSHSSSVAPWEPHVERALRTDRNQGQRPLLS ASWAPAPARPLFLTSPVLLPKSRAIPAARDPS*AGIFCLLEMA GGQASVVIIGSAGVLGCRWGSSGKSHSLSPSRKGNLHLLSQEP QTTVVHNATDGIKSTESCNNTTTEDEDLKVRKQEI IKITEQLI EAINNGDFEAYTKICDPGLTSFEPEALGNLVEGMDFHKFYFEN REWVRAADILLPAPLPLCLCLLLTFSSQLPTFFPLFDLRAALLL CMLVPLCPDGCRCRQAPLKALLSSKCHSFCSFVAVPVTTIKLT YFLPGAVAYACNPNTLGG
430	1169	439	728	ERAGAGGAAACRAGTRSGATSRTPWPLHRQLSMMLLAQSNPQ LFALMGTRAGIARELERVEQQSRLEQLSAAELQSRNQGHWADW LQAYRARLGQ
431	1170	3	440	NGTLFIMVMHIKDLVSDYKE*WL*RKPLPW*EALLLRDCFFF* VTENGADPNPYVKTYLLPDNHKTSKRKTKISRKTRNPTFNEML VYSGYSKETLRQRELQLSVLSAESLRENFFLGGVTLPLKDFNL SKETVKWYQLTAATYL

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
432	1171	433	1824	LHRIMQLAVVVSQVLENGSSVLVCLGWDITAQVTSLSVQLLS DPFYRTLEGFQMLVEKEWLSFGHKFSQRSSLTLNCQSGFAPV FLQFLDCVHQVHNQYPTEFEFNLYLKFALFHYVSNRFTFL DSDYERLEHGTLFDDKGEKHAKKGVCIWECIDRMHKRSPIFFN YLYSPLEIEALKPNVNVSSLKKWDYYIEETLSTGSPYDWMMLT PKHFPSESDSLAGEAGPRSQRRTVWPCYDDVSCVTPDALTSLSF SEIEKLEHKLNLQAPKQQLWERVTVDLKEEPRTDRSQRHLSR SPGIVSTNLPSYQKRSLLHLPDSSMGEEQNSSISPSNGVERR ATLYSQYTSKNDENRSFEGTLYKRGALLKGWKPRWFVLDVTKH QLRYDSDGEDTSCKGHIDLAEVEMVIPAGPSMGAPKHTSDKAF FDLTKSKRVYNFCAQDQGSAAQQWMDKIQSCISDA
433	1172	1714	946	EVEGPRRVSPAPETLGMEESVVRPSVFVVDGQTDIPFTRLGRS HRRQSCSVARVGLGLLLLLMGAGLAVQGWFLLQLHWRGEMVT RLPDGPAGSWEQLIQERRSHEVNPAHLTGANSSTGSGGPLL WETQLGLAFLRGLSYHDGALVVTAKAGYYYIYSKVQLGSGVGCPL GLASTITHGLYKRTPRYPEELELLVSQQSPCGRATSSSRVWWD SSFLGGVVHLEAGEEVVVRVLDRLVRLRDGTRSYFGAFMV
434	1173	16	367	QSAELGPRRREGSRRPSCTKASKPWRRRPGGPTSGLG*GPLSP GPYQCRPSLPAQLYPQSLMAAATLRTPTQVSAASSRPHTPSP HVLKPSVRGACSSPRCPGSGTLRRSWVGPF
435	1174	27	1139	LWWPPLSRHAHRQWPPTAPRGLGHKVKGRGASPAAMWSCSW FNGTGLVEELPACQDLQLGLSLLSLLGLVGVPGVGLCYNALLV LANLHKSASMTMPDVYFVNMAVAGLVLSALAPVHLLGPPSSRW ALWSVGGEVHVALQIPFNVSLLVAMYSTALLSLDHYIERALPR TYMASVYNTRHVCGFVWGALLTSFSSLLFYICSHVSTRALEC AKMQNAEADATLVFIGYVVPALATLYALVLLSRVRREDTPLD RDTGRLEPSAHRLLVATVCTQFGLWTPHYLILLGHTVIIISRGK PVDAYHLGLLHFVKDFSKLLAFSSSFVTPLLYRYMNQSFPSKL QRLMKKLPCGDRHCSPDHMGVQQVLA
436	1175	322	756	SESELFTLMPSLPTTNCVHSLQMIPPLSPAPNQELVLGLCYMS YLAFLYMTFDFCCLYFSTVYAPSFKYICVHTDTHICVCVCIYL SSVSKSSAEADGVLPORRHASLLIVFATSISESSLLIFSQ KTEAKLIVFAVSLAAK
437	1176	2	153	FFFLRQSLTSLPRLECSGATSASPSAGITGMSHHSQPIVNFLR ACIPISK
438	1177	1	692	RQHAERGRRNPKTGLTLERVGPESPYLLRRHQRRQGEHEHY HSCVQLAPTRGLEES/GHGPI/SLAGGPRVGGV/AAAATEAPR MEWKVKVRSDGTRYVAKRPVRDRLLKARALKIREERSGMTTDD DAVSEMKGGRYWSKEERKQHLIRAREQKRREFFMQSRLECLR EQQNGDSKPELNI IALSHRKTMMKRNKKILDNWTIQEMLAHG ARSADGKRVYNPLLSVTTV

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, /= possible nucleotide deletion, \ = possible nucleotide insertion)
439	1178	2	616	SDRGCSAAAGRNMTAVGVQAQRPLGQRQPRRSFFESFIRTLII TCVALAVVLSSVSICDGHWLLAEDRLFGLWHFCTTTNQSVPIC FRDLGQAHVPG LAVGMGLVRSVGALAVVAAIFGLEFLMVSQLC EDKHSQCKWVMGSILLVSFVLSSGGLLG FVILLRNQVT LIGF TLMFWCEFTASFLLFLNAISGLHINSITHPWE
440	1179	2	540	QILPNLYLGSARDSANLES LAKLGIRYILNVTPLNPNFFEKNG DFHYKQIPISDHSWQNLRSRFFPEAIEFIDEALSQNCGLVHCL AGVSRSVTVTVAYLMQKLHLSLNDAYDLVKRKKSNISPNFNM GQLLDFERSLRLEERHSQEQQSGGQASAASNPPSFFTPTSDG AFELAPT
441	1180	940	463	RKSLHENKLRLEQKVEVLEAKKEELETENQVLNRQNVPFEDY TRLQKRLKDIQRRHNEFRSLILVPMNPPTASINPVSFQSSAMG SKHGTTISSSYAGGTTSKGTLSTSQKTRRTGNNTKKTTRGTWI FRMMFLENRQIKRGEVGD SVKLDILT CGI
442	1181	1	986	GRPGAGASELFPSVT TDL SVSKQNA CLTCVDFVT VHVCMGFWG IGPGALSTSCIPYPLSHGPGSVKAEMLMYSQKDPLILCVRLA VLLAVTLTPVPVLFPIRRALQQLLFGKAFSWPRHVAIALILL VLNVLVICVPTIRDFGVIGST SAPSLIFILPSIFYLRI VPS EVEPFLSWPKIQALCFGLGVLFMAVSLGFMFANWATQSRMS GH*SGPAGPGPCAHAGGVRAAP*GPSCPTCGGGWFP*TWLSE AGDSRGCR LAHFPP PQGCQAWIMALIPTPTPWE EEEEEEEEEEE EEEEEEEEEEARSWSLCPAQSSLP PP G
443	1182	460	27	INELRYHLEESRDKNVLLCLEERDWD PGLAIIDNMQSINQSK KTVFVLTKKYAKSWNFKTAFYLALQRLMDENMDV IIFILLEPV LQHSQYLRLRQRICKSSILQWPDNPKA EGLFWQTLRN VVL TEN DSRYNNMYVDSIKQY
444	1183	1682	230	DDPIKTSWTPPRYVLSMSEERHERVRKKYHILVEGDGIPPPIK SFKEMKFPAAILRGLKKKG IHHPTPIQIQIGIPTILSGRDMIGI AFTGSGKTLVFTLPVIMFCLEQEKRLPFSKREGPYGLIICPSR ELARQTHGILEYYCRLLEDSSPLLRCALCIGGMSVKEQMETI RHGVHMMVATPGR LMDLLQKKMVSLD ICRYLALDEADRMIDMG FEGDIRTIFSYFKGQRQTLLFSATMPKKIQNFAKSALVKPVTI NVGRAGAASLDVIQEVEYVKEEAKMVYLLECLQKTPPPVLIFA EKKADVDAIHEYLLKGV EAVAIHGGKDQEERTKAIEAFREGK KDVLVATDVASKGLDFPAIQHVINYDMPEEIEENVHRI GRTGR SGNTGIATTFINKACDES VMLDLKALLLEAKQKVPVQLV LHC GDESM LDIGGERGCAFCGGLGHRITDCPKLEAMQTKQVSNIGR KDYLAHSSMDF
445	1184	1	375	IETTPSED TNANSQDNMQPETSSQQQLL SPTLSDRGGS RQD AADAGKPQRKFGQWRLPSAPKPISHSVSSVNLRFGGRTTMKSV VCKMNPMTDAASC GSEVKKWWTRQLTVE SDESGDDL DI
446	1185	2	223	NDRFSACYFTLKLKEAAVRQREALKLTKN IATDSYISVNL RD VYARS IMEMLRLKGRERASTRSSGGDDFWF

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
447	1186	2	1031	FTVFILGITIRPLVEFLDVKRSNKKQQAVSEEIYCRLFDHVKT GIEDVCGHWGHNFWRDKFKKFDKYLRLKLLIRENQPKSSIVSL YKKLEIKHAIEMAETGMISTVPTFASLNDCREEKIRKVTSSSET DEIRELLSRNLYQIRQRTLSYNRHSLTADTSEQAKEILIRRR HSLRESIRKDSLSNREHRASTSTSRYSLSLPKNTKLPEKLQKRR TISIADGNSSSDADAGTTVLNLQPRARRFLPEQFSKSPQSY KMEWKNEVDVDSGRDMPSTPPTPHSREKGTQTSGLLQQPLLSK DQSGSEREDSLTEGIPPKPPRLVWRASEPGSRKARFGSEKP
448	1187	3	444	HEEASGLSVWMGQMEPLHAVPPAAITLILSLLVAVFTECTSN VATTTFLPLIFASMSRSIGLNPLYIMLPCTLSASFAMLPVAT PPNAIVFTYGHCLKVADMVKTGVIMNIIGVFCVFLAVNTWGRAI FDLDHFPDWANVTHIET
449	1188	3	125	HELENNWLQHEKAPTEEGKKELLALSNNANPSLLERHCAYL
450	1189	1	188	GNIIYMYMQPGARSSQDQGFLLTFYNIIVTPLLNPLIYTLRNR EVKGALGRLLLGKRELKGE
451	1190	10	1879	PLEQRSNCRVDPRVRTHTMASDTSSLVQSHTYKKREPADVPIQ TGQLHPAIRVADLLQHITQMKCAEGYGFKEEYESFFEGQSAPW DSAKKDENRMKNRYGNI IAYDHSRVRLQTIEGDTNSDYINGNY IDGYHRPNHYIATQGPMQETIYDFWRMVWHENTASIIMVTNLV EVGRVKCKYWPDDTEIYKDIKVTLIETELLA EYVIRTFAVEK RGVHEIREIRQFHFTGWPDPHGVPHYATGLLG FVRQVKS KSPPS AGPLVVHCSAGAGRTGCFIVIDIMLDMAREGVVDIYNCVREL RSRRVNMVQTEEQYVFIHDAILEACLCGDTSPASQVRSLYYD MNKLDPQTNSSQIKEEFRTLNMVTPTLRVEDCSIALLPNHEK NRCMDILPPDRCLPFLITIDGESSNYINAALMDSYKQPSAFIV TQHPLPNTVKDFWRLVLDYHCTSVMLNDVDPALCPQYWPEN GVHRHGPIQVEFVSADLEEDIISRIFRIYNAARPDGYRMVQQ FQFLGWPMYRDTVPVSKRSFLKLIRQVDKWQEEYNGGEGRTVVH CLNGGGRSGTFCAISIVCEMLRHQRTVDVFHAVKTLRNNKPNM VDLLDQYKFCYEVALEYLNSG
452	1191	603	342	PLTYNKKYTYPWWGDALGWLLALSSMVCIPAWSLYRLGTLKGP FRERIRQLMCPAEDLPQRNPAGPSAPATPRTSLLRLTELESHC
453	1192	120	449	TLSESGALFSLGPPPLSLKSSSAPRPYSTLRDCLHFAELFDL GFPNPLAERIIIFETHQIHFANCSLGQPTFSDPPEDVLLAMIIA PICLIPFLITLVVWRSKDSEAQA
454	1193	1838	1066	CEEREQEKDDVDVALLPTIVEKVILPKLTVIAENMWDPFSTTQ TSRMVGITLKLINGYPSVVNAENKNTQVYLKALLRMRTLDD DVFMPLYPKNVLENKNSGPYLLFFQRQFWSSVKLLGNFLQWYGI FSNKTQELSIDGLLNRYILMAFQNSEYGDSDIKKAQNVINCF PKQWFMNLKGERTISQLENFCRYLVHLADTIYRNSIGCSDVEK RNARENIKQIVKLLASVRALDHAMSVASDHNVKEFKSLIEGK

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, / = possible nucleotide deletion, \ = possible nucleotide insertion)
455	1194	112	1361	TPFCFLCSLVFRSRVWAEPC LIDAAKEEYNGVIEEF L ATGEKL FGPYVWGRYDLLFMPPSF PFGGMENPCLTFVTPCLLAGDRSLA DVI IHEI SHSWFGNLVTNANWGEFWLNEGFTMYAQRRI STILF GAAYTCLEAATGRALLRQHMDITGEENPLNKL RVKIEPGVDPD DTYNETPYEKGFCFVS YLAHLVGDQDQFDSFLKAYVHEFKFRS ILADDFLD FYLEYFPELKKKRVDIIPGFEFDRWLNTPGWPPYL PDLSPGDSLMPAEELAQLWAAEELDMKAIEAVAISPWKTYQL VYFLDKILQKSP LPPGNVKKLGDTYPSISNARNAELRLRWGQI VLKNDHQEDFWKVKEFLHNQ GKQKYTLPLYHAMMGSEVAQTL AKETFASTASQLHSNVVNVVQQIVAPKGS
456	1195	1	889	CASGSSGWRPVLWAGAF TMASAE LDYTTIEIPDQPCWSQKNSPS PGGKEAETRQPVVILLGWGGCKDN LAKYSAIYHKRGCI VIRY TAPWHMVFFSESLGIPSLRVLAQKLELLFDYEIEKEP L LFHV FSNGGVMLYRYVLELLQTRRFCLRVVGTIFDSAPGDSNLVGA LRLAAILERRAAMLRL LLLVAFALVVVLFHVLLAPITALFHT HFYDRLQDAGSRWPELYLYSRADEVVLARDIERMVEARLARRV LARSVD FVSSAHVSHLRDYP TTYTSLCVD FMR \NWVRC
457	1196	2	295	PRVRDRLPSTGVRDRKGD KPWKESGGSVEAPRMGFTHP PGHLS GCQSSLASGETGTGSADPPGGPRPGLTRRAPVKDTPGRAPAAD AAPAGPSSCLG
458	1197	1299	682	QGRTSCIGLYTYQRRICKYRDQYNWFFLARPTTFAT I IENLKYF LLKKDPSQPFYLGHTIKSGDLEYVGM EGGIVLSVESMKRLNSL LNIPEKCPEQGGMIWKI SEDKQLAVCLKYAGVFAENAEDADGK DVFN TKSVGLS I KEAMTYHPNQVVEGCCSDMAVTFNGLTPNQM HVMYGVYRLRAFG \HIFNDALVFLPPNGSDND
459	1198	779	61	HEGKPTRGRGRGGSLS TRGRGSEVPDSAH LAP TPLFSESGCCG LRSRFLTDCKMEEGNLGGLIKMVHLLVLSGAWGMQMWVTFVS GFL LFRSLPRHTFGLVQSKLF PFYFHISMGCAFINLCILASQH AWAQLTFWEASQLYLLFSLTLATVNARWLEPRTTAAMWALQT VEKERGLGGEVPGSHQGPDPYRQLREKDPKYSALRQNF FRYHG LSSLCNLGCVLSNGLCLA \ALPWK
460	1199	517	815	KQLDKQLRADPSGSLPPLPPSPPPPLEAGGRPEVP /PRGPSA VPSFPSVSGDWG GPVEAG /EGGQQGRGRARARPCSLPPLPPS PVCRLSGSRAPLGCDG
461	1200	1	583	RNQLSSQKSVPWPVPI LKSLPLWAI VVAHFSYNWTFYTL L TLLP TYMKEILRFNVQENGFLSSLPYLG SWLCMILSGQAADNLRAKW NFTLCVRRIFSLIGMIGPAVFLVAAGFIGDYS LAVAFLTIS TTLGGFCSSGFSINHLDIAPSYAGILLGITNTFATIPGMVGPV IAKSLTPDMGISLHRPGWSAVA
462	1201	25	383	GPSGTTTHASAHSGHPGSPRGSLSRHPSSQLAGPGVEGGEGTQK PRDYI IAILSCFCPMWPVNIVAFAYAVMSRNSLQQGDVDGAQ RLGRVAKLLSIVALVGGVLI I IASCVINLGVYK
463	1202	573	372	SLFLSFPPLSFKMTLNDAMRNKARLSITGSTGENGRVMTPEFP KAVHAVPYVSPGMGMNVSVTDLS

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, / = possible nucleotide deletion, \ = possible nucleotide insertion)
464	1203	2018	491	DDVPPPAPDLYDVPPGLRRPGPTLYDVPRERVLPPPEVADGGV VDSGVYAVPPPAEREAPAEGKRLSASSTGSTRSSQSASSLEVA GPGREPLELEVAVEALARLQQGVSATVAHLLDLGASAGATGSW RSPSEPQEPLVQDLQAAVAQSAVHELLEFARSAGVNAHTS DRALHAKLSRQLQKMEDVHQTIVAAGQALDAGRGGSGATLEDL DRLVACSRVPEDAKQLASFLHGNASLLFRRTKATAPGPEGGG TLHPNPTDKTSSIQSRPLSPPKFTSQDSPGQYENSEGGWME DYDYVHLQKKEFEKTQKELLEKGSITRQGSQLELQQLKQFE RLEQEVSRPIDHDLANWTPAQPLAPGRTGGGLGPSDRQLLLFYL EQCEANLTTLTNAVDAAFTTAVATNQPPIFVAHSKFVILSAHK LVFIGDTLSRQAKAADVRSQVTHYSNLLCDLLRGIVATTKAAA LQYPSPSAAQDMVERVKELGHSTQQFRRVLGQLAAA
465	1204	299	189	EMEEPQKSYVNTMDLERDEPLKSTGPGQISVSEFSCHCCYDILV NPTTLNCGHSFCRHCLALWWASSKTECPECREKWEFGPKVSI LLRDAIEKLFPPDAIRLRFEDIQQNNDIVQSLAAFQKYGNDQIP LAPNTGRANQQMGGGFFSGVLTALTGVAVVLLVYHWSRESEH DLLVHKAVAKWTAEEVVLWLEQLGPWASLYRERFLSERVNGRL LLTLTEEEFSKTPYTIENSSHRRAILMELERVKALGVKPPQNL WEYKAVNPGRSFLFLYALKSSPRLSLLYLYLFDYTDTFLPFIH TICPLQEDSSGEDIVTKLLDLKEPTWKQWREFLVKYSFLPYQL IAEFAWDWLEVHYWTSRFLIINAMLLSVLELFSFWRIWSRSEL K*VGFRFLRLGVAALGSVEVAGLRGVVKGERPLLYGHGAGARF PHSVLLLPVAKPLPLPLPRGLC
466	1205	2	242	EKARMIYEDYISILSPKEVSLDSRVREVINRNLDPNPHMYED AQLQIYITLMHRDSFPRFLNSQIYKSFVESTAGSSSES
467	1206	2	619	LYYSQDEESKIMISDFGLSKMEGKGDVMSTACGTPGYVAPEVL AQKPYSKAVDCWSIGVIAYILLCGYPPFYDENDSKLFEQILKA EYEFDSPYWDIDISDAKDFIRNLMEKDPNKRYTCEQAARHPWI AGDTALNKNIHESVSAQIRKNFAKSKWRQAFNATAVVRHMRKL HLGSSLDSSNASVSSSLSLASQKDCASGTFHAL
468	1207	1	352	RTRGGAVSFEDFIKGLSILLRGTVQEKLNWAFNLYDINKDGYI TKEEMLDIMKAIYDMMGKCTYPVLKEDAPRQHVETFFQKMDKN KDGVTIIDEFIESCQKDENIMRSMQLFENVI
469	1208	3	1015	PRSPHEHTPAWHEGRSLGPIMASMADRNMKLFSGRVPAQGEE TFENWLTQVNGVLPDWNMSEEEKLRLMKTLRGPAREVMRVLQ ATNPNLVADFLRAMKLVFGESESVTAHGKFFNTLQAQGEKA SLYVIRLEVQLQNAIQAGIIAEKDANRTRLQQLLGGELSRLD RLRLKDFLRMYANEQERLPNFLELIKMVREEEDWDAFIKRRK PKRSESMVERAVSPVAFQGSPPIVIGSADCNVIEIDDTLDDSD EDVILVESQDPPPLPSWGAPPLRDRARPQDEVLVIDSPHNSRAQ FPSTSGSGSYKNNPGEMRRARKRKHTIRCSYCCEE
470	1209	1543	1351	SVACTVPLRSMSPDQDFDKEPDSSTKHSTPSNSSNPSPGPPS PNSPHRSQPLLEGLEQPACDT

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, / = possible nucleotide deletion, \ = possible nucleotide insertion)
471	1210	3	952	YSAVEFAERGGSSGDELREDDEPVKKRGRKGRGRGPPSSSD SEPEAELEREAKKSARKKQSSSTEPARKPGQKEKRVPEEKQQ AKPVKVERTRKRSEGFSDRKVEKKKEPSVEEKLQKLHSEIKF ALKVDS PDVKRCLNALEELGTLQVTSQILQKNTDVVATLKKIR RYKANKDVMKAAEVYTRLKSRVLGPKIEAVQKVNKAGMEKEK AEEKLAGEELAGEEAPQEKAEDKPDSTLSAPVNGEATSQKGES AEDKEHEEGRDSEEGPRCGSSDLHDSVREGPDLDRPGSDRQE RERARGDSEALDEES
472	1211	5204	2901	LAELSSLSVLRSLSHNSISHIAEGAFKGLRSLRVLDDLHNEISG TIEDTSGAFSGLDLSKLTFLGNKIKSVAKRAFSGLEGLEHLN LGGNAIRSVQFDFAFVKMKNLKLHSSDSFLCDCQLKWLPWWL IGRMLQAFVTATCAHPESLKGQSIFSVPPESFVCDDFLKPQII TQPETTMAMVGKDIRFTCSAASSSSSPMTFAWKDNEVLTNAD MENFVHVHAQDGEVMEYTTILHLRQVTFGHEGRYQCVITNHFG STYSHKARLTVNVLPSFTKTPHDITIRTTTMARLECAATGHPN PQIAWQKDGDTDFPAARERRMHVMPDDDDVFFITDVKIDDAGVY SCTAQNSAGSISANATLTVLETPSLVVPLEDVVS VGETVALQ CKATGNPPPRITWFKGDRPLSLTERHHLTPDNQLLVQNVVAE DAGRYTCEMSNTLGTERAHSQSLVLPAAAGCRKDGTTVGIFTIA VVSSIVLTSLVWVCIIYQTRKKSEEYSVTNTDETVPDPVPSY LSSQGTLSDRQETVVRTEGGPQANGHIESNGVCPRDASHFPEP DTHSVACRQPKLCAGSAYHKKPWKAMEKAEGTPGPHKMEHGGR VVCSDCNTEVDCYSRGAQFHPQPVSRDSAQPSAPNGPEPGGSD QEHSPHHQCSRTAAGSCPECQGS LYPSNHRMLTAVKKKPMAS LDGKGDSWTLARLYHPDSTELQPASSLTSGSPERAEAQYLLV SNHGLPKACDASPESTPLTGQLPGKQRVPLLLAPKS

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corre- sponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corre- sponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
473	1212	2	2466	AAAGAARRVSVRCGRSGPGPGRGAAGLSPADIALASEQGASCS VRAPERKLRLMKLLWQAKMSSIQDWGEEVEEGAVYHVTLKRVQI QQAANKGARWLGVEGDQLPPGHTVSQYETCKIRTIKAGTLEKL VENLLTAFGDNDFTYISIFLSTYRGFASTKEVLELLLDRYGNL TSPNCEEDGSQSSSESKMVIRNAIASILRAWLDQCAEDFREPP HFPCLOKLLDYLTRMMPGSDPERRAQNLEQFQKQEVETDNGL PNTISFSLEEEEELEGGESAETCFSEDLVAEQLTYMDAQLFK KVVPHHCLGCIWSRRDKKENKHLAPTIRATISQFNTLTCKVVS TILGGKELKTQORAKIIEKWINIAHECRLLKNFSSLRRAIVSAL QSNSIYRLKKTAAVPRDRMLMFEELSDIFSDHNNHLTSRELL MKEGTSKFANLDSSVKENQKRTQRRLLQLQKDMGVMQGTVPYLG TFLDTLMTLDLQDYIEGGLINFEKRRREFEVIAQIKLLQSA CNSYCMTPDQKFIQWFQRQQLLTEESYALSCEIEAAADASTT SPKPWKSMVKRLNLLFLGADMITSPPTKEQPKSTASGSSGES MDSVSVSSCESNHSEAEEGYITPMDTPDEPQKKLSESSSYCSS IHSMDTNFLQGMSSLINPLSSPPSCNNNPKIHKRSVSVTSITS TVLPPVYNQONEDTCIIRISVEDNNGNMYKSIMLTSQDKTPAV IQRAMLKHNLDSDPAEYELVQVISEDKELVIPDSANVFYAMN SQVNFDIFILRKKNMEEQVKLRSRTSLTLPR TAKRG CWSNRHS KITL
474	1213	1	867	AREKMDSCIEAFGTTKQKRALNTRRMNRVGNESLNRAVAKAAE TIIDTKGV TALVSDAIHNDLQDDSLYLP PCYDDAAKPEDVYKF EDLLSPA EYEALQSPSEAFRNV TSEEILKMIEENSHCTFVIEA LKSLPSDVESRDRQARCIWFLDTLIK FRAHRVVKRKSALGPGV PHIINTKLLKHFTCLTYNNGRLRNLI SDSMKAKITAYV IIAL HIHDFQIDLTVLQRD LKLSEKRMMEIAKAMRLKISKRRVSVA GSEEDHKLGTLSLPLPPAQTSDRLAKRRKIT

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corre- sponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corre- sponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, / = possible nucleotide deletion, \ = possible nucleotide insertion)
475	1214	2	2621	LSLFGSRALGRSGARAMAKAKKVGARRKASGAPAGARGGPAKA NSNPFVEVKVNRQKFQILGRKTRHDVGLPGVSRARALRKRTQTL LKEYKERDKSNVFRDKRFGEYNSNMSPEEKMMKRFALQQRRHH EKKS IYNLNEDEELTHYGQSLADIEKHNDIVSDSDAEDRGTL SGELTAAHFGGGGGLLHKKTQQEGEEREKPKSRKELIEELIAK SKQEKRRERQAQREDALELTEKLDQDWKEIQTLTLLSHKTPKSEN DKKEKPKPDAYDMVRELGFEMKAQPSNRMKTEAELAKEEQEH LRKLEAERLRRLMGKDEDENVKKPKHMSADDLNDGFVLDKDDR RLLSYKDGKMNVEEDVQEEQSKEASDPESNEEGDSSGGEDTE ESDSPDSHLDLESNVESEENEKPAKEQRQTPGKGLISGKERA GKATRDELPTFAAPESYEELRSLLLGRSMEEQLLVVERIQKC NHPSLAEGNKAKLEKLFGLFLEYVGDLATDDPPDLTVIDKLVV HLYHLCQMFPEASDAIKFVLRDAMHEEMMETKGRAALPGL DVLIYLIKITGLLFPTSDFWHPVTPALVCLSQLLTKCPILSLQ DVVKGLFVCCLFLEYVALSQRFIPELINFLLGILYIATPNKAS QGSTLVHPFRALGKNSSELLVVSAREDVATWQSSLSLRWASRL RAPTSTEANHIRLSCLAVGLALLKRCVLMYGSLSFHAIMGPL RALLTDHLADCSHPQELQELCQSTLTEMESQQLCRPLTCEKS KPVPLKLFTPRLVKVLEFGRKQGSSKEEQERKRLIHKHKREFK GAVREIRKDNQFLARMQLSEIMERDAERKRKVKQLFNSLATQE GEWKALKRKKFKK
476	1215	3	961	LTKQEDCCGSIGTAWGQSKCHKCPQLQYTGQKPGPVRGEVGA DCPQGYKRLNSTHCQDINECAMPGVCRHGDCLNNPGSYRCVCP PGHSLGPSRTQCIADKPEEKSLCFRLVSPHQCHPLTTRLTR QLCCCSVGKAWGARCQRCPTDGTAAFKEICPAGKGYHILTS HQ TLTIQGESDFSLFLHPDGPPKPPQLPESPSQAPPPEDTEEERG VTTDSPVSEERSVQQSHPTATTTTPARPYPELISRPSPTMRWF LPDLPPSRSAVEIAPTQVTETDECRLNQNICGHGECVPGPPDY SCHCNPGYRSHPHRYCV

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
477	1216	3652	1207	MAGGHCGSFPAAGSGEIVQLNVGGTRFSTSRQTLMWIPDSF FSSLLSGRISTLRDETGAIFIDRDPAAAFAPILNFLRTKELDLR GVSINVLREAEFYGITPLVRRLLLCHEELRSSCGSVLFHGYL PPPGIPSRKINNTVRSADSRNGLNSTEGEARGNGTQPVLSGTG EETVRLGFPVDPRKVLIVAGHHNWIVAAYAHFAVWYRIKESG WQQVFTSPYLDWTIERNALNAKVVGGPHGDKDKMVAVASESSI ILWSVQDGGSGSEIGVFSLGVPVDALFFIGNQLVATSHTGKVG VWNAVTDHQQVQDVVPITSYDTAGSFLLGCGNNGSIYYIDMQK FPLRMKDNDLLVTELYHDPNDAITALSYYLTPKTSVSGNWIE IAYGTSSGAVRVIVQHPETVSGSPQLFQTFVHRSPVTKIMLS EKHLVSVCADNNHVRTWTVTFRFGMISTQPGSTPLASFKILSL EETESHGSSYSGNDIGPFGERDDQVFIQKVVPITNKLFLVRLS STGKRICEIQAVDCTTISSTGREGSSRMGSRPRYLFTGH TNGSIQMWDLTTAMDVMNKSEDKDVGGPTEEBLLKLLDQCDLS TSRCATPNISPATSVVQHSRLRESNSSLQLQHDDTTHEAATYG SMRPYRESPLLARARTESFHSYRDFQTNLNRNVERAVPENG NLGPIQAEVKGATGECNISERKSPGVEIKSLRELDSGLEVHKE AEGFSESKKRSEDENENKIEFRKKGGFEGGGFLGRKKVPYLA SSPSTSDGGTDSPGTASPSPTKTPSPRHKKSDSSGQEYSL
478	1217	1	1379	RRPTRPILTDELFRKTIQLPHLKTILNGNKLETLSLVSCFAN NTPLEHLDSLQNLLQHKNDENCSWPETVVMNLSYNKLSDSVF RCLPKSIQILDNNNQIQTVPKETIHLMALRELNI AFNFLTDL PGCSHFRLSVLNIEMNFILSPSLDFVQSCQEVKTLNAGRNP RCTCELKNFIQLETYSEVMVGVSDSYTCEYPLNLRGTRLKDV HLHELSCNTALLIVTIVIMLVGLAVAFCLHFDLPWYLRML GQCTQTWHRVRKTTQEQLKRNVRFHAFISYSEHDSLWVKNELI PNLEKEDGSILICLYESYFDPGKSISENIVSFIEKSYKSIFVL SPNFVQNEWCHYEFYFAHHNLFHENS DHI ILILLEPIPFYCIP TRYHKLKALLEKKAYLEWPKDRRKCGLFWANLRAAINVNLAT REMYELQTFTELNEESRGSTISLMRTDCL
479	1218	1	1099	PTRPTRPPTRPPLTPSWTSTGRMWSHLNRLLFWSIFSSVTCR KAVLDCEAMKTNEFPSPCLDSKTKVVMKGQNVSMFCSHKNKSL QITYSLFRKTHLGTQDGKGEPAIFNLSITEAHESGPYKCKAQ VTSCSKYSRDFSFTIVDPVTSPLNIMVIQTETDRHITLHCLS VNGSLPINYTFFENHVAISPASKYDREPAEFNLTKKNPGEEE EYRCEAKNRLPNYATYSHPVTMPSTGGDSCPFCLKLLPLGLLL LLVVIIILILAFWVLPKYKTRKAMRNVPDRDGTAMEVGIYAN ILEKQAKEESVPEVGSRPCVSTAQDEAKHSQELQYATPVFQEV APREQEACDSYKSGYVYSELNF
480	1219	1	293	FFFFEERTGSHSVGHPRMEYSGVSMACSLNLLGSSNSPSSA SQDARTTGACQHAQLIGFFFF\ VETASPVVTHAG/LKHLVSRN PSAVTSQSARIKT

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, / = possible nucleotide deletion, \ = possible nucleotide insertion)
481	1220	1	727	NREGARKIQNKWLRPSPRSHRTPESVSPERYSYGTSSSSSKRTE GSCRRRRQSSSSANSQQGQWETGSPPTKRQRRSRGRPSGGAKR RRRGAPAAPQQQSEPARPSSEGKVTCDIRLRVRAEYCEHGPAL EQGVASRRPQALARQLDVFGQATAVLRSDLGSVVCDIKFSEL SYLDAFWGDYLSGALLQALRGVFLTEALREAVGREAVRLLVSV DEADYEAGRRRLLLMEEEGRRRPTAS
482	1221	1	1321	APNTAELRICRVNKNCGSVRGGDEIFLLCDKVQKDDIEVRFVL NDWEAKGIFSQADVHRQVAIVFKTPPYCKAITEPVTVKMQLRR PSDQEVSESMDFRYLPDEKDTYGNKAKKQKTTLLFQKLCQDHV ETGFRHVDQDGLELLTSGDPPTLASQSAGITVNFPERPRPGLL GSIGEGRYFKKEPNLFSHDAVVREMPGTVSSQAESYYPSPGPI SSGLSHHASMPLPSSSWSSVAHPTPRSGNTNPLSSSFSTRITLP SNSQGI PPFLRIPVGNLDNASNACIYNNADDIVGMEASSMPSA DLYGISDPNMLSNCSVNMMTTSSDSMGETDNPRLLSMNLENPS CNSVLDPRDLRQLHQMSSSSMSAGANSNTTVFVSQSDAFEGSD FSCADNSMINESGPSNSTNPNSHGFVQDSQYSGIGSMQNEQLS DSFPYEFFQV
483	1222	1	1311	RRLSLDLQLGPLGRDPPQECSTFSPTDSGEEPQGLSPGVQFQ RRQNQRRFSMEDVSKRLSLPMDIRLPQEFLOKLQMESPDLPKP LSRMSRRASLSDIGFGKLETYVKLDKLGEGTYATVFKGRSKLT ENLVALKEIRLEHEEGAPCTAIREVSLLKNLKHANIVTLHDLI HTDRSLTLVFYLDSDLKQYLDHCGNLM SMHN VKI FMFQLLRG LAYCHHRKILHRDLKPQNLLINERGELKLADFLARAKSVPTK TYSNEVVTLWYRPPDVLLGSTEYSTPIDMWGVGCIHYEMATGR PLFPGSTVKEELHKINRLLGTPTEETWPGVTAFASEFRYTSFPC YLPQPLINHAPRLD TDGIHLLSSLLLYESKSRMSAEALSHSY FRSLGERVHQLED TASIFSLKEIQLQKDPGYRGLAFQQPGRGK NRRQSIF
484	1223	807	356	CTPHGSSSSWKIPLWPRHMSPLHSCLPVGSTSSGPLAVPRDC FHLCCLGWQLLLISCPLACGQGC RVAGGQQHVPQALGTLSP VSLLTWAGPSLDWPHPGSLVTPRCPI LPAVPVLVKGLGGWPPT RPSRAAPVSGPWDQLPYFPGL
485	1224	1199	370	LISPVGWNIQRSRSVPLFPSGLVLGGIWARGP LLALLASFNII SVLNAECYLKQILHPTSHFTVSETPPLSGNDTDSLSCDSGSSA TSTPCVSRLVTGHHLLWASKNGRHLVGLIEDYEALLKQISQQR LLAEMDIQTQEAPSSTSQELGTGKPHAPLSKFVSSVSTAKLT LEEAYRRLKLLWRVSLPEDGQCPLHCEQIGEMKAEVTKLHKKL FEQEKKLQNTMKLLQLSKRQEKVIFDQLVVTHKILRKARGNLE LRPGGAHPGTCSPSRPGS

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corre- sponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corre- sponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
486	1225	2469	1660	LGLFCILPIDTLCAVLERDLSIRESRLFGAVVRWAAEACQRO QLPVTTFGNKQKVLGKALSLIRFPLMTIEEFAAGPAQSGILSDR EVVNLFLHFTVNPKEPRVEYIDRPRCCLRGKECCINRFQQVESR WGYSGTSDRIRFTVNRRISIVGFGLYGSIHGPTDYQVNIQIIIE YEKKQTLGQNDTGFS CDGTANTFRVMFKEPIEILPNVCYTACA TLKGPDSHYGTKGLKKVHETPAASKTVFFFFSSPGNNNGTSI EDGQIPEIIFYT
487	1226	1193	372	SVWWNSEVKDWMQKKRRGLRNSRATAGDIAHYRDRYVVKKGLG HNFVSGAVVTAVEWGTPDPSSCGAQDSSPLFQVSGFLTRNQAQ QPFSLWARNVVLATGTDFDSPARLGIPGEALPFIHHELSALEAA TRVGAVTPASDPVLIIGAGLSAADAVLYARHYNIPVIHAFRRA VDDPGLVFNQLPKMLYPEYHKVHQMREQSILSPSPYEGYRSL PRHQLLCFKEDCQAVFQDLEGVEKVFVSVLVLVLIGSHPDLSF LPGAG\LTLQWILTSR
488	1227	756	1016	KLRPFIFSNQSLWLHSYEGAELEKTFIKGSWATFWVKVASCWA CVLLYLGLLLAPLCWPPTQKPQPLILRRRRHRIISPDKYPPV
489	1228	1	747	QLIHLSHGYQIHWTDYINVGTGRPEFGTRAHKS LAGAEKTL KDFVTVLAKLFPGRPPVKLLLEMLQEWLASLPLDRIPYNAVLD LVNNKMRI SGIFLTNHIKWVGCQGSRSSELRGYPCSLWKLFHTL TVEASTHPDALVGTGFEDDPQAVLQTMRRYVHTFFGCKEKGEGH FEEMAKESMDSVKTPDQAILWLWKKHNMVNGRLAGEKPLGMGG SARAEGGPGPGTARTARLPWGLSLSFAASCHPLC
490	1229	4797	2398	HGGATFINAFVTTMCCPSRSSMLTGKYVHNHNVYTNNENCSS PSWQAMHEPRTFAVYLNNTGYRTAFFGKYLNEYNGSYIPPGWR EWLGLIKNSRFYNTVCRNGIKEKHGFDYAKDYFTDLITNESI NYFKMSKRMYPHRPVMVISHAEPHPEDSAPQFSKLYPNASQ HITPSYNYAPNMDKHWMQYTGPMPLPIHMEFTNILQRKRLQTL MSVDDSVRLYNMLVETGELENTYIIYTADHGYHIGQFGLVKG KSMPLYDFDIRVPFFIRGPSVEPGSIVPQIVLNIDLAPTILDLA GLDTPPDVDGKSVLKLDDPEKPGNRFRNTNKKAKIWRDTFLVER GKFLRKKEESSKNIQQSNHLPKYERVKELCQARYQTACEQPG QKWQCIEDTSGKLR IHKCKGPSDLLTVRQSTRNLYARGFHDKD KECSCRESGYRASRSQRKSQRQFLRNQGT PKYKPRFVHTRQTR SLSVEFEGEIYDINLEEEELQVLQPRNIAKRHDEGHKGPRDL QASSGGNRGRMLADSSNAVGPPPTTVRVTHKCFILPND SIHCER ELYQSARAWKDHKAYIDEEIEALQDKIKNLREVRGHLKRRKPE ECSCSKQSYYNKEKGVKKQEKLSHLHPFKEAAQEVDSKLQLF KENNRNRKKERKEKRRQRKGEECSLPGLTCTFHDNNHWQTAPF WNLGSFCACTSSNNNTYWCLRTVNETHNFLCFEFATGFLEYFD MNTDPYQLTNTVHTVERGILNQLHVQLMELRSCQGYKQCNP RP KNLDVGNKDGGSYDLHRGQLWDGWEG

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, / = possible nucleotide deletion, \ = possible nucleotide insertion)
491	1230	2480	385	HLLIAQELADRVGEGRACWSLGNAYVSMGRPAQALTFAKKHLQ ISQETGDRHGELTARMNVAQLQLVLGRLTSPAASEKPDLAGYE AQGARPKRTQRLSAETWDLRLPLEREQNGDSHSGDWRGSPSR DSLPLPVRSRKYQEGPDAERRPREGSHSPLDADVRVHVPTS IPRAPSSDEECFFDLLTKFQSSRMDDQRCPLDDGQAGAAEATA APTLEDRIAQPSMTASPQTTEFFDLIASSQSRLDDQRASVGS LPGLRITHSNAGHLRGHGEPQEPGDDFFNMLIKQSSRIDQD CPPPDVLPRGPTMPDEDDFSLIQRVQAKRMDEQVRDLAGGPGA GGRRPARAPAAVPAWCELRPCAHRQAHPAPTGRSSHSHSVL PRPLPRTGTGHAAPRPPRPRATGSGQAARGGRACFHPGLAPMA LSFLPSAPAAGRTGPSACRPRPGAVRLPHPLPQALPVLPCPAK CETLLSPSPSPKVSLSRLLGPPRTGPCSVPELVLGWPCDRHA PPLQLRPGAGLPPSLSPHSPARGQQPQKAPQTTGHRPGCSGSP EVPPAESQGPAGASTGAGPISKAEGMAGHELHRSKTPSQEKGO GLVLGMLTGSKSSAQSGWEVAPGSVTLTQVGGWSVEAGEASLS STLQTPHMRTPLLPPAGGDDITALSMGRGLTGHQVRDPRTGRT CWSLRWAPGA
492	1231	3	398	NSAADLAIFALWGLKPVVYLLASSFLGLGLHPISGHFVAEHYM FLKGHETYSYYGPLNWITFNVGYHVEHDFPSIPGYNLPLVRK IAPEYYDHLPPQHHSWVKVLWDFVFDLSLGPYARVKRVYRLAKD GL
493	1232	1	214	QESGFSCCKGPGQNVAVTRAHPDSQGRRRRPERGARGGQVFYNS EYGEELSEPSEEDHCSPSARVTFFTDNSY
494	1233	3	443	VIVHARPIRTRASKYYIPEAVYGLPAYPAYAGGGGFVLSGATL HRLAGACAQVELFPIDDVFLGMCLQRLRLTPEPHPAFRTFGIP QPSAAPHLSTFDPCFYRELVVHGLSAADIWLMWRLLHGPHGP ACAHQPVAAGPFQWDS
495	1234	1	897	MASAAACSMDEIDSFELLDLLFDRQDGI LRHVELGEGWGHVKDQ VLPNPDSDDFLSSILGSGDSLPSPLWSPEGSDSGISEDLPD PQDTPPRSGPATSPAGCHPAQPGKGPCLSYHPGNSCSTTTPGP VIQQQHHLGASYLLRPGAGHCQELVLTEDEKKLLAKEGITLPT QLPLTKYEERVLKKIRRKIRNKQSAQESRKKKKEYIDGLETRS CCCPLPSSSSPPSALLAPTCKPRALGTLRLYECSPELCTTMLPP AWLLMLCQAFRPQDPPRLTQPEKSLQEAPGQTGASRTPT

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
496	1235	4235	940	ARGRRSRPVWAASWGGRRPAARRRPRGLAATMGFELDRFDGD VDPDLKCALCHKVLEDPLTTPCGHVFCAGCVLPWVVQEGSCPA RCRGRLSAKELNHVLPKRLILKLDIKCAYATRGCGRVVKLQQ LPEHLERCDFAPARCRHAGCGQVLLRRDVEAHMRDACDARPVG RCQEGCGLPLTHGEQRAGGHCCARALRAHNGALQARLGALHKA LKKEALRAGKREKSLVAQLAAQLELQMTALRYQKKFTEYSAR LDSLRCVAAPPGGKGEETKSLTLVLHRDSGSLGFNIIGGRPS VDNHDGSSSEGI FVSKI VDSGPAAKEGGLQIHDR I IEVNGRDL SRATHDQAVEAFKTAKEPIVVQVLRRTPRTKMFTPPSESQVLD TGTQTDITFEHIMALTKMSSPSPVLDPYLLPEEHPSAHEYD PNDYIGDIHQEMDREELELEEVDLYRMNSQDKLGLTVCYRTDD EDDIGIYISEIDPNSIAAKDGRIREGDRI IQINGIEVQNREEA VALLTSEENKNFSLIARAELQLDEGWMDDDRNDLDDLHMDM LEEQHHQAMQFTASVLQKKHDEDGGTTDTATILSNQHEKDSG VGRDDESTRNDESSEQENNGDDATASSNPLAGQRKLTCSQDTL GSGDLPFSNKS FISPECTGAAYLGIPVDECERFRELLELKCV KSATPYGLYYPGGLDAGKSDPESVDKELELLNEELRSIELEC LSIVRAHKMQQLKEQYRESWMLHNSGFRNYNTSIDVRRHELSD ITELPEKSDKSSAYNTGESCRSTPLTLEISPNSLRRAAEG ISCPSSSEGAVGTTEAYGPASKNLLSITEDPEVGTPTYSPLKE LDPNQPLESKERRASDGSRSPTPSQKLGSAYLPSYHHSYPYKHA HIPAHQAQHYQSYMQLIQKSAVEYAQSQMSLVSMCKDLSSPTP SEPRMEWKVIRSDGTRYITKRPVRDRLLRERALKIREERSGM TTDDDAVSEMKGMYWSKEERKQHLVKAKEQRRRREFMMQSR DCLKEQQAADDRKEMNILELSHKKMMKKRNKKIFDNWMTIQEL LTHGTSKSPDGTRVYNSFLSVTTV
497	1236	2	157	FFFLVEMGFCHVGQGLTLIGSSNLPASASKSAGITGVSHCAR PDFKSCVE
498	1237	1	211	LAGRKVLLFVSGYVVGWGPITWLLMSEVLPLRARGVASGLCVL ASWLTAFLVLTKSFLPGGVSVQPQAPGP
499	1238	2	345	FWAPGPPGVGAAGVDASTRSLRESCPSPPGRLRRTTAPWSSQ ARAAAPAPSSSSCRGPDGASSPRDLPWREPWKILRRTPLSGDVEL SQVHPDQIRILRRFILSRTCGNTIPGMAE
500	1239	1	523	MRRFLSKVYSFPMRKLILFLVFPVVRQTPTQHFKNQFPALHWE HELGLAFTKNRMNYTNKFLLI PESGDYFIYSQVTFRGMTSECS EIRQAGRPKNKPD SITVITKVTDSYPEPTQLLMGTSKSVCEVGS NWFQPIYLGAMFSLQEGDKLMVNVSDISLVDYTKEDKTFFGAF LL

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
501	1240	2	1277	FVWDEVAQRSGCEERWLVIDRKVYNISEFTRRHPPGGSRVISHY AGQDATDPFVAFHINKGLVKKYMNSLLIGELSPEQPSFEPTKN KELTDEFRELRA TVERMGLMKANHVFFLLYLLHILLDGAAWL TLWVFGTSFLPFLCAVLLSAVQAQAGWLQHDGHLVSFSTSK WNHLLHHFVIGHLKGAPASWWNHMHFQHHAKPNCFRKDPDINM HPFFFALGKILSVELGKQKKKYPYNNHQHKYFFLIGPALLPL YFQWYIFYFVIQRKKWVDLAWMITFYVRFFLTYPVLLGLKAF GLFFIVRFLESNWFVWVTQMNHIMPHIDHNRMDWVSTQLQAT CNVHKSAFNDWFSGHLNFQIEHHLFPTMPRHNHVKVAPLVQSL CAKHGIEYQSKPLLSAFADI IHS LKESGQLWLDAYLHQ
502	1241	999	540	QCGGIPYNTTQFLMNDRDPEEPNLDVPHGISHPGSSGESEAGD SDGRGRAHGEFQRKDFSETYERFHTESLQGRSKQELVRDYLEL EKRLSQAEETRRLLQQLQACTGQQSCRQVEELAAEVQRLRTEN QRLRQENQMWNREGCRCDEEPT
503	1242	1448	875	SPERSSLSVGREKAMEVPPAPRSFLCRALCLFPRVFAAEAVT ADSEVLEERQKRLPYVPEPYYPESGWDRLRELFGKD\VTGSLF RINVGLRGLVAGGIIGALLGTPVGGLLMAFQKYSGETVQERKQ KDRKALHELKLEEWKGRQLQVTEHLPEKIESSLQEDFENDAKK IEALLNLPRNPSVIDKQDKD
504	1243	149	1293	RSLGLAVTEMVPWVRTMGQKLQRLRLDVGREICRQYPLFCFL LLCLSAASLLLNRYYIHLIMIFWSFVAGVVTFCYSLGPDSSLPN IFFTIKYKPKQLGLQELFPQGHSCAVCGKVKCKRHRPSLLEN YQPWLDLKIISKVDASLSEVLELVLENFVYPWYRDVTDDES FV DELRITLRFASFVLIIRRIHKVDIPSIITKLLKAAMKHIEVIV KARQKVKNTEFLQQAAL E EYGP E L HVALRSRRDELHYLRKLTE LLFPYILPPKATDCRSLTLLIREILSGSVFLPSLDFLADPDTV NHLLIIFIDDSPPEKATEPASPLVPFLQKFAEPNKKPSVLKL ELKQIREQQDLLFRFMNFKQEGAVHVLHVLDFDCGFI
505	1244	2	1116	QSLAEVLQQLGASSELQAVLSYIFPTYGVTPNHSFAFSMHALLV NHMKGGFYPRGVTSEIAFHTIPVIQRAGGAVLTKATVQSVLL DSAGKACGVSVKKGHEL VNIYCPVVS NAGLFNTYEHLLPGNA RCLPGVKQQLGTVRPLGMTSVFICLRGTKE DLHLPSTNYVY YD TMDQAMERYVSM PREEAAEHIPLLFFAFPSAKDPTWEDRF PGRSTMIMLIPTAYEWFEEWQAE LK G\RGSDYETFKNSFVEA SMSVVLKLFPPQLEGKVESVTAGSPLTNQFYLAAPRGACYGAD HDLGRLHPCVMASLRAQSPINLYLTGQDIFT CGLV GALQ GAL LCSSTILKRNLYSDLKNLDSRIRAQKKKN
506	1245	1759	873	RPQETRVLQVSCGRAHSLVLT DREGVFSMGNN SYGQCGRKVVE NEIYSESHRVHRMQDFDGQVQVACQDHSFLTDKGEVYSCG WGADGQTGLGHYNITSSPTKLGGDLAGVNVIQVATYGDCC LAV SADGGLFGWGNSEYLQLASVTDSTQVNVPRCLHFSGVGKVRQA ACGGTGCAVLN GEGHV FVWGYGILGKGNLVESAVPEMIPPTL FGLTEFNPEIQVSRI RCGLSHFAALTNKGELFVWGKNIRGCLG IGRLEDQYFPWRVTMPGEPVDVACGVDHMTLAKSFI

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
507	1246	520	2	LPPREWLMI VVSLSAAVAAAFMAKCRMVLS SRYFCSHFVMSA SRARIRSSFSRTSSRRAGALYSGMLAGWPFPCFCWVLSASSSL SSQVRSLSRISCSRFSHADCSWVRACCSFSTFSTYACFSRNSSS SLMTLAWALLKAWSRISMCLRWSSLAVRTAANSISNFSFSFKN
508	1247	1	1083	MQAVRATASQSLSCARAPREPTQHALRAHWFPAAAVQPSPHS GVAAAAGTWSSAFRGEHPLVSSGLLLGVREQSFLLRSKAGTH MYLEHTSHCPHHDDDTAMDTPLPRPRPLLAVERTGQRPLWAPS LELPKPDMPQLPAGAFLEEVAEGTPAQTESEPKVLDPEEDLLC IAKTFSYLRESGWYWSITASEARQHLQKMPEGTFLVRDSTHP SYLFTLSVKTTTRGPTNVRIEYADSSFRLDSNCLSRPRILAFPD VVS LVQHYVASCTADTRSDSDPAPTALPMPKEDAPSDPALP APPPATAVHLKLVQPFVRRSSARS LQHLCLRLVINRLVADVDC LPLPRRMADYLRQYPPQL
509	1248	2	841	FVDIFQRWKECRGKSPAQAELSYLNKAKWLEMYGVD MHVVRGR DGCEYSLGLTPTGILIFEGANKIGLFFWPKITKMFKKSKLTL VVVEDDDQGREQEHTFVFRLDSARTCKHLWKCAVEHHAFFRLR TPGNSKSNRSDFIRLGSRFRFSGRTEYQATHGSLRRTSTFER KPSKRYPSRRHSTFKASNPVIAAQLCSKTNPVHNYQPQYHPN IHPSQPRWHPHSPNVRPSFQDDRS HWKASAGDDSHFDYVHDQ NQKNLGGMQSMMYRDKLMTAL
510	1249	2	763	GGIRLIQKLTWRSRQQDRENCAMKGKHKDECHNFIKVFVPRND EMVFCGTNAFNPMCRYRVSIFYVICFF*STFLPSLICC*S* NLSAFQ*FVLSLVQ*KNKDRILQMEF*YK*NSIAFKRAR*IDM TLAIYFSFV\LSTL*YDGEEISGLARCPFDARQTNGALFADGK LYSATVADFLASDAVIYRSMGDGSALRTIKYDSKWIKE/PHFL YAIK/Y/GNYVYFSFREIVAT**LG/KA VDS/RVARYEKQLVG PTV
511	1250	1555	629	ARALARERESESARADDVT LGVSAILAVDRGGNLGSA\DGWAY IDVEVRRPWA FVGPGCSRSSGNGSTAYGLVGS PRWLSPFHTGG AVSLPRRPRGPGPVLGVARPCLRCVLRPE\HYEPGSHYSGFAG RDASRA FVTGDCSEAGLVDDVSDLSAAEMLTLHNWLSFYEKNY VCVGRVTGRFYGEDGLPTPALTQVEAAITRGLEANKLQLEKQ TFPPCNAEWSSARGSLWCSQKSGGVS RDWIGVPRKLYKPGAK EPRCVCVRTTGPPSGQMPDNPPHRNRGDL DHPNLA EYTGCPPL AITCSFPL
512	1251	1100	798	YFIICRDGVL LFCPGWSQTPGAQA ILLHWATQ NAGMTDMSHA QPIYLFYILIRTRSHYVAQAGQL LDSNDS PNVASQNVGITGMS HHAWLKIVLYFCII

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corre- sponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corre- sponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, / = possible nucleotide deletion, \ = possible nucleotide insertion)
513	1252	3	1395	PAARPPSLVRLSPSPPKPRARARAPQSVEPAAPLVARGSSPPA RPAPAMVRPRRAPPYRSGAGGPLGGRGRPPRPLVVRAVRSRSP ASPRGPQPPR\IRARSAPPMEGARVFGALGPIGPSSPGLTLGG LAVSEHRLSNKLLAWSGVLEWQEKRRPYSDSTAKLKRTLPCQA YVNQGENLETDQWPQKLIMQLIPQQLLTTLGLPLFRNSQLAQFH FTNRDCDSLKGLCRIMGNFAGCMLFPHISPCEVRVLMMLLYSS KKKIFMGLIPYDQSGFVSAIRQVITTRKQAVGPGGVNSGPVQI VNNKFLAWSGVMEWQEPREPENSRSKRWLP SHVYVNVQGEILRT EQWPRKLYMQLIPQQLLTTLVPLFRNSRLVQFHFTKDLETLS LCRIMDNFAGCVHFSYKASCEIRVLMMLLYSSEKKIFIGLIPH DQGNFVNGIRRVIANQQQVLQRNLEQEQQQQRGMGG
514	1253	320	964	GRPALGREAPPQAGLSSTPPPCSETCTMGPHSILRTVHCRPTK TPPEPSAEPHPLSLLTSSNTSLAGTSLGRDLTPGGGKPPSGQT PRNPESPRHRLGSPRGRRWLASPTPTGSGRSGPASRGQRRISC AAQDPTSEGASVGAMEAGLGPPTAAPRGVVSEAAESLGGTLSW GAWGRPPAGPSGLAGRRSRREALRPDRKEASVMAAVSAIQP
515	1254	704	107	PGVPTHGWPRSRVLTRVRGSRGSGKMAAAVLAAGLRAARRAV AATGVRGGQVRGAAGVTDGNEVAKAQQAATPGGAAPTIFSRILD KSLPADILYEDQQCLVFRDVPAPVHFLVIPKKPIPRISQAE EEDQQ/LTYVPPLSL*LLGHLLLVAKQTAKEGLDGYRLVIN DGKLGASVYHLHIHVLGGRQLQWPPG
516	1255	2299	924	VPNYLPSVSSAIGGEVPQRYVWRFCIGLHSAPRFLVAFAYWNH YLSCTSPCSCYRPLCRLNFGNLNVENLALLVLTYSSEDF/T WVPG*GRSGEVFPEGTGLPLPHSDLPTSWCGHSLQCGSQSSFP PAIHENAFIVFIIASSLGHMLLTCILWRLTKKHTVSQE\DGLSL AGAPRQPRRKSRTSVLRIRVMVRWELSSNGNPGRGVLGLGLGL GNKLRVVGQNLGL*HCVVWVWETGE*KRWRLQMGIE*GVASRR Q*VRNSVRGLVCHNSSAPPMYMGFFSPTVFGGGVGG*LVHTFI LHPPEVEAAGIPLLLGPSLPQRQGREHIVVILAAPACAPFHDR *WEPREIRPSP*ELGLRGEPTLSYPASCRVIRQPI*DRKSYS WKQRLFIINFISFFSALAVYFRHNMYCEAGVYTI FAILEYTVV LTNMAFHMTAWWDFGNKELLITSQPEEKRF
517	1256	3	254	IDLLEIRNGPRSHESFQEMDLNDDWKLSKDEVKAYLKKEFEKH GAVVNESHHDALVEDIFDKEDEKDGFI SAREFTYKHDEL
518	1257	2	611	PRVRGRVGKEGAAAKPRSLRRFQLLSWSVCGGNKDPWVQELM SCLDLKECGHAYSGIVAHQKHLLPTSPPI SQASEGASSDIHTP AQMLLSTLQSTQRPTLPVGLSSDKELTRPNETTIHTAGHSLA AGPEAGENQKQPEKNAGPTARTSATVPVLCLLAII FILTAALS YVLCRRRGQSPQSSPDLPVHYIPVAPDSNT
519	1258	1002	418	LIISNFLKAKQKPGSTPNLQQKKSQARLAPDIVSASQYRKFEDE FQTGILIIYELLHQPNPFVRAQLRERDYRQEDLPPLPALSLYS PGLQQLAHLLLEADPIKIRIRIGEAKRVLQCLLWGPRLRELQQP GTSEEALCGTLHNWIDMKRALMMMKFAEKAVDRRRGVELEDWL CCQYLASAEPGALLQSLKLLQLL

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, / = possible nucleotide deletion, \ = possible nucleotide insertion)
520	1259	2	2019	KRGLIVVMAHEMIGTQIVTERGVALLESGTEKVLIDSRPFVE YNTSHILEAININCSKLMKRRLLQDDKVLITELIQHSAKHKVDI DCSQKVVVYDQSSQDVASLSSDCFLT VLLGKLEKSFN SVHLLA GGFAEF SRCFPGLCEGKSTLVPTCISQPCLPVANIGPTRILPN LYLGCQRDVLNKLMLQQNGIGYVLNASNTCPKPDFIPESHFLR VPVNSDFCEKILPWLDKSVDFIEKAKASNGCVLVHCLAGISRS ATIAIAYIMKRMDMSLDEAYRFVKEKRPTISPNNFNLGQLLDY EKKIKNQ TGASGPKSKLLHLLEKPNPVPVAVSEGGQKSETPL SPPCADSATSEAAGQRPVHPASVPSVPSVQPSLLEDSPLVQAL SGLHLSADRLED SNKLKRSFSLDIKSVSYSASMAASLHGFSSS EDALEYYKPSTTLDGTNKL CQFSPVQEL / CGADSRNQ S * GGS Q / P S P R S C R P P G L Q T A R A S D C I R S E P A A V A P P R G P F Y L H C I E V GAWRTITTPASFSAFPP \ PAAPHEVCWPGP * GLA \ PDILAPQT STPSLTSSWYFATESSHFYASAIYGGASAYSAYSCSQLPTCG DQVYSVRRRQKPSDRADSRRSWHEESPFEKQFKRRSCQMEFGE SIMSENRSREELGKVGSGSSFSGSMELIEVS
521	1260	20	803	ASSSKRVSRQKMLQLWKLVL LCGVL TGTSESLDNLGNDLSNV VDKLEPVLHEGLETVDNTLKGILEKLKVDLGLVQKSSAWQLAK QKAQEA EKLLNNVISKLLPTNTDIFGLKISNSLILDVKAEPID DGKGLNLSFPVTANVTEAGPIIDQIIN \ LRASLDLLTAVTIET DPQTHHPVAGLGECARDPTSISLCLLDKHSQIINKFVNSVINT LKSTVSSLLQKEICPLIRIFIHSLDVNVIQQVVDNPQHKTQLQ TLI
522	1261	1246	411	CSLRRPRSAEPDADHVPLLGLLRLQLRAARQPGAMRPQGPAA SPQRLRGLLLLLLLLQLPAPSSASEIPKGKQKAQLRQREVVDLY NGMCLQGPAGVPGRDGSPGANGIPGTPGIPGRDGFKEGKECL RESFEESWTPNYKQCSWSSLNYGIDLGKIAECTFTKMRSNSAL RVLFSGSLRLKCRNACCQRWYFTFNGAEC SGPLIEAIIYLDQ GSPERNSTINIHR TSSVEGLCEGIGAGLVDAIWWGTCSDYPK GDASTGWNSVSRIIIEELPK
523	1262	2009	921	MHSAMLGTRVNLVSVD FWRVMMRVCWLVRQDSRHQRIRLPHLE AVVIGRGPETKITDKKCSRQVQLKAECNKG YVKVQVGVNPT SIDSVVIGKDQEVKLQPGQVLHVMVNELYPYIVEFEEEEAKNPGL ETHRKRKRSGNSDSIERDAAQEA EAGTGLEPGSNSGQCSVPLK KGKDAPIKKE SLGHWSQGLKISMQDPKMQVYKDEQVVVIKDKY PKARYHWLVLPWTSISSLKAVAR \ EHLELLKHMHTVGEKVIVD FAGSSKLRFR LGYHAIPSM SHVHLHVISQDFDSPCLKNKKHWN SFNTEYFLESQAVIEMVQEAGRVTVRDGMPELLKPLRCHECQ QLLPSIPQLKEHLRKHWTO

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, / = possible nucleotide deletion, \ = possible nucleotide insertion)
524	1263	2067	198	DMSDTSESGAGLTRFQAEASEKDSSSMQTLTTLVTQNVETPKASKALEVSEDVKVSKASGVSKATEVSKTPEAREAPATQASSTTQLTDTQVLAENKSLAADTKKQONADPQAVTMPATETKKVSHVADTKVNTKAQETEAAPSQAPADEPEPEPESAAAQSQENQDTRPKVKAKKARKVKHLDGEEDGSSDQSQASGTTGRRVSKALMASMARASRGPIAFWARRASRTRLACFGPGPEPLLSPWRSPPKARRQRFQAVRVAKFQ\SSQEPEAPPPW\DVALLQGRAN\DLVKYLLAKDQTKIPIKRS\DKLKDIIKEYTDVYPEII\ERAGYSLE\KVFGIQLKEIDKNDHLYILLSTLEPTDAGILGTTKDSPKLGLLMVLLSIIF\MNGNRS\SEAVIWEVLR/RSLGLRLGIHHS\LLGDVK\KLITDEV\VKQKYL\DYARVPHSNRP\EYEFFWG\LRSYEDQQR*KSFKFACK\VQK\KDPK\EWAAQSPPGKAR/ERMEAD\LKAAS*GSPWKPRRLRAEIKARMGIGLGSENAAGPCNWDEADIGPWAKARIQAGAEAKAKAQESGSASTGASTSTNNSASASASTSGGFSAGASLTATLTFLFGLFAGLGGAGASTSGSSGACGFSYK
525	1264	1	1397	ARPPVCTGSTMSLTVVSMACVGGFFLLQGAWPLMGGQDKPFLSARPSTVVPRGGHVALQCHYRRGFNNFMYKEDRSHVPIFHGRIFQESFIMGPVTPAHAGTYRCRGRPHSLTGWSAPSNPLVIMVTGNHRKPSLLAHPGPLLKSGETVILQCWSDIMFEHFFLHKEGISKDPSRLVGQIHDGVSKANFSIGPMMLALAGTYRCYGSVTHTPYQLSAPSDPLDIVVTGPYEKPSLSAQPGPKVQAGESVTLSGSSRSYDMMYHLSREGGAHERRLPVVRKVNRTFQADFPLGPATHGGTYRCFGSFRHSPYEWSDPSDPLLVSVTGNPSSSWPSPTEPSSKSGNLRHLHILIGTSVVKIPFTILLFFLLHRWCSNKK\NAAVMDQEPAGNR\VNSEDSDQDHQEVSY*LEHCVFTQRKITRPSQRPKTPPTDTSMYIELPNAEPRSKVVFPCPRAPQSGLEGIF

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corre- sponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corre- sponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
526	1265	6657	988	<p>LHNLRRERYFSGLIYTYSGLFCVVVNPYKHLPIYSEKIVDMYKG KKRHEMPPHIYAIADTAYRSMQDREDQSILCTGESGAGKTEN TKKVIQYLAVVASSHKGKKDTSITGELEKQLQANPILEAFGN AKTVKNDNSSRFGKFIRINFVDVTGYIVGANIETYLLEKSRAIR QARDERTFHIIFYMIAGAKEKMRSDLLLEGFNNTFLSNGFVP IPAAQDDMFQETVEAMAIMGFSEEEQLSILKVSSVLQLGNI VFKKERNTDQASMPDNTAAQKVCHLMGINVTDFTRSILTPRIK VGRDVVQKAQTKEQADFAVEALAKATYERLFRWILTRVNKALD KTHRQGASFLGILDIAAGFEIFEVNSFEQLCINYTNEKLOQLFN HTMFIL\EQEYQREGIEWNFIDFGLDLQPCIELIERPNNPPG VLALLDEECWFPKATDKSFVEKLCTEQGSHPKFQKPKQLKDKT EFSIIHYAGKVDYNASAWLTKNMDPLNDNVTSLNASSDKFVA DLWKDVDRIVGLDQMAKMTESLPSASKTKKGMFRTVQGLYKE QLGKLMTTLRNTTPNFVRCIIPNHEKRSGLDAFLVLEQLRCN GVLEGIRICRQGFPNRIVFQEFRQRYEILAANAI PKGFMDGKQ ACILMIKALELDPNLYRIGQSKIFFRTGVLAHLEERDLKITD VIMAFQAMCRGYLARKAFKRQQQLTAMKVIQRNCAAYIKLRN WQWCRLFTKV*PLLQVTRQE*EMQAKEDELQKTKERQQKAENE LKELEQKHSQLTEEKNLLQEQLQAETELYAEAEEMRVRLAACK QELEEILHEMEARLEEEEDRGQQLQAERKKMAQQMLDLEEQL EEEEARQKLQLEKVTAEAKIKKLEDEILVMDDQNNKLSKERKL LEERISDLTTNLAEEEEKAKNLTCLKNKHESMISELEVRLLKE EKSRQELEKLRKLEGDASDFHEQIADLQAQIAELKMQLAKE EELQAALARLDDEIAQKNNALKKIRELEGHISDLQEDLDSERA ARNKAQKQKRDLEGELEALKTELEDTLSTATQQLRAKREQE VTVLKR\ALNEETRSHAEQVQEMRQKHAQAVQSLTEQLEQ* K RAKANLDKNKQTKLEKENTD\LAGELRVLGQA\KQVEVHRMCKL QAQVQELQSKCSDGERARAE LNDKVHK\LQNEVESVTG\MLNE AEGKAIKLAQDVASLSSQL\QDTQELLQEE SRQKLNVT\SLR \QLEEERNLQDQLEDEMEAKQNLERHISTLNIQLSDSKKKLQ DFASTVEALEEGKKRFQKEIENLTQQYEEKAAAYDKLEKTKNR LQQELDDLVDLDNQRQLVSNLEKKQRKFDQLLAEKNISSKY ADERDRVEAEAREKETKALSL\ARALEEAEAKEELERTNKML KA\EMGRPGSASKD\DVQELSHDL\EKSK\RALGDPRL EEMK T\QLEELGRTELASPRRDA\KLRLEVNMQAPSRASFER\DLQA RTEQNE\ESRR\HLQRQLHEYTELEDERKQALAAAAIKLG WDPVRTLDL*ADSAIKGRGGKAIKQLRKLQAQMKDFQRELEDA \RASRDEIF\ATA\KENEKAKSLEA\DLMLQLE\DLAAEEG RKQ\ADLE\KEELAEEL\ASSLSGRNALQDEKRRLEARIAQLE EELEEEQGNMEAMSDRVRKATQQAQELSNE LATERSTAQKNES ARQQLERQNKELRSKLHEMEGAVKSKFKSTIAALEAKIAQLEE QVEQEAREKQAATKSLKQKDKKLEILLQVEDERKMAEQYKEQ AEKGNARVKQLKRQLEEAEEESQRINANRRKLQRELDEATESN EAMGREVNALKSKLRRGNETS FVPSRRSGRRVIENADGSEEE TDTRDADFNGTKASE</p>

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
538	1277	102	1549	QENQLEKKMKFLIFAFFGGVHLLSLCSGKAICKNGISKRTFEE IKEEIASCGDVAKAIINLAVYGKAQNRSYERLALLVDTVGPRL SGSKNLEKAIQIMYQNLQDGLKGVHLEPVRIIPHWERGEESAV MLEPRIHKIAILGLGSSIGTPPEGITAEVLVVTSFDELQRRAS EARGKIVVYNQPYINYSTRVQYRTQGAVEAAKVGALASLIRSV ASFSIYSPHTGIEYQDGVPKIPTACITVEDAEMMSRMASHGI KIVIQLKMGAKTYPDTDSFNTVAEITGSKYPEQVVLVSGHLD WDVGQGGAMDDGGGAFISWEALSLIKDLGLRPKRTLRLVLWTAE EQGGVGAFQYYQLHKVNISNYSVMESDAGTFLPTGLQFTGSE KARAIMEEVMSLLQPLNITQVLSHGEGTDINFWIQAGVPGASL LDDLYKYFFHHSHGDTMTVHGIQTQMNVA\AAAV\WAVVSIV\ VADMEEMPLRS
539	1278	2438	1148	TKPRKRRHQBPASQRQRPWSSDSTGDLARGKGRKEENKGS DRV SLAPPSLRPPMMCQSEARQGPPELRAAKWLHFPQLALRRRLGQL SCMSRPALKLRSWPLTVLYLLPFGALRPLSRVGRPVSRVAL YKSVPTRLLSRAWGRNLNQVELPHWLRPVYSLYIWTFGVNMKE AAVEDLHHYRNLSSEFFRRKLKPQARPVCGLHSVISPSDGRILN FGQVKNCVEQVKGVTSLESFLGPRMCTEDLPFPPAASCDSF KNQLVTREGNELYHCVIYLAPGDYHCFHSPDWTVSHRRHFP SLMSVNPGMARWIKELFCHNERVVLTDGDKHGFFSLTAVGAT\ NWGSIRIYFDRDLHTNSPRHSKGSYNDFS FVTHTNREGVPMRK GEHLGEFNLSTIVLIFEAPKDFNFQKLTGQKI\RFGEALGSL
540	1279	3	1911	LPERAFGRPTPRAPRRRRRRLLSPPPPPPPLDREPRAPGPW LCPSRAGTAQDPARIRERRGRVAGGAAGPAMELRARGWLLCA AAALVACARGDPASKRSRSCGEVRQIYGAKGFSSS\DVPAEIS GEHLRICPQGYTCCTSEMEENLANRSHAELETALRDSSRVLQA MLATQLRSFDDHFQHLNDSERTLQATFPAGAFGELYTQNAF RDLYSELRLYYRGANLHLEETLAEFWARLLERLFKQLHPQLLL PDDYLDCLGKQAEALRPF\GEAP\RELRLRAT\RA\FVAAR\S FVQGLGVS\DVVRKVAQVPLG\PEC\SRVIEAGSYC\ALHC VGVPGARPCPDYCRNVLKGCLANQADLDAEWRNLLDSMVLITD KFWGTSGVESVIGSVHTWLAEAINALQDNRDTLTAKVIOGCGN PKVNPQGPPEEKRRRGKLAPRERPPSGTLEKLVSEAKAQLRD VQDFWISLPGLTLCSEKMALSTASDDRCWNGMARGRYLPEVMGD GLANQINNPEVEVDITKPDMTIRQQIMQLKIMTNRLRSAYNGN DVDFQDASDDGSGSGSGDGCLDDLCGRKVSRSKSSSRTPLTHA LPGLSEQEGQKTSAAASCPQPPTFLLPLLLFLALTVARPRWR
541	1280	590	189	ATELTRAGMEASALTKSA\VTSAKVVR\VASGSVVLPPLARI ATSCD*RVGGP/VQAVPMVL\SAMGLQLRAGIASSSIAAKMMS AAAIA\NGGGVSPGQPLWLLQLSLGATGL\SGLTKFILGSIGS AIA\AVIARFY

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, / = possible nucleotide deletion, \ = possible nucleotide insertion)
542	1281	41	1415	TNGRNLLHHWILGVCGMHPHHQETLKKNRVVLAKQLLLSELLE HLLKDIITLEMRELIQAKVGSFSONVELLNLLPKRGPQAFDA FCEALRETKQGHLEDMLLTTL SGLQHVL PPLSCDYDLSLPFPV CESCP LYKKLRLSTDTVEHSLDNKDGVPVCLQVKPCTPEFYQTH FQLAYRLQSRPRGLALVLSNVHFTGEKELEFRSGGDVDHSTLV TLFKLLGYDVHVLCDQTAQEMQEKLQNF AQLPAHRVTDSCIVA LLSHGVEGAIYGV D GKLLQLQEVFQLFDNANCPSLQNKPKMFF IQACRGG AIGSLG HLLLFTAATASLAL\ETDRGVDQQDGKNHA GSPGCEESDAGKEKL PKMRLPTRSDMICGYACLKGTAMRNTK RGSWYIEALAQVF SERACDMHVADMLVKVNALIKDREGYAPGT EFHRCKEMSEY CSTLCRHLYLFP GHPPT
543	1282	862	275	VRGKEVMAALCRTRAVAAESHFLRVFLFFRPF RGVGTESGSES GSSNAKEPKTRAGGFASALERHSELLQKVEPLQKGSPKNVESF ASMLRHSPLTQMGP AKDKLVIGRI FHIVENDL\YIDFGGKFHC VCCRPEVDGEKY\QKGTRVR\LRLLDLELTSRFLGATTD\TTV LEANAVLLGIQESKDSRSKEEHLEKYI

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corre- sponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corre- sponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, / = possible nucleotide deletion, \ = possible nucleotide insertion)
544	1283	2	4503	<p>IPGASPAPRRRAAPLRGLRLASGWARAPGGVSPVPGPGMGGDA PTMARAQALVLELTFQLCAPETETPEVGCTFEEGSDPAVPCEY SQAQYDDFQWEQVRIHPGTRAPADLPHGSYLMVNTSQHAPGQR AHVIFQSLSENDTHCVQFSYFLYSRDGHS PGTLGVYVRVNGGP LGS AVWNMTGSHGRQWHQAE LAVSTFWPNEYQVLFEALISPDR RGYMG LDD ILLLSYPCAKAPHFSRLGDVEVNAGQNASFQCM AA GRAAEAERFLLQRQSGALVPAAGVRHISHRRFLATFPLAAVSR AEQDLRYCVSQAPRGRGTS LNFAEFMV /KEPPTPIAPPQLLRA GPTYLI IQLNTNSI IGDGP IVRKEIEYRMARGPWAEVHAVSLQ TYKLWHLDPDTEYEISVLLTRPGDGGTGRPGPPLISRTKCAEP MRAPKGLAF AEIQARQLTLQWEPLGYNVTRCHTYTVSLCYHYT LGSSHNQTI \RECVKTEQGVSR YTMKNLLPYRNVHVRVLVLTNP EGRKEGKEVTFQTD EDVPSGIAAESLTFTPLEDMI FLKWE EEPQ EPNGLITQYEISYQSI ESSDP AVNVPGPRRTISKLRN ETYHVF SNLHPGTTYLFSVRARTGKGFGQAALTEITTNISAPSFDYADM PSPLGESENTITVLLRPAQGRGAPISVYQVIVEEEQGSRRRLRR EPGGQDCFPVPLTFEAALARGLVDFGAELAASSLPEAMPFTV GDNKTYRGFWNPPLPRKAYLIYFQAASHLKGETRLNCIRIAR KAACKESKRPLEVSQRSEEMGLILGICAGGLAVLILLGAIIV IIRKGRDHYAYSYPKPVNMTKATVNYRQEKTHMMSAVDRSFT DQSTLQEDERLGLSFMDTHGYSTRGDQRSGGVTEASSLLGGSP RRPCGRKGS PYHTGQLHPAVRVADLLQHINQMKTAE GYGFKQE YESFFEGWDATKKKDKVKGSRQEPMPAYDRHRVKLHPMLGDPN ADYINANYIDIRINREGYHRSNHFIATQGPKEPMVYDFWRMVW QEHCS SIVMITKLVEVGRVKCSRYWPEDSDTYGDIKIMLVKTE TLAEYVVRTFALERRGYSARHEVRQFHFTAWPEHGVPYHATGL LAFIRRVKASTPPDAGPIVIHCSAGTGR TGCIYVLDMVLDMAE CEGVVDIYNCVKTLCSRRVNMIQTEEQYIFIHDAILEACLCGE TTIPVSEFKATYKEMIRIDPQSNSSQLREEFQTLNSVTPPLDV EECSIALLPNRNDRKNSMDVLPDRCLPFLISTDGSNNYINA ALTD SYTRSAAFIVTLHPLQSTTPDFWGLVYDYGCTSI VMLNQ LNQSN SAWPCLQYWPEPGRQQYGLMEVEFMSGTAEDLVARVF RVQNI SRLQEGHLLVRHFQFLRWSAYRDT PDSKKAFLHLLAEG DKWQAESGDGRITIVHCLNGGGRSGTFCA \CATVLEMIRCHNLV DVFFAAKTLRNYKPNMVETMDQYHFCYDVALEYLEGLES R</p>

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
545	1284	2443	1152	TKPRKRRHQPASQRQRPWSSDSTGDLLARGKGRKEENKGS DRV SLAPPSLRPMQCSEARQGPELRAAKWLHFPQLALRRRLGQL SCMSRPALKLRSWPLTVLYLLPFGALRPLSRVGRWPVS RVAL YKSVPTRLLSRAWGRNLNQVELPHWLRRPVYSLYIWTFGVNMKE AAVEDLHHYRNLSEFFRRKLKPQARPVCGLHSHVISPSDGRILN FGQVKNCVEQVKGVITYSLESFLGPRMCTEDLPFPPAASCD SF KNQLVTREGNELYHCVIYLAPGDYHCFHSPDWTVSHRRHFPG SLMSVNPGMARWIKELFCHNERVLTGDWKHGFFSLTAVGAT\ NWGSIIRIYFDRDLHTNSPRHSKGSYNDFS FVTHTNREGVPMAL RGEHLG/QSFNLGSTIVLIFEAPKDFNFQLKTGQKIRFGEALG SL
546	1285	185	3057	AELGLFGSLRFSSLLHFPFRSPASACGPGEGRMERGLPLL C AVLALVLAPAGAFRNDKCGDTIKIESPGYLTSPGYPHSYHPSE KCEWLIQAPDPYQRIMINFNPFDLEDRCYDYVEVFDGENE NGHFRGKFCGKIAPPPVSSGPFLFIKFVSDYETHGAGFSIRY EIFKRGPECSQNYTTPSGVIKSPGFPEKYPNSLECTYI\VFAP KMSEIIL\DFESFDLEPDSNPPGGMFCRYDRLEIWDGFDPVGP HIGRYCGQKTPGRIRSSSGILSMVFYTDSIAIAKEGFSANYSVL QSSVSEDFKCMEALGMESGEIHS DQITASSQYSTNWSAERSRL NYPENGWTPGEDSYREWIQVDLGLLRFTAVGTQGAISKETKK KYYVKTYKIDVSSNGEDWITIKENKPVLFQGNTPDVTVVAV FPKPLITRFVRIKPATWETGISMRFVYGCKITDYPCSGMLGM VSGLISDSQITSSNQDRNWMPEINIRLVTSRSGWALPPAPHSY INEWLQIDLGEKIVRGII IQGKHKRENKVFMRKFKIGYSNNG SDWKMIMDDSKRKAKSFE GNNNYDTPELRTFPALSTRFIRIYP ERATHGGLGLRMELLGCEVEAPTAGPTTPNGNLVDECD DDQAN CHSGTGDDFQLTGGTTVLATEKPTVIDSTIQSEFPTYGFNCEF GWGSHKTFCHWEHDNHVQLKWSVLTSKTGPIQDHTGDGNFIYS QADENQKGKVARLVSPVVYSQNSAHCMTFWYHMSGSHVGT LRV KLRYQKPEEYDQLVWMAIGHQGDHWKEGRVLLHKS LKLYQVIF EGEIGKGNLGGIAVDDIS INNHISQEDCAKPADLDKKNPEIKI DETGSTPGYE GEGEDKNISRKPGNVLKTLPI LITIIAMSAL GVLLGAVCGVLYCACWHNGMSERNLSALENYNFELVDGVKLK KDKLNTQSTYSEA
547	1286	3	521	HEGSALTWASHYQERLNSEQSCLNEW TAMADLES LRPPSAEPG GSVCGGEGLGGGEGRIMQGWAWRGERAP*LRGSAPRSSEQE Q MEQAIRAELWKVLDVSDLESVTSKEIRQALELRGLPLQ/PVP *LHRQPDAAAGGTAGPSLPHLPPPLPGLRVERSKPGGAEEQV GL
548	1287	1742	1200	MAALDLRAELDSLVLQLLGDLEELEGKRTVLNARVEEGWLSLA KARYAMGAKSVGPLQYASHMEPQVCLHASEAQEGLQKFV VRA GVHAPEEVGPREAGLRRRKGP TKTPEPESSEAPQDPLNWF GIL VPHSLRQAQASFRDGLQLAADIASLQNRIDWGRS QLRGLQEKL KQLEPGAA*

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E=Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
549	1288	1	649	HSDVGAATAVLEPLLTAVLGVTVVTRRDTEGPGRAALVHLTGSP RQKVGTSGREGLPGLGASCAESELERETQEPRSRGRCIFGAAR WRQVPLASPQRPFLLSPGPRLHRMGLPVSWAPPALWVLGCCAL LLSLWALCTACRRPEDAVAPRKRARRQARLQGSATAAEAVSA KLSRGPWGWPQGTDPSSPPVPTEADPPLLPOQVGHQTARAAP G
550	1289	433	632	LTGPGQRLAGTTEGPRRCRGSSQAPTPTWKLVDTRLCAAAPWL ASRAPGHYSQMLLVN*PCRKDWLVSKWMRTPVCGQSPAMTDRP RSEAGRDRRAKALPGLIPGSNPNLEACGHQALCSSSVASVQG PWLLPNASSPPTPGQPQP
551	1290	102	612	KHRLCSLEQLMTLISAAREYEIEFTYAIISPLDITFSNPKEVS TLKRKLDQVSQFGCRSFALLFDDIDHNMCAADKEVFSSFAHAQ VSITNEIYQYLGEPEFTFLFCPT/EYCI*WLYI*LVFLEYITYK GPWAPFSLHFPPPLVCKSRNLFLEDIFQDPKLEKF*ELINDN
552	1291	269	565	TSALTQGLERIPDQLGYLVLSEGAVLASSGDLENDEQAASAIS ELVSTACGFRHLHRGMNVPFKRLSVVFGHTLLTVVSGQRFVV KRQNRGREPIDV
553	1292	660	233	AKRAERTSRLQGLQHPSPPYPATLGVTGQDRTLQQLQHCPA GRKSRKKKSKATQLSPEDRVEDALPPSKAPSRTRRAKRDLPKR TATQRPGETSLQDDPEAPTVPKKGRRKGRQAASGHCRPRKVK DIPSLEPEGTSAS
554	1293	590	323	RKSSWLGAHAACNPSSLGGPGRQITRSGVRDQPGQYGETPSL LKIQTLAGRGGACL*SHILRRLRQKNRLNLGGRGCSELSRHC APA
555	1294	1	242	AWNSARGAVSPLWVPGCFLLSVTWIGAAPLILSRIVGGWECE KHSQPWQVLVASRGRAVCGGVLVHPQWVLTAHCAIRK
556	1295	1074	230	AEMADDLGDEWWENQPTGAGSSPEASDGEGEDTEVMQOETVP VPVPSEKTKQPKCEFLIQPKERKENTTKTRKRRKKKIDVLAK SEPKPGLPEDLQKLMKDYSSRRLVIELEELNLPDSCFLKAND LTHSLSSYLKEICPKWVKLRKNHSEKKSVMMLIICSSAVRALE LIRSMTAFRGDGKVIKLFKHIKVQAQVKLLEKRVVHLGVGTP GRIKELVKQGGLNLSPLKFLVFDWNWRDQKLRRMMDIPEIRKE VFELLEMVLSLCKSESLSKGLF
557	1296	929	289	RPGTAIWVVECEHGRPIAESEGEGRGHSPPGPCSVAGFLRGR LGRNLEIMGSTWGS PGWVRLALCLTGLVLSLYALHVKAARARD RDYRALCDVGTAISCSRVFSSRWGRGFLVEHVLGQDSILNQS NSIFGCIFYTLQLLLGLCLTRWASVLMLLSSLSVLAGSVYLA WILFFVLYDFCIVCITTYAINVSLMWLSFRKVQEPQGKAKRH

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
558	1297	2	1063	ESPAPPAFRPAMAAVALMPPPLLLLLLLASPPAASAPSARDPF APQLGDTQNCQLRCRDRDLGPQPSQAGLEGASESPYDRAVLIS ACERGCRLFSICRFVARSSKPNATQTECEAACVEAYVKEAEQQ ACSHGCSWQPAEPEPEQKRKVLLEAPSGALSLDLFSTLCNDLV NSAQGFVSSWTYYLQTDNGKVVFQTPQPIVESLGFGGRLQR VEVTRGRSHPEALEVHVDPVGPDLKVRKAKIRVKTSSKAKVES EEPQDNDFLSCMSRRSGLPRWILACCLFSLVLMWLWSCSTLV TAPGQHLKFQPLTLEQHKGFMMEDWPLYPPPSHACEDSLPPY KLKLDLTKL
559	1298	2	485	FPELGTSLSAMRFLAATFLLLLALSTAAQAEPVQFKDCGSVDGV IKEVNVSPCPTQPCQLSKGQSYSVNVTFSTNIQSKSSKAVVHG ILMGVVPVFPPIPEPDGCKSGINCPIQKDKTYSYLNKLPVKSEY PSIKLVVEWQLQDDKNQSLFCWEIPVQIVSHL
560	1299	1304	919	APETFRVCVWRLOGLTFIAFTELQAKVIDTQQKVKLADIQIEQL NRTKKHAHLTDTEIMTLVDETNMYEGVGRMFILQSKAEIHSQLEKQKIAEEKIKELEQKKSYLERSVKEAEDNIREMLMARRAQ
561	1300	3	799	HSLLLGTNRVDRDASSKIQGEYTLTLRKGNNKLSRVFHRDGHYGFSEPLTFCSVVDLINHYRHESLAQYNAKLDTRLLYPVSKYQQVRAGLGAREGSTWLAPGLSFLGRPDQAMHLPSFRHVSP\DQIVK EDSVEAVGAQLKVYHQYQDKSREYDQLYEYTRTSQELQMKR TAIEAFNETIKIFEEQGTQEKCSKEYLERFRREGN/QTKEMQ RILLNSERLKSRIA\EIHESPHRSWEQQLLVPRASDNKR/ID KPH*TSKLPDL
562	1301	1772	301	AAAAAGRGRSSGRRRRRRPGALFASLGVLGPRPPPGIPRTRACSMGGVGEPGPREGPAQPGAPLPTFCWEQIRAHQPGDKWLVIERRVYDISRWAQRHPGGSRLIGHHGAEDATDAFRAFHQDLNFVRKFLQPLLIGELAPEEPSQDGPLNAQLVEDFRALHQAAEDMKLFDASPTFFAFLLGHILAMEVLAWLLIYLLGPGWVPSALAAFIL AISQAQSWCLQHDLGHASIFKKSWWNHVAQKFVMGQLKGFSAHWWNFRHFQHHAKPNI FHKDPDVTVAPVFLGESSVEYGKKKRR YLPYNQQHLYFFLIGPPLLTLVNFEVENLAYMLVCMQWADLLW AASFYARFFLSYLPFYGVPGVLLFFVAVRVLESHWFVWITQMN HIPKEIGHEKHRDWSSQLAATCNVEPSLFTNWFSGHLNFQIE HHLFPRMPRHNYSRVAPLVKSLCAKHGLSYEVKPFALTALVDIV RSLKKSGLDIWLDAYLHQ
563	1302	424	93	KSRATRLRESAEMTGFLPPASRGTRRSCSRSRKRQTRRRRNP SSFVASCPTLLPFACVPGASPTTLAFPPVLTGPGSTDGIPFALS LQRPVFPVLPSPOVASLPLGHSRG
564	1303	1	414	IQYRSDLELHSITMKKSGVFLLLGIILLVLIGVQGTTPVVRKGR CSCISTNQGTIHLQSLKDLKQFAPSPSCEKIEIATLKNQVQT CLNPDADVKELIKKEQVVSQKKKQKNGKKHQQKKVLKVRKS QRSRQKTT

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
565	1304	7	3007	IPGSTISCRGCCGKWPVQEADPPRAALRGRFPALLTRHCPSPR AEKEKRSRLRRCGCRPLLVELAGPAGQAVEVLPHFESLGKQEKI PNKMMSAFRNHCPHLDVGEITKEDLIQKSLGTCQDCKVQGPNL WACLENRCSYVCGGESQVDHSTIHSQETKHYLTVNLTTLRVWC YACSKEVFLDRKLGTPSLPHVRQPHQIQENSVDKFIKPSNTT LKTPLVAVFDDLDIEADEEDELRLRGLTGLKNIGNTCYMNAL QALSNCPPLTQFFLDGGLARTDKKPAICKSYLKLMTLWYKS RPGSVVPTTLFQGIKTVPNTFRGYSQQDAQEFLRLCLMDLLHEE LKEQVMEVEEDPQTITTEETMEEDKSQSDVDFQSCSCSNSDR AENENGSRCSFSEDNNETMLIQDDENNSEMSKDWQKEKMCNKI NKNVSEGEFDKDRDSISETVDLNNQETVKVQIHSRASEYITDV HSNDLSTPQILPSNEGVNPRLSASPPKSGNLWPGAPPKKAQ SASPKRKKQHKYRSVISDIFDGTIISSVQCLTCDRVSVTLET FQDLSLPVPGKEDLAKLHSSSHPTSIVKAGSCGEAYAPQGWIA FFMEYVKRFVSVCPVSWFWGPPVVTLDCLAAFFARDELKGDNM YSCEKCKLRNGVKFCKVQNFPEILCIHLKFRFRHELMFSTKIS THVSFPLEGLDLQPFLLAKDSPAQIVTYDILLSVICHHGTFASSGH YIAYCRNNLNLWYEFDDQSVTEVSESTVQNAEAYVLFYRKSS EEAQKERRRISNLLNIMEPSLLQFYISRQWLNFKFTFAEPGPI SNNDFLCIHGGVPPRKAGYIEDLVLMPLQNIWDNLYSRYGGGP AVNHLIYICHTCQIEAEKIEKRRKTELEIFIRLNRAFQKEDSPA TFYCISMQWFREWESFVKGKDGPPGPIDNTKIAVTKCGNVML RQGADSGQISEETWNFLQSIYGGGPEVILRPPVVHVDPDILQA EEKIEVETRSL
566	1305	28	450	SPSAAGGLAWVSLALGSGSRGRDHSGSGVGTAMAGALVRKAAD YVRSKDFRDYLMSTHFWGPVANWGLPIAAINDMKKSPEIISGR MTFALCCYSLTFMRFAVKVQPRNWLLFACHATNEVAQLIQGGR LIKHEMTKTASA
567	1306	133	1292	LGSRQAAGTMRGQRSLLLGPARLCLRLLLLLLYRRRCPPLLRG LVQRWRYGKVCRLSLLYNSFGGSDTAVDAAFEVPVWLVDNVIR WFGVVFVVLVIVLTGSIVAIAYLCVLPLILRTYSVPRLCWHFF YSHWNLILIVFHYQAITTPPGYPPQGRNDIATVSICKKCIYP KPARTHHCSICNRCVLKMDHHCPLNNVCVGHYNHRYFFSFCFF MTLGCVCYCSYGSWDLFREAYAAIEKMKQLDKNKLQAVANQTYH QTPPPTFSFRERMTHKSLVYLWFLCSSVALALGALT VWHAVLI SRGETSIERHINKKERRRLQAKGRVFRNPYNYGCLDNWKVFLG VDTGRHWLTRVLLPSSHLPHGNGMSWEPPPWVTAHSASVMAV
568	1307	66	962	ATRRRAAEAGMAAVLQORVERLSNRVVRVLGCNPGPMTLQGTNT YLVGTGPRRILIDTGEPAIPEYISCLKQALTEFNTAIQIEIVT HWRDHSGGIGDICKSINNDTTYCIKKLPRNPQREEIIGNGEQ QYVYLKDGVDIKTEGATLRVLYTPGHTDDHMLLLEENAIIFS GDCILGEGTTVFEDLYDMNSLKELLKIKADIIYPGHGPVIHN AEAKIQYIISHRNIREQQILTLFRENFEKSFVMELVKI IYKN TPENLHEMAKHNLHLKLEKEGKIFSNTPDKKWKHAHL

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, / = possible nucleotide deletion, \ = possible nucleotide insertion)
569	1308	96	1017	ELHRAGQVAGGARRSRRESMELERIVSAALLAFVQTHLPEADL SGLDEVIFSYVLGVLEDLGPSPGPSEENFDMEAFTEMMEAYVPG FAHIPRGTIGDMMQKLSGQLSDARNKENLQPQSSGVQGVPI PEPLQRPEMLKEETRSSAAAAADTQDEATGAEELLPGVDVLL EVFPTCSVEQAQWVLAKARGDLEEAVQMLVEGKEEGPAAWEGP NQDLPRRLRGPQKDELKSFILQKYMVDSAEDQKIHRPMAPKE APKKLIRYIDNQVVSTKGERFKDVRNPEAEEMKATYINLKPAR KYRFH
570	1309	3	526	FITGKGIVAILRCLQFNETLTELRFHNQRHMLGHHAEMEIAL LKANNTLLKMGYHFELPGPRMVVTNLLTRNQDKQRQREEQK QQQLKEQKKLIAMLENGLGLPPGMWELLGGPKPDSRMQEFFQP PPPRPPNPQNVFFSQRSEMMKKPSQAPKYRTDPDSFRVVKLR IQ
571	1310	3	1858	GGRAGTQCCWRAGARLRGISPSPALPEAPGLCRVRAGLGAGAL GRSPAGRRRRGPRVSSSPAPHPRRVLCRCLLFLFFSCHDRRGD SQPYQALKYSSKSHPSGDRHEKMRDAGDPSPPNKMRLRRSDS PENKYSdstghSKAKNVHTHRVRERDGGTSYSPQENSHNHSAL HSSNFTFFLIPSN*PQGKTFR IAPYDS\ADDW/SLEHISSSGE KYYYNCRTEVSQWGKTPKSGLERGQRQKEANKMAVNSFPKDRD YRREVMQATATSGFASGKSTSGDKPVSHSCTTPSTSSASGLNP TSAPPTSASA\VPVSP\VPQ\SPIPPLLQDPNLLRQLL\PALE ATLQLNNSNVDI\SIINEVLTGDVTQASLQTIHKCLTAGPSV FKITSLISQAAQLSTQAQASNQSPMSLTSDASSPR\SYVSPRN KAHLKLNTVPIQTFGFSTPPVSSQPKVSTPVVKQGPVSQSATQ QPVTADKQQGHEPVSPRSLQRSSSQRSPSPGPNHTSNSSNASN ATVVPQNSSARSTCSLTPALAAHFSENLIKHVQGW PADHAEKQ ASRLREEAHNMGTIHMSEICTELKNLRLSLVRVCEIQATLREQR ILFLRQQIKELEKLNQNSFMV
572	1311	2	1165	VAPECRGAYPFRAMMPGTALKAVLLAVLLVGLQTATGRLLSGQ PVCRRGGTQRPCYKVIYFHDTSRRLNFEEAKEACRRDGGQLVSI ESEDEQKLIIEKFIEENLLPSDGDWIGLRRREEKQSNSTACQDL YAWTDGSI SQFRNWVDEPSCGSEVCVVMYHQSPAPAGIGGPY MFQWDDRCNMKNFICKYSDEKPAVPSREAEGETELTTPVL PEETQEEDAKKTFKESREAA NLAYILIPSIPLLLLLLVTTTV CWVWICRKRKREQPD PSTKKQHTIWSPHQGNSPDLEVYNVIR KQSEADLAETRDLKNISFRVCSGEATPDDMSCDYDNMAVNPS ESGFVTLVSVESGFVTNDIYEFSPDQMGSKESGWVENEIYGY

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, / = possible nucleotide deletion, \ = possible nucleotide insertion)
573	1312	3	1416	TEWGLSGSCPGCSPLEPGSRGRGAAAWRILRCRRLPEPSPFLT QPNLAQSQPPAPVPVTDPSVTMHPAVFLSLPDLRCSLLLLVTW VFTPVTTEITSLDTENIDEILNNADVALVNFYADWCRFSQMLH PIFEEASDVIKEEFPNENQVVFARVDCDQHSIDIAQRYRISKYP TLKLFRNGMMMKREYRGQRSVKALADYIRQQKSDPIQEIRDLA EITTLDRSKRNIIGYFEQKSDNYRVFERVANILHDDCAFLSA FGDVSKPERYSGDNI IYKPPGHSAPDMVYLGAMTNFDVTYNWI QDKCVPLVREITFENGEEELTEEGLPFLILFHMKEDTESLEIFQ NEVARQLISEKGTINFLHADCDKFRHPLLHIQKTPADCPVIAI DSFRHMYVFGDFKDVLI PGKCLKQFVFDLHSGKLHREFHHGPDP TDTAPGEQAQDVASSPPESSFQKLAPSEYRYTLLRDRDEL
574	1313	928	142	LTSPVGPVFPGRPTRPLASFPFVPLHRCsAGSQPPGPVPEGLI RIYSMRFCPYSHRTRLVLKAKDIRHEVVNINLRNKPEWYYTKH PFGHIPVLETSQCQLIYESVIACEYLDDAYPGRKLFYPDPYER ARQKMLLELFCKVPHLTKECLVALRCGRECTNLKAALRQEFNS LEEILEYQNTTFFGGTCISMIDYLLWPWFERLDVYGILDCVSH TPALRLWISAMKWDPTVCALLMDKSI FQGFLNLYFQNNPNAFD FGLC
575	1314	884	363	NTATNMTQPNAGTRKYSVPAISVHTSSSSSFAYDREFLRTLPGF LIVAEIVLGLLVWTLIAGTEYFRVPAFGWVMFVAVFYWVLTVF FLIIYITMTYTRIPQVPWTTVGLCFNGSAFVLYLSAAVVDASS VSPERDSHNFNSWAASSFFAFLVTICYAGNTYFSFIARSRITI Q
576	1315	165	944	GLRDPFRRKRRLKPQVKMSNYVNDMWPGSPQEKDSPSTSRSGG SSRLSSRSRSRSFSRSSRSHSRVSSRFSSRSRRSKSRSRRRR HQRKYRRYSRSYSRSRSRSRRYRERRYGFTRRYRSPSRYR SRSRSRSRGRSYCGRAYAIARGQRYYGFGRTVYPEEHSRWR DRSRTRSRRTPFRLSEKDRMELLEIAKTNAKALGTTNIDL ASLRTVPSAKETSRGIGVSSNGAKPEVSILGLSEQNFQKANCQ I

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, / = possible nucleotide deletion, \ = possible nucleotide insertion)
577	1316	265	2300	AEGSTMDLTCKMGMIIQLQNPNHPTGLLCKANQMRLAGTLCDEVVI MVDSQEFHAHRTVLACTSKMFEILFHRNSQHYTLDFLSPKTFQ QILEYAYTATLQAKAEDLDDLLYAAEILEIEYLEEQCLKMLET IQASDDNDTEATMADGGAEKKDKRKARYLKNIFISKHSSEESG YASVAGQSLPGPMVDQSPSVSTSFGLSAMSPTKAAVDSLMTIG QSLLOGTQLQPPAGPEEPTLAGGGRHPGVAEVKTEMMQVDEVPS QDSPGAAESSISGGMGDKVEERGKEGPGTPTRSSVITSARELH YGREESAQVPPPAEAGQAPTGRPEHPAPPPEKHLGIYSVLPN HKADAVLSMPSSVTSGLVHQPALAVSMDYSTYGGLLPQGFQIR ELFSKLGELAVGMKSESRTIGEQCSVCGVELPDNEAVEQHRKL HSGMKTYGCELCGRFLDSLRLRMHLLAHSAGAKAFVCDQCGA QFSKEDALETHRQTHGTDMAVFCLLCGRFQAQSALQQHMEV HAGVRSYICSECNRTFPSHTALKRHLRSHTGDHPYECFCGSC FRDESTLKSHKRIHTGEKPYECNGCGKKFSLKHQLETHYRVHT GEKPFECKLCHQRSRDYSAMIKHLRTHNGASPYQCTICTEYCP SLSSMQKHKMGKHPKEIIPDWRIEKTLYLYLCYV
578	1317	686	908	IWEAPTLIPTLAGGRALGHPPMQKGSQGCALPHPLPGASLPAQ PGPADHRGWECRIGGEASVFTHLFCLPHSPT
579	1318	150	1204	ASGSPAPSSSSAMAAACGPGAAGYCLLLGLHLFLLTAGPALGW NDPDRMLLRDVKALTLHYDRYTTSRRLDPIQLKCVGGTAGCD SYTPKVIQCQNGWDGYDVQWECKTDLDIAYKFGKTVVSCGY ESSEDQYVLRGSCGLEYNLDYTELGQLKLGESGKHGFASFSD YYYKWSSADSCNMSGLITIVVLLGIAFVVYKFLSDGQYSPPP YSEYPPFSHRYQRFTNSAGPPPPGFKSEFTGPQNTGHGATSGF GSAFTGQQGYENSGPGFWTGLGTGGILGYLFGSNRAATPFSDS WYYPSPSYPGTWNRAYSPLHGGSGSYSVCSNSDTKTRTASG YGGTRRR
580	1319	1208	276	GRCGAMAAGLARLLLLLGLSAGGPAPAGAAKMKVVEEPNAGV NNPFLPQASRLQAKRDPSPVSGPVHLFRLSGKCFSLVESTYKY EFCPFHNVQTQHEQTFRWNAYSGILGIWHEWEIANNTFTGMWMR DGDACRSRSRQSKVELACGKSNRLAHVSEPSTCVYALTFETPL VCHPHALLVYPTLPEALQRQWDQVEQDLADELITPQGHEKLLR TLFEDAGYLKTPREENEPTQLEGGPDSLGFETLENCRAHKELS KEIKRLKGLLTQHGIPIYTRPTTETSNEHLGHETPRAKSPEQLR GDPGLRGSL
581	1320	1074	132	NSFWSVLFLVQEETEVARCNAQHRLRQSRDSKPDPSFRSQPID SSISFAGSDIQPLFSFASVDGTQVGEAEWAGPWAEATLLPGP GNRWPPRAGLSGNWLEEDGDWPSLPEVVGVSERELFRDALGA GCRILLICEMQLTHQLDLFPECRVTLTLFKDVKNGADLRRKAM EGTIDGSLINPTVIVDPFQILVAANKAVHLYKLGKMKTRTLST EIIFNLSPNNNISEALKKFGISANDTSILIVYIEEGEKQINQE YLISQVEGHQVSLKNLPEIMNITEVKKIYKLSSQEE SIGTLLD AIICRMSTKDVL

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
582	1321	5021	7694	QRSWAGPGAGPEAGTRPPARGRRRQPGNVDPRRRAPQLRSQMQ VAMARATTATGNRLWPGLLIMLGSLCHRGSPCGLSTHIEIGHR ALEFLQLHNGRVNYRELLLEHQDAYQAGIVFPDCFYPSICKGG KFHDVSESTHWTPFLNASVHYIRENYPLPWEKDTEKLVAFLEFG ITSHMAADVSWHSLGLEQGFRTMGAIDFHGSYSEAHSAAGDFG GDVLSQFEFNFNYLARRWYVPVKDLLGIYEKLYGRKVITENVI VDCSHIQFLEMYGEMLAWSKLYPTYSTKSPFLVEQFQYFLGG LDDMAFWSTNIYHLTIIFMLENGTSDCNLPENPLFIACGGQQNH TQGSKMQKNDFHRNLTTSLTESVDRNINYTEGVFFSVNSWTP DSMSFIYKALERNIRTMFIGGSQSLQKHVSSPLASYFLSFPYA RLGWAMTSADLNQDGHGDLVVGAPGYSRPGHIHIGRVYLIYGN DLGLPPVDLDLDKEAHRILEGFQPSGRFGSALAVLDFNVDGVP DLAVGAPSVGSEQLTYKGAVYVYFGSKQGGMSSSPNITISCQD IYCNLGTWLLAADVNGDSEPDLVIGSPFAPGGGKQKGIVAAFY SGPSLSDKEKLNVEAANWTVRGEEDFSWFGYSLHGVTVDNRTL LLVGSPTWKNASRLGHLHLIRDEKKSIGRVYGYFPPNGQSWFT ISGDKAMGKLGTSLSGSHVLMNGTLKQVLLVGAPTYDDVSKVA FLTVTLHQGGATRMALTSQAQPLLLSTFSGDRRFSRFGGVHLH LSDLDLDDGLDEIIMAAPLRIADVTSGLIGGEDGRVYVYNGKET TLGDMTGKCKSWITPCPEEKAQYVLISPEASSRFGSSLITVRS KAKNQVVIAAGRSSLGARLSGALHVYSLGSD
583	1322	1	357	SLRNSARGLKMAASAARGAAALRRSINQPVAFVRRIPWTAASS QLKEHFAQFGHVRRCILPFDKETGFHRGLGWVQFSSEGLRNA LQQENHIIDGVKVQVHTRRPKLPQTSDDDEKKDF
584	1323	1205	433	GSSNIHSASTHGFWFSSPSTLKRQKQAIRFQKIRRQMEAPG APPRTLWEAMEQIRYLHEEFPEWSVPRLAEGFDVSTDVIRR VLKSKFLPTLEQKLKQDQKVLKKAGLAHSLQHLRSGNTSKLL PAGHSVSGSLLMPGHEASSKDPNHSTALKVIESDTHRTNTPRR RKGRNKEIQDLEESFVPVAAPLGHPRELQKYSSDSSESPRGTS GALPSGQKLEELKAEEDPNFSSKVVRGREGFFDSNGNFLYRI
585	1324	134	954	ETRVKTSLELLRTQLEPTGTGVTGNTIMTSQVPVNETIIVLPSNV INFSAEKPEPTNQGDQLKKHLHAEIKVIGTIQILCGMMVLS LGIILASASFSPNFTQVTSTLLNSAYPFIGPFFFIISGSLSLIA TEKRLTKLLVHSSLVGSILSALSALVGFIILSVKQATLNPASL QCELDKNNIPTRSYVSFYHDSLYTTDCYTAKASLAGTSLML ICTLLEFCLAVLTAVLRWKQAYSDFPGSVLFLPHSYIGNSGMS SKMTHDCGYEELLTS

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, / = possible nucleotide deletion, \ = possible nucleotide insertion)
586	1325	106	1537	EMVGAMWKVIVSLVLLMPGPCDGLFRSLYRSVSMPPKGDGSGQP LFLTPYIEAGKIQKGRELSLVGPFPGLNMKSYAGFLTIVNKTYN SNLFFWFFPAQIQPEDAPVVLWLQGGPGGSSMFGLFVEHGPYV VTSNMTLRDRDFPWTTLTSMLYIDNPVGTGFSFTDDTHGYAVN EDDVARDLYSALIQFFQIFPEYKNDFYVTGESYAGKYVPAIA HLIHSLNPVREVKINLNGIAIGDGYSDPESIIGGYAEFLYQIG LLDEKQKKYFQKQCHECIEHIRKQNWFEAFEILDKLLDGLTS DPSYFQNVGTGCSNYNFLRCTEPEDQLYYVKFSLPVEVRQAIH VGNQTFNDGTIVEKYLREDTVQSVKPWLTEIMNNYKVLIIYNGQ LDIIIVAAALTERSLMGMDWKGSQEYKKAEEKVWKIFKSDSEVA GYIRQAGDFHQVIIRGGGHILPYDQPLRAFDMINRFIYKGKWD PYVG
587	1326	883	541	RDERAKVPFRSTEG\GRRRRRRMEAVVFVSLDCCALIFLSV YFIITLSDLECDYINARSCCSKLNKWWIPELIGHTIVTVLLLM SLHWFIFLLNLPVATWNIYRYIMVPSGNMGVDFPTEIHNRGQL KSHMKEAMIKLGFHLLCFMYLYSMILALIND
588	1327	1126	732	QSPGHGAPCQLSSSHSRSNRLLSPMARATLSAAPSNNRLLRVA LLLLLLVAASRRRAAGAPLATELRQCQLQTLQGIHLKNIQSVKV KSPGPHCAQTEVIATLKNQKACLPASPMVKKIIKMLKNGK SN
589	1328	197	330	HPLSLVFLALNTGKEKSHPGGGGERPGLAGQGEPDHPAGARDG R
590	1329	1	1575	CTPVARSMATTATCTRTDDYQLFEELGKGAFSVVRRVCVKKTS TQEYAAKIINTKKLSARDHQKLEREARICRLKHPNIVRLHDS ISEEGFHYLVFDLVTGGELFEDIVAREYYSEADASHCIHQILE SVNHIHQHDIVHRDLKPENLLLASKCKGAAVKLADFGLAIEVQ GEQQAWFGFAGTPGYLSPEVLRKDPYKGPVDIACGVILYILL VGYPPFWDEDQHKLYQQIKAGAYDFPSPEWDTVTPEAKNLINQ MLTINPAKRITADQALKHPWVCQRSTVASMMHRQETVECLRKF NARRKLKGAILTTMLVSRNFSAAKSLNKKSDGGVKPQSNNKN SLVSPAQEPAPLQTAMEPQTTVVHNATDGIKGSTESCNTTTED EDLKVRKQEI IKITEQLIEA INNGDFEAYTKICDPGLTSFEPE ALGNLVEGMDPHKIFYFENLLSKNSKPIHTTILNPHVHVIGEDA ACIAYIRLTQYIDGQGRPTSQSEETRVWHRDGGKWLNVHYHC SGAPAAPLQ
591	1330	17	636	NRRTVKMLLELSEEHKEHLAFLPQVDSAVVAEFGRIAVEFLRR GANPKIYEGAARKLNVSSDTVQHGVEGLTYLLTESSKLMISEL DFQDSVFLVGFSEELNKLKLLQLYLDNRKEIRTIKSEL\APSLP SYHNLEWRDLVQLASRSLRQQIKPAVTIKLHLNQNQGDHNTKVL QTDPATLLHLVQQLEQALEEMKTNHCRRVVRNIK
592	1331	1	237	GTSIYLAHRVA\RAWELAQFIHTSKKADVVLACGDSIVHPED LICCPLTGRSCLCDVHLLSSLLARLGRGYAVSLTNL

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
593	1332	2506	1684	RGCGSCGYKPSAGPAWRPRPPPAVSPLRHPEPAKVLSFSSCPL PALGRTGPSRAARAQSLTMA SLFKKKTVDV IKEQNREL RGTQ RAIIRDRAALEKQEKQLELEIKKMAKIGNKEACKVLAKQLVHL RKQKTRTFVSSKVTSMSTQTKVMNSQMKMAGAMSTTAKTMQA VNKKMDPQKTLQTMQNFQKENMKMEMTEEMINDTLD DIFDGS DEEESQDIVNQVLDEIGIEISGKMAKAPSAARSLPSASTSKAT ISDEEIERQLKALGVD
594	1333	905	432	STDGNGAERLFAELRKMNARGLGSELKDSIPVTELSASGPFES HDLRLKGFSCVKNELLPSHPLELSEKNFQLNQDKMNFSTLRNI QGLFAPLKLQMEFKAVQQVQRLPFLSSSNLSLDVLRGND ETIG FEDILNDPSQSEVMGEPHLMVEYKLG L
595	1334	111	117	RNMKLHYVAVLTALMLFLTWLPESLSCNKALCASDVSKCLIQ ELCQCRPGE GNCSCCKE CMLCLGALWDECCDCVGM CNPRNYS TPPTSKSTVEELHEPIPSLFRALTEGDTQLNWNIVSFVAAEEL SHHENLVSFLETVNQPHQNVSVPSNNVHAPYSSDK/E*LPTV DFFHSAPSCGLSM*SIIFFEET
596	1335	817	278	VGGVPTWLEGGSGNPSPRSGGGPGARLTLPALQMTVHNLYLF DRNGVCLHYSEWHRKQAGIPKEEYKLMYGM LFSIRS FVSKM SPLDMKDGFLAFQTSRYKLHYETPTGIKVVMTDLGVGP I RD VLHHIYSALYVELVVKNPCLPLGQTVQSELFRSLDSYVRS LP FFSARAG
597	1336	171	881	PGLSQEPGSGMETVVIVAIGVLATIFLASFAALVLCRQRYCR PRDLLQRYDSKPIVDLIGAMETQSEPSELELDDVITNPHIEA ILENEDWIEDASGLMSHCIAILKICHTLTEKLVAMTMGSGAKM KTSASVSDIIVVAKRISPRVDDVVKSMYPPLDPKLLDARTTAL LLSVSHLVLVTRNACHLTGGLDWIDQSLSAEEHLEVLREAAL ASEPDKGLPGPEGFLQE QSAI
598	1337	1078	594	VGMELPAVN LKVILLGHWLLTTWGCIVFSGSYAWANFTILALG VWAVAQRDSIDAISMFLGGLLATIFLDIVHISIFYPRVSLTDT GRFGVGMAILSLLKPLSCCFVYHMYRERGGELLVHTGFLGSS QDRSAYQTIDSAEAPADPFAVPEGRSQDARGY
599	1338	717	116	PASRPLLGPDTGSVANIFKGLVILPEMSLVIRNLQRVIPIRRA PLRSKIEIVRRILGVQKFDLGIICVDNKNIQHINRIYRDRNVP TDVLSFPFHEHLKAGEFPQPDFDDYNLGDIFLGVEYIFHQCK ENEDYNDVLTVTATHGLCHLLGFTHGTEAEWQQMFQKEKAVLD ELGRRGTGRLQPLTPGPLPEGAEGRVPF
600	1339	1	804	LRNALDVLHREVPRVLVNLVDFLNPTIMRQVFLGNPDKCPVQQ A/MLEPLGSKTETLDLRAEMPITCPTQNEPFLRTPRNSNYTYP IKPAIENWGSDFLCTEWKASNSVPTS VHQLRPADIKVVAALGD SLTTAVGARPNSSDLPTSWRGLSWSIGGDGNLETHHTLPN IL KKFNPYLLGFSTSTWEGTAGLNVAEGARARDMPAQAWDLVER MKNSPDINLEKDWKLVTLFIGGNDLCHYCENPEAHLATEYVQH IQQALDILSE

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, / = possible nucleotide deletion, \ = possible nucleotide insertion)
601	1340	1	860	VVEFLWSRRPSGSSDPRPRRPASKCQMMEERANLMHMMKLSIK VLLQSALSLGRSLDADHAPLQQFFVVMHCHLKHGLKVKSFIG QNKSFFGPLELVEKLCPEASDIATSVRNLPKLTAVGRGRAWL YLALMQKKLADYLVKVLIDNKHLLSEFYEPALMMEEGMVIIVG LLVGLNVLDANL\CLKGEDLDSQVGVIDFSLYLKDVQDLGGK EHERITDVLDDQKNYVEELNRHLSCTVGDQLQTKIDGLEKTNSKL QERVSAATDRICSLQEEQQQLREQNELIR
602	1341	60	762	KPEGARRVQFVMGLFGKTQEKPPKELVNEWSLKIRKEMRVVDR QIRDIQREEEKVKRSVKDAAKKGQKDVCIVLAKEMIRSRKAVS KLYASKAHMNSVLMGMKNQLAVLRVAGSLQKSTVVMKAMQSLV KIPETIQTMRSLSKEMMKAGIIEEMLEDTFESMDDQEEMEEEA EMEIDRILFEITAGALGKAPSKVTDALPEPEPPGAMAASEDEE EEEEEALEAMQSRLATLRS
603	1342	3	456	RWNSIMELALLCGLVVMAGVIPIQGGILNLNKMVKQVTGKMPI LSYWPGCHCGLGGRGQPKDATDWCCQTHDCCYDHLKTQCGCI YKDYRYRNFSSQGNIHCSDKGSWCEQQLCACDKEVAFCLKRNLDTYQKRLRFYWRPHCRGQTPGC
604	1343	249	632	KTVAEEASVGNPEGAFMKMLQARKQHMSTELTIESEAPSDSSG INLSGFGSEQLDNTNDES DVSSALSYILPYLSLRNLGAESILLP FTEQLFSNVQDGDRLLSILKNRKS PSQSSLLGNKFKNKIF
605	1344	2	382	LPLTLLLAAPFAHLLLP PGHDQSPCWHPGPALSPGTLGPLSWA MANSGLQLLGYFLALGGWVGIIASTALPQWKQSSYAGDASIQL RSKVFLVESEWGGDSLGLPRDCGWSCLLHSAVRSEKGFWS
606	1345	2	987	DPRVRPPLLQPPPLLPRLVLKMAPLDLDKYVEIARLCKYLP ENDLKRLCDYVCDLLEESNVQPVSTPVTVCGDHGHQFYDLCE LFRTGGQVPDTNYIFMGDFVDRGYYSLETFTYLLALKAKWPDR ITLLRGNHESRQITQVYGFYDECQTKYGNANAWRYCTKVFDML TVAALIDEQILCVHGGGLSPDIKTLDQIRTIERNQEIIPKGAFC DLVWSDPEDVDTWAI SPRGAGWLF GAKVTNEFVHINNKLICR AHQLVHEGYKFMFDEKLVTVWSAPNYCYRCGNIASIMVFKDVN TREPKLFRAPVDSERVIPPRTTTTPYFL
607	1346	10	768	SFAGAAARPSTPPASGRGAAPGRPGPS PMDLRAGDSWGM LACL CTVLWHLPAVPALNRTGDPGPGPSIQKTYDLTRYLEHQLRSLA GTYLNLYLGPPFNPD FNPRLGAETLPRATVDLEVWRS LNDKL RLTONYEAYSHLLCYLRGLNRQAATAELRRSLAHFCTSLQGLL GSIAGVMAALGYPLPQPLPGTEPTWTPGPAHSDFLQKMDDFWL LKELQTLWLRSAKDFNRLKKMQPPAAAVTLHLGAHGF
608	1347	114	700	IKISLKKRMSGISGCPFFLWGLLALLGLALVISLIFNISHYV EKQRQDKMYSYSSDHRVDEYYIEDTPIYGNLDDMISEPM DEN CYEQMKARPEKSVNMQEATPSAQATNETQMCYASLDHSVKGK RRPKPKQNTHFSDKGDGDEQLHAIDASVSKTTLVDSFSPESQAV EENIHDDPIRLFLIRAKREPIN

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, / = possible nucleotide deletion, \ = possible nucleotide insertion)
609	1348	2	807	VEFHQRARAGARAPSMGVLLTQRTLLSLVLALLFPSMASMAA IGSCSKEYRVLLGQLQKQTDLMQDTSRLLDPIYRIQGLDVPKL REHCRERPGAFPSEETLRGLGRRCFLQTLNATLGCVLHRLADL EQRLPKAQDLERSGLNIEDLEKLQMARPNILGLRNNIYCMQAL LDNSDTAEPTKAGRGASQPPTPTPASDAFQRKLEGCRFLHGYH RFMHVSVGRVFSKWGESPNRSRRHSPHQALRKGVRRTRPSRKGR RLMTRGQLPR
610	1349	2	418	DFPGRRFRLVWLLVLRLPWRVPGQLDPTTGRRFSEHKLCADDE CSMLMYRGEALEDFTGPD CRFVNFKKGD PVVYVKLARGWPEV WAGSVGRFTFGYFPKDLIQVVHEYTKDELQVPTNETDFVCFDGG RDDFHNYNV
611	1350	823	115	SPLGKEGQEEVRVKIKDLNEHIVCCLCAGYFVDATTITECLHT FCKSCIVKYLQTSKYCPMCNIKHETQPLLNLKLD RVMQDIVY KLVPGLQDSEEKRIREFYQSRGLDRVTQPTGEEPALSNLGLPF SSFHDSKAHYRYDEQLNLCLERLSSGKDKNKSVLQNKYVRC VRAEVRHLRRVLCHRLMLNPQHVLQDNEVLPDHMTMKQIWL SRWFGKPSPLLLQYSVKEKRR
612	1351	9	545	LWYSAHAADVAMMDVFGVGFPSKVPWKMSAELENQYCPSR WVVR LGAEALRTYSQIGIEATTRARATRKSL LHVPYGDGE KVDIYFPDESSEATTRARATRKSL LHVPYGDGEKVDIYFPD ESSEALPFFLFFHGGYWQSGRHPGPHGRPGDPQRCVCPEAVSK QQAFSW
613	1352	49	902	GVRMASRGRRPEHGGPPELFYDETEARKYVRNSRMIDIQTRMA GRALELLYPENKPCYLLDIGCGTGLSGSYLSDEGHYVWGLDI SPAMLDEAVDREIEGDLGLDMGQGI PFKPGTFDGCISISAVQ WLCNANKKSENPAKRLYCFASLFSVLVRGSRAVLQLYPENSE QLELITTQATKAGFSGGMVVDYPNSAKAKKFYLCFSGPSTFI PEGLSENQDEVEPRESVFTNERFPLRMSRRGMVRKSRWVLEK KERHRRQGREVRPDTQYTGRKRKPRF
614	1353	1960	871	TLICRMAGCGEIDHSINMLPTNRKANESCSNTAPSLTVPECAI CLQTCVHPVSLPCKHVCYLCVKGASWLGKRCALCRQEIPEDF LDKPTLLSPEELKAASRGNGEYAWYYEGRNGWWQYDERTSREL EDAFSGKKNTEMLIAGFLYVADLENMVQYRRNEHGRRRKI DIIDIPKKGVAGLRRLDCDANTVNLARESSADGADSVSAQSGAS VQPLVSSVRPLTSVDGQLTSPATSPDASTSLEDFAHLQLSG DNTAERSHRGEEDHESPSSGRVPAPDTSIETESDASSDSE DVS AVVAQHS LTQORLLVSNANQTVPDRSDRSGTDRSVAGG GTVSVSVRSRRPDGQCTVTEV

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, / = possible nucleotide deletion, \ = possible nucleotide insertion)
615	1354	5653	4549	GATPLGSGVGGRTGKMDAATLTVDTLRFAEFEDFPETSEPVWIL GRKYSIFTEKDEILSDVASRLWFTYRKNFPAIGGTGPTSDTGW GCMLRCGQMIFAQALVCRHLGRDWRWTQQRKQPDSTYFVNLAF IDRKDSYYSIHQIAQMGVGEKSGIQWYGPNTVAQVLKKLAVF DTWSSLAVHIAMDNTVMEEIRRLCRTSVPCAGATAFPADSDR HCNGFPAGAEVTNRPSWRPLVLLIPLRLGLTDINEAYVETLK HCFMMPQSLGVIGGKPNSAHYFIGVYVEELIYLDPHTTQPAVE PTDGCFIGPDES FHCQHPPCRMSIAELDPSIAVVRGGHLSTQAF GAECCLGMTRKTFGFLRFFFFSMLG
616	1355	416	65	PTTSNRAITLTAWPKIPFLGICEAKNPRSENMRLATILEVACH HLGSGPPPSWELWEQPPGNSSRYIEFLNKHTYIKGTLRVYTK KFCMLVIKSFESKSCVCVYDFDSKSSVNVTV
617	1356	2	382	PRVRFRLHVTIRSILWILCGIWIWILMASSIMLLDSGSEQNG SVTSCLELNLYKIAKLQTVNYIALVVGCLLPFFTLISICYLLII RVLLKVEVPESGLRVSHRKALTTIIITLIIFFLCFLPYHT
618	1357	3	672	GRHWLGS AOLTDGGSARKPKMAVPAALILRESPMKKAVSLIN AIDTGRFPRLLTRILQKLHLKAESSFSEEEEEKLQAAFSLEKQ DLHLVLETISFILEQAVYHNKPAALQQQLENIHLRQDKAEAF VNTWSSMGQETVEKFRQRI LAPCKLETVGWQLNLQMAHSAQAK LKSPQAVLQLGVNEDSKSLEKVLVEFESHKELDFYNKLETIQ AQLDSL T
619	1358	557	208	EASSAKTKRKEEKGP KAKMKLMVLVFTIGL TLLLGVQAMPANR LSCYRKILKDHNCHNLPEGVADLTQIDVNVQDHFWDGKGCEMI CYCNFSELLCCPKDVFVFGPKISFVIPCNNQ
620	1359	335	1735	KMAEAVFHAPKRKR RVYETYESPLPIPFQGDHGPLKEFKIFRA EMINNNVIVRNAEDIEQLYGKGYFGKGILSRSRPSFTISDPKL VAKWKDMKTNMPIITSKRYQHSVEWAAELMRRQGDSTVRRRI LKDYTKPLEHPPVKRNEEAQVHDKLNSGMVSNMEGTAGGERPS VVNGDSGKSGGVGDPREPLGCLQEGSGCHPTTESFEKSVREDA SPLPHVCCCKQDALILQRLHHEDGSQHIGLLHPGDRGPDHEY VLVEEAECAMSEREAAPNEELVQRNRLICRNPPYRIFEYLQLS LEEAFFLVYALGCLSIYYEKEPLTIVKLWKAFTVVQPTFRTTY MAYHYFRSKGWVPKVG LKYGTDLLLYRKGPFFYHASYSVIIEL VDDHFEGLSLRRPLSWKSLAALS RVSVNVSKELMLCYLIK PSTM TDKEMESPECMKRIKVQEVILSRWVSSRERSDQDDL

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
621	1360	5693	4435	RDIWTMNLQRYWGEIPISSSQTNRSSFDLLPREFRLVEVHDPPLHQPSANKPKPPTMLDIPSEPCSLTIHTIQLIQHNRLRLNLIA TAQAQNOQQTEGVKTEESEPLPSCPGSPPLPDDLPLDCKNPN APFQIRHSDPESDFYRGKGEPVTELSWHSCRQLLYQAVATILA HAGFDCANESVLETLTDVAHEYCLKFTKLLRFVAVDREARLGQT PFPDVMEQVFHEVGIGSVLSLQKFWQHRIKDYHSYMLQISKQL SEEEYERIVNPEKATEDAKPVKIKEEVPVSDITFPVSEELADLA SGDQSLPMGVLGQAQSERFPSNLEVEASPOASSAEVNASPLWNL AHVKMEPQSEEGNVSGHGVLGSDVFEPMSEAGIPQSPD DSDSSYGSHTDSL MGSSPVFNQRCKKMRKI
622	1361	15	678	REQILFIEIRD TAKGETEQPPSL SPLHGGRMPGEGIQSLA RETQSHRGRRQGW DATWVTRCRESLNRGGAGAGKRAGALAHV FLALIEPNLAEREASEEEVKACSD ETVVADLLVKVVYVLGAIL KIFLREGNVLNQHS GMDIEKYSEHYQHDHSPGAEDDAAGGQLR PTAQERRHKEGSRGSPRCKRARKAVGESPGCPRPRVRPRVRPR VRPRV
623	1362	1080	835	GTRGCCREGTAYAKAYQFMASHLSLGKPVSTGSI PRFNKALFN KQAKCKPNHYSFIGLSMLSPENFSIGCKYSVWFSETKGF
624	1363	872	441	GAQGV RVGIGEVGRVQAPRVSLLSHQGVPRGGTGEAVKEEGRG SSLHPPLPPQGLGEY AACQSHAFMKG VFTFVTGTGMAFGLQMF IQRKFPPYPLQWSLLVAVVAGSVVSYGVTRVESEKCNLWLFLE TGQLPKDRSTDQRS
625	1364	1	585	GTSELLCIQRWNWGPAPPPRPG LALAPTLQLLVEMGSAKSVPV TPARPPPHNKH LARVADPRSPSAGILRTPIQVESSPQGPLPAG EQLEGLKHAQSDPRSPLGKN*GHGWQVGQGS DLGSPQPLPPS ASHL/YSSRASRCSQPPCLSLPWF GVRSSPANTYHVPVTS LCP SPALHYTALQAGIISTSQARAPR
626	1365	36	381	PLLLPRFIDIPCLLCYLTQVTPDDMYAKAF LIKPNTAITGTDR RKL\RADETTDFP\TLGTDQIYELLPGKDELNIVKSN AHRDA *TAYVSGENHILSEP*KNLYPAVNTLSSYP
627	1366	763	1003	SRQPPPLLT MVFLLEFLFLVFFPGCVNQLLSYPWQGQGTSLW SSLSFWHLLPQEDSSRLSIFPLRAGSPPPQAPQRI
628	1367	296	1199	KSREQSSLFAADAERSWGGKSCCLLRWR FVGKASHFPRLLPLP GEERPETKERAWKMEQTWTRDYFAEDDGEMVPRTSHTA/ASVS LTAFLSDTKDRGPPVQSQIWRSGEKVPFVQTYSLRAFEKPPQV QTQALRDFEKHLNDLKKENFSLKLLIYFLEERMQQKYEASRED IYKRNTLKVESL KRELQDKKQHLDKTWADVENLNSQNEAE LRRQFEERQQEMEHVYELLENKMQLLQEE SRLAKNEAARMAAL VEAEKECNLELSEKLKGVTKNWEDVPGDQVKPDQYTEALAQRD K

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, / = possible nucleotide deletion, \ = possible nucleotide insertion)
629	1368	191	1116	TRRRGTTWRSFPRPRASTRSRPSTRPRGVASWPWETAGTATTGP GPSARTRRRAARRRRSRPRRAHGGLSQPAGWQSLLSFTILFL AWLAGFSSRLFAVIRFESIIEFDPWFNRYRSTHHLASHGFYEF LWVFDERAWYPLGRIVGGTVYPGLMITAGLIHWILNTLNITVH IRDVCVFLAPTFSGLTSSISTFLLTRELWNQAGLLAACFIAIV PGYISRSVAGSFDNEGIAIFALQFTYYLWVKS VKTGSVFWTMC CCLSYFYMVS AWGGYVFIINLIPLHAFVLVLM/Q/RYSKRVYI *YSTFYIVG
630	1369	852	214	RRLIVVLSDAFLSRAWCSHSF/RVGPARGWVGPSVAPTPLTVP PRREGLCRLLELTRRPIFITFEGQRRDPAHPALRLLRQHRHLV TLLLWRPGSVTPSSDFWKEVQLALPRKVRYRPVEGDPQTQLQD DKDPMILILGRVPEGRALDSEVDPDEGDLGVRGPVFGEPSAP PHTSGVSLGESRSSEVDVSDLGSRNYSARTDFYCLVSKDDM
631	1370	246	1091	LSHEGWRRRGREGRIINSSVASLAPLCILPDLPSNMHLARLVGS CSLLLLLGA LSGWAASDDPIEKVIEGINRGLSNAEREVGKALD GINSGITHAGREVEKVFNGLSNMGSHTGKELDKGVQGLNHGMD KVAHEINHIGIGQAGKEAEKLGHG VNNAAGQAGKEADKAVQG FH TGVHQAGKEAEKLGQGVNHAADQAGKEVEKLGQGAHHAAGQAG KELQNAHNGVNQASKEANQLLNGNHQSGSSSHQGGATTTPLAS GASVNTPFINLPALWRSVANIMP
632	1371	3150	2792	SASGGLGMTVEGPEGSEHREHPPEKPPRPPRPLHLSDRSFRRK KDSVESHTWVDDTRIDADAIVEKIVQSQDFTDGSNTEDSNLR LFVSRDGSATLSGIQLATRVSSGVYEPV VIESH
633	1372	667	993	ERSGWPOPEGTVTAQGPLFWERLSGAVTVSSGYKADMWPSFPQ \VRVGSFLFGILFFSFGSSSLPGLPPPASLLCCAVQWGARAL FLPCLKERALGMEMRNNTLSFRQ
634	1373	636	2	SSSNLRLSFLINENILGKCFRSGPSCAGPRISPLAAQYECPRP SLLIMASVPKTNKIEPRYSIIPSCGI\RRLGPALNTLIF\QS KRFGPRG\HSAKSIEGAPRGKGRGRAVARLAADRPPAPKIQLR AF*LQQL*YTLLELELPRL LAPDLPSNGSSSLKDLKWTHSNYRA SKESCIVIF\VTTPGREWVICALAAFLGCGS\LSQAPSPES
635	1374	61	519	LRIINTYFCFKFLIVNYIHGTTKARKPHVLGESLISAMSRQEP KMFVLLYVTSFAICASGQPRGNQLKGENYSPRYCISIPGLPGP PGPPGANGSPGPHGRIGLPGRDGRDGRKGEKGEKGTAGLRGKT GPLGLAGEKGDQGETGKKGPIGPE
636	1375	129	579	FASAMLSRVDRPKLSVAPSVVLEEDQVLVSPAVDLEAGCRLR DFTEKIMNVKGVILSMLVSVTVIIVFWEFINSTEGSFLWIYH SKNPEVDDSSAQKGWFLSWFNNGIHNYYQQGEEDIDKEKGREE TKGRKMTQQSFGYGTGLIQT

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, / = possible nucleotide deletion, \ = possible nucleotide insertion)
637	1376	127	1376	GSHRFSLASPLDPEVGPYCDTPTMRTLNFNLLWLALACSPVHTT LSKSDAKKAASKTILLEKSQFSDKPVQDRGLVVTDLKAESVVLE HRSYCSAKARDRHFAAGDVLGYVTPWNSHGYDVTKVFGSKFTQI SPVWLQLKRRGREMFVETGLHDVDQGWMAVRKHAKGLHIVPR LLFEDWTYDDFRNVLDSEDEIEELSKTVVQVAKNQHFDFVVE VWNQLLSQKRVLHMLTHLAEALHQAARLLALLVIPPATPGT DQLGMFTHKEFEQLAPVLDGFSLMTYDYSTAHPGPNAPLSWV RACVQVLDPKSKWRSKILLGLNFYGM DYATSKDAREPVVGARY IQTLKDHPRMVWDSQVSEHFFYKKSRSGRHVVFPYPTLKSQ VRLELARELGVGVS IWELGQGLDYFYDLL
638	1377	998	48	GREGTGWGPAMSEVTRSLLRWGFASFRGADFDSWGQLVEAID EYQILARHLQKEAQAQHNNEFTTEQKKTIGKIATCLELRSAA LQSTQSQEEFKLEDLKKLEPILKNILTYNKEFPFDVQPVPLRR ILAPGEEENLEFEDEEEEGGAGAGSPDSFPARVPGTLLPRLPS EPGMTLLTIRIEKIGLKDAGQCINPYITVSVKDLNGIDLTPVQ DTPVASRKEDTYVHFNVDI ELQKHVEKLTGAAIFFEFKHYKP KKRFTSTKCF AFMEMDEIKLGP I VIELYKKPTDFKRKQLQLLT KKPLYLHLHQT LHK E
639	1378	1298	1569	GSITSEPSLDSLQPLPPGFKRFSCSLSPSSWDYRRPPPGLAYF CIFSRDEVSPCWPGCSPSPDLMIRLPRPPSVGITGVSHRAWPT IDNF
640	1379	196	1197	KMPVPWFLLSLALGRSPVVL SLERLVGPQDATHCSPGLSCRLW DSDILCLPGDIVPAPGPVLAPTHLQTELVLRCQKETDCDCLR VAVHLAVHGHWEPEDEEKFGGAADSGVEEPRNASLQAQVVL FQAYPTARCVLLEVQVPAALVQFGQSVGSVVYDCFEAALGSEV RIWSYTQPRYEKELNHTQQLPDCRGLEVWNSIPSCWALPWLNV SADGDNVHLVLNVSEEQHFGLSLYWNQVQGP KPRWHKNLVRP PPSQVHSHCRP\CLCK\DAVPYQRGSLKRTHPKQGKIGGGTSA FLVSLTLASSSSSLSSPTSFLYL FHLDRSLP
641	1380	756	1110	LRLWNRNQMMHNIIVKELIVTFFLGITVVQMLISVTGLKGVEA QNGSESEVFGKYETLVFYWPSLLCLAFLLGRFLHMFVKALRV HLGWELQVEEKSVLEVHQGEHVQQLLRIPRP
642	1381	631	1278	KVNRKLRKKGKISHDKRKKSRKAIGSDTSDIVHIWCPEGMKT SDIKELNIVLPEFEKTHLEHQRIESKVCKAAIATFYVNVKEQ FIKMLKESQMLTNLKRKNAMISDIEKKRQRMIEVQDELLRLE PQLKQLQTKYDELKERKSSLRNAAYFLSNLKQLYQDYSDVQAQ EPNVKETYDSSSLPALLFKARTLLGAESHLRNINHOLEKLDDQ G
643	1382	1167	755	VWVAMEEPPVREEE*EEGEDEERDEVGPEGALGKSPFQLTAE DVIDISYLLGRELMALGSDPRVTQLQFKVVRVLEMLEALVNEG SLALEELKMERDHLRKEVEGLRRQSPPASGEWPDSTKRRPRRK KRRCCGY

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
644	1383	1	271	PRNDHRLTQSRDSSSKTRAFLVPRFLPAHAGVTSEERTAMKR EGGAHLCSDSLPESQQQDGNHAPNFSSHGSCRRRRQRRRHDKA LHAR
645	1384	1	499	THASEKSRATMSSWSRQPKSPGGIQPHVSRTLFLLLLLAASA WGVTLSPKDCQVFRSDHGSSISCQPPAEIPGYLPADTVHLAVE FFNLTHLPANLLQGASKLQELHLSSNGLESLSPEFLRPVPQLR VLDLTRNALTGLPPGLFQASATLDTLVLENQLEVLE
646	1385	178	675	ERPRIMDLAGLLKSQFLCHLVFCYVFIAISGLIINTIQLFTLLL WPINKQLFRKINCRLSYCISSQLVMLLEWWSGTECTIFTDPRA YLKYGKENAIVVLNHKF\EI\DFLCGWSLSERFGLLGVSQKCI PPCLTHFFGSAPPLVFLLLVIQNLQKNQQS FYLMKWS
647	1386	630	1499	MIVFGWAVFLASRSLGQGLLLTLEEHIAHFLGTGGAATTMGNS CICRDDSGTDDSDVTQQQQAENSAVPTADTRSQPRDPVRPPRR GRGPHEPRRKQNV DGLVLDTLAVIRTLVDNDQEPYSMITLH EMAETDEGWLDVVQSLIRVIPLEDPLGPAVITLLLDECPLPTK DALQKLTEILNLNGEVACQDSSHPAKHRNTSAVLGCLAELKLAG PASIGLLSPGILEYLLQCLLQSHPTVMLFALIALEKFAQTSN KLTI SESSISDRL\VTLESW\ANDPDYLKRQVG
648	1387	1	962	RFGTRGLAKSKGVLMALCALTRALRSLNLAAPTVAAPAPSLF PAAQMMNGLLQQP SALMLLPCR PVLT SVALNANFVSWKSRTK YTITPVKMRKSGGRDHTGRIRVHGIGGGHKQRYRMIDFLRFRP EETKSGPFEEKVIQVRYDPCRSADIALVAGGSRKRWI IATENM QAGDTILNSNHIGRMAVAAREGDAHPLGALPVGTLINNVESEP GRGAQYIRAAGTCGVLLRKVNGTAI IQLPSKRQMQVLETCVAT VGRVSNVDHNKRVI GKAGRNRLWLGKRPNSGRWHRKGGWAGRKI RPLPPMKSYVKLPSASAQS
649	1388	291	714	PVQGARCLDARRNVRVFSGVCCGCGIHGYWAEPCGGCGAMEG LRSSVELDPELTPGKLDEEMVGLPPHDAS PQVTFHSLDGKTVV CPHF MGLLLGLLLLLLTL SVRNQLCVRGERQLAETLHSQVKEKS QLIGKKTDCRD
650	1389	874	2220	GARGRPLAETWPFLTAPVLPGLQITEPTMAEKGDCIASVYGY DLGGRFVDFQPLGFGVNLVLSAVDSRACRKVAVKKIALSDAR SMKHALREIKI IRRLDHDNIVKVYEV LGPKGTDLQGE LFKFSV AYIVQEYMETDLARLLEQGT LAEEHAKLFMYQLLRGLKYI HSA NVLHRDLKPANIFISTEDLV LKIGDFGLARIVDQHYS\HKGYL SEGLVTKWYRSPRLLLSPNNYTKAIDMWAAGCILAEMLTGRML FAGAHELEQMQLILETIPVIREEDKDELLRVMPFSVSSTWEVK RPLRKL LPEVNSE AIDFLEKILTFNPM DRLTAEMGLQHPYMSP YSCPEDEPT SQHPFRIEDEIDDI VLMANQS QLSNWDTCSSRY PVSLS S DLEWRPDRCQDASEVQRDPRAGSAPLAENVQVDPK D SHSSSASCQAGRNGVSR YQ

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
651	1390	1	2451	MRTLGTCLATLAGLLLTAAGETFSGGCLFDEPYSTCGYSQSEG DDFNWEQVNTLTkPTSdpwmpsgsfmlvNASGRPEGQRAHLLL PQLKENDTHCIDFHYFVSSKSNSPPGLLNvYVKVnNGPLGNPI WNISGDpTRTWnRAELAISTFWPNFYQVIFEVITSGHQYLAI DEVKVLGHPCTRTPHFLRIQNEVNAGQFATQCSAIGRTVAG DRLWLQGI DVRDAPLKEIKVTSSRRFIASFNVNTTKRDAGKY RCMI\RTEGGVGISNYAEL\VVKEPPVPiAPPQLASVGATYlW IQLNANSINGDGPIVAREVEYCTASGSWnDRQPVDSTSYKIGH LDPDTEYEISVLLTRPGEgGTGSPGPALRTRTKCADPMRGPRK LEVVEVKSRQITIRWEPFGYNVTRCHSYNLTvHYCYQVGGQEQ VREEVSWDTENSHPOHTITNLSPYTNVSVKLILMNPEGRKESQ ELIVQTDDELPGA VPTESIQGSTFEeKIFLQWREPTQTYGVIT LYEITYKAVSSFDPEIDLsnQSGRVSKLGNETHFLFFGLYPGT TYSFTIRASTAKGFGPPATNqFTTKISAPSMPAYELETPLNQT DNTVTVMlKPAHSRGAPVSvYQIVVVEERPRRTKKTEILKCY PVPIHFQNASLLNSQYYFAAEFPADSLQAAQPFITGDNKTYNG YWNTPLLPYKSYRIYFQAASRANGETKIDCVQVATKGAATPKP VPEPEKQTDHTVKIAGVIAGILLFvIIIFLGvVLVMKKRLYKHG ASICSASGEASGSFQSWRKAKHKQACPMARAGARERAGGCLKL
652	1391	30	459	GIRQLLQLSRASMAARKSWTALRLCATVVVLDMVVCkGFVQDL DESFKENRNDdiWLVHfYAPWCGHCKKLEPIWNEAGLEMKSIG SPVKAGKMDATSYSSiASEFGVRGYPTIKLALIRPLPSQQMFE HMKRHRVFFVYV
653	1392	168	1016	GLVIVISHFSPSPGLLPATQSPAMSDPITLNVGGKLYTTSLAT LTSFPDSMLGAMFSGKMPTKRDSQGNCFIDRDGKVFRYILNFL RTSHLDLPEDFQEMGLLRREADFYQVQPLIEALQeKEVELSKA EKNAMLNITLNRVQTVHFTVREAPQIYSLSSSSMEVFNANIF STSCFLKLLGSKLFYCSNGNLSSITSHLQDPNHLTLDWVANV EGLPEEEYTKQNLKRLWVVPANKQINSFQVFVEEVKIALSDG FCIDSSHPhALDFMNNKIIRLIRY
654	1393	3	927	SCADNLVAASGGCWFVLGERRAGSLLSASyGTFAMPGMVLfGR RWAIASDDLVFPgGFELVVRVLWWIGILTLYLMHRGKLDCAGG ALLSSYLIVLMILLAVVICTVSAIMCVSMRGTCINPGPRKSMS KLLYIRLALFFPEMVWASLGAAWVADGVQCDRTVvNGIATVV VSWIIIAATVVSIIIVFDPLGGKMAPYSSAGPSHLDSHDSSQL LNLKTAATSVWETRIKLLCCCIgKDDHTRVAFSSTAELFSTY FSDTDLVPSDIAAGLALLHQQQDNIRNNQ\DLPRWSAMPQGAP RKLIWMQN
655	1394	1	716	FRAATAAAKNGGGGGGRAGAGDASGTRKKKGPGPLATAYLViy NVVMTAGWLVIAVGLVRAYLAKGSYHSLYYSIEKPLKFFQTGA LLEILHCAIGIVPSSVVLTSFQVMSRVFLIWA VTHSVKEVQSE DSVL\FVIAWTITEIIRYSFYTFSLNHLpyLIKRARYTLFIV LYPMGVSGELLTIYAALPFVRQAGLYSISLPNSTKKIFLISQV WWHMLAVSADAKAAEMPAVLKPGP

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
656	1395	72	766	MLTGVGCLVSSSELSVCVQCNSWEKSCVNSIASECPHANTSCI SSSASSSLETVPVRLYQNMFCSAENCSEETHITAFTHVHSAEEH FHFVSQCCEGKECSNTSDALDPPLKNVSSNAECPACYESNGTS CRGKPWKCYEEEQCVFLVAELKNDIESKSLVLKGCNSVSNATC QFLSGENKTLGGVIFRKFEKANVNSLTPTSAPTTSNHNVGSKAS LYLLALASLLLRGLLP
657	1396	97	746	VPARRRAMEIGTEISRKIRSAIKGKLQELGAYVDEELPDYIMV MVANKKSQDQMTEDLSLFLGNNTIRFTVWLHGVLDKLRSVTTE PSSLKSSDTNIFDSNVPSNKSNSFRGDERRHEAAVPPL\AIPS ARPEKRDSRVSTSSQESKTTNVRQTYDDGAATRLMSTV/KPLR EPAPSEDVIDIKPEPDDLIDEDLNFVQEKPLSQKKPTVTLTYG SSR
658	1397	155	560	ASRVLAAMVGLPWGQPHLGLQMLLLALNWLRLPSLSLELVPYTP QITAWDLEGKVTATTFSLQPRCVFDGLASADTVWLVAFAFN ASRGFQNPETLADIPASPQLLTDGHYMTLPLSPDQLPCGDMA GSGSAP
659	1398	416	539	NSLNNFFPETESCCVAQAGVQWRDLGSLQAPPPGFKRFSCL
660	1399	281	736	KSLPLQKHPKPCQEDQGLGRGSLSGHSPLTLLTFLTSCALGD QQLLPRTSGSLCQESMSEQSCQMSELRLLLLGKCRSGKSATG NAILGKHVFKSKFSDQTVIKMCQRESWVLRRKVVVIDTPDLF SSIACAEDKQORNIQHLELSAP
661	1400	2	974	FVETTTSVQSAESSDALSWRLPRALASVGPPEARSAPVGGG RWQLSDRVEGGSPTLGLLGGSPSAQPGTGNVEAGIPSGRMLEP LPCWDAADLKEPQCPGDRVGVQPGNSRVWQGTMEKAGLAWT RGTGVQSEGTWESQRQSDALPSELLPQDQDKPFLRKACSPS NIPAVIITDMGTQEDGALEETQGS PRGNLPLRKLSSSSASSTG FSSSYEDSEEDISSDPERTLDPNSAFLHTLDQQKPRVVESRSV TQAGVQWHDIGSLQPLPP/WIQAIL/HASAFRIAGTTGACHHA RIIFGFLVERGFHHVGQDGLYLLIL
662	1401	232	3	KICSSYFLRIICILQKEAQEASNLYTSCDFFSPAIFYFVIYRLY NFKIHWPGAVAHTYSPSTLGGGRWVT*GREFM
663	1402	250	556	LILSLPLLYGHLKSYTFPSEHYLHLLQTFATFNKYLNVCVLIF IHHKPVPVPAIQGTNVGGSLEPRRLRLQQAMIVPLHFGNGNRVR PCLKKQQQQQQQQQKK
664	1403	1	373	RMETKPVITCLKTLIIYSFVFWITGVILLAAGVWGKLTGLSY ISLIAENSTYAPYVLIVTGTTIVAYPLV*FFFSYSSGFSYILA VRLIAGIALVYNYIPRSSSRALVRLVLLRFLLSRHPS
665	1404	3	413	NAEHPGMDRHDLCQAKLAHAERDDDMAACMKTVDQGAELS NEERNLLSDAHTNAV*ARRSSWMGA*RIEQKTEGADTQQQMAP DCREIFATELRDICDDVLSLLEKLLIPNASHA*SLVYYLHMIG DYRYRWL
666	1405	2	334	GGGPLGKMPRAQLADPWQMMAVESPSDCADNGQQIMDEPMGED EISPQTE*VSIKEVAVTHCVKEGHDKADPSQIELLRVLRQGS LGVYLKGVSGSDAKQLYAMKVL

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, / = possible nucleotide deletion, \ = possible nucleotide insertion)
667	1406	2	332	DAAGIRHEAHFGKLECLVQLVRAGA\SLFVSTTRYAQTTPA\HIAAFGGHPQCLVWLIQAGANINKPDCEGETPIHKAARSGSLECI SALVANGAHVDNPKKGIRVLEWLFE
668	1407	242	1157	LLKLMFIAELGDYDLAEHSPPELVSEFRFVPIQTEEMELAI FEK WKEYRGQTPAQAEETNYLNKAKWLEMYGVDMHVVKARDGNDYSL GLTPTGVLVFEQDTKIGLFFWPKITRLDFKKNKLTLLVVVDDDD QGKEQEHTFVFRDLHPKACKHLWKCAVEHHAFFRLRGPVQKSS HRSGFIRLGSFRYSGKTEYQTTKTNKARRSTSFERRPSKRYR RRTLQMKACATKPEELSVHNNVSTQSNQSQAQWGMRSALPVSP SISSAPVPVEIENLPQSPGTDQHDRKWL SAASDCCQRRGNQWN TRAL
669	1408	278	1	ATAPGLFNFF*FLFQCREEHKKKNPEVPVNF AEFSSKKCSGRWK TMSSKEKFKFGEMAKADEVCYDREM KDYGPAKGGKKKDPNAPK RPPSGF
670	1409	139	646	AEGLGSAVWAGLGWAGRMEAGGATGALGVGSKLP S AFCFPG SSVAMDMFQKVEKIGEGTYGVVYKAKNRETGQ LVALKKIRLDL *VLGRPLSYPPWAITTWALPDPFPLSWSPRLT PLGAAQQPLPV LSPVHCLLTSLCRGPDCGVWMT CQGAQVSIAGALVILWG
671	1410	3	442	LCVSVLCSFSYLQNGWTASDPVHGYWFR\AGDHVSRNIPVATN NPVRAVQEETRDRFHL LGDPQNKDCTLS IRDTRES DAGTYVFC VERGNMKWNYKYDQLSVNVTASQDLLSR YRLEVPE SVTVQEGL CVSVP/WQCPLPPLQLDCL
672	1411	84	836	QLQLCQNCTKRGECHCVPFDTYIKTKKEKKRLSVLPPTRLMEA RFSPINQILPWCQRDLAISISK AINTQEAPVKEKHARRIILGT HHEKGAFTFWSYAIGLPLPSSSILSWKFCHVLHKVLRDGHNV LHDCQRYRSNIREIGDLWGHLH DRYGQLVNVTYTKLLLT KISFH LKHPQFPAGLEVTDVLEKAAGTDVNNM*VTLHGYMASSPRLP HSFLPRLTPRRPHGAVGLNESVALLVDAHAPRDRG
673	1412	307	664	AAPHRMPRAPHFMPLLLLLLLLLSLPHTQA AAFPQDPLPLLISDL QGTSPLSWLPSLEDDAVAA*LGLDFQRFLTLNRTLLVAARDHV FSFDLQAEEEGEGLVPNKYLTWRSQDV ENCAVR*KLTNRTLL VAARDHVFSFDLQAEEEGEGLVPNKYLTWRSQDV ENCAVR
674	1413	24	420	HLVPKTRGRGTPSGDQSPVLTLP*GDPPTILGPQTNPKEHL TNFKSGKRSFHSLLQPLLLLLHPSIS PFLNFGSFPFLVETEET CFIHKLKT PALVTPDSLPLVFNHCGDACLI IHPHFRDVEFHHT GN

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
675	1414	1	1101	CCSTKNISGDKACNLMIFDTRKTARQPNCYLFFCPNEEACPLK PAKGLMSYRIITDFPSLTRNLPSQELPQEDSLLHGQFSQAVTP LAHHHTDYSKPTDISWRDTLSQKFGSSDHLEKLFKMDEASAQL LAYKEKGHSQSSQFSSDQEI AHL LPENV SALPATVAVASPHTT SATPKPATLL\PTNASVTPSGTSQPQLA\TTAPPVTTVTSSQP TTLISTVFTRAAATLQAMATTAVLT TTFQAPTDSKGSLETIPF TEISNLT LNTGNVYNPTALSMSNVESSTMNKTASWEGREASPG SSSQGSVPENQYGLPF EKWLLIGSLLFGVLFVLVIGLVLLGRIL SESLRRKRYSLDYLINGIYVDI
676	1415	178	621	IFAGSGVMRLKISLLKEPKHQELVSCVGWTTAEELYSCSDDHH IVKWNLLTSETTQIVKL PDDIYPIDFWFPKSLGVKKQTHAES FVLTSSDGKPHLISKLRVEKSVEAHCGAVLAGRWNYEGTALV TVGEDGQI*IWSKTGMLIS
677	1416	1258	944	ARATTKRHFILLFLFFLRRC\LFLSPRMECNGAILAHCNLHLP GSSSSSASAS*VAGITDVRHHAQLILFVFLVETGFHRVQGAGL KLLTSGDLLTSASQSAGIIMGISHCAQPKKAF*TKTF
678	1417	876	1291	EAGSNDLAT*KTCGRARPSSRSRQFGSRVWNHRQGVRRSSPGE GAGSRSPCRRRHRRKHRRNVQSP*RRRSRSCRRSGRCSVALL GACPVAGHSRGKVVCRRRAHAITQRRRCCGFDPMVHPKEHRG*R ERSRKWSRS
679	1418	262	539	ATAPGLFNFF*FLFQCREEHKKKNPEVPVNFAEFSKKCSGRWK TMSSKEKFKFGEMAKADEVCYDREM KDYGPAKGKKKDPNAPK RPPSGF
680	1419	104	236	LTVNYVLVFSRDSGLRAIENLMQKKGKFDYILLETGLADPGK K
681	1420	3	277	HEAALCRTRAVAAERHFLRVFLFFRPFRGVGTESGSESGSSKA KEPRTPTSSSYGTAQYRRWP I AQEYKHCTAHNDTGTLCSELREP WRRPQ
682	1421	3	576	EGSSQANTLRSRKENRNLLACLESHVLR*QFTESHLCSLMGD NPFQPKSNSKMAELFMECEEELEPWQKKVKEVEDDDDEPIF VGEISSSKPAISNILNRVNPSSYSRGLKNGALSRGITAAFKPT SQHYTNPTSNPVPASPINFHPESRSSDSSVIGQPFSPKPVSVSK TIRPAQGSIGCCLSISTV
683	1422	6	627	CFSLEDILNFFLQGFSA GLFAFYHDKDGNPLTSRFADGLPPFN YSLGLYQWSDKVVRKVERLWDVRDNKIVRHTVYLLVTPRVVEE ARKHFD CPVLEGMELNQGGVGT ELNHWKRLLENEAMTGSHT QNRVLSRITLALMEDTGRQMLS PYCDTLRSNPLQTLRCQDQRA VAV\CNLQKFPKPLPQEYQYFDELSGIPAEDLPYYG

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, / = possible nucleotide deletion, \ = possible nucleotide insertion)
684	1423	1	1272	AARRRRQLVSRRTAE\YPRRRSSPSARPPDPGQOPKAAKS PSPVQGGKSPRLLCIEKVTTDKDPKEEKEEEDDSALPQEVSI ASRPSRGWRSSRTSVSRHRDTENTRSSRSKTGSLQLICKSEPN TDQLDYDVGEEHQSPGGISSEEEEEEEEEMLISEEEIPFKDDP RDETYKPHLERETPKPRRKSGKVKEEKEKEIKVEVEVEVKKE ENEIREDEEPKRKRGRRRKDDKSPRLPKRRKKPPIQYVRCME GCGTVLAHPRYLQHHIKYQHLLKKKYVCPHPSCGRFLRLQKQL LRHAKHHTDQRDYICEYCARAFKSSHNLAHVHRMIHTGEKPLQC EICGFTCRQKASLNWHMKKHDADSFYQFSCNICGKKFEKKDSV VAHKAKSHPEVLIAEALANAGALITSTDILGTNPES
685	1424	56	526	MTANRLAESLLALSQQEELADLPKDYLLSESEDEGDNDGERKH QKLLAEISSLDGKNRRKLAERSEASLKVSEFNVSSSEGSGEKL LADLLEPVKTSSSLATVKKQLSRVKSCKTVELPLNKEEIERIH REVAFNKTAQVLSKWDPVVLKNRQAEQL*
686	1425	132	344	RIDFMFHSSAMVNSHRKPMFNHGRFYCLTAILPQICICSQFS VPSSYHFTEDPGAFPVATNGERFPWQELRLPSVVIPLHYDLFV HPNLTSLDFVASEKIEVLVSNATQLIILHSDKLEITNATLQSE EDSRYMKPGKELKVLSPAEQIALLVPEKLTPHLKYYVAMDF QAKLGDGFEGFYKSTYRTLGGETRILAVTDFEPTQARMAFPCF DEPLFKANFSIKIRRESRHIALSNMPKVKTIELEGGLEDHFE TTVKMSTYLVAYI/DL*FPLMGNDLGRS
687	1426	3	678	RSKIPRSDPRVRTPAPAEAEQGKSCPSGSTAQSWSAMDI LLQLLVLLLTPLPLHLMALLGCWQPLCKSYFPYLMAVLTPKSNR KMESKKRELFSQIKGLTGASGKVALLELGCCTGANFQFYPPGC RVTCLDPNPHFEKFLTKSMAENRHLQYERFVVAPGEDMRQLAD GSMDVVVCTLVLCVQSPRKVLQEVRRVLRPGGVLFWEHVAE PYGSWAFMW
688	1427	240	641	RLQNSSLMDPKLGRMAASLLAVLLLLLLERGMFSSPSPPPALL EKVFQYIDLHQDEFVQTLKEWVAIESDSVQPVPRFRQELFRMM AVAADTLQRLGARVASVDMGPQQLPDGQSLPIPPVILAELGSD PTKG
689	1428	1	116	FFFFEMESC SVTQAGVPWHDLSLQPPPPFRKRFSCLS
690	1429	75	511	DPKAQLPEPLRVLWTAHLVAMAPGSRTSLLAFALLCLPWLQE AGAVQTVPLSRLFDHAMLQAHRAHQLAIDTYQEFEEITYIPKDQ KYSFLHDSQTSFCFSDSIPTPSNMEETQQKSNLELLRISLLLI ESWLEPVRILMSIVPN

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
691	1430	2	1364	FVKLIKHHQAAMEKEAKVMSNEKKFQQHIQAQQKKELNSFLE SQKREYKLRKEQLKEELNENQSTPKKEKQEWLSKQKENIQHFQ AEEANLLRRQRQYLELECRRFKRRMLLGRHNLEQDLVREELN KRQTQKDLHAMLRLQHESMQELEFRHLNTIQKMRCELIRLQH QTELTNQLEYNKRRELERRRKHVMEVRQQPKSLKSKELQIKKQ FQDTCKIQTRQYKALRNHLLLETPKSEHKAVLKRLKEEQTRKL AILAEQYDHS INEMLSTQALRLDEAQEAECQVLKMQLQQELEL LNAYQSKI KMQAQAHDRELRELEQRVSLRRALLEQKIEEEML ALQNERTERIRSLERQAREIEAFDSESMRLGFSNMVLSNLSP EAFSHSYPGASGWSHNPTGGPGPHWGHMPPQAWGHMPPQG PQWGHPS\GPMQ\GVPR/GSSMGVR
692	1431	50	504	LAHGSFGVSDFPAPAAAPAHTLTSTFSGSLSPQFRKPLGRAPAM PLVRYRKVVILGYRCVGKTS LAHQFVEGEFSEGYDPTVENTYS KIVTLGKDEFHLHLVDTAGQDEYSILPYSFIIGVHGYVLVYSV TSLHSFQVIESLYQKLHEGHGK
693	1432	130	1671	SSPSRELCFYGFWIIASSWWSRWVGSGLGPGILPSPPARGRTFAS VSRLLLLPAPAAAQDSTQASTPGSPLSPTEYERFFALLTPTW KAETTCRLRATHGCRNPTLVQLDQYENHGLVPDGA VCSNLPYA SWFESFCQFTHYRCSNHVYAKRVLCSQPVSILSPNTLKEIEA SAEVSPTMTSPISPHTVTERQTFQPWPERLSNNVEELLQSS LSLGQGEQAPHEKQEQGVEHRQEPTQEHKQEEGQKQEEQEE EEEGKQEEGQGTKEGREAVSQLQTDSEPKFHSLSNPPSSFA PRVREVESTPMIMENIQELIRSAQEI DEMNEIYDENS YWRNQN PGSLLQLPHTALLVLCYSIVENTCIIITPTAKAWKMEEEILG FGKSVCDSLGRRHMSTCALCDFCSLKLEQCHSEASLQRQQCDT SHKTPFVSPLLASQSLSIGNQVGSPESGRFYGLDLYGGLHM
694	1433	517	578	VSWVPSKGDGVEGARRPFTRLNTSLGPGLOEGRRTWLVPITPG AVLPGRTOEQPRASPLY*PGAPPCQPQGLVAGPWAQ*AGLRSD GFGPWPW\RLVG TAGPREKKVQKSKCWHFRCPHARRSGWAG RHASLLATGRPCSSAPSQQPLGTAGDSRQELLRPPLV*VNGAQ SSAAGDWGSSPRTAQALARPRLGHHHPAAVAPAARLRTQSGHS PRGPLCRSPGSPRRMGTRGPAGHSHD
695	1434	249	632	KTVAEEASVGNPEGAFMKMLQARKQHMSTELTIESEAPSDSSG INLSGFGSEQLDTNDESDVSSALSYILPYLSLRNLGAESILLP FTEQLFSNVQDGRLLSILKNNRKSPSQSSLLGNKFKNKIF
696	1435	333	881	GECFIMA AVVQNDLVFEFASNVMEDERQLGDP AIFPAVIVEH VPGADILNSYAGLACVEEPNDMITESSLDVAEEEEIDDDDDDI TLTVEASCHDGETIETIEAAEALLNMDS PGPMLEKRI NNNI FSSPEDDMV VAPVTHVSVTL DGIPEVMETQQVQEKYADSPGAS SPEQPKRKKK

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, /= possible nucleotide deletion, \ = possible nucleotide insertion)
697	1436	3	466	HEASGVSRALLQSAPGTPATVGVISVGE LWPFARCCSHSYVRSL RGLSVSTHLLCFTIYIMNPSMKQKQEEIKENIKTSSVPRRTLK MIQPSASGSLVGRENELSAGLSKRKRHRNDHLTSTTSSPGVIVP ESSENKNLGGVTQESFDLMIKGMKK
698	1437	50	241	PLPARGKSTLPATFCSPSAPELASMSVPPNRSQTGWPRGVTO FGNKYIQQTKPLTLERTINL
699	1438	1	422	AEGEDVPPPLPTSSGDGWEKDLEEALEAGGCDLETLRNI IQGRP LPADLRKVWVKIALNVAGKGD SLASWDGILDLEQNTIHKDCL QFIDQLSVPEEKAAELLLDIESVITFYCKSRNIKYSTSLSWIH LLKPLVHLQLP
700	1439	161	413	ALPKFLTHGVKSNERVVVWLFPPSFRAATMVHMMVLPDALKSI NNAERRGKQPVLIRLCSKIIWFLTMVKYGYIGKFEPTRP
701	1440	211	977	AMAQYGHPSPLGMAAREELYSKVTPRRNRQQRPGTIKHGSALD VLLSMGFPRARAQKALASTGGRSVQAACDWLF SHVGD PFLDDP LPREYVLYLRPTGPLAQKLSDFWQQSKQICGKNKAHNIFPHIT LCQFFMCEDSKVDALGEALQTTVSRWKCKFSAPLPLELYTSSN FIGLFVKEDSAEVLKKFAADF AEAASKTEVHVPHKKQLHVT LAYHFQASHLPTLEKLAQNIDVKLGCDWVATIFSRDIRFA
702	1441	3	408	QTRPASPRTARESVLGVSNMSFNLQSSKKLFIFLGKSLFSL EAMIFALLPKPRKNVAGEIVLITGAGSGLGRLLALQFARLGSV LVLWDINKEGNEETCKMAREAGATRVHAYTCDCSQKEGVYRVA DQVKK
703	1442	708	244	MVARKGQKSPRRRVTCFLRLGRSTLLELEPAGRPCSGRTRHR ALHRLVACVTVSSRRHRKEAGRGRAESFIAVGMAAPSMKERQ VCWGARDEYWKCLDENLEDASQCKKLRSSFESSCPQQWIKYFD KRRDYLFKEKFEAGQFEPSETTAKS
704	1443	3	475	PAPAARSRELLKELRNGQMDTVVFEDVVVDFTLEEWALLNPA QRKLYRDVMLETFKHLASVDNEAQLKASGSISQODTSGEKLSL KQKIEKFTRKNIWASLLGKNWEEHSVKDKHNTKERHLSRNPV ERPCKSSKGNKRGRTRFRKTRNCNRHLRR
705	1444	276	437	CVCGFVFCFETKSCFVAQAGVQWHNLSLQALPPGFKQFSCLS LLSSWHYRRV
706	1445	2	322	GTRLRRRREAVWFVNVNMDFSRLHMYSPQCV PENTGYTYALS SSYSSDALDFETEHKLDPVFDS PRMSRRSLRLATTACTLG DGE AVGADSGTSSAVSLKNRAAR
707	1446	123	410	DTMQAVVPLNKMTAISP EPQTLASTEQNEVPRVVTSGEQEAIL RGNAADESFRQFRWFCYSEVAGPRKALSQ LWELCNQWLRPD IHTKE\QILE
708	1447	2	384	PICLFSRPTLRPSRSKVS LIEGRGANMAARWRFCVSVTMVVA LLIVCDVPSASAQRKKEMVLSEKVSQ LMEWTNKRPIVRMNGDK FRRLVKAPPRNYSVIVMFTALQLHRQCVVCKYELQLRFKIK

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
709	1448	104	535	QMRVKDPTKALPEKAKRSKRPTVPHDEDSSDDIAVGLTCQHVS HAISVNHVKRAIAENLWSVCSECLKERRFYDQGLVLTSDIWLC LKCGFQCGCKNSESQHSCLKHFKSSRTEPHCIIINLSTWIIWWY EWDEKIFTPLNKKG
710	1449	116	479	AKERGEERQGEGLGWSGSRWPLVRSFVPPAPSSILSMCLSP GIPEAAPDSPLTASATP*VMLLGDGTGVGKTCFLIQFKDGAFL SGTFIATVIGIDFRVRWLQALASSREPGLWLRHGGV
711	1450	2	232	FYPRSSADLPFQTRCEFTQTSVMELAHSLLLNEEALAQITEAK RPVFI FEWLRFLDKVLVAANKVWYCSFFPVALT
712	1451	105	393	MNMKQKSVYQQTKALLCKNFLKKWRMKRESLLEWGLSILLGLC IALFSSSMRNVQFPGMAPQNLGRVDKFNSSSLMVVYTPISNLT QQIMNKTAL
713	1452	2	525	SPQNGNCPDVTGDSVIRVPLTLLVHNLAGLTGLLHHCLSGPLP APSPPPAMSSSRKDHLGASSSEPLPVIIIVGNPSPGICLSYLLS GYTPYTKPDIAIHPHPLLQRKLTEAPGVSILDQDL DYLSEGLEG RSQSPVALLFDALLRPD TDFGGNMKSVLTWKHRKEHAIPHVVL GR
714	1453	2	1557	NRRTRAQRCQGRSCGAREEEVEPGTARPPPAASAMDASLEKI ADPTLAEMGKNLKEAVKMLEDSQRRTEEENGKKLISGDIPGPL QGSGQDMVSI LQLVQNLMHGDEDEEPQSPRIQNIQEQQHMA GHS LGAYISTLDKEKLRLTTRILSDTTLWLCRIFRYENG CAY FHEEEREGLAKICRLAIHSRYEDFVVDGFNVLYNKKPVIYLSA AARPGLGQYLCNQLGLPFPCLCRVPCNTVFGSQHQMDFLEK LIKDDIERGRPLLLL VANAGTAAVGHTDKIGRLKELCEQYGIW LHVEGVNLTALALGYVSSSVLAAKCD SMTMTPGPWLGLPAVP AVTLYKHDDPALTLVAGLTSNKPTDKLRALPLWLSLQYLGLDG FVERIKHACQLSQRLQESLKKVNYIKILVEDELSSPVVFRFF QELPGSDPVFKAVPVPNMTPSGVGRERHSCDALNRWLGEQLKQ LVPASGLTVM DLEAGTCLRFSP LMTAAGKPGLV DIPCFCSGA AG
715	1454	319	873	LCIMDTKEEKKERKQSYFARLKKKKQAKQNAETASAVATRHT GKEDNNTVLEPDKCNIAVEEEYMTDEKKKRKSNQLKEIR RTE LKRYYSIDDNQNKTHDKKEKKMVVQKPHGTMEYTAGNQDTLNS IALKFNITPNKLVELNKLFTHTIVPGQVLFVVPDANS PSSLRL SSSPGATVSPSS
716	1455	60	681	SAGGDS CRAVPM LRFPTCFPSFRVVG EKQLPQEII FLVWSPKR DLIALANTAGEVLLHRLASFHRVWSFPPNENTGKEVTCLAWRP DGKLLAFALADTKKIVLCDVEKPESLHSFSVEAPVSCMHWMEV TVESSVLTSFYNAEDESNNLLPKLPTLPKNYSNTSKIFSEENS DEIKLLGDVRLN ILVLGGSSGFI ELYAYGMFKI
717	1456	357	658	PRDPVTD RARAMPRRGLVAGPDLEYFQRHYFTPAEVAQHNRPE DLWVSYLGRVYDLTSLAQEYKGNLLLP IVEVAGQDISHWFD P KTRDVS YAGTWD CG

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
718	1457	2	481	RIPGRRFRAAFVLGSANVASSVRLRCSFPLSLGGPSGPAAASV ALGPAGPGRSLGRTPDTGDWEMDSVSFEDVAFAFTQEEWALLD PSQKNLYRDVMQEI FRNLASVGNKSEDQNIQDDFKNPGRNLSS HVVERLFEIKEGSQYGETFSQDSNLNLNKI
719	1458	6	469	SLSLSVSPFLRLSLGRVGGMAEEMESSLEASFSSSGAVSGASG FLPPARSRIKFIIVIGDSNVGKTCLTYRFCAGRFPDRTEATIG VDFRERAVEIDGERIKIQLWDTAGQERFRKSMVQHYRNVHAV VFVYDMTNMASFHSPLSWIEECKQH
720	1459	82	490	RRPSPGSIVIMAAESDVLHFQFEQQGDVVLOKMNLLRQQNLFC DVSIIYINDTEFQGHKVVLAACSTFMRDQFLLTQSKHVRITILQ SAEVGRKLLLSCTYGALEVKKRLLKYLTAASYLQMVHIAEKR TEAFVKF
721	1460	48	708	AEGLQSAAGIRIDTKAGPPEMLKPLWKAAPVPTWPCSMPPRRP WDRQAGTLQVLGALAVLWLGSAVALICLLWQVPRPPTWGQVQPK DVPRSWEHGSSPAWEPLAEARQORDSCQLVLVESIPQDLPSA AGSPSAQPLGQAWLQLLDTAQESVHVASYWSLTGPDIGVND SSQLGEALLQKLQQLLGRNISLAVATSSPTLARTSTDQLVLA RGAH
722	1461	436	677	RKKKMPLPFGLKLRTRRYTVSSKSLVARIQLLNNEFVEFTL SVESTGQESLEAVAQRLELREVTYFSLWYYNKQNR
723	1462	45	569	LQPLSSWESASEVTRSPVSPEDVKQATSNFENLQKQLARKMKL PIFIADAFTRAFRGNPAAVCLLENELDEDMMHQKIAREMNLSE TAFIRKLHPTDNFAQSSCFGLRWFTPASEVPLCGHATLASAAV LFHKIKNMNSTLTFTVTLSELRRARRAEDGIVLDLPLYPAHPQD FHE*
724	1463	79	530	AADTMQSDDDVIWDTLGNKQFCSFKIRTKTQSFRCRNEYSLTGLC NRSSCPANSQYATIKKEKGQCYLYMKVIERAAFPRLWERVR LSKNYEKALEQIDENLIYWPRFIRHKCKQRFTKITQYLIRIRK LTLKRQRKLVLPLSKKVERREK
725	1464	2	261	FVERGLGDPALPTLMFEEPEWAEAPVAAGLGPVISRPPPAAS SQNKVSDSREQWELFQAAKRTLVDPSAVCIAGRDTCTGTVKGES
726	1465	1	860	VVEFLWSRRPSGSSDPRPRRPASKCQMMEEERANLMHMMKLSIK VLLQSALSLGRSLDADHAPLQQFFVVMHCLKHGLKVKKSF QNKSFPGPLELVEKLCPEASDIATSVRNLPKLTAVGRRAWL YLALMQKKLADYLKVLIDNKHLLSEFYEPALMMEEGMVIVG LLVGLNVLDANL\CLKGEDLDSQGVVIDFSLYLKDVQDLDDGGK EHERITDVLQKNYVEELNRHLSCTVGDQLQTKIDGLEKTNSKL QERVSAATDRICSLQEEQQQLREQNELIR
727	1466	69	452	GCYAPSPHLGGSLTPRFFPNGVPHRRRLPRPRPPQPPSVSSAPT LRPLCAHFSGLKRLRLVRKSAEVAPPRTEKGWGSAEPRHSRAP LGLQGLRMAASAQVSVTFEDVAVTFTQEEWGQLDAAQRTLY

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, / = possible nucleotide deletion, \ = possible nucleotide insertion)
728	1467	1	439	FRGSLSSPSSSLRGRRLVTGQTS PRGTWCLYPGFCRSVACAMPC CSHRSCREDPGTSESREMDPVVFEDVAVNFTQEEWTLDDISQK NLFREVMLETFRNLTSIGKKWSDQNI EYEQNPRRSFRSLIEE KVNEIKEDSHCGETFTQ
729	1468	103	236	LNFANSAFAV TMPQNEYIELHRKRYGFRLDYHEKKRKKQSRE A
730	1469	213	809	SGDLSPAELMMLTIGDVIKQLIEAHEQGKDIDLNKVKTKTAAK YGLSAQPRILVDIIAAVPPQYRKVLMPKLKAKPIRTASGIAVVA VMCKPHRCPHISFTGNICVYC PGPDSDFEYSTQSYTGYEPTS MRAIRARYDPFLQTRHRIEQLKQLGHSVDKVEFIEMGGTFMAL PEEYRDYFIRNLHDALSGHTSNNIYE
731	1470	264	799	WESDVGELRPPPPPPPPGRRRTQEPRARDAATVIFACPAALL ETLIAYGSSSPSFC KHRAARPLIFLLHRLTAEATARCPICAL E ARNPGRWGICASWPGMKT PFGKAAAGQRSRTGAGHGSVSVTMI KRKAHKKHRSRPTSQPRGNIVGCI IQHGWKDGDEPLTQWKGT VLDQLL
732	1471	2	763	RDLGVALEAFQWARAGDCGSGAGRAGGEGVDAGRRVPERQHRG RGGGGEPGRRQRGRGRRQ \RSSRRSGGDGGDEVEGSGVGAGEG ETVQHFPPLARPKSLMQKLQCSFQTSWLKDFPWLRYSKDTGLMS CGWCQKTPADGGSVDLPPVGHDELSRGTRNYKKTLLLRHHVST EHKLHEANAQESEIPSEEGYCDFNSRPNENSICYQLLRQLNEQ RKKGILCDVSI VVSGKIFKAHKNILVAGSRFFKTLYCFS
733	1472	82	523	SLRAAAAMADV TARSLQY EYKANSNLVLQADRSLIDRTRRDEP TGEVLSLVGKLEGTRMGDKAQR TKPQMQEERRAKRRKRDEDRH DINKMKGYTLLSEGIDEMVGIIYKPKTKETRETYEVLLSFIQA ALGDQPRDILCGAADEV L
734	1473	536	110	CNSAESRMDVLFVAIFAVPLILGQEYED EERLGEDEYYQVVYY YTVTPSYDDFSADFTIDYSIFESEDRNLRLDKDITEAIETTIS LETARADHPKPVTVPKVTTEPQSP \DL \NDAVSS \LRSPIPL \LLS \CAFVQVGM YFM
735	1474	2	557	FVRGPGE EQAPAFRKPAPGAMGAQVRLPPGEP CREGYVLSLVC PNSSQAWCEITNVSQLLASPVLYTDLNYSINNLSISANVENKY SLYVGLVLAVSSSIFIGSSFILKKKGLLQLASKGFTRAGQGGH SYLKEWLWVGLLSILSWNAREKVDL *NITF *PQTSCIFFTIT IEKSTFLSYFFTS
736	1475	127	401	ARGSCPTRPRPANGRMAETKDAAQMLVTFKDVAVTFTREEWRQ LDLAQR TLYREVMLETCGLLVSLGHRVPKPELVHLLKHGQELW IVKRG
737	1476	311	790	YTMLRGMTAWRGM RPEVTLACLLLATAGCFADLNEVPQVTVQ PASTVQKPGGT VILGCVVEPPRMNVTWRLNGKELNGSDDALGV LITHGTLVITALNNHTVGRYQCVARMPAGAVASVPATVTLASE SAPLPPCHGAVPPHLSHPEAPTIHAASCYS

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
738	1477	2	421	WGRRRQLVSEARAQGDVPCSTMSEEEAAQIPRSSVWEQDQON VVQRVVALPLVRATCTAVCDVYSAAKDRHPLLGSACRLAENCV CGLTTRALDHAQPLLEHLQPQLATMNSLACRGLDKLEEKLPFL QQPSETVVTS
739	1478	256	1250	AKAFTMAESPGCCSVWARCLHCLYSCHWRKCPREERMQTSKDC IWFGLLFLTFLSLSWLYIGLVLLNDLHNFNEFLFRRWGHWM WSLAFLLVISLLGTYSLLLVLALLLRLCRQPLHLHSLHKVLL LLIMLLVAAGLVGLDIQWQQRHSLRVSL/QDCR*L*TPAVRP *EESGEGHWRRRAHLTSSCPQATAPFLHIGAAAGIALLAWPVAD TFYRIHRREPKILLLLFFGVVLVIYLAPLCISSPCIMEPRDL PPKPGLVGHRGAPMLAPENTLMSLRKTAECGATVFETDVMVSS DGVPFMLHDEHLSRTTNVASVFPTRITAHSS

WHAT IS CLAIMED IS:

1. An isolated polynucleotide comprising a nucleotide sequence selected from the group consisting of SEQ ID NO: 1-739, a mature protein coding portion of SEQ ID NO:1-739, an active domain of SEQ ID NO: 1-739, and complementary sequences thereof.
2. An isolated polynucleotide encoding a polypeptide with biological activity, wherein said polynucleotide hybridizes to the polynucleotide of claim 1 under stringent hybridization conditions.
3. An isolated polynucleotide encoding a polypeptide with biological activity, wherein said polynucleotide has greater than about 90% sequence identity with the polynucleotide of claim 1.
4. The polynucleotide of claim 1 wherein said polynucleotide is DNA.
5. An isolated polynucleotide of claim 1 wherein said polynucleotide comprises the complementary sequences.
6. A vector comprising the polynucleotide of claim 1.
7. An expression vector comprising the polynucleotide of claim 1.
8. A host cell genetically engineered to comprise the polynucleotide of claim 1.
9. A host cell genetically engineered to comprise the polynucleotide of claim 1 operatively associated with a regulatory sequence that modulates expression of the polynucleotide in the host cell.
10. An isolated polypeptide, wherein the polypeptide is selected from the group consisting of:

- (a) a polypeptide encoded by any one of the polynucleotides of claim 1; and
 - (b) a polypeptide encoded by a polynucleotide hybridizing under stringent conditions with any one of SEQ ID NO:1-739.
11. A composition comprising the polypeptide of claim 10 and a carrier.
12. An antibody directed against the polypeptide of claim 10.
13. A method for detecting the polynucleotide of claim 1 in a sample, comprising:
- a) contacting the sample with a compound that binds to and forms a complex with the polynucleotide of claim 1 for a period sufficient to form the complex; and
 - b) detecting the complex, so that if a complex is detected, the polynucleotide of claim 1 is detected.
14. A method for detecting the polynucleotide of claim 1 in a sample, comprising:
- a) contacting the sample under stringent hybridization conditions with nucleic acid primers that anneal to the polynucleotide of claim 1 under such conditions;
 - b) amplifying a product comprising at least a portion of the polynucleotide of claim 1; and
 - c) detecting said product and thereby the polynucleotide of claim 1 in the sample.
15. The method of claim 14, wherein the polynucleotide is an RNA molecule and the method further comprises reverse transcribing an annealed RNA molecule into a cDNA polynucleotide.
16. A method for detecting the polypeptide of claim 10 in a sample, comprising:

a) contacting the sample with a compound that binds to and forms a complex with the polypeptide under conditions and for a period sufficient to form the complex; and

b) detecting formation of the complex, so that if a complex formation is detected, the polypeptide of claim 10 is detected.

17. A method for identifying a compound that binds to the polypeptide of claim 10, comprising:

a) contacting the compound with the polypeptide of claim 10 under conditions sufficient to form a polypeptide/compound complex; and

b) detecting the complex, so that if the polypeptide/compound complex is detected, a compound that binds to the polypeptide of claim 10 is identified.

18. A method for identifying a compound that binds to the polypeptide of claim 10, comprising:

a) contacting the compound with the polypeptide of claim 10, in a cell, under conditions sufficient to form a polypeptide/compound complex, wherein the complex drives expression of a reporter gene sequence in the cell; and

b) detecting the complex by detecting reporter gene sequence expression, so that if the polypeptide/compound complex is detected, a compound that binds to the polypeptide of claim 10 is identified.

19. A method of producing the polypeptide of claim 10, comprising,

a) culturing a host cell comprising a polynucleotide sequence selected from the group consisting of a polynucleotide sequence of SEQ ID NO: 1-739, a mature protein coding portion of SEQ ID NO: 1-739, an active domain of SEQ ID NO: 1-739, complementary sequences thereof and a polynucleotide sequence hybridizing under stringent conditions to SEQ ID NO: 1-739, under conditions sufficient to express the polypeptide in said cell; and

b) isolating the polypeptide from the cell culture or cells of step (a).

20. An isolated polypeptide comprising an amino acid sequence selected from the group consisting of SEQ ID NO: 740-1478, the mature protein portion thereof, or the active domain thereof.
21. The polypeptide of claim 20 wherein the polypeptide is provided on a polypeptide array.
22. A collection of polynucleotides, wherein the collection comprises the sequence information of at least one of SEQ ID NO: 1-739.
23. The collection of claim 22, wherein the collection is provided on a nucleic acid array.
24. The collection of claim 23, wherein the array detects full-matches to any one of the polynucleotides in the collection.
25. The collection of claim 23, wherein the array detects mismatches to any one of the polynucleotides in the collection.
26. The collection of claim 22, wherein the collection is provided in a computer-readable format.
27. A method of treatment comprising administering to a mammalian subject in need thereof a therapeutic amount of a composition comprising a polypeptide of claim 10 or 20 and a pharmaceutically acceptable carrier.
28. A method of treatment comprising administering to a mammalian subject in need thereof a therapeutic amount of a composition comprising an antibody that specifically binds to a polypeptide of claim 10 or 20 and a pharmaceutically acceptable carrier.

SEQUENCE LISTING

<110> Hyseq Inc
 <120> Novel Nucleic Acids and Polypeptides

<130> 784PCT

<140> To be assigned

<150> US09/488,725

<151> 2000-01-21

<150> US09/552,317

<151> 2000-04-25

<160> 739

<170> Pt_CT_1

<210> 1

<211> 556

<212> DNA

<213> Homo sapiens

<400> 1

tttcgtgggc	cggttgctaa	gacttggoga	agcgtgcgc	ttgcgcccgg	atccctcagg	60
cggctgcagg	cttcagcctg	cgctgggttg	tgaacacagag	atgtcagaaa	aggagaacaa	120
cttcccggca	ctgcccgaag	tcacccctgt	gaagccctgc	ttctaccaga	acttctccga	180
cgagatccca	gtggagcacc	aggtcctggg	gaagaggatc	taccggctgt	ggatgtttta	240
ctgcgccacc	ctcggcgta	acctcattgc	ctgcctggcc	tgggtggatcg	gcggaggctc	300
ggggaccaac	ttcggcctgg	ccttcgtgtg	gctgctcctg	ttcacgcctt	gcggctacgt	360
gtgctggttc	cggcctgtct	acaaggcctt	cagagccgac	agctccttta	atttcatggc	420
gtttttcttc	atctttcgga	gccagtttg	tcctgaccgt	catccaggcg	attggcttct	480
ccggctgggg	cgcgtgcggc	tggctgtcgg	caattggatt	cttcagtag	agcccggggc	540
ctgccgtggt	catgct					556

<210> 2

<211> 837

<212> DNA

<213> Homo sapiens

<400> 2

gagatgagtc	ccagggagta	cggagtcagc	tctgagccga	ggtcaccgca	gaagggagct	60
cggctcttcg	ccaggaccgg	agcagttgga	acaaagggaa	tgtggaaatg	aaagagagag	120
ggagagagag	gctggcagat	gtaatgagac	gcgggtgaagg	tgtacgcaga	ctggcactcc	180
cactcctccc	ttctgtcttc	actgcagccc	tgggttaactc	gcaggctaac	acaaacagct	240
tttctcccgc	agcctgcctt	ctgtcactgt	cactttcatg	aattcaaagg	caatttacca	300
gtgattttct	ggtgctgggg	ctgatatttt	ttgtgcata	ttaagaatgt	cttccaagca	360
agccacctct	ccatttgctt	gtgcagctga	tggagaggat	gcaatgaccc	aggatttaac	420
ctcaagggaa	aaggaagagg	gcagtgatca	acatgtggcc	tcccatctgc	ctctgcaccc	480
cataatgcac	aacaaacctc	actctgagga	gctaccaaca	cttgtcagta	ccattcaaca	540

agatgctgac	tgggacagcg	ttctgtcatc	tcagcaaaga	atggaatcag	agaataataa	600
gttatgttcc	ctatatccct	tccgaaatac	ctctacctca	ccacataagc	ctgacgaagg	660
gagtcgggac	cgtgagataa	tgaccagtgt	tactttttgga	accccagagc	gccgcaaagg	720
gagtccttgc	gatgtgggtg	acacactgaa	acagaagaag	cttgaggaaa	tgactcggac	780
tgaacaagag	gattcctcct	gcatggaaaa	actactttca	aaagattgga	aggaaac	837

<210> 3
 <211> 1562
 <212> DNA
 <213> Homo sapiens

<400> 3

cggaaccgta	ggaggggtac	ttaaccggac	ggcctaccag	gcctgtggcc	gtgcgcggga	60
agagcactgc	agatctcagg	atgatggggc	gcagccctgg	gtttgccatg	cagcacatcg	120
tgggtgtgcc	ccacgtactg	gttcggaggg	gcctccttgg	aagggaacctc	ttcatgacca	180
ggactctctg	cagcccagge	ccaagccagc	ccggagagaa	aagacctgag	gaggtggccc	240
tggggctgca	ccaccgcctc	ccagcactgg	gaagagccct	ggggcacagc	attcagcaac	300
gagcgacctc	cacagccaag	acttggtggg	acagatatga	agagtttggt	ggactcaacg	360
aggttcga	ggcccagga	aaggtgacag	aggctgagaa	agtgttcacg	gtggctcgag	420
ggcttgtccg	agaggctcgg	gaggacttgg	aagttcacca	ggccaagctg	aaggaggtga	480
gggaccgctt	ggaccgtgtc	tccagggagg	acagtcagta	cttggaaactg	gctactctcg	540
agcacaggat	gctgcaggag	gagaagaggc	ttcgcacagc	ctatctgcgt	gcagaagact	600
ctgagcgaga	gaagtctctc	ctcttctctg	cagctgtgcg	ggaaagtcac	gagaaggagc	660
gcacaagggc	tgagaggacc	aagaactggg	ccctcattgg	ctcagtcctg	ggggccctga	720
ttggtgtggc	tggctccacc	tatgtgaacc	gtgtgcgact	acaggagctg	aaggctttac	780
tcttgagggc	gcagaagggg	cctgtgagtc	tccaagaggc	cattcgagaa	caggcgtcta	840
gctactcccg	ccagcagagg	gacctccaca	atctcatggg	ggacttgagg	ggcctggtag	900
atgctgctgg	gccagggcag	gactctgggt	cacaggcagg	tagtcccccg	accagagaca	960
gagatgtaga	tgctccttca	gctgccttga	aagagcagct	tagtcattcc	aggcaagtcc	1020
attcatgtct	agaaggctta	cgagagcagc	ttgatggcct	agaaaagact	tgtagccaaa	1080
tggctggggg	ggttcagctt	gtaaagtctg	cagcacaccc	aggcctgggtg	gaaccagcag	1140
acgggggctat	gcccagcttc	ttgctggagc	aggggagcat	gatcttggca	ctgtcagaca	1200
cggagcagag	actagaagcc	caagtcaaca	ggaacacccat	ctatagcacc	ctggtcacct	1260
gtgtgacatt	tgtggccaca	ctgcctgtgc	tctacatgct	attcaaagcc	agctaaccoc	1320
tggcccctcc	tccagagggg	ctgaggcaat	agctgtgaat	gtggatttaa	gtagagaatc	1380
gtagcaatga	agcgagcctt	tgggggcatg	tacaacctca	atctgaagga	gcagtatctg	1440
tgtggctcac	cagcaggcat	gcttcgcttt	gtagacaagg	ttcatttaca	ttaattatca	1500
aaactttgtg	ctaattgtcca	attaaaaatat	cctgagtttt	attattttaa	acaaaaaaaa	1560
aa						1562

<210> 4
 <211> 745
 <212> DNA
 <213> Homo sapiens

<400> 4

agggcttggg	gctgggtctc	cgtgacagag	gcctggcttt	tctgtcaggg	cagggcctag	60
cccctgcccc	cataaaagag	gagacatagg	gggcttgggtg	agataccctg	aaacctcccc	120

cctctgaccc	cgcagccagg	ccccaggctg	gccgggagtg	gcccctcaca	ctggttctcc	180
ccactttctc	tgcctgtggc	atcgaaggcc	ccgggcacca	tggcccaggc	cctgggggag	240
gacctggtgc	agcctcccga	gctgcaggat	gactccagct	ccttggggtc	cgactcagag	300
ctcagcgggc	ctggcccata	tcgccaggcc	gaccgctatg	gattcattgg	gggcagctca	360
gcagagccag	ggccggggcca	cccacctgca	gacctcatcc	gccaacggga	gatgaagtgg	420
gtggagatga	cctcgactg	ggagaaaacc	atgtcccggc	ggtacaagaa	ggtaaagatg	480
cagtgccgga	aaggcatccc	gtctgccctg	cgcgcccgat	gctggcccct	gttgtgtggg	540
gcccattgtg	gccagaagaa	cagccctggc	acctatcagg	agctggcaga	ggcccctgga	600
gaccacagat	ggatggagac	cattggcagg	gacctgcacc	gtcaattccc	tctgcacgag	660
atgtttgtgt	cgcctcaagg	ccacgggcag	caggggctcc	tgcagggtgt	caaggcctac	720
accctgtatc	gaccggagca	aggct				745

<210> 5

<211> 536

<212> DNA

<213> Homo sapiens

<400> 5

acggaagctc	ggttgatggt	tctgcagaag	ttttccccct	tggtcggtgg	cggagctgct	60
gagcgcgata	gtagcagctc	cggcggcagc	aacattgact	acgaggaatg	gcggcggctg	120
ccgcaggacc	tgcagcatcc	cagagggttt	tccagagctt	ctcagatgct	ctaatacgacc	180
aggaccccca	ggcggcggtta	gaggtgggag	agccttttct	gcttccctcca	ctcccggctg	240
accgcctcc	ttccagcacc	gcctgattag	gactcaggct	ctagtgatgc	tgcgtctcag	300
ccccagtatt	gagattctcg	gtctcctttc	tctctctcac	ggtagcccg	ttacctcaga	360
ctcctgtctt	gccctttcca	cttcagact	cttgcatcc	tgaagcttct	gagaaaaact	420
tctctatatt	attgggagca	tggttggcat	ctgcagttgg	gctgaaagga	tttttttttt	480
ttaatgacta	aaaaagaaaa	ggggactctg	ggctcgatga	aaattaattt	tttctt	536

<210> 6

<211> 780

<212> DNA

<213> Homo sapiens

<400> 6

attttatoga	ctattccgtc	agacgccttc	ttgccttttag	tgaactgcgg	ggacctggcc	60
tttgccggta	ggggccagcg	cagaaaagcc	tgggagatgc	gcgtccaggg	ccgcgagtgc	120
ggggaagctg	cgggaccgca	gagtcogctc	ggcagccggg	agtcaggggc	ccggggcggt	180
aggcttcaga	tttacttcaa	tgttcctaatt	gggcttgctt	cagaagtgtc	cactgttctc	240
gccacctgag	gaaccgcatt	ttcatgtatt	tgtattggga	caagacgcgg	agtccggtgt	300
gtaaagggcc	tgccttgagg	gaagaaaggc	cgcagcccag	gctcaaaactg	gaggattata	360
aggatcgctt	gaaaagtggg	gagcatctta	atccagacca	gttgggaagct	gtagagaaat	420
atgaagaagt	gctacataat	ttggaatttg	ccaaggagct	tcaaaaaacc	ttttctgggt	480
tgagcctaga	tctactaaaa	gcgcaaaaaga	aggcccagag	aagggagcac	atgctaaaaac	540
ttgaggctga	gaagaaaaag	cttcgaacta	tacttcaagt	tcagtatgta	ttgcagaact	600
tgacacagga	gcacgtacaa	aaagacttca	aaggggggtt	gaatgggtgca	gtgtatttgc	660
cttcaaaaaga	acttgactac	ctcathtaagt	tttcaaaaact	gacctgccct	gaaagaaatg	720
aaagtctgag	acaaacactt	gaaggatcta	ctgtctaaat	tgctgaactc	aggctatttt	780

<210> 7
 <211> 654
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(654)
 <223> n = a,t,c or g

<400> 7

ctccccgtct	cttccctggc	cttgccctct	ctctttctgc	cctgtagccg	egggcggtcca	60
aatgaagctg	gaattcctcc	agcgcaaatt	ctgggcggca	acgcggcagt	gcagcactgt	120
ggatggggccg	tgcacacaga	gctgcgagga	cagtgatctg	gactgcttcg	tcacgcacaa	180
caacgggttc	attctgatct	ccaagagggtc	ccgagagacg	ggaagatttc	tgggggaggt	240
ggatgggtgct	gtcctgaccc	agctgctcag	catgggggtg	ttcagccaag	tgactatgta	300
tgactatcag	gccatgtgca	aaccctcgag	tcaccaccac	agtgcagccc	agcccctggt	360
cagcccaatt	tctgccttct	tgacggcgac	caggtggctg	ctgcaggagc	tggtgctgtt	420
cctgctggag	tggagtgtct	ggggctcctg	gtacgacaga	ggggccgagg	ccaaaagtgt	480
tcttccatca	ctcccacaaa	cacaagaagc	aggacccgct	gcagccctgc	gacacggagt	540
accccggtgt	cgtgtaccag	cccgcccatc	cgggaggcca	acggggattc	gtggagtgcg	600
ggcccttncc	agaaagggtg	tttgttggtg	cangcagatt	ccnaacatta	aact	654

<210> 8
 <211> 469
 <212> DNA
 <213> Homo sapiens

<400> 8

tgccgtgggc	ggctggccca	gctggaggaa	gcggcggtgg	cggccacgat	gagtgcgggc	60
gacgcagtgt	gcaccggctg	gctcgtaag	tcgccccccg	agaggaagct	acagcgctac	120
gcctggcgca	agcgtggtt	tgtcctccgg	cgaggccgca	tgagcgga	ccccgatgtc	180
ttggagtact	acaggaacaa	gcactccagc	aagcccatcc	gggtgataga	cctcagcgag	240
tgtgcagtgt	ggaagcatgt	gggccccagc	tttgttcgga	aggaatttca	gaataatttc	300
gtgttcattg	tcaagactac	ttcccgta	ttctacctgg	tggccaaaac	tgagcaagaa	360
atgcagggtgt	gggtgcacag	catcagtcag	gtctgcaacc	ttggccacct	ggaggatggt	420
gcagcagatt	ccatggagag	cctctcttac	acgcgtcct	acctgcagc		469

<210> 9
 <211> 409
 <212> DNA
 <213> Homo sapiens

<220>

<221> misc_feature
 <222> (1)...(409)
 <223> n = a,t,c or g

<400> 9
 agaaaccnaa cagatctgtg gggcaggaaa atgtttcttt tccagctttc acagctctct 60
 gagaaggggc atggtgggaa ttttagccga ttttaataaaa gctgcagcat gagacctgtg 120
 aatccccacc tgctgcttcc tggatcctgc cacaccccat ccagcagcaa ccaagccagt 180
 ctgcgccctg actgggacag agtggctgag aggggctctg gagccagctg cctggatttg 240
 aatcccagct gtgccactta ccagctgtgt gactgttaga agctactctt tgtccgtgcg 300
 agaactacgac cctcggcagg gagataccgt gaaacattac aagatccgga cccttgaaca 360
 aacgggggctt ctacatatcc ccccggaagc accttcagca ctctgcagg 409

<210> 10
 <211> 1145
 <212> DNA
 <213> Homo sapiens

<400> 10
 aaagattctg ttttgaatat agccagagga aaaaagtatg gagaaaaaac taagagagtg 60
 tcttctcgga aaaaaccagc cttgaagtgt cttctcagaa acaaccagca ttgaaggcta 120
 tctgtgacaa ggaagattct gttccgaata cggccacgga aaaaaaggat gaacaaatat 180
 ctgggacagt gtcttctcag aaacaaccag ccttgaaggc tacaagtgc aagaaagatt 240
 ctgtttcgaa tatacccaca gaaataaagg atggacaaca atctggaaca gtgtcttctc 300
 agaaacaacc ggcttgaag gctacaagtg tcaagaaaga ttctgtttcg aatatagcca 360
 cagaaataaa ggatggacaa ataccgtggg acagtgtctt ctcagagaca accagccttg 420
 aaggcttaca ggtgatgaga aagattctgt ttccgaatata gccagagaaa taaaggatgg 480
 agaaaaatct gggacagtgt ctctcagaa acaatcggcc cagaaggtta tatttaaaaa 540
 gaaagtcttct cttttgaata ttgccacaag aataacgggc ggttggaaat ctggaacaga 600
 gtatcctgag aatctgcccc ccttgaaggc tacaattgaa aataaaaatt ctgttctgaa 660
 tacagccacc aaaatgaaag atgtacaaac atccacacca gaacaagact tagaaatggc 720
 atcagagggg gagcaaaaga ggcttgaaga atatgaaaat aaccagccac aggtgaaaaa 780
 ccaaatacat tctagggatg accttgatga cataattcag tcatctcaaa cagtctcaga 840
 ggacggtgac tcgctttgct gtaattgtaa gaatgtcata ttactcattg atcaacatga 900
 aatgaagtgt aaagattgtg ttcacctatt gaaaattaaa aagacatttt gtttatgtaa 960
 aagattaaca gaacttaaag ataactctg tgagcaactt agagtaaaaa ttcgaaaact 1020
 gaaaaataag gctagtgtac tacaaaagag actatctgaa aaagaagaaa taaaatcgca 1080
 gttaaagcat gaaacacttg aattggaaaa agaactctgt agtttgagat ttgccatata 1140
 gcaag 1145

<210> 11
 <211> 890
 <212> DNA
 <213> Homo sapiens

<400> 11

gtagtccgct	gcggtaccgg	gccggacaat	ctgggtcgac	gatttcgagc	tcgtcatgcg	60
caatgtggcg	ctgcggcggg	cggcagggcc	tgtgtgtgct	gaggcggtg	agcggcggac	120
atgcacacca	cagagcgtgg	cgatggaaca	gtaaccgggc	ttgtgagagg	gctctgcagt	180
ataaactagg	agacaagatc	catggattca	ccgtaaacca	ggtgacatct	gttcccagac	240
tgttcctgac	tgcagtgaag	ctcaccatg	atgacacagg	agccaggat	ttacacctgg	300
ccagagaaga	cacgaataat	ctgttcagcg	tgcagttccg	taccactccc	atggacagta	360
ctggtgttcc	tcacattctt	gagcataccg	tcctttgtgg	gtctcagaaa	tatccgtgca	420
gagacccttt	cttcaaaatg	ttgaaccggt	ccctctccac	gttcatgaac	gccttcacag	480
ctagtgatta	tactctgtat	ccattttcca	cacaaaatcc	caaggacttt	cagaatctcc	540
tctcgggtgta	tttgatgcc	acctttttcc	catgtttacg	cgagctggat	ttctggcagg	600
aaggatggcg	gctggaacat	gagaatccga	gcgaccccca	gacgcccttg	gtctttaaag	660
gagtcgtctt	taatgagatg	aaggggagcgt	ttacagacaa	tgagaggata	ttctcccagc	720
accttcagaa	cagacttctt	cctgaccaca	cgtactcagt	ggtctccggg	ggtgacccac	780
tgtgcatccc	ggagcttaca	tgggagcagc	ttaagcagtt	tcatgccact	cactatcacc	840
caagcaatgc	taggttcttc	acgtacggta	attttccctt	agaccagcat		890

<210> 12

<211> 982

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(982)

<223> n = a,t,c or g

<400> 12

tttcgtcaca	cacgcacacg	caccctgcc	ctgcagccgc	catggatata	agctaacaac	60
acacacccag	gcgcgcgcgc	gcgttcccac	tcgcaccacg	caggagtggc	ccccggcatc	120
cctaccctcc	ttccccaccc	ccaccacacc	cgctcaccag	ctcggtact	gctcgctccg	180
gctgccgcgc	ccgcgcgcgc	cgacgccacc	accactgctt	cctctgctgc	ggggccacag	240
ccttgagtgt	cattcaaggg	acagcacaac	ctcatccaag	ctctcctacc	tctgcccagc	300
cgtgcctctc	atcctcccca	ttcctcgtcc	acactccatc	caaagaagag	ggaaagcacc	360
gaatagaggg	gggcgaaggc	aaagtctgct	gttcttcccc	ctgggcccc	ttgctcctcc	420
atcctcatte	tctcaccacc	agccccocta	accccaagga	gcccaggaac	tgaggcgact	480
cgccccactg	ccatgtccaa	aagcttgaaa	aagaaaagcc	actggactag	caaagtccat	540
gagagtgtca	ttggcaggaa	cccggagggc	cagctgggct	ttgaactgaa	ggggggcgcc	600
gagaatggac	agttccccta	cctgggggag	gtgaagcccg	gcaaggtggc	ctatgagagc	660
ggcagcaaat	tgggtgtcga	ggagctgctg	ctggaggtga	acgagacccc	cgtggcgggg	720
ctcaccatca	gggacgtgct	ggccgtgatc	aaacactgca	aggacccoct	ccggctcaag	780
tgtgtcaagc	aaggtgagag	cagcggtctg	ctcagtgttt	tgcggggcgg	tgggaccgct	840
cggggcgag	ggcaatgaaa	gggtggccgc	gcatgttgaa	gggggtgtgt	tgcgcgatga	900
tgggggtggg	gccagagagc	acccgcagtg	caagtgagtt	tgcgcgggga	ttcgacgaaa	960
tcgtnncccc	ggaattccgg	ac				982

<210> 13

<211> 440

<212> DNA

<213> Homo sapiens

<400> 13

ccgtgccgga	attccccgct	cgacgatttc	gtggctaagg	cgccaggcac	gggcaccacc	60
agggcgccca	ggagccgccc	gccgcccggca	tggaccagct	gtactgccc	ccgagcgct	120
gccagtcttt	tggtaagaac	tagtcacaca	gacctcaacc	tgatgcgtgg	agacaaggaa	180
atgcttttca	gtgtgtccag	aaagagaaaa	tgcagggtgc	ttctgcggag	gtgcgcacgc	240
ggcccatgag	actgacgcag	gacctatttc	aggttttgc	gatctttgca	aaggaagata	300
gtcagagcga	tggctttctg	tgggcctgcg	acagagctgg	ttatagatgc	aatattgctc	360
ggactccaga	gtcagccctt	gaatgctttc	ttgataagca	tcatagaatt	attgtaattg	420
atcatagaca	aactcagaac					440

<210> 14

<211> 581

<212> DNA

<213> Homo sapiens

<400> 14

tttcgttttg	ccggtgcgg	gcacctcctg	gtctcgtctg	tggggtctgt	gctgctgctg	60
gcgcgtccg	gcaccgggc	gctggtctgc	ctgccctgtg	acgagtccaa	gtgcgaggag	120
cccaggaact	gcccggggag	catcgtgcag	ggcgtctgcg	gctgctgcta	cacgtgcgcc	180
agccagagga	acgagagctg	cggcgggcacc	ttcgggattt	acggaacctg	cgaccggggg	240
ctgcgtttgt	tcacccgccc	cccgtcfaat	ggcgactccc	tcaccgagta	cgaagcgggc	300
gtttgcgaag	atgagaactg	gactgatgac	caactgcttg	gttttaaac	atgcaatgaa	360
aaccttattg	ctggctgcaa	tataatcaat	gggaaatgtg	aatgtaacac	cattcgaacc	420
tgcagcaatc	cccttgagtt	tccaagtccg	gatattgtgc	tttcagcttt	aaagagaatt	480
gaagaagaga	acccagattg	ctccaaggcc	cgtctgtgaag	tccagttctc	tccacgttgt	540
cctgaagatt	ctgttctgat	cgaggggttat	gtccctcctg	g		581

<210> 15

<211> 693

<212> DNA

<213> Homo sapiens

<400> 15

tttcgtatgg	cggccaatgt	gggatcgatg	tttcaatatt	ggaagcgctt	tgatttacag	60
cagctgcaga	gagaactcga	tgccaccgca	acggtatttg	cgaaccggca	ggatgaaagt	120
gagcagtcca	gaaagcggct	tatcgaacag	agccggggagt	tcaagaagaa	cactccagag	180
gtgaggcgcg	tgaccatcgt	gttcgctttg	aagggatctt	agaatgctgg	tgcattgtca	240
ggcgacgctc	cgtgagcgtt	tcattttcat	cagatgaacg	cacggccggc	aaacaaccgc	300
tttctttccc	cagatgtctt	cagccccatt	tccagcagaa	cgcattgccat	cctgcaggct	360
gtggggatgt	ggaaattgat	aggttgtctg	gaaatatgaa	agtcagagcc	aattccagggt	420
gcagatactg	gacaagcttg	gtctgtaaga	acacgtgggc	aggtgtgtgg	gtgtctcaaa	480
ccctcgagct	catcccagac	cctgtcccat	gtcagtttag	aagccaccaa	agtcataag	540
ggatcctgtg	gggtggaagg	tccgcggggc	ctgcttccct	gttgctgggtg	caggcggagt	600
gtctgaaggc	tgacgcacgc	tgggcatagc	agtgcgccta	acgcttcttg	taaaaacagac	660

atttcgcctg ctaagccttt taaatgcctc tct

693

<210> 16
 <211> 562
 <212> DNA
 <213> Homo sapiens

<400> 16
 ttctcgtggaa agagagaaaac caccgctgcg ggtgggtaga gaagcacttg gcgcctcggg 60
 gagggggaccg cgcccgccctc atttgccgct tgcagcactg ctggaccagg ttacaagatg 120
 ttcacctaag attgagacct agtgactaca ttctctacgg gaacaaataa atgggtttttc 180
 atctcccggga gatacattac aaacaaatat ggtgctaaaa gaactcctta cctttctctg 240
 actacaattt atttggacat acttttgtat tgaagagagg tatacatact gaagctactt 300
 gctgtactat aggagactct gtctctgtagg atcatggacc atcctagtag ggaaaaggat 360
 gaaagacaac ggacaactaa acccatggca caaaggagtg cacactgctc tcgaccatct 420
 ggctcctcat cgtcctctgg ggttcttatg gtgggaccca acttcagggt tggcaagaag 480
 ataggatgtg ggaacttcgg agagctcaga ttaggtgaag gtctcccaca ggtgtattac 540
 tttggaccat gtgggaaata ta 562

<210> 17
 <211> 899
 <212> DNA
 <213> Homo sapiens

<400> 17
 ttctcgtgcgt ccccgggccca accatggcgt cctccgcggc cggctgcgtg gtgatcgttg 60
 gcaggaagtc tgaacagca gttggagtgt agtggttaag aggaaggact caggagtcag 120
 attgcttggc ttcactctcat agatccataa cttatcacc cttgtggactt aattcctcca 180
 tgctcagtt tatcacttat gtaggcttaa ttctccatg cctcagtttc cctacatata 240
 aaatggaaat actaataaca cttatcttgt agggttgttg taaagattaa catagtggag 300
 tcattgggcg aagctgggccc atgctgtttg ccagtggagg cttccagggtg aaactctatg 360
 acattgagca acagcagata aggaatgccc tggaaaacat cagggtgggccc agccggcgct 420
 ctccagaagg aatggaagtg ggtctgtttc tctcagttgg tcttggttgt catatcctca 480
 aggctatgag gatctgtgat gtcacatttt cgtctgatgg ctactgcagt gcctctgagt 540
 tggtaaaggc caggcctaca gtggctggaa tgtgaattca cactggggaa gggctcccat 600
 gggggaggaa acgacccttc ttgctaagag gatctgcac aagcgtgagt gactttgcag 660
 gcttctccag ctgtttgccc cggggctgga gggctggggt ttcttgcttc catctaggca 720
 ggaggaactc gcttccagca tgtgacagcc atagctgcag gggcattaca gtttaagaac 780
 agaggtcctg cagcttggtt tgacctgttg atctagtaat ggtaggaccc aaatgaaaac 840
 atcttgaatt ttagttagag gtttagcact catgtgagag gacagaactg gagctgttt 899

<210> 18
 <211> 519
 <212> DNA

<213> Homo sapiens

<400> 18

ggaattcccg	ggtcgacgat	ttcgtctccg	cccgcccgaa	gccgcgcccc	ctgcccagag	60
ccagagggat	ggtggtagtc	acggggcggg	agccagacag	ccgtcgtcag	gacggtgcca	120
tgtccagctc	tgacgccgaa	gacgactttc	tggagccggc	cacgccgacg	gccacgcagg	180
cggggcacgc	gctgcccctg	ctgccacagg	agtttcctga	ggttggtccc	cttaacatcg	240
gaggggctca	cttcactaca	cgctgttcca	cactgcggtg	ctacgaagac	accatggttg	300
cagccatggt	cagtgggcgg	cactacatcc	ccacggactc	cgagggccgg	tacttcacog	360
accgagatgg	cacacacttt	ggagatgtgc	tgaatttcct	gcgctcaggg	gacctcccac	420
ccagggagcg	tgttcgagct	gtgtacaaa	aggcccagta	ctatgccatc	gggcccctcc	480
tggagcagct	ggagaacatg	ccgccactga	aaggcgaga			519

<210> 19

<211> 460

<212> DNA

<213> Homo sapiens

<400> 19

tttcgtgcag	gggccaggcc	tctctaggct	ctccggctga	gccggggttg	ggccccgggtt	60
gggccgcccc	gggactctgg	agcattggga	tttgtagcgc	gccctctggg	taggcggctg	120
tagcggagag	gcgtgcggga	tcgggatgtc	ggggctgctc	acggaccccg	agcagagagc	180
gcaggagccg	cggtaccccc	gcttcgtgct	ggggctggat	gtgggcagtt	ctgtgatccg	240
ctgccacgtc	tatgaccggg	cggcgcgggt	ctgcggctcc	agcgtgcaga	aggtagaaaa	300
tctttatcct	caaattggct	gggtagaaat	tgatcctgat	gttccttgga	ttcaatttgt	360
tgccgtaata	aaagaagcag	tcaaagctgc	aggaatacag	atgaatcaaa	ttgttggtct	420
tggcatttca	acacagagag	caacttttat	tacgtggaac			460

<210> 20

<211> 731

<212> DNA

<213> Homo sapiens

<400> 20

gagatcaagg	agggctcaga	agaggcgatg	tctgatctgt	cctccaggca	gcaaaggaaa	60
gggaggtgtg	ttcctggcag	aaggcacagc	ttgtactgag	gcctggcagc	agaacagagt	120
atgcaatttg	tgaagctgtg	gtgtggctgc	agtggagagt	tcccaacaag	gctacgcaga	180
agaaccccc	tgactgaagc	aatggagggg	ggtccagctg	tctgctgcca	ggatcctcgg	240
gcagagctgg	tagaacgggt	ggcagccatc	gatgtgactc	acttgaggga	ggcagatggt	300
ggcccagagc	ctactagaaa	cggtgtggac	ccccaccac	gggcccagagc	tgctctgtg	360
atccctggca	gtacttcaag	actgctccca	gcccggccta	gcctctcagc	caggaagctt	420
tccctacagg	agcggccagc	aggaagctat	ctggaggcgc	aggctggggc	ttatgccacg	480
gggcctgcca	gccacatctc	ccccggggcc	tggcggaggc	ccaccatcga	gtcccaccac	540
gtggccatct	cagatgcaga	ggactgcgtg	cagctgaacc	agtacaagct	gcagagttag	600

attggcaagg	gtgcctacgg	tgtggtgagg	ctggcctaca	acgaaagtga	agacagacac	660
tatgcaatga	aagtcctttc	caaaaagaag	ttactgaagc	agtatggctt	tccacgtcgc	720
cctccccga	a					731

<210> 21
 <211> 519
 <212> DNA
 <213> Homo sapiens

<400> 21						
tttcgtttat	gggaagccag	taacactgtg	gcctactatc	tcttccgtgg	tgccatctac	60
atTTTTgga	ctcggaatt	atgaggtaga	ggtggaggcg	gagccggatg	tcagagggtcc	120
tgaaatagtc	accatggggg	aaaatgatcc	gcctgctgtt	gaagccccct	tctcattccg	180
atcgcttttt	ggccttgatg	atTTgaaaat	aagtcctgtt	gcaccagatg	cagatgctgt	240
tgctgcacag	atcctgtcac	tgctgccatt	gaagtTTTT	ccaatcatcg	tcattgggat	300
cattgcattg	atattagcac	tggccattgg	tctgggcata	cacttcgact	gctcagggaa	360
gtacagatgt	cgctcatcct	TTaagtgtat	cgagctgata	gctcgatgtg	acggagtctc	420
ggattgcaaa	gacggggagg	acgagtaccg	ctgtgtccgg	gtgggtggtc	agaatgccgc	480
gctccaggtg	ttcacagctg	cttcgcgga	gaccatgtg			519

<210> 22
 <211> 544
 <212> DNA
 <213> Homo sapiens

<400> 22						
tttcgtgctg	gaggttcgct	agccgaagcg	gctgcatctg	gcgcgcgctc	tgccccgcgt	60
gctcggagcg	gattctgccc	gccgtccccg	gagccctcgg	cgccccgctg	agccccgcgat	120
cacttcctcc	ctgtgaccaa	ccggcgctgc	aggttagagc	ctggcaatgc	cgtttgggtg	180
tgtgactctg	ggcgacaaga	agaactataa	ccagccatcg	gaggtgactg	acagatatga	240
tttgggacag	gtcatcaaga	ctgaggagtt	ttgtgaaatc	ttccggggcca	aggacaagac	300
gacaggcaag	ctgcacacct	gcaagaagtt	ccagaagcgg	gacggccgca	aggtgcggaa	360
agctgccaa	aacgagatag	gcatcctcaa	gatggtgaag	catcccaaca	tcctacagct	420
ggtggatgtg	tttgtgaccc	gcaaggagta	ctttatcttc	ctggagctgt	gagtgtgggt	480
ctggggaccc	aaaattcccc	agcgcccagg	gctttcacct	gtcccaccct	ctgcagctaa	540
ggag						544

<210> 23
 <211> 749
 <212> DNA
 <213> Homo sapiens

<400> 23

caacgtcgac	gatttcgtgc	ggggctgtgg	ggagggcacg	gactgacaga	cggactccgg	60
cggaatgggg	ggtgtggctg	ctccgccagg	gtccccaggg	tgggagagcg	gctccgcggc	120
caccgatgcc	cggacccct	ctgtcttctg	ctagacatgc	tcttctcttc	gtttcatgca	180
ggctcttggg	aaagctgggtg	ctgctgctgc	ctgattcccc	ccgacagacc	ttgggaccgg	240
ggccaacact	ggcagctgga	gatggcggac	acgagatccg	tgcacgagac	taggtttgag	300
gcggccgtga	aggtgatcca	gagtttgccg	aagaatggtt	cattccagcc	aacaaatgaa	360
atgatgctta	aattttatag	cttctataag	caggcaactg	aaggacctg	taaactttca	420
aggcctggat	tttgggatcc	tattggaaga	tataaatggg	atgcttggag	ttcactgggt	480
gatatgacca	aagaggaagc	catgattgca	tatgttgaag	aaatgaaaaa	gattattgaa	540
actatgccaa	tgactgagaa	agttgaagaa	ttgctgcgtg	tcatagggtc	attttatgaa	600
attgtcgagg	acaaaaagag	tggcaggagt	tctgatataa	cctcagatct	tggtaatgtt	660
ctcacttcta	ctccaaacgc	caaaaccgtt	aatggtaaag	ctgaaagcag	tgacagtgga	720
gccgagtctg	aggaagaaga	ggcgtgtgt				749

<210> 24

<211> 556

<212> DNA

<213> Homo sapiens

<400> 24

tttcgtgctt	taaggggccc	acggggcggg	ggtcgggggtc	ctccgggggat	tcgagccggg	60
gggctcgttg	tgggcccctt	ttctcggcgt	ctaccgagga	gccgcccctt	tctcagcctt	120
gtcgggctct	tcccgcctct	ggtcggccgg	gctgcgcgt	cccagctca	gtgacaaaaa	180
tgctgagttt	cttccgtaga	acactagggc	gtcgggtctat	gcgtaaacat	gcagagaagg	240
aacgactccg	agaagcacaa	cgcgcgcgca	cacatattcc	tgagcgtgga	gattctaagt	300
ccatcatcac	gtgtcgggtg	tcccttcttg	atgggtactga	tggttagtgtg	gacttgccaa	360
aaaaagccaa	aggacaagag	ttgtttgatc	agattatgta	ccacctggac	ctgattgaaa	420
gcgactatct	tggctctgaga	tttatggatt	cagcacaagt	agcacattgg	ttggatggta	480
caaaaagcat	caaaaagcaa	gtaaaaattg	gttcacccta	ttgtctgcat	cttcgagtta	540
agttttattc	ctcaga					556

<210> 25

<211> 422

<212> DNA

<213> Homo sapiens

<400> 25

gtcggtgaga	atccagggag	aggagcggaa	acagaagagg	ggcagaagac	cggggcactt	60
gtgggttgca	gagccccctca	gccatgttgg	gagccaagcc	acactggcta	ccaggtcccc	120
tacacagtc	cgggctgccc	ttggttctgg	tgcttctggc	cctggggggc	gggtggggcc	180
aggaggggtc	agagcccgtc	ctgctggagg	gggagtgcct	gggtggtctgt	gagcctggcc	240
gagctgctgc	agggggggccc	gggggagcag	ccctgggaga	ggcaaccctt	gggcgagtgg	300
catttgctgc	ggtccgaagc	caccaccatg	agccagcagg	ggaaaccggc	aatggcacca	360
gtggggccat	ctacttcgac	caggtcctgg	tgaacgaggg	cgggtggctt	gaccgggctt	420
ct						422

<210> 26
 <211> 506
 <212> DNA
 <213> Homo sapiens

<400> 26
 agaagatgtg aagtcgtatt atacagtaca tctaccacaa ttagaaaata tcaatagtgg 60
 tgaaaccaga acaatatctc actttcatta tactacttgg ccagattttg gagtccctca 120
 atcaccagct tcattttctca atttcttggt taaagtgaga gaatctggct cettgaaccc 180
 tgaccatgga cctgtgggtga tccaccgtag tgcaggcact ggacgctcca gcaccttctc 240
 tgtggtacac acttgtcttg ttttgatgga aaaaggagat gatattaaca ttaaacaagt 300
 gttactgaac ataagaaaat tccaaatggg tcttatctca gaccccagat caactgagat 360
 tctcatacat ggctataaca gaaggagcaa aatgtgtaaa gggagattct agtatacaga 420
 aacgatggaa agaactttct aaggaagact cctcctgct tttgatcatt caccaaacia 480
 aataatgact gaaaaataca atagga 506

<210> 27
 <211> 850
 <212> DNA
 <213> Homo sapiens

<400> 27
 caggcctttg tgtaaggcca gaggaggatc acgggtgcca taaaccttca cggggccaag 60
 ggctggtgtc ccggggctgg tgacttaaca ggcagagatg tggagaccag gtgcttgtgc 120
 ccgggacggg cctggctgcc atcctgagga cactgcccac gttccatgac gaggagcacg 180
 cccgagcccg cggcctctct gaggacaccc tgggtgctacc cccggccagc cgcaaccaga 240
 ggattctcta caccgtgctg gagtgccagc cctctctcga ctccagtgac atgaccatcg 300
 ctgagtgggt ttgccttgcc cagaccatca agaggcacta cgagcagtac cacggctttg 360
 tggatcatcca cggcacccgac accatggcct ttgctgctc gatgctgtcc ttcattgtgg 420
 agaacctgca gaagactgtc atcctcactg gggcccagggt gcccacccat gccctgtgga 480
 gcgacggccg tgagaacctg ctgggggcac tgctcatggc tggccagtat gtgatcccag 540
 aggtctgcct tttcttcag aatcagctgt ttcggggcaa ccgggcaacc aaggtagacg 600
 ctgggaggtt cgcagctttc tgctccccga acctgtgccc tctggccaca gtgggtgctg 660
 acatcacaaat caacaggag ctggtgcgga aggtggacgg gaaggctggg ctggtggtgc 720
 acagcagcat ggagcaggac gtgggcctgc tgcgcctcta ccctgggatc cctgcgcccc 780
 tggttcgggc cttcttgag cctcccctga agggcggtgt catggagacc ttcggttcag 840
 ggaacgggacc 850

<210> 28
 <211> 990
 <212> DNA
 <213> Homo sapiens

<400> 28

tttttttttt	ttacttgtaa	tacgtatttt	aatttttggt	tcatatgagt	ttaagtgttg	60
tctaggtgac	atcaaaatct	aaggcaaaca	gacttgacca	tcttcagacc	cactgcattc	120
tcaagctgaa	gtggtctgct	catagtttgt	gtgccagggt	gctcatcagt	attgatactg	180
tcccagaaca	ggttgtaggt	ataattcaga	gactgtcctt	tgcaaaggaa	atgaccagca	240
tttcaactgt	atgtcttctt	ggaagggtag	attctgctat	atcttctttg	tctgcatcaa	300
aagactcaag	aggaatgtgg	acacatttca	tatcccattt	gtagagtaaa	gcttcaagtg	360
accagtcagc	actcctaact	tgataagtag	accacaattg	gaccttgga	ttcttgtgca	420
tcaaaaaata	tattgtagcc	aaaatgtctt	caaaatcttc	tggttcaaag	aacacatcag	480
atgcaaggat	aatatcttgt	ggtggtagag	ccagaagatc	ccaagatata	tgaccccatg	540
ttagtcctac	cacctgcaga	tgtggcagggt	tattcatttg	gcagctttgc	cgacagactt	600
ccagacagtg	aggcagttct	gagctgtctg	acagtattac	ttctgcacca	catttggcag	660
ccaaaattcc	tggaaggctc	actccagctc	caatctgcgg	gacgtggacc	tccaggacag	720
ccccgtcggc	ccccggaccc	ggctctcccg	agaatcgaaa	gcgctggggc	cggacccccct	780
gtcctcgga	atcgtgctcg	cccagtaggg	cgctggtggg	ccccggggcg	gcgggggacc	840
gcggaaggct	ccgggctgcc	agactgcgcg	agcgggaagc	cgcgggccac	gtggcgtag	900
cacctgacgg	caagaagggg	aaagcccaga	tctggtgata	accctgccgc	gctagcgagc	960
gaagaaagcc	cggagcaagg	cgaaagagac				990

<210> 29

<211> 622

<212> DNA

<213> Homo sapiens

<400> 29

tttttttttt	ttgtgttgat	aaagctttat	ttataaacac	actcacaggg	ccagatttgg	60
gccacggggc	atagttgcc	gcccggcttt	aactgctggt	cctcacgtta	gtctcactgc	120
ctcctgcagg	gtgggcatgt	gggtgtcgtg	ttcaccacagc	cccttctctc	acccacaaaa	180
cacctgggtg	gctgtcctgg	agcgcgacac	actgggcatc	cgtagaggtg	ggctgttcaa	240
tgccgttgct	cgctggctcg	aggccgagtg	tcagcggcag	cagctgcagg	tgacgccaga	300
gaacaggcgg	aaggttcttg	gcaaggccct	gggcctcatt	cgcttcccgc	tcatgaccat	360
cgaggagtgc	gctgcaggta	acagagctcg	ggctcagggg	ctggtttggg	aggggagtg	420
cacacagggtg	ggcatctggg	taccgaggat	agtgcctccg	agttcactgc	ggaaagcctg	480
gcagatgcct	ggcatataga	gataggaaga	aacctggctt	gtgaggacgc	gtccacaggg	540
ccatctgtta	gccccggccc	ggctctgtcc	ccaccgtgca	cactgccaga	ccccgcctct	600
cgtgtctgtc	cagctgtttt	gg				622

<210> 30

<211> 181

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(181)

<223> n = a,t,c or g

<400> 30
 tttttttttt ttgagacgga gntgngctct gtnaccacgg ntagagtgca atggcacgnt 60
 ctcggctcac tgcaagctct gcgtcctggg ttgacgccat tctcctgcct cagcctcccc 120
 agtagctggg actacaggag cttcgccacc aattccagcc tggggtggac agagtgataa 180
 g 181

<210> 31
 <211> 1956
 <212> DNA
 <213> Homo sapiens

<400> 31
 aaactccgaa cacatccaaa catcagaagg aacaaactcc agacacaccg cctttaagaa 60
 ctgttacgct caccgcgagg gtccacggct tcattctcca agtcagacca agaaccacc 120
 aattccggac acaaaaggcg tagcgtgcct cctgtgattg ttgaagagct gtggtgtgct 180
 gctgagtggc gtgtgtattc catgtgaggg gaagggtcca acagtcctgg tcattcagac 240
 tgcagttccc caggacagac ccacgaagtc aagcatgcgg agtcagcca agccttgaa 300
 cccagccatc agagcagggg gccacggccc agaccgggtg cggcctctgc ctgcagctc 360
 ttccggcatg aagagttcta agtcttcaac ttccttggct tttgagtccc gactcagcag 420
 gctcaagagg gccagcagtg aggacacgct caacaagcca ggaagtaccg ctgcatcggg 480
 ggtggttcgc ctgaagaaga ccgccactgc cggagccatc tccgagctca cggagagccg 540
 cctgaggagc ggcacagggg cctttacaac aactaaacgg acaggcattc cagccccacg 600
 ggaattttca gtaactgtct caagagagag gtctgtgcca cgtggctcct ccaaccccag 660
 gaaatcagtg tccagtccaa ctctctccaa cactccact cctacgaaac acctgaggac 720
 cccttcaca aagcccaagc aagagaatga aggtggagaa aaggctgcgc ttgagtccca 780
 agttcgggaa cttttggcag aagccaaagc aaaagatagt gaaattaaca ggcttcgaag 840
 tgaactaaag aaatacaaa agaaaaggac tctgaacgct gaggggactg atgctttggg 900
 cccaaatgtc gatggaacat cagtctcccc aggtgacacg gaacctatga taagagctct 960
 tgaggagaag aacaagaact ttcagaaaga gctttccgat cttagaggaag aaaaccgggt 1020
 cctgaaggag aaactgatct atcttgagca ctcccaaat tcagaagggg cagcaagtca 1080
 cactggcgac agcagctgcc caacatccat aactcaagag tcaagcttcg gaagcccaac 1140
 tggaaatcag ttgtccagt acattgatga gtataaaaaa aacatacatg gaaatgcatt 1200
 acggacatca ggctcctcaa gtacgatgt taccaaagct tctttgtcgc cagatgcttc 1260
 cgactttgag cacattacag cagagacacc ctcaaggccc ctgtcctcca ccagtaacct 1320
 ctttaagagt tcaaatgtgt ctactgctgg gagttcccca aacagcgtaa gtgaattgtc 1380
 cctggcttcc ctcacagaga agatacaaaa gatggaagaa aaccaccata gcactgcaga 1440
 agaactacag gctactctac aagaattatc agaccagcaa caaatggtac aggaattgac 1500
 agctgaaaat gagaagctgg tggatgaaaa gacgatttta gagacatcct ttcatacaga 1560
 tcgagagagg gcagagcagc taagtcaaga aaatgagaag ctgatgaatc ttttacaaga 1620
 gcgagtaaag aatgaagagc ccaccactca ggaaggaaaa attattgaac tggagcagaa 1680
 gtgcacaggt attcttgaac agggccgctt tgaaagagag aagctactca acattcagca 1740
 gcagttgacc tgtagcttgc ggaaggttga ggaagaaaac caaggagctt tagaaatgat 1800
 taaacgtctg aaggaagaaa atgaaaaact gaatgagttt ctagaactgg aacggcataa 1860
 taataacatg atggccaaaa ctttggaaga gtgtagagtt accttggag ggctaaaaat 1920
 ggagaatgga tctttgaagt ctcatattgca ggggtga 1956

<210> 32
 <211> 513
 <212> DNA

<213> Homo sapiens

<400> 32

ctcagcacca	caaggaagtg	cgggacccac	acgcgctcgg	aaagttcagc	atgcatgaag	60
tttggggaga	gctcggcgat	taacacagcg	acccggggcca	gcgcagggcg	agcgcaggcg	120
gcgagagcgc	agggcgggcg	ggcgtcggtc	cggggagcag	aaccgggctt	tttcttggag	180
cgacgctgtc	tctagtcgct	gatcccaa	gcaccggctc	atctttgtct	acactcta	240
ctgcgcaaac	ttttgcagct	gtcgggacac	ttctgcaacc	cgcagagcgc	catccatcaa	300
agctttgcgc	aacgccaacc	tcaggcgaga	tgagagcaat	cacctcacag	acttgtaccg	360
aagagatgag	accatccagg	tgaaaggaaa	cggctacgtg	cagagtccta	gattccccgaa	420
cagctacccc	aggaacctgc	tcttgacatg	gcggcttcac	tctcaggaga	atacacggat	480
acagctagtg	tttgacaatc	agtttgggatt	aac			513

<210> 33

<211> 712

<212> DNA

<213> Homo sapiens

<400> 33

acagacatgg	ttccagctct	gtagaactga	gagaaagaat	aaacaagtca	cacattagcc	60
cttcaaaaag	atgaccgacc	tcttgagaag	tggtgtcacc	gtaattgatg	ttttctacaa	120
atacaccaag	caagatgggg	agtgtggcac	actgagcaag	ggtgaactaa	aggaacttct	180
ggagaaagag	cttcatccag	ttctgaagaa	cccagatgat	ccagacacag	tggtatgtcat	240
catgcatatg	ctggatcgag	atcatgacag	aagattggac	tttactgagt	ttcttttgat	300
gatattcaag	ctgactatgg	cctgcaacaa	ggtcctcagc	aaagaatact	gcaaagcttc	360
aggggtcaaag	aagcataggc	gtggtcaccg	acaccaagaa	gaagaaagtg	aaacagaaga	420
ggatgaagag	gatacaccag	gacataaatc	aggttacaga	cattcaagtt	ggagtgaagg	480
agaggagcat	ggatatagtt	ctgggcactc	aaggggaact	gtgaaatgta	gacatgggtc	540
caactccagg	aggctaggaa	gacaaggtaa	tttatccagc	tctgggaacc	aagagggatc	600
tcagaaaaga	taccacaggt	ccagctgtgg	tcattcatgg	agtgggtggca	aagacagaca	660
tggtttccagc	tctgtagaac	tgagagaaaag	aataaacaag	tcacacatta	aa	712

<210> 34

<211> 600

<212> DNA

<213> Homo sapiens

<400> 34

cagattttctc	aggtgagctc	agatagcaat	ccactgtgtt	cctttatctc	cagcagatat	60
atatcaatat	cttgaagcag	ttttctactc	aatttagaag	aacttctggg	taaatttaca	120
attctttttt	ctctcccatg	cttggtgttt	ctcattcaaa	caagactggc	atagctactt	180
tatgagggtg	ggtctccctg	aatttttaagt	tccaaagatc	tctggacctg	atcatattga	240
ctttattccg	tgggatcaac	tcttcatggc	cagttcttcc	tctgtcactg	agttcttagt	300
gctggggcttc	tctagccttg	gggaattgca	gcttgtcctc	tttgcagtct	ttctctgcct	360

ctatttgatt	atcttgagtg	gaaacatcat	catcatctca	gtcattcatt	tggatcacag	420
cctccacaca	cccatgtact	tctttctagg	tattctttct	atctctgaaa	tcttctacac	480
aactgttatt	ctgccaaga	tgcttatcaa	cttattctct	gtattcagga	cactctcctt	540
tgtgagttgt	gccacccaaa	tgttctacga	aatcgtcggc	ccgggaactc	aggaacggtc	600

<210> 35

<211> 985

<212> DNA

<213> Homo sapiens

<400> 35

tttcgtccta	ctgtccctgt	cctgcccttg	cagacatgtg	tcctgccctt	gcagacagcc	60
gcaggcaggc	agggaccacc	atgagcaacc	ccgtctctcc	tcctgagggg	cagcacagag	120
cctggaggag	gcctgagtgg	ggttgaggcc	tggggcgagc	tgggggtggg	gggcactggc	180
tgccgggctc	cagggatctt	ctccccctcc	tgccccggag	gggtgctggc	caggggtggg	240
gctcactccc	actccgtaga	cacaatgata	agaggtcctg	gggtgtctgg	gaagctgggc	300
tgtgcgtgta	tgctgtctacc	atgtgggggt	gcctgtgagt	gtgctggggc	gtctgcagtg	360
aaggcctcct	gagaccactc	cacggaaaca	ccgggaatcc	ctgcagctga	gcctgtctct	420
cacgggaccg	ggaagctgga	gagagcccca	accctgcccg	ctggggccga	gctccctgct	480
cctgcagcag	tcccgtgccc	cacactctga	gtctgceeta	tccacagctg	ctgggcctct	540
ctgtggccac	catggtgact	cttacctact	tcggggccca	ctttgctgtc	atccgccgag	600
cgtccctgga	gaagaacccg	taccaggctg	tgcaccaatg	ggggactcag	cagcgactta	660
tccaacatcc	agagagcggg	agcgagggcc	agagcctgct	ggggccactc	agggccttct	720
ctgcgggggt	gagcctgggt	ggcctcctga	ctctggggagc	cgtgctgagc	gctgcagcca	780
ccgtgaggga	ggcccagggc	ctcatggcag	ggggcttccct	gtgcttctcc	ctggcggttct	840
gcgcacaggt	gcagggtggtg	ttctggagac	tccacagccc	caccaggtg	gaggacgcca	900
tgctggacac	ctacgacctg	gtatatgagc	aggcgatgaa	aggtacgtcc	cacgtccggc	960
ggcaggagct	ggcggccatc	cagga				985

<210> 36

<211> 464

<212> DNA

<213> Homo sapiens

<400> 36

ccgtatcggc	gtttatatac	tgaagataag	cctgatgagt	aacaggcttg	ctcgtcatac	60
tttcgtgagt	attggcggtg	tacaggcaag	togtaaaata	acagcctggc	tattcagagt	120
atgataaaaa	cagggggcaa	gggatgttgc	ttaatatgat	gtgtgggtcg	cagctgtcgg	180
caatcagttt	gtgcctggcc	gtaacattcg	ctccactgtt	caatgcgcag	gccgatgagc	240
ctgaagtaat	ccctggcgac	agcccgggtg	ctgtcagtga	acagggcgag	gcactgccgc	300
aggcgcaagc	cacggcaata	atggcgggga	tccagccatt	gcctgaaggt	gcggcagaaa	360
aagcccgcac	gcaaatacga	tctcaattac	ccgcagggtta	caagccgggt	tatcttaacc	420
agcttcaact	gttgatgccc	gcacgcggta	tttctctgag	cgtg		464

<210> 37
 <211> 429
 <212> DNA
 <213> Homo sapiens

<400> 37
 tcgcacaaga gctgctgatg tctatgtctt ttcgctcacg ggaaaatctc gaaacgtgag 60
 ttcttcaacc gtgcggcgaa gtgcggtagg cgggatgtcg gcattagcgt tgtttgattt 120
 gctcaagcca aattatgcgc tggcgactca ggtagagttt accgaccggg aaattgttgc 180
 tgagtacatc acgtatcctt cgccaaatgg tcacggcgag gtgcgggggtt atctggtgaa 240
 gcccgcaaaag atgagcggca aaacgccagc cgtagtgggtg gtgcatgaga atcgtggact 300
 gaatccgtat atcgaagatg tggcacggcg agtggcgaaag gcgggggtata tcgccctggc 360
 acctgacggc ttaagtccg ttggagggtta tccgggaaat gatataaagg tggatatccg 420
 agcggtccc 429

<210> 38
 <211> 556
 <212> DNA
 <213> Homo sapiens

<400> 38
 gagaataacc tagacgttat tgacttgatg ccccgcgctg gtaaggcgct ggataccacg 60
 cagcgcgcg tgctgtttaa tgcagtaacc cgatggggca attaatgaa acagagacat 120
 ggcaattcct tgctgacaac agaaacgaaa tgtatatcat gccgcttagg tgtgccgttg 180
 tcacctcaac ggcgattcca ggctataagg atagaagaag tgaaattgag atggtttgcc 240
 tttttgattg tgttattagc gggttggtca tcaaagcatg actatacgaa cccgccgtgg 300
 aacgcgaaaag ttccgggtgca acgtgcgatg cagtggatgc caataagcca gaaagccggt 360
 gcagcctggg gcgtcgatcc acaattgatc acggcgatta tcgctatcga atcgggtggt 420
 aatccgaacg cggtagtaaa atcgaatgcc attggtttga tgcagttaaa agcttcaacc 480
 tccggacgtg atgtttatcg ccgtatgggc tggagtgggtg agccgacgac cagcgagctg 540
 aagaattcct caagac 556

<210> 39
 <211> 890
 <212> DNA
 <213> Homo sapiens

<400> 39
 accacgctgc aggaattcgg cacgaggcca aaccaaaag aagtttttat gctgccaggg 60
 atttgtacaa gtaccgacac cagtacccaa acttcaaaga tatccgatat caaaatgact 120
 tgagcaatct tcgtttttat aagaataaaa ttccattcaa gccagatggt gtttacattg 180
 aagaagtctt aagtaaattg aaaggagatt atgaaaaact ggagcacaac cacacttaca 240
 ttcaatggct tttccccctg agagaacaag gcttgaactt ctatgccaaa gaactaacta 300
 catatgaaat tgaggaattc aaaaaaacia aagaagcaat tagaagattc ctccctggctt 360

ataaaatgat	gctagaattt	tttgggaataa	aactgactga	taaaactgga	aatgttgctc	420
gggctgttaa	ctggcaggaa	agatttcagc	atctgaatga	gtcccagcac	aactatttaa	480
gaatcactcg	tattctttaa	agccttggtg	agcttgata	tgaaagtgtt	aaatctcctc	540
ttgtaaaatt	tattcttcat	gaagctcttg	tggagaatac	tattccaat	attaagcaga	600
gtgctctaga	gtattttgtt	tatacaatta	gagacagaag	agaaaggaga	aagctcctgc	660
ggttcgccca	gaaacactac	acgccttcag	agaactttat	ctggggaccg	cctcgaaaag	720
aacagtcgga	gggaagcaaa	gcccagaaaa	tgtcttcccc	tctcgctcc	agtcataaca	780
gtcaaaacttc	tatgcacaaa	aaagccaagg	actccaaaaa	ttcctcctca	gctgttcatt	840
taaatagcaa	aacagctgaa	gacaaaaaag	tggcaccaaa	agagcctgtg		890

<210> 40
 <211> 393
 <212> DNA
 <213> Homo sapiens

<400> 40						
accggtgcc	atcttagtct	agggactgag	gagtcgccgc	cgccccgagt	cccggtacca	60
tgcatttcac	ggtggccttg	tggagacaac	gccttaaccc	aaggaagtga	ctcaaactgt	120
gagaacttca	ggttttccaa	cctattggtg	gtatgtctga	cagtggatca	caacttggtt	180
caatgggtag	cctcaccatg	aaatcacagc	ttcagatcac	tgtcatctca	gcaaaactta	240
aggaaaataa	gaagaattgg	tttggacca	gtccttacgt	agaggtcaca	gtagatggac	300
agtcaaagaa	gacagaaaaa	tgcaacaaca	caaacagtcc	caagtggaag	caaccctta	360
cagttatcgt	taccctctgt	agtaaattac	att			393

<210> 41
 <211> 437
 <212> DNA
 <213> Homo sapiens

<400> 41						
gcattccttg	aaagaaatgt	tacagccaga	tcacagcgca	gaacgataaa	atggcacaat	60
ccaacaacaa	ttttacattt	tcgcgaccgc	tttggctgct	ttcaggtcgc	tttcaatgat	120
atactgccag	tcgttaattc	aaaaaatagt	gataattaca	acaatctatt	gaattgaaac	180
gctttccttc	gtaattcgca	actggaacac	gcacgctatg	agtaaaccga	ttgtgatgga	240
acgcggtgtt	aaataccgcg	atgccgataa	gatggccctt	atccccgtta	aaaacgtggc	300
aacagagcgc	gaagccctgc	tcgcgaagcc	ggaatggatg	aaaatcaagc	ttccagcgga	360
ctctacacgt	atccagggca	tcaaagccgc	aatgcgcaaa	aatggcctgc	attctgtctg	420
cgaggaagcc	tcctgcc					437

<210> 42
 <211> 392
 <212> DNA
 <213> Homo sapiens

<400> 42

tcccctgcgt	caatttttcct	gacagagtac	gcgtaataac	caaatcgcg	aacggaaggc	60
gacctgggtc	atgctgaagc	gagccaccag	gagacacaaa	gcgaaagcta	tgctaaaaca	120
gtcaggatgc	tacagtaata	cattgatgta	ctgcatgtat	gcaaaggacg	tcacattacc	180
gtgcagtaca	gttgatagcc	ccttcccagg	tagcgggaag	catatttcgg	caatccagag	240
acagcggcgt	tatctggctc	tggagaaaagc	ttataacaga	ggataaccgc	gcatgggtgct	300
tggcaaaccg	caaacagacc	cgactctcga	atgggttcttg	tctcattgcc	acattcataa	360
gtacccatcc	aagagcacgc	ttattcccca	gg			392

<210> 43

<211> 555

<212> DNA

<213> Homo sapiens

<400> 43

tggtcgcgc	gtcataatgg	gagttttgat	actgtggatt	gccggttcga	tgtggtagcc	60
ttcaccggga	atgaggttga	gtggattaag	gatgccttta	atggccactc	ataattaagg	120
tttaaggatt	agcgtgcaag	aaagaattaa	agcttgcttc	actgaaagca	ttcaaaactca	180
aattgcggcg	gcagaggcgc	ttccggatgc	catctcccg	gcagccatga	cgctggttca	240
gtctctgctc	aatggcaaca	aaatcctctg	ttgtggtaat	ggaacttccg	ctgccaatgc	300
acagcatttt	gctgccagca	tgatcaaccg	tttcgaaaacg	gagcggccca	gcttacctgc	360
cattgcacta	aatactgata	atgttgtctt	aacggcgatt	gccaacgatc	gcttacatga	420
tgaagtgtat	gcaaaacagg	tgcgggcgct	gggtcatgcg	ggagatgtat	tgtagccat	480
ttccaccggt	ggcaacagcc	gcgatattgt	taaagcagtt	gaagccgccc	ttacgcgtga	540
tacgaccatt	gtggc					555

<210> 44

<211> 553

<212> DNA

<213> Homo sapiens

<400> 44

ctatgacctg	attacaattc	aggtccgacc	cgagatctcc	aaaatgccag	gacgctgtgg	60
ctacacaagc	taaccatgct	gattaatgaa	aagaaactca	acatgatgaa	tgccgagcac	120
cgcaagctgc	ttgagcagga	gatgggtcaac	ttcctgttcg	agggtaaaga	ggtgcatatc	180
gagggctata	cgccggaaga	taaaaaataa	aaacagtgcc	ggagcacgcc	tccggcaact	240
tgcataaaaa	caaacacaac	acgcaccggg	aatgatgaaa	aaatatctcg	cgctggcttt	300
gattgcgcgc	ttgtcatct	cctgttcgac	gacaaaaaaa	ggcgatacct	ataacgaagc	360
ctgggtcaaa	gataccaacg	gttttgatat	tctgatgggg	caatttgccc	acaatattga	420
gaacatctgg	ggcttcaaag	aggtgggtgat	cgctgggtcct	aaggactacg	tgaaatacac	480
cgatcaatat	cagaccgcga	gccacatcaa	cttcgatgac	ggtacgatta	ctatcgaacc	540
catccccggg	aca					553

<210> 45
 <211> 310
 <212> DNA
 <213> Homo sapiens

<400> 45
 tctcgtttacg acttcgagcg ttggaccgag ggatctctct actatcgctg caagcgagcc 60
 agaaaaaact ggatgaactg atcgaacagc actaaaccca ggacaggaat ccgcaatgaa 120
 caggtctttt tcaggtcggt ccgatatgcc ctttgcgctg ctgcttctcg cgcccagctt 180
 attactgctg ggcggtctgg tggcggtggc gatggtgtcg aatatcgaaa tcagtttttt 240
 acgtctgccc ctcaatccca acatcgagtc aacgtttggt ggggtgagca actatgtgcg 300
 taccctctcc 310

<210> 46
 <211> 627
 <212> DNA
 <213> Homo sapiens

<400> 46
 ctcgctgact cgcttcgctt ccccgacgag ctgggttccc ggagcgcaga gccagcgctt 60
 agcgggtggg ctccccgagg cccctgccc tcgccgggt gctccagggt gtcgctcttc 120
 tggctgctcc cgaaggggt tctggccctg aggacggtgg tgccaagcga acttcatttt 180
 taaaaagaac tggatgatga gaagagcgag cgagggcgag ctatggacc tgtgagtcag 240
 ctggcctctg cgggcacctt ccgggtgctg aaggagcccc ttgccttctt gcgagccctg 300
 gaattgcttt ttgcaatctt tgcatttgca acatgcggtg gctattctgg aggcctgcgg 360
 ctgagtgtgg actgcgtcaa caagacagaa agtaacctca gcatcgacat agcgtttgcc 420
 taccattca ggttgaccca ggtgacgttt gaggtgccc cctgcgaggg aaaggaacgg 480
 cagaagctgg cattgattgg tgactcctcg tcttcagcag agttcttct cactgttgct 540
 gtcttcgctt tctctactc tttggctgcc actggtcgtt acattttctt tcacaacaaa 600
 aaccgggaaa acaaccgggg cccactg 627

<210> 47
 <211> 998
 <212> DNA
 <213> Homo sapiens

<400> 47
 acctgggcac cgtgtcctat ggcgcccaga cgatggatga gatccagagc catgtcaggg 60
 actcctactc acagatgcag tctcaagctg gtggaaacaa tactggttca actccactaa 120
 gaaaagccca atcttcagct cccaaagtta ggaaaagtgt cagtagtcga atccatgaag 180
 ccgtgaaagc catcgtgctg tgtcacaacg tgaccccgct gtatgagtct cgggcccggc 240

ttactgagga	gactgagttc	gcagaggctg	accaagactt	cagtgatgag	aatcgcacct	300
accaggcttc	cagcccggtat	gaggtcgctc	tggtgcagtg	gacagagagt	gtgggcctca	360
cgctgggtcag	cagggacctc	acctccatgc	agctgaagac	ccccagtggc	caggtcctca	420
gcttctgcat	tctgcagctg	tttcccttca	cctccgagag	caagcggatg	ggcgatcatcg	480
tcagggatga	atccacggca	gaaatcacat	tctacatgaa	gggcgctgac	gtggccatgt	540
ctcctatcgt	gcagtataat	gactggctgg	aagaggagt	cggaacatg	gctcgcgaa	600
gactgcggac	cctcgtggtt	gcaaagaagg	cgttgacaga	ggagcagtag	caggactttg	660
aggtgagccg	actcccaggc	atccccatcct	cctacgacgg	tgccttcctt	acgctgaaat	720
tagttcttcc	tgtctttgta	tgaaattaga	gctgggatcg	ctatagtcta	ggagtgaagg	780
cagcttcgct	cagcaggagc	atggggggat	cctgtctgca	tttctgtttc	caccatttct	840
ccagcttgct	ggggaaggag	ggttacagaa	gcaaagaagt	gccagtttcc	ttagaattgt	900
gcttgataac	tcctcaatga	tcacacgcca	gccgagctga	gtacacataa	gagtatgtgc	960
acataggcgc	ctccccctct	gtccccagag	cccatgcg			998

<210> 48

<211> 864

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(864)

<223> n = a,t,c or g

<400> 48

tttttttttt	ttgagacaca	gtctggctat	gtcaccagg	ctgagtacag	tagcatgac	60
ctgggttctg	gcaacctcca	cctcccaggc	tcaagtgate	ctccacacct	agcctcctga	120
gtagctagga	ctacaggtac	gtgccacaac	acctggctaa	tttttttatt	ttttgtagag	180
acaaggggtct	ccctacgttg	tccaggctgg	acttgaactc	ctgggttcaa	gcgatacctac	240
caccttgggc	tcccacagca	ctgggggttac	aggcaggagc	cactgcacct	ggccctgtct	300
ttactgatgg	tcctgcccga	tgctcccac	acctaacctt	gggcacccac	tcccgaagct	360
ctcctactgg	ctgcagggtc	tgctctctgt	aggacagtga	agccgatgac	acgggaggtg	420
aagtogaagg	cgtctgctg	gccatcgtgg	atcactgaga	tgagtgggcg	gtccccgtag	480
ctggcccggtg	gcatgccacc	ctggaagatg	gtgaagggca	acccctgctt	agtggtcagc	540
cagaggattc	tggtaatcgc	tttgcaagga	aagggaacct	aaggcacgag	gctgcggagg	600
ggctctgggtt	gctgggcttc	gctggacacg	ggcccactgg	cagtagctgc	cgtcagagt	660
acagctgacg	agcaggcggc	cgtcccgtg	ccaccagatg	ttctccagtt	gctggctgct	720
gaggaagtgg	tagagcacgc	ggctgccttg	taggtcccag	atgacaacga	ggcctcggct	780
gtagccgac	aggatctgg	tggggctctc	aggtgcttcc	tgcatgcttt	caccatttng	840
aacaaacagc	cgggtgggggc	cctc				864

<210> 49

<211> 1327

<212> DNA

<213> Homo sapiens

<400> 49

tttcgtgagc	atttgagggc	tgtttatgat	ctatggggta	aaactctctg	actgactgga	60
------------	------------	------------	------------	------------	------------	----

tgaggaaaat	gaaatgcgag	aggggttgagc	ccaaggttca	ttcatctgct	caatcgaggc	120
cactcattct	ggccactgtg	tgccagatgc	tggggattct	gtcctcttgg	gagctgacgt	180
agcccagggtg	gtggctgtgg	gctgctggag	gtggggatcc	aggtggagga	gcaagtctag	240
ggaagtgtgc	tggggaggcc	ctctctgagg	aggtgacatg	ccagctgaga	tctgaatggc	300
aggaaggagt	ggccatgagg	acatgggtga	tgacagtctg	ggtagaaaga	tgaaggaggg	360
gaagcaggta	aggagttgtg	atctaattct	gggagccact	ggagggtgaa	agcagggatt	420
agaagtcagg	gattttacatt	ttaaagagat	cacctctggc	agggctttgt	taagagtggc	480
ctgcaagagg	ccaagcatgg	ttccaggggg	ccagttgcag	agggctgggtg	caggagccca	540
ggcaaggatt	acggggctca	gtcctgcctt	gtggggagca	agagtacacg	gctggattcc	600
agagctgcca	gcaggcctac	cccctggggc	ctgcctgtgg	cctctcatcc	ctgcctgtcc	660
cagtagacac	tgggggtggg	taagtgtctc	cgtgaagggg	gggccaggc	gattctgggt	720
ctggccctgt	gtctacaggg	gagcaccgtg	gcctgggcgc	tggcgtctcc	aaggtgcgga	780
gcctgaagat	ggacaggaag	gtgtggacag	aaacacttat	cgaggtgggg	atgcccctgc	840
ttgccaccga	tacttgggg	ctgccccatt	caacagctgt	ctgggtctcc	cagccccctc	900
cctatctcag	tgaccacagc	accttggagc	tggaaagaga	ccctttgtga	taatatagtg	960
ggtggggatt	tcgaaaaagc	aatttttggc	aaagtcagca	aactggccag	tgagctaaga	1020
atgtttttat	agttgtaaag	tgttattttt	ttttaagaa	aaaaaaagga	agaaaatgca	1080
gcagagactg	tatgtgttct	gtaaagccga	aaataattac	tatttcgccc	tttagagaaa	1140
gaatttgcta	actttctgatc	taattttcact	gtcatccatt	gaatagatgt	gtaaactgag	1200
gtcctgggca	gggctgtaat	ctgcctgaga	ttacctgtga	aatgcatatt	gaccaccatc	1260
cctgcctctt	tctgtcccac	ttctgaatga	cccagggcct	tctcccctac	cttgccacagc	1320
ctgtatt						1327

<210> 50

<211> 436

<212> DNA

<213> Homo sapiens

<400> 50

ctgtcgtgca	attccgagca	ggcactgctc	agtctgggtgc	ctgtgcagag	ggagctactt	60
cgaaggcgct	atcagtcag	ccctgccaa	ccagactcca	gcttctacaa	gggcctaggt	120
acctgccctt	cccagctgag	gctttctgag	ccccaccga	ccccagaca	cctcagcgta	180
gcctctgtct	cccatcacat	gttcccctct	catcgctccc	tttgcccaca	tcttccagac	240
ttcttcgccc	ccccattccc	atcagacaat	ctcccctaca	ccctccagtc	ccctttcccc	300
tcacctctct	cagctactcc	ctctgaccat	gctcttatcc	tccaccacag	acttaaattgg	360
gggccccagat	gaccctctgc	agcagacagg	ccagctcttc	gggggcctgg	tgcgtgatat	420
ccggcgccgc	tacccc					436

<210> 51

<211> 481

<212> DNA

<213> Homo sapiens

<400> 51

tgcctagca	gtaagttggt	tggcatgtgg	tgggcaggca	gggctggcag	tagtcggacc	60
acttcagtct	ccctgctctg	ccttccccag	caccattcgg	tgcctcgaac	ctcctgggtga	120
accccttggga	gccccaaaat	gcagataaga	tcaagatcaa	gatcgagac	ctgggcaacg	180
cctgctgggt	ggtatgagca	agtgtggggag	agcagagtgg	ggggccctgc	tccaaggggtg	240

gaggcacagg	gocgctcttg	gggagcccta	ccccagtcctg	cagtgcacgt	gaaccgtcgg	300
ctgggtgggc	actggtcctg	cccagtcac	agcactgggg	ccatggccaa	gggcaggggc	360
cactaggaag	ggatcagcct	cagcctcaga	tcactgggcc	tgccccctt	ggaggacctg	420
gggaccccga	ggctcacagc	aaaccccact	gagcttctcg	ggtaggcgga	tcgggggtggg	480
g						481

<210> 52

<211> 435

<212> DNA

<213> Homo sapiens

<400> 52

cccgggtcga	cccacgcgtc	cgagctcctc	gttgtggaga	caagatcaaa	aatcatatgt	60
atagaatgtg	actgtggctc	ccttaaagat	tgtgccagtg	atagatgttg	tgagacctct	120
tgtacctttt	ctcttggcag	tgtttgcaat	acaggacttt	gctgccataa	gtgtaaatat	180
gttgcctctg	gagtggtttg	cagagacttg	ggtggtatat	gtgatctacc	ggaataactgt	240
gatgggaaaa	aggaagagtg	tccaaatgac	atctacatcc	aggatggaac	cccatgttca	300
gcagtatctg	tttgtataag	aggaaaactgc	agtgaccgtg	atatgcagtg	tcaagccctt	360
tttggctacc	aagtgaaaga	cgggtcccca	gcgtgctatc	gaaaattgaa	taggattggg	420
aaccgatttg	gaacg					435

<210> 53

<211> 728

<212> DNA

<213> Homo sapiens

<400> 53

ccgggtcgac	ccacgcgtcc	ggacgccagt	ttagcccagg	tccacggact	acaatgtttc	60
gtattcctga	gtttaaatgg	tctccaatgc	accageggct	tctcactgat	ttactatttg	120
cattagaaac	tgatgtacat	gtttggagga	gcccattcta	caaagtctgt	aatggatttt	180
gtcaatagca	atgaaaatat	tatttttgta	cataacacaa	ttcacctcat	ttcccaaatg	240
gtagacaaca	tcatcattgc	ttgtggagga	attttacctt	tgctctctgc	tgctacatca	300
ccaactgggt	ctaagacgga	attggaaaat	attgaagtga	cacaaggcat	gtcagctgag	360
acagcagtaa	ctttcctcag	cgggtctgat	gctatggttg	atgtacttgt	gtttgcaagc	420
tctctaaatt	ttagtgagat	tgaagctgag	aaaaacatgt	cttctggagg	tttaatgcga	480
cagtgcctaa	aattagtttg	ttgtgttgct	gtgagaaact	gtttagaatg	tcggcaaaga	540
cagagagaca	ggggaaataa	atcttcccat	ggaagcagta	aacctcagga	agttcctcaa	600
agtgtgactg	ctacagcagc	ttcgaagact	ccattggaaa	atgttccagg	taacctttct	660
cctattaagg	atccggatag	acttcttcag	gatgttgata	tcaatcgcct	tcgtgctgtt	720
gtctttctg						728

<210> 54

<211> 2228

<212> DNA

<213> Homo sapiens

<400> 54

tttttttttt	ttcctgaaat	gtaaattggt	tttaatatat	ttaagagcac	acagaagtct	60
tgatttataa	aaaaataaat	atataacatg	acaaattttac	tgatgatcct	ggagctctga	120
ggtcaaactc	tttaaattgat	cagtgaatac	ataaaacatc	catgatctgt	taacacacac	180
aggagcatat	tccagttgta	aaaaacaaat	tccttgaagg	ctcagaacga	acaaaaatca	240
gtctttatgg	cagaaagcac	atccaaagct	aggcaatgaa	gttcagcctg	ggccacgtga	300
acctttcacc	agccagccta	taacctatgg	agccaggaca	ggaaagcatg	atccttcagc	360
tcatgacgcc	acccaggctt	ccagacaact	gcagaatgaa	agagtccttc	agaggctccc	420
cagcccttgc	tgccatcata	aagcacggga	gggattgttt	tgctccttagc	ggctctgtcc	480
taaatttgag	agcaggagac	tgagaagggt	atgctcatta	aattattgtca	ttgtaacacg	540
gaatggaaat	catgatcctt	gccccatggg	actgagctga	aagaaagagg	aacctcacat	600
gaggctttcc	tagagaccag	gatgttgggt	gagtgggctg	gcacttctca	agtgggcaag	660
gaagaactgc	ttttctccag	ctgacatgct	ctcaggggtg	aagaagttta	gcttaaaata	720
cctgatggcg	ctgcataaac	tggggatttg	ggaaactgag	ttttagctct	gtgacacaca	780
acataaaaaa	caaaaatcca	gtctcattag	ctaaattcgg	attaaaaatct	gaaatgtttt	840
tatggagttg	ccaacaggct	ggaatgtacc	tgatacaatt	taatctgctt	ttatttcttt	900
ggctgtcttc	caaaccactt	tcttctgtga	attcttaagt	tggctagttc	tccttctctca	960
gaaaaattac	ccctaagaat	cttcctaata	gtgaggggtg	acttccgaat	agaagagtcc	1020
tteggctgaa	atggcatctc	caaggcctac	agttcgaatg	gggtctttac	acaccaatac	1080
tggtgtgaag	tggaaggata	tccctctctc	gtgccattct	actactggct	tgtttgggtt	1140
taatacaatc	ctggagcctg	cctccgaatg	ggaagtcatt	aactcttggg	gtgccctcag	1200
agacactcgg	ctgggtgtct	tgggttctgt	ggcgagggcc	tgtgtcccag	ccacacgagc	1260
tctctcagcc	acggctgcca	gctgggtggc	ccagtgtcca	tcacagttg	ccaggatgtg	1320
gtagaccagc	gtgtggaaat	ggatcctggg	gagatccgag	gctctgcttt	tactcctccc	1380
atgttctttc	aagatccaga	agaggatgtc	actgaccatg	cccacatcag	gaacaccgtt	1440
ccaggaagag	agagaagagt	gaggtccaga	ggctgactgg	gtgagaaata	acagctcctg	1500
ttcattcagc	ccaagggag	tcaccgcggg	aaagacctgc	tgaaggaaac	atgctgtctca	1560
tgagctccct	gttagtcata	ctggcccagc	tctaggtgaa	actggaatac	cagtggggat	1620
gtcagaaatg	gaggttacaa	cctccaagag	tctcttcttc	tggagctcct	tgttttgtcc	1680
ctccatcatg	tgcaatccag	agaggccccc	caggtctggc	tgaaactcct	ccaggctaga	1740
cacaaacacc	tccagcatat	tcatggcccc	gttgagagg	tcgtgagaga	agatgaatcg	1800
gttggcatgg	ggagctttta	actggcccc	ctcctccctc	gcttgatact	ctaaaatgag	1860
gtggaactca	tccacttctc	gcaatgactc	tggtggaaca	aagacattgt	catcaagaag	1920
ctcatgtagc	tttggacca	ctggaccgca	aagaagaacc	tttaaactctg	agttggctgc	1980
aaatttctgt	ccaattaaag	ctgcatttcc	tctacatag	tgctgggctc	ctgggaactc	2040
tgacgcaacc	tgggcaatgt	cgtgaaaagt	ttccttatca	ctgaagaagc	gctcagcagc	2100
tgctcccttc	cccatgaagt	gaatgaaggc	ttcttccaga	tcattecttg	aatgcagaat	2160
gctgtgatct	ttcccattcc	caggactaag	gccaaagtgc	tgcaagagct	tcacccctga	2220
ggaattca						2228

<210> 55

<211> 405

<212> DNA

<213> Homo sapiens

<400> 55

gcaggagttc	aagaccaacg	tggccaacat	ggggaaagcc	catcactact	aaaaatacaa	60
aaactagcca	ggcgtgggtg	cacacatctg	taatcccagc	tactcgaggc	gctgaggcag	120
gagaatcact	tgaaccagga	ggcagagggt	gcagtgaagg	gagatcatgc	cactgcactc	180
cagcctgggc	cacagagcaa	gactccatct	gacaactagc	tgttcagcc	cccagccact	240

tgagtcatct	cagctgaggg	cccacacacc	aagaagcaga	ggtgagtcta	atccacagag	300
ccctgggtcag	acatgatgac	ggtgggttca	cccgggggtc	tccgcacagc	agcggcctcg	360
ggtaagcaga	acctcgctcc	gggggtttaca	aatccttctt	cgtgc		405

<210> 56
 <211> 1652
 <212> DNA
 <213> Homo sapiens

<400> 56

actaggggag	gtgctcaagt	gccagcaggg	cgtatccagt	ctggcctttg	ccctggcctt	60
cttgacagcg	atggacatga	agcgcgtggg	ggtcctgggg	ctgccggccc	ctacggctcc	120
ctcgggctgt	ctttccttct	gggaggccaa	ggcgcagctg	gccaaagagct	gcaagggtgt	180
ggtagacgcg	cttcgacaca	acgcgcgcgc	tgctgtgcca	ttttttggcg	gcggtgtctgt	240
gctacgcgct	gccgagccgg	ctcccatgct	cagctacggc	ggcatcgtct	cgggtggagac	300
agacctgctg	cagtgggtgc	tggagtcggg	cagcatcccc	atcctgtgcc	ccatcgggga	360
gacggccgcg	cgccgctccg	tgcttctcga	ctccctggag	gtgaccgcgt	cgctggccaa	420
ggcgctgcgg	cccacaaaaa	tcattcttct	caataacaca	ggcgccctgc	gcgacagcag	480
tcataaggct	ctgagtaacg	tgaacctgcc	cgccgacctg	gacctggtgt	gcaacgcgca	540
gtgggtgagc	acaaaagaac	ggcagcagat	gcggctcatc	gtggacgtgc	tcagccgcct	600
gccccaccac	tcctcggccg	tcataccgcg	cgctagcacg	ctgctcactg	agctctttag	660
caacaagggg	tcggggaccc	tgttcaagaa	cgccgagcga	atgctacggg	tgcgcagcct	720
ggacaagctg	gaccagggcc	gtctagtggg	cctgggtcaac	gccagcttcg	gcaagaagct	780
cagggacgac	tacctggcct	cgctgcgcgc	gcggctgcac	tcacatctacg	tctccgaggg	840
gtacaacgcc	gccgccattc	tgaccatgga	gcccgtcctg	gggggcaccc	cgtacctgga	900
caaatttctg	gtgagctcca	gccgccaggg	ccaaggctcc	ggccagatgc	tgtgggagtg	960
cctgcggcgg	gaccttcaga	cacttttctg	gcgctcccgg	gtcaccaacc	ccatcaatcc	1020
ctgggtacttc	aaacacagtg	atggcagctt	ctccaacaag	cagtggatct	tcttctgggt	1080
tggcctgggt	gatatccggg	actcctatga	gttgggtcaac	cacgccaagg	gactgccaga	1140
ctcctttcac	aagccagctt	ctgacccagg	cagctgaccc	tcaccatgga	cactacaggc	1200
cctggaatgg	ccagggtgga	ccaaaagcca	tgcccagctg	ggcatgaccc	caggcagcca	1260
gccacaggct	gaagggggct	tggttggtga	gtgatctgca	gaggagaaag	cagccccccag	1320
ctctgccccca	gaggaggcgc	tgaagtggga	caagcacagg	aaagaagggg	accagtctag	1380
gacccccact	tgactcacte	taaagctaca	accaaattggc	cttcgatttt	caacctgggg	1440
attaggggag	gggagggtgc	cttcacaggg	tcttactcag	gacttaaccc	ttaaggggtga	1500
gcttagtttc	tgctctcttg	tgcttatgtt	ttgaggtccc	cttaccctaaa	ataatacccc	1560
tgccctgcgtg	atattctacc	attcatttta	attccttttg	gtcttgagct	ttttcaggag	1620
gccttgatta	aaatgcaaat	acttgcctga	ga			1652

<210> 57
 <211> 1129
 <212> DNA
 <213> Homo sapiens

<400> 57

tttttttttt	ttgagacgga	gtctcgctct	gtggcccagg	ctggagtgca	gtggcgcgat	60
ctcgggtcac	tgcaagctcc	gcctcccggg	ttcaagccat	tctcctgcct	cagcctcccg	120
agtagctggg	actacaggcg	cccgcctacca	cgcccggcta	attttttgta	tttttagtag	180

agacgggggtt	tcaccgtggt	agccaggatg	gtctcgatct	cctgacctcg	tgatccgccc	240
gcctcggcct	cccaaagtgc	tgggattaca	ggcgtgagcc	accgcgccc	gcccatttac	300
taaatgttaa	gttccttata	attccatctc	tttcagcacc	caatacaggg	gtttacatag	360
aggaagtact	caatatttcc	tttctttttt	tctttttttt	ctggagatag	tctcgctctg	420
tcaccaggct	ggagtgcagt	ggcgtaatct	cggtcactg	caacctccac	ctcctggggt	480
cacgccattc	tctgacctca	gcctcccag	tagctgggac	tacaggcgcc	caccatcacg	540
cccggtaat	tttttttgta	tttttagtag	agatgggggt	tcaccgtggt	agccaggatg	600
gtctcgatct	cctgaccttg	tgatccgccc	gcctcggcct	cccaaagtgc	tgggattaca	660
ggtgtgagcc	accgcgccc	gcctaaaaaa	attttttttt	tcttgagaca	aagtcttgct	720
ctgttgccca	ggctgaagtg	caggggcatg	atatcagctc	attgcaacct	ccacctcccg	780
ggttcaagcg	attctcctgc	ctcagcctcc	cgagttagctg	ggattacagg	tgccctccgc	840
cacgtccagc	taattttctg	ttttttagta	gagacgggg	ttcaccgtgt	tagccaggat	900
ggtctcgatc	tctgacctc	gtgatccacc	tgctcagcc	tcccaaagtg	ctgggattac	960
aggcgtgagc	cactgagccc	agccccattt	tatttcattt	ctctaacagc	aatgatatat	1020
atacatccca	tagtatatcc	tactgatata	atagcccctt	tccccattca	acacctgtgt	1080
aatcaggaaa	taaaacctc	gtgcagcatt	ggcgtctgga	tagtctctg		1129

<210> 58

<211> 475

<212> DNA

<213> Homo sapiens

<400> 58

gttccgccc	attggcataa	tacgccaagc	cctgtgctct	gcagacggcc	accagagaag	60
gatecttact	ctgcgcctgg	gattgctcgt	tatcccgttt	ctccccgcaa	gtaacctgtt	120
cttccgagtg	ggcttcgtgg	tcccagagcg	gggggtgctgt	gtgatgctgc	tttttggtt	180
cggagcctgc	gcaaacacac	cgagaaaaag	aagctcatcg	ctgccgtggt	gctgggaatc	240
ctactcagca	agatgctgag	aggctgagat	gcgcgggtgc	cggcggcgag	tgccggagcg	300
aggggcgggt	ttcagagggc	ctgtgtctgt	gtgtcccctc	agtgtgagg	ttcgctgcaa	360
catcggcaga	aacctggctg	ctaaaggcaa	ccaaacgggc	gccatcagat	accaccggga	420
agctgtaagc	ttaaatccca	agacgaaatc	gtcgacacgg	gaattccggc	cttgc	475

<210> 59

<211> 711

<212> DNA

<213> Homo sapiens

<400> 59

ggaaaaatagc	agatttttggg	ttcagtaacc	tcttcaactcc	tgggcagctg	ctgaagacct	60
ggtgtggcag	ccctccctat	gctgcacctg	aactctttga	aggaaaagaa	tatgatgggc	120
ccaaagtgga	catctggagc	cttggagttg	tctctacgt	gcttgtgtgc	ggtgccctgc	180
catttgatgg	aagcacactg	cagaatctgc	gggcccgcgt	gctgagtgga	aagttccgca	240
tcccattttt	tatgtccaca	gaatgtgagc	atttgatccg	ccatatgttg	gtgttagatc	300
ccaataagcg	cctctccatg	gagcagatct	gcaagcacia	gtggatgaag	ctaggggacg	360
ccgatcccaa	ctttgacagg	ttaatagctg	aatgccaaaca	actaaaggaa	gaaagacagg	420
tggaccccc	gaatgaggat	gtcctcttgg	ccatggagga	catgggactg	gacaaagaac	480
agacactgca	gtcattaaga	tcagatgcct	atgatcacta	tagtgcaatc	tacagcctgc	540
tgtgtgatcg	acataagaga	cataaaaccc	tgcgtctcgg	agcacttcc	agcatgcccc	600

gagccctggg cctttcaagc accagtcaat atccaggcgg agcaggcagg tactgctatg 660
 aacatcagcg ttccccaggt gcagctgac aaccagaga accaaattgt g 711

<210> 60
 <211> 344
 <212> DNA
 <213> Homo sapiens

<400> 60
 ggcacgagaa tttttaggcc accgagcttc tataacatgg tcatgagctc ggggtgcacca 60
 tagatttccc aaagctgagg ttgcataacc cctctgctga ggacagatct taccgaagat 120
 cgcacgaagt gctgccatgg agatctgctt gaatgcgctg atgacagggc agaccttgct 180
 gaggatatct gggaaaatca agattcaatc tccactatac tgattgaatg ctgtgaaaaa 240
 cctctgttgg aaaaatccca ctgcattgcc gaagtggaaa atgatgagat gcctgctgac 300
 ttgccttcat tagctgctga ttttgttgaa agtaaggatg tttg 344

<210> 61
 <211> 594
 <212> DNA
 <213> Homo sapiens

<400> 61
 gcttgagctc gagcgacggc gctggcggag acgccggctg ctctctccct ccccgccgct 60
 tttcctaaaa ggattgtaca ccttagaagt gcttaaggaa gagtgatgaa gctctgaatc 120
 gtgtcctgca gcagattctg agtgccaccc aagatgaaga gagggacaag cttgcatagt 180
 aggcggggca agccagaggc cccaaaggga agtccccaaa tcaacaggaa gtctggtcag 240
 gagatgacag ctgttatgca gtcaggccga cccaggctct catccacaac tgatgcacct 300
 accggctctg ctatgatgga aatagcttgt gctgctgctg ctgctgctgc tgcattgtcta 360
 ccaggagagg agggaaactgc ggagcggatc gaacggttgg aagtaagcag ccttgcccaa 420
 acatccagtg cagtggcctc cagtaccgat ggcagcatcc acacagactc tgtggatgga 480
 acaccagacc ctgagcgcac aaaggctgcc attgctcacc tgcagcagaa gatcctgaag 540
 ctacagaac aaatcaagat tgcacaaaca gcccgacgaa atcgtcgacc cggg 594

<210> 62
 <211> 1609
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(1609)
 <223> n = a,t,c or g

<400> 62

cgaagttatg	gccttcctta	taaggaaaag	gggtggattg	gaggaatcgc	caattgaagt	60
ttcgaaggat	cgcttttagct	gaatatcaga	gaaccttggtg	aagatcttaa	agagcaacta	120
aagcataaag	aatttcttct	ggctgctaata	acttgtaacc	gtgttggtgg	tctttgtttg	180
aaatgtgctc	agcatgaagc	tgttctttcc	caaaccata	ctaattgttca	tatgcagacc	240
atcgaaagac	tggttaaaga	aagagatgac	ttgatgtctg	cactagtctc	cgtaaggagc	300
agcttggcag	atacgagca	aagagaagca	agtgtctatg	aacaggtgaa	acaagttttg	360
caaatactctg	aggaagccaa	ttttgaaaaa	accaaggctt	taatccagt	tgaccagtgtg	420
aggaaggagc	tggagaggca	ggcggagcga	cttgaaaaag	aacttgcac	tcagcaagag	480
aaaagggcca	ttgagaaaga	catgatgaaa	aaggaaataa	cgaaagaaag	ggagtacatg	540
ggatcaaaga	tgttgatctt	gtctcagaat	attgcccaac	tggaggccca	ggtggaaaag	600
gttacaagg	aaaagatttc	agctattaat	caactggagg	aaattcagag	ccagctggct	660
tctcgggaaa	tggatgtcac	aaaggtgtgt	ggagaaatgc	gctatcagct	gaataaaacc	720
aacatggaga	aggatgaggc	agaaaaggag	cacagagagt	tcagagcaaa	aactaacagg	780
gatcttgaaa	ttaaagatca	ggaaatagag	aaattgagaa	tagaactgga	tgaaagcaaa	840
caacacttgg	aacaggagca	gcagaaggca	gccctggcca	gagaggagt	cctgagacta	900
acagaactgc	tgggcgaatc	tgagcaccaa	ctgcacctca	ccagacagga	aaaagatagc	960
attcagcaga	gcttttagcaa	ggaagcaaa	gccaagccc	ttcaggccca	gcaaagagag	1020
caggagctga	cacagaagat	acagcaaatg	gaggcccagc	atgacaaaac	tgaaaatgaa	1080
cagtatttgt	tgctgacctc	ccagaataca	tttttgacaa	agttaaagga	agaatgctgt	1140
acattagcca	agaaactgga	acaaatctct	caaaaaacca	gatctgaaat	agctcaactc	1200
agtcaagaaa	aaaggtatac	atatgataaa	ttgggaaagt	tacagagaag	aatgaagaa	1260
ttggaggaac	agtgtgtcca	gcatgggagg	agtacatgag	acgatgaagc	aaaggctaag	1320
gcaggtggat	aagcacaggc	aggccacagc	ccaggagggtg	gtgcagggtcc	ccagaagcag	1380
gaccngcttc	tccnggaga	gggagggngct	gtcggaagag	gtgggnccgn	cttggggngcc	1440
nngttaccca	gnatnncaa	tcttttttgg	ttgaccgggt	tggacagggt	ggacttnant	1500
gttttncaaa	ggngnttttt	cattccanct	tgttttngct	taatttngcn	caacgnaccc	1560
acggcctncc	cggnntgaaa	ccccccnccc	tgaggggggg	ttntcccc		1609

<210> 63

<211> 615

<212> DNA

<213> Homo sapiens

<400> 63

cactctatcc	cgtgtgggtg	aattcgccgc	tgactgctga	ggtgccaccc	gagctgctgg	60
ctgctgccgg	cttcttccac	acaggccatc	aggacaaggt	gaggtgcttc	ttctgctatg	120
ggggcctgca	gagctggaag	cgcggggacg	acccctggac	ggagcatgcc	aagtgggtcc	180
ccagctgtca	gttctgtctc	cggtcaaaag	gaagagactt	tgtccacagt	gtgcaggaga	240
ctcactccca	gctgctgggc	tcttgggacc	cgtgggaaga	accggaagac	gcagccctg	300
tggcccccctc	cgctccctgcc	tctgggtacc	ctgagctgcc	cacacccagg	agagagggtcc	360
agtctgaaag	tgcccaggag	ccaggagggg	tcagtccagc	cgaggcccag	agggcggtgt	420
gggttcttga	gccccagga	gccagggatg	tggaggcgca	gctgcggcgg	ctgcaggagg	480
agaggacgtg	caaggtgtgc	ctggaccgcg	ccgtgtccat	cgtctttgtg	ccgtgcggcc	540
acctggtctg	tggctgagtg	tgcccccggc	ctgcagctgt	gccccatctg	gcagaagccc	600
ccgtcccgca	gccgg					615

<210> 64

<211> 839

<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(839)
<223> n = a,t,c or g

<400> 64

aagaatgtct	ggaagagatg	gaagaaaagg	ttttttgtat	tgggtgcaggt	cattcagtac	60
acgtttgcca	tgtgcagtta	tcgggagaag	aaagcggagc	ctcaggaact	tctacaattg	120
gatggctaca	ctgtggatta	caccgacccc	cagccagggt	tggagggtgg	ccgagccttc	180
ttcaatgctg	tcaaggaggg	agacaccgtg	atatttgcca	gtgacgatga	acaagaccgc	240
atcctgtggg	tccaggccat	gtatcggggc	acggggcagt	cacacaagcc	tgtgcccccg	300
acccaagtcc	agaaactcaa	cgccaaggga	ggaaatgtac	ctcagctgga	tgccccctatc	360
tctcaatttt	acgcagatag	agctcaaaaa	catggcatgg	atgaatttat	ctcttccaac	420
ccctgtaact	ttgaccacgc	ttccctcttt	gagatggtag	aacgccttac	tttggatcac	480
agacttaatg	attcctattc	ttgcctgggc	tggttcagtc	ctggccaggt	gtttgtacta	540
gacgagtatt	gcgcccgaag	tggagtccgg	gggtgtcacc	gacatctctg	ctacctcaga	600
gacttgcttg	aacgggcaga	aaatggcgcc	atgatcgacc	ccacccttnt	tcactacagc	660
tttgccctct	gtgcatccca	tgtccatggg	aacaggcctg	atggaattgg	gaactgttga	720
ctgttgaaga	aaaggaacgt	tttttgaagg	aaatcaaaag	aggaggnttc	cgnagtctctg	780
ctaagaaaaa	tcaggttaca	acatttttagg	naattgcttt	tcccatttgg	gtcgaacct	839

<210> 65
<211> 1678
<212> DNA
<213> Homo sapiens

<400> 65

caagcagctg	atcgtgctgg	gaaacaaagt	ggacctcctg	ccccaggatg	ctcctggcta	60
ccggcagagg	ctgcgggagc	gactgtggga	ggactgtgcc	cgcgcggggc	tcctgctggc	120
ccctggccac	caagggccac	agcgccccgt	caaggacgag	ccacaggacg	gggagaatcc	180
gaatccgccg	aactggtccc	gcacagtggg	cagggacgtg	cggctgatca	gcgccaagac	240
cggctatgga	gtggaagagt	tgatctctgc	ccttcagcgc	tcctggcgct	accgtgggga	300
cgtctactta	gtgggcgcca	ccaacgcggg	caaatccact	ctctttaaca	cgtcctgga	360
gtccgattac	tgcactgcca	agggctccga	ggccatcgac	agagccacca	tctccccttg	420
gccagggtact	acattaaaacc	ttctgaagtt	tcctatttgc	aacccaactc	cttacagaat	480
gtttaaaagg	catcaaagac	ttaaaaaaga	ttcaactcaa	gctgaagaag	atcttagtga	540
gcaagaacaa	aatcagctta	atgtcctcaa	aaagcatggt	tatgtcgtag	gaagagttgg	600
aaggacattc	ttgtattcag	agaacagaa	ggataacatt	ccctttgagt	ttgatgctga	660
ttcacttgcc	tttgacatgg	aaaatgacct	tgttatgggt	acacacaaat	ccaccaaaaca	720
agtagaattg	actgcacaag	atgtgaaaga	tgcccactgg	ttttatgaca	ccccggaat	780
tacaaaagaa	aattgtattt	taaatcttct	aacagaaaaa	gaagtaaata	ttgttttgcc	840
aacacagtcc	attgtttccaa	gaacttttgt	gcttaaaacca	ggaatgggtc	tgtttttggg	900
tgctataggc	cgcatagatt	tcctgcaggg	aaatcagtca	gcttggttta	cagtcgtggc	960
ttccaacatc	ctccctgtgc	atatcacctc	cttggacagg	gcagacgctc	tgtatcagaa	1020
gcatgcagggt	catacgttac	tccagattcc	aatgggtgga	aaagaacgaa	tggcaggatt	1080
tcctcctctt	gttgctgaag	acattatggt	aaaagaagga	ctgggggcat	ctgaagcagt	1140
ggccgacatc	aagttttcct	ctgcagggtg	ggtttcagta	acacctaat	ttaaggacag	1200
actgcacttc	cagggtata	cacctgaagg	aacagttttg	accgtccggc	ccccctctct	1260
gccatatatt	gttaacatca	aaggacagcg	catcaagaaa	agtgtggcct	ataaaaacaa	1320

gaagcctcct	tcccttatgt	acaacgtgag	gaagaagaaa	ggaaagataa	atgtatgaga	1380
ccgaccttgt	tcactccaga	tattaactgt	attgaacaca	acaaaataca	ttgaatttgt	1440
attaaacata	taacgcataa	ataaagctcc	cattcttacc	cttaaaaata	aaaggagaat	1500
gaaaaaaaaa	gatgccataa	ggcataatcy	tggttttggg	tattccgggg	tcttccccgtg	1560
gtctgttcac	tttgcggtgg	tggtgatata	ttaggcagtc	ggggcgctg	atgtacgcct	1620
tcttatagag	gtacatgggt	ggatgcagcg	tcttgacgtg	ggattcgctt	tattcgcc	1678

<210> 66
 <211> 1888
 <212> DNA
 <213> Homo sapiens

<400> 66						
tccacgggtg	catccatgat	gcacgtcag	gagactgtgg	agtgtttg	caagttcaat	60
gcccggagaa	aactgaagg	tgccatcctc	acgacatgc	ttgtctccag	gaacttctca	120
gctgccaaaa	gcctattgaa	caagaagtcg	gatggcggtg	tcaagccaca	gagcaacaac	180
aaaaacagtc	tcgtaagccc	agcccaagag	cccgcgcct	tgagacggc	catggagcca	240
caaaccactg	tggtacacaa	cgctacagat	gggatcaagg	gctccacaga	gagctgcaac	300
accaccacag	aagatgagga	cctcaaagct	gccccgctcc	gcactgggaa	tggcagctcg	360
gtgcctgaag	gacggagctc	ccgggacaga	acagccccct	ctgcaggcat	gcagccccag	420
ccttctctct	gctcctcagc	catgcgaaaa	caggagatca	ttaagattac	agaacagctg	480
attgaagcca	tcaacaatgg	ggactttgag	gcttacacga	agatttgtga	tccaggcctc	540
acttcctttg	agcctgaggc	ccttggtaac	ctcgtggagg	ggatggattt	ccataagttt	600
tacttttgaga	atctcctgtc	caagaacagc	aagcctatcc	ataccaccat	cctaaaccca	660
cacgtccacg	tgattgggga	ggacgcagcg	tgcatcgctt	acatccgcct	caccagtac	720
atcgacgggc	agggctcgcc	ttcgaaacca	gccaaagtcag	aagaagaccc	gggtctggca	780
cccgtcgga	atggcaagtg	gctcaatgtc	cactatcact	gctcaggggc	cccctgccc	840
caccgctgca	gtgagctcag	ccacaggggc	ttttaggaga	ttccagccgg	aggtccgaac	900
cttcgcagcc	agtggctctg	gagggcctga	gtgacagcgg	ccagtcctgt	ttgtttgaag	960
gtttaaaaa	attcaattac	aaaagcggca	agcagccaat	gcacgcccc	gcagtcagcc	1020
ctcccgccc	cccttcgtgt	ctgtctctgc	tgtaccgagg	tgttttttac	atttaagaaa	1080
aaaaaaaaa	aaaaaaagat	tgtttaaaaa	aaaaaggaat	ccataccatg	atgcgtttta	1140
aaaccaccga	cagcccttgg	gttggcaaga	aggcaggagt	atgtatgagg	tccatcctgg	1200
catgagcagt	ggctcaccga	ccggccttga	agaggtgagc	ttggcctctc	tggtcccat	1260
ggacttaggg	ggaccaggca	agaactctga	cagagctttg	ggggccgtga	tgtgattgca	1320
gctcctgagg	tgccctgctt	accccaggtc	taggaatgaa	cttcttttga	acttgcatag	1380
gcgcctagaa	tggggctgat	gagaacatcg	tgaccatcag	acctacttgg	gagagaacgc	1440
agagctccca	gcctgctgtg	gaggcagctg	agaagtgggtg	gcctcaggac	tgagagccc	1500
gacgttgctg	tactgtcttg	tttagtgtag	aaggggaagag	aattgggtgct	gcagaagtgt	1560
acccgccatg	aagccgatga	gaaacctcgt	gttagtctga	catgcactca	ctcatccatt	1620
tctataggat	gcacaatgca	tgtgggccc	aatattgagg	ccttatccct	gcagctagga	1680
gggggagggg	ttgttgctgc	tttgcttctg	gttttcttct	aacctgggca	aggagagagc	1740
caggccctgg	gcaaggctcc	cgtgcgcct	ttgggttctt	tgttttcttg	ttgcttgatc	1800
tggaccatct	ttgtctttgc	cttttcacgg	tagggctccc	atgctgaccc	tcactctggg	1860
cctgggcctc	ttgccaaagt	tgcccctg				1888

<210> 67
 <211> 1712
 <212> DNA
 <213> Homo sapiens

<400> 67

ctttacccaa	gaatgtggta	ttcgtgcttg	acagcagtg	ttctatgggtg	ggaaccaa	60
tccggcagac	caaggatgcc	ctcttcacaa	ttctccatga	cctccgaccc	caggaccgtt	120
tcagtatcat	tggattttcc	aaccggatca	aagtatggaa	ggaccacttg	atatcagtca	180
ctccagacag	catcagggat	gggaaagtgt	acattcacca	tatgtcacc	actggaggca	240
cagacatcaa	cggggcccgtg	cagagggcca	tcaggctcct	caacaagtac	gtggcccaca	300
gtggcattgg	agaccggaga	gtgtccctca	tcgtcttcct	gacggatggg	aagccccagg	360
tcggggagac	gcacaccctc	aagatccctca	acaacacccg	agaggccgcc	cgaggccaag	420
tctgcatctt	caccattggc	atcggaacg	acgtggactt	caggctgctg	gagaaactgt	480
cgctggagaa	ctgtggcctc	acacggcgcg	tgcacgagga	ggaggacgca	ggctcgcagc	540
tcacgggtt	ctacgatgaa	atcaggaccc	cgctcctctc	tgacatccgc	atcgattatc	600
ccccagctc	agtgggtgcag	gccaccaaga	ccctgttccc	caactacttc	aacggctcgg	660
agatcatcat	tgcggggaag	ctggtggaca	ggaagctgga	tcacctgcac	gtggaggtca	720
cggccagcaa	cagtaagaaa	ttcatcatcc	tgaagacaga	tgtgcctgtg	cggcctcaga	780
aggcagggaa	agatgtcaca	ggaagcccca	ggcctggagg	cgatggagag	ggggacacca	840
accacatcga	gcgtctctgg	agctacctca	ccacaaagga	gctgctgagc	tcctggtctg	900
aaagtgcga	tgaaccggag	aaggagcggc	tgcggcagcg	ggcccaggcc	ctggctgtga	960
gctaccgctt	ctcactccc	ttcacctcca	tgaagctgag	ggggccggtc	ccacgcattg	1020
atggcctgga	ggaggccac	ggcatgtcgg	ctgccatggg	acccgaaccg	gtggtgcaga	1080
gcgtgcgagg	agctggcacg	cagccaggac	ctttgctcaa	gaagccatac	cagccaagaa	1140
ttaaaatctc	taaaacatca	gtggatgggtg	atccccactt	tgttggtgat	ttccccctga	1200
gcagactcac	cgtgtgcttc	aacattgatg	ggcagcccgg	ggacatcctc	aggctggtct	1260
ctgatcacag	ggactctggt	gtcacagtga	acggagagtt	aattggggca	cccgcctctc	1320
caaattggcca	caagaaacag	cgcacttact	tgcgcactat	caccatcctc	atcaacaagc	1380
cagagagatc	ttatctcgag	atcacaccga	gcagagtcac	cttggatggt	ggggacagac	1440
tggtgctccc	ctgcaaccag	agtgtgggtg	tggggagctg	ggggctggag	gtgtccgtgt	1500
ctgccaaacg	caatgtcacc	gtcaccatcc	agggtcccat	agcctttgtc	atcctcctcc	1560
acctctacaa	aaagccggcg	cccttcacag	gacaccacct	gggtttctac	attgccaaca	1620
gcgagggcct	ttccagcaac	tgcaggggtc	tctgtgagtc	tggcatcctg	attcaggaac	1680
tgaccagca	gtccgtggca	gttgctggtc	ga			1712

<210> 68

<211> 839

<212> DNA

<213> Homo sapiens

<400> 68

gttttttctc	gagcaggtta	gccaatatac	ctttgctatg	tgcagttata	gagaaaagaa	60
gtctgaacca	caagaattaa	tgcagcttga	aggctatact	gtggattata	ccgatcccca	120
cccaggcctt	cagggtggtt	gtatgttctt	taatgctggt	aaagaaggag	atactgtaat	180
ctttgccagt	gatgatgaac	aggacagaat	attatgggtt	caagccatgt	atagggccac	240
aggatcaatca	tataaaccag	ttcctgcaat	tcaaaccacg	aaactgaatc	ctaaaggagg	300
aactctccat	gcagatgctc	agctttatgc	agatcgtttt	cagaaacatg	gtatggatga	360
gtttatttct	gcaaaccctt	gcaagcttga	tcatgccttc	ctttttagaa	tactccagag	420
gcagactttg	gatcacagac	tgaatgattc	ctattcttgc	ttgggatggt	ttagccctgg	480
ccaagtcttt	gtgttagatg	agtactgtgc	ccgttatggt	gtgagaggct	gtcacagaca	540
tctctgctac	cttgcaaac	tgatggaaca	ttcagaaaaat	ggtgctgtca	ttgaccctac	600
cctgctccat	tacagctttg	cattctgtgc	ctctcgatgt	gcacggcaac	aggcctgatg	660
gaattgggac	tgtttcagtg	gaagaaaaag	aaagatttga	ggagataaaa	gagagactct	720
cttccctttt	agaaaaatcag	ataagccatt	tcagatactg	ttttcccttt	ggacgacctg	780
aagggtgctct	aaaagctaca	ctttcattac	ttgaaagggt	tttaatgaaa	gatattgcc	839

<210> 69
 <211> 801
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(801)
 <223> n = a,t,c or g

<400> 69
 agacgggctg ctccatgagg tgctgaacgg gctcctagat cgccctgact gggaggaagc 60
 tgtgaagatg cctgtgggca tcctccctcg cggctcgggc aacgcgctgg ccggagcagt 120
 gaaccagcac gggggatttg agccagccct gggcctcgac ctgttgctca actgctcact 180
 gttgctgtgc cggggtgggtg gccaccact ggacctgctc tccgtgacgc tggcctcggg 240
 ctcccgtgtt ttctccttcc tgtctgtggc ctggggcttc gtgtcagatg tggatatcca 300
 gagegagcgc ttcagggcct tgggcagtgc ccgcttcaca ctgggcacgg tgctgggcct 360
 cgccacactg cacacctacc gcggacgcct ctccctacctc cccgccactg tggaacctgc 420
 ctgcccacc cctgcccata gcctgcctcg tgccaagtcg gagctgacct taaccccaga 480
 cccagccccg cccatggccc actcaccctt gcatcgcttct gtgtctgacc tgccctcttc 540
 cctgccccag cctgcccctg cctctcctgg ctgcccagaa cccctgccc tctgtccct 600
 caacgggtggg ggcccagagc tggctgggga ctgggggtggg gctggggatg ctccactgtc 660
 cccggaccca cagctgtctt cacctcctgg ctctcccaag gcagctctac actcaccctg 720
 ctaaaaaaag gccccgtaa ttcccccgca catgnnnccc cgctctagag gatcaagcaa 780
 ctacgcggcg gctcacgacg c 801

<210> 70
 <211> 531
 <212> DNA
 <213> Homo sapiens

<400> 70
 agaagggtgt cccaaccttg ctcatggcag ctggcagctt ctatgacatt ctggccatca 60
 ctggcttcaa cacatgcttg ggcatagcct tttccacagg ctctactgtc tttaatgtcc 120
 tcagaggagt tttggagggtg gtaattgggtg tggcaactgg atctgttctt ggatttttca 180
 ttcagtactt tccaagccgt gaccaggaca aacttgtgtg taagagaaca ttccttgtgt 240
 tgggggttgct tgtgctagct gtgttcagca gtgtgcattt tggtttccct ggatcaggag 300
 gactgtgcac gttgggtcatg gctttccttg caggcatggg atggaccagc gaaaaggcag 360
 aggttgaaaa gataattgca gttgcctggg acatttttca gccccttctt tttggactaa 420
 ttgggagcag aggtatctat ttgcatctct cagaccagaa actgtaggcc tttgtgttgc 480
 caccgtagggc atttgacagta ttgatacgaa tttttgacta cattttctga a 531

<210> 71
 <211> 540
 <212> DNA

<213> Homo sapiens

<400> 71

tgtgcgagga	attcgaatca	ggtaatggag	aggactggca	tgaagggggc	acaggactgt	60
gaaaacctga	gtgattctgt	ccttccctca	tctctatcc	ctgaaccagg	gcagacatag	120
atggaatcag	agcaggagtt	ggtggtgatg	tggtttcagg	tccacctatc	agagtttgag	180
agatttaggc	catgaaccat	tatgaatata	gatgagaacc	tttgtaattg	ctgaaggagg	240
tagtagtgca	ggcaagtcct	gtgtgcaaga	cctgctgctc	ccagttagta	cggacccttg	300
tgacattcac	agaagttcag	aatgtctgag	atgctctgca	ggctacctta	tctccgtctg	360
cagctacacc	tccagtgatc	acaatcagtg	ctacgctggc	acagccagcc	tggccctgct	420
ctggattgga	ggcctcctca	agggctgctt	gctgtggaag	cagtttcgct	ggaccgagag	480
gagccactgg	aattttgggt	actgggcctt	atggtcaccc	gggaatggga	atggctgctg	540

<210> 72

<211> 428

<212> DNA

<213> Homo sapiens

<400> 72

cggacgcgtc	cgcccacgcg	tccgcccacg	cgtccgctag	aaatttctgt	ggaactccat	60
ttgactttct	atctgtgaaa	tccaaactgt	ctctgaagaa	ataagaaaaa	tagtgttttg	120
acttttagga	gacaactatg	tttattattt	tgccttgcaa	attaatgtct	aaatttgtag	180
aagcacctat	ctacagatgt	ttccaggtaa	accatcatgt	tttatgtgta	aaggtagatt	240
gatgtgcatt	tactttatac	tttgggtact	aggccattac	acatctttgc	actggaattg	300
gtgcagatat	ataagtgate	ctaattgttg	tgctgcccag	accccaggaa	tgagaggtg	360
agcatgacac	acacagtccc	tgccctgatg	gagctcatag	actagtgaag	gaatagggct	420
ctatgacc						428

<210> 73

<211> 584

<212> DNA

<213> Homo sapiens

<400> 73

gctggagtca	ttgcctgggt	tcaaagagat	tgtgagcagg	ggagtaaaag	tggattactt	60
gactccagac	ttccctagtc	tctcgtatcc	caattattat	accctaata	ctggccgccca	120
ttgtgaagtc	catcagatga	tcgggaacta	catgtgggac	cccaccacca	acaagtcctt	180
tgacattggc	gtcaacaaag	acagcctaata	gcctctctgg	tggaaatgat	cagaacctct	240
gtgggtcact	ctgaccaagg	ccaaaaggaa	ggtctacatg	tactactggc	caggctgtga	300
ggttgagatt	ctgggtgtca	gacctaccta	ctgcctagaa	tataaaaaatg	tcccaacgga	360
tatcaatttt	gccaatgcag	tcagcgatgc	tcttgactcc	ttcaagagtg	gccggggccga	420
cctggcagcc	atataccatg	agcgcattga	cgtggaaggc	caccactacg	ggcctgcac	480
tccgcagagg	aaagatgccc	tcaaggctgg	tagacactgt	cctgaagtac	atgaccaagt	540
ggatccagga	gcggggcctg	caggaccgcc	tgaacgtcat	tatt		584

<210> 74
 <211> 348
 <212> DNA
 <213> Homo sapiens

<400> 74
 ggcacgagat tttcatccaa aacaaacact ggacttcctg cggagtgaca tggctaattc 60
 gaaaatcaca gaagaggtga aaaggagtat agcacaacag tatctagatt tgacagtagc 120
 ccggaacaag tggaccctga tgccgaagtc gatgcagccc catctaccac atcttcatgt 180
 ggacattgag attcacacgc tggctcctga aggggtgctca gtctccttgg tgattaaggt 240
 cctgcttgaa ctggtgccaa ctccatggca ggggaagttgc ttttggttgc ctggctgggt 300
 ttcccagatc ctttctgggg caaggagcta tcagaccctg ctttcaag 348

<210> 75
 <211> 365
 <212> DNA
 <213> Homo sapiens

<400> 75
 caagcaaagt ggggatgtca cctgcaactg cactgatggg cgcttggccc ccagctgcct 60
 gacctgcgtc ggccactgca tttttggcgg ctactgtacc atgaacagca aaatgatgcc 120
 tgaatgccag agcccacccc acatgacagg gccccggtgt gaggagcacg tottcagcca 180
 gcatcagcca ggacatataa cctccatcct aatccctatg ctgtagctgc tgcctgctgg 240
 tetggtggcc ggagtgatat tctgccataa acggcgagtc caaggggcta agggcctcca 300
 gcaccaacgg atgaccaacg gggccatgaa cgcgcagatt gcaaaccaca cctacaagat 360
 gtacc 365

<210> 76
 <211> 700
 <212> DNA
 <213> Homo sapiens

<400> 76
 caagaaccat cagcaccaac acaaatgtat ctttgcagac cgaaggaatc agctaaacaa 60
 ttacagtca tctcaatctc tactaaaaca aaaatcacat ccaacatgcc acctgacacc 120
 atttctttct ctctctctct tttgtcctt gcgatgaggc attcatctct ccttgagcct 180
 ccgttctgaa gagataacag tatagcaaca actctgccac tgaaatcctg ttctctgacc 240
 gatattggca cctgcaaaga gaaacaacca gtaacaggca gcagcagcat cagtattaat 300
 ctccatgat gaaatcttta caggtcaaga acaagtacac agctcttttc tcactccttc 360

acagtggacc	atgcaactag	ttgaggtgga	agacaatgga	ttgtctacaa	gccttttgaa	420
cagtggagaa	tgcagggcgt	tggcttttagg	aagaggcaga	aatccaggca	gaacttgaac	480
gtttggaaag	agtcagaaat	cttcacatac	gtgagctgaa	aagaataaac	aatgaagata	540
attcacagtt	caaagatcac	ccaacattaa	atgaaagata	tttattactt	catctgcttg	600
gtagaggtgg	ctttagttaa	gtgtataagg	taatgtatgg	tttattctgg	tttttttaca	660
ctaattgtagc	aaggatatag	gagtatgtgg	ttaagaagtg			700

<210> 77

<211> 426

<212> DNA

<213> Homo sapiens

<400> 77

ttgcttagca	catggcaggg	tgcagcgct	gtctgaatgt	gtgaagagtt	cttagtgatg	60
ggtaaaggg	gttcctgtgt	gttttagatt	ctgctcagca	atcctcagat	gtggtgggta	120
antgattcca	atcctgaaac	cgacaaccgt	caagaaagtc	cttcccagga	aaacattgac	180
cgagttagtg	acaggccttt	gtgccctcag	cttggacagc	ctcgggtggg	gttgcttggg	240
gtaacctggg	tgaatcaggc	agcaggactg	ggggagtccg	tgctgaaacc	ttggctccca	300
ggctccaggt	gtaacctgcc	cacctcagag	gccacccacg	cagtaacaga	gggcagggga	360
ggcctccttg	gaaagcagga	aaactgggga	agtgtcagga	agttctcttt	aggtttgctg	420
cctttg						426

<210> 78

<211> 358

<212> DNA

<213> Homo sapiens

<400> 78

tttcgtgcta	tgttcttggc	tgttcaacac	gactgcagac	ccatggacaa	gagcgcaggc	60
agtggccaca	agagcgagga	gaagcgagaa	aagatgaaac	ggaccctttt	aaaagattgg	120
aagacccgtt	tgagctactt	cttacaaaaat	tcctctactc	ctgggaagcc	caaaaccggc	180
aaaaaaagca	aacagcaagc	tttcatcaag	taagttgaga	atcctgagct	tgcaaatatc	240
aatagtttagc	tgctgaactg	aaaaggggaa	ctctgatgag	cgtaagctaa	catacagaac	300
ctctcttgca	ggccttctcc	tgaggaagca	cagctgtggt	cagaagcatt	tgacgagg	358

<210> 79

<211> 322

<212> DNA

<213> Homo sapiens

<400> 79

gggtttttca	atTTTTccag	cccaaagtta	aaaggttgga	aaatcaattc	ctctttggtc	60
ctagagataa	ggaagaacat	acttcgtttc	ttagatgcag	aacgagatgt	gtcagtggtc	120
aagagcagtt	ttccaagcaa	agacgccaga	cactccagtg	tgcaccggta	gttcacccaa	180
ctgcattggg	gaccgccctc	tcatactcca	gccaggccgt	gacgtgaccg	acctccgact	240
tctgcgcaaa	ggcagcgcaa	gccgttgga	tcccctgctc	cccctcgctc	aacagtcggg	300
ccattacacc	tttcatactg	cg				322

<210> 80

<211> 310

<212> DNA

<213> Homo sapiens

<400> 80

cgaaagcacg	ccagaaaaca	aaataaaagc	aatacataac	cacaaaaata	atagcgtata	60
gatgatcaac	agaattaaa	acgcgtaaca	tagtatagtc	aaaaagaata	cacgaaaaag	120
aaactccata	aaaaatgcaa	tatcatacag	gcagatatca	agccagacaa	tatcctggat	180
aatgaatcca	taactattct	aaagcttagc	gattttgggt	cggcttcaca	tggtgcggat	240
aatgacataa	caccttcata	ttctcagacc	acatccgctg	catcatcgcc	cccgcggacg	300
ctacgccgcg						310

<210> 81

<211> 134

<212> DNA

<213> Homo sapiens

<400> 81

tgcagtaaac	catgggacta	aagcttggct	ccaaagcatt	caggctgaac	gaaaaacatg	60
gactgctatt	gcataatacc	aacgtgcatt	ggacgagaac	gatgctatgg	aacctgcata	120
ggcgacacgg	tccg					134

<210> 82

<211> 358

<212> DNA

<213> Homo sapiens

<400> 82

ctctggggaga	gaaagactaa	tgggcaggat	cccattactt	cattggtaaa	gatagtcgga	60
tactctcacc	acttttaata	ccttttagtat	tacagttgat	cagattacct	ttacttgata	120
tgaattattt	ctaagttcat	tcccctgtgt	tgtagcttat	ttcaacaatt	ccaactagcc	180

gtttaaaatt	cctcaaagaa	actgggtcatg	gaacaccaat	ggaagaaata	cctgaggagg	240
aattatcaga	ggatgttgaa	cagattgate	acgctgatag	ggagttgcgg	cgtggccaaa	300
acttgagggtg	caaaggaatt	catagattgc	ctactcatat	acaagtaggg	caaatcg	358

<210> 83
 <211> 723
 <212> DNA
 <213> Homo sapiens

<400> 83

tacacacaca	cacacacaca	cacacacact	cactctctca	gaggagagaa	aatattaaga	60
atcgtgtatt	ttacacaggt	atccaaacat	aaaaatactt	tagaattgct	tactgtatgg	120
acaggttata	tggaatggag	tttgtagtat	ccacattaac	aaagcaagtt	tatatggact	180
ggttatgata	ttagggatat	gaattagaaa	tggatgttgt	tgcaactcatt	taaaatattt	240
tgccctcac	tttatcccca	gttatagtgt	ccttttgaat	ttttctcaca	cagtgtctact	300
atatttcatg	aactgggtata	taaacaaacc	aaaattattt	cttcaaataca	agaacttate	360
tacgaagggc	gacgcttagt	cttagaacct	ggaaggctgg	cacaacattt	ccctaaaact	420
actgaggaaa	accctatat	tgtagtaagc	cggaacctc	tgaataccat	aggattaata	480
tatgaaaaaa	tttccctccc	taaagtacat	ccacgttatg	atttagacgg	ggatgctagc	540
atggctaagg	caataacagg	ggttgtgtgt	tatgcctgca	gaattgccag	taccttactg	600
ctttatcagg	aattaatgcg	aaaggggata	cgatggctga	ttgaattaat	taaagatgat	660
tacaatgaaa	ctgttcacaa	aaagacagaa	gttgtgatca	cattgggatt	tctgggtatcc	720
aga						723

<210> 84
 <211> 407
 <212> DNA
 <213> Homo sapiens

<400> 84

ggcacgagga	aaatgggacc	caccgtctct	cccatctgcc	taccaggcac	ctggggcgac	60
tacaacctca	tggatgggga	cctgggactg	atctcaggct	ggggccgaac	agagaagaga	120
gatcgtgctg	atcgccctcaa	ggcggggagg	tcacccgcag	ctgggtaaag	aaaatgggaa	180
cccgaggagag	gggaccctac	gtgggaagaa	tcagaggaag	atgtacataa	gagtaagtgg	240
acaagatgtg	tggatgagaa	gggcgcgtag	tgctaaacag	acaataagag	accgctcagg	300
tgtgggggtga	cctaattggg	agacgtggaa	tatgtttggt	ggcacggagg	aaagtctaata	360
ggatatcgtg	tttaggagga	cgatggagtc	ttacgtgctc	gttgatg		407

<210> 85
 <211> 342
 <212> DNA
 <213> Homo sapiens

<400> 85

ggcacgagct	cgaaaattta	atcaagagtg	cgcactctta	ttccctttac	tgagggtaat	60
atctacacgg	agcctagaca	gccgaaccag	aggcttcctt	ttgtccaaga	agaggatgga	120
atagacaagc	tggagctgct	ggctcccgga	tgaatttcag	acctgggggt	ctcagctcca	180
ggcaacttgg	actcccagga	cctcctgacg	gtcctgacta	tactgtttac	taccogttcc	240
atcgacttgc	catggtgact	gctgcctcac	gattggagcg	tgaacacctt	acgcacttat	300
gacactaggg	atacaatgga	gaggtataga	gcaaccctag	cg		342

<210> 86

<211> 420

<212> DNA

<213> Homo sapiens

<400> 86

cgtccgcag	gttttagcacc	gactgtagct	ctgatcagca	ggaccgatta	aacggaactg	60
ccctagcgg	ttttaaccgc	tcttgaccag	tcccgttgcc	gcaccccatc	ttggaagtat	120
gccctggcca	gtaggagcca	caaagcgcg	ttagcctcac	tgcatttcag	gtacaggccg	180
gcgccagccg	tgctcacca	ggtccaccgg	ctccgagcag	cagcaagccc	ggtcggaaag	240
cgaaagtggc	ctcgccatgt	ccagaccggc	cagctcccc	gcctacctga	ccccgccccg	300
cagccgcacc	tgggtccgag	tcatcgccgc	ggccgccacg	gccccgcaca	ggaaggcggc	360
agcaaagagc	gcacgctcga	cgcgctgcag	ccaggacagc	gccatggcgc	ccctcgtgcc	420

<210> 87

<211> 392

<212> DNA

<213> Homo sapiens

<400> 87

ggcacgaggg	gagaaggcgg	ggctgggcct	cagcttccca	aagggtttttg	aggaactggg	60
cttttctgac	accctcaaag	gtcagaaggt	taaaggggca	gaaggcattc	ggaaagctcc	120
cctcccacag	tgacacctct	ctgacttctg	acctaggggt	ccaccaccgc	ttcaatccca	180
atgcctccag	ctccttcaag	cccagtggga	ccaagtgttc	cattcagtat	ggaactgggc	240
gggtagatgg	aatcctgagt	gaggacaagc	tgactgtgag	tggcctttga	ctccaggaag	300
cctcgagcct	gggagaacct	tgttgtctaa	gatcatctgg	cttagggagg	ggcttgaggt	360
gcaggggctt	cctgagccga	tggatggggc	tt			392

<210> 88

<211> 332

<212> DNA

<213> Homo sapiens

<400> 88

gggaggaata	taatgcatta	cccaaagtgt	catgccatat	gtattgcaaa	tggaacattgt	60
atcatcttgt	gaaatagtca	taacattaaa	gtttgggtat	agtagtttagc	atattttcat	120
ggccagtatt	gatgctat	tttcccttac	ctatcagact	ctttcaaaga	gaaaagaggg	180
agcagttgga	atTTTTatgtt	tgttgttcta	ttttgtctat	tatgaattgt	gacaaaacca	240
ttataaaaga	tgacaagtgt	gtgtgtttct	ttttttcttt	ttaaactgta	gggaacatag	300
tcattagtga	tctcaaatac	cgaaagacat	tt			332

<210> 89

<211> 535

<212> DNA

<213> Homo sapiens

<400> 89

attaacctag	gaaatacatg	ttatatgaac	agtgttattt	aagccttgtt	tatggccaca	60
gatttcagga	gacaagtatt	atctttaaat	ctaaatgggt	gcaattcatt	aatgaaaaaa	120
ttacagcatc	tttttgccct	tctggcccat	acacagaggg	aagcatacgc	acctcgata	180
ttctttgagg	cttccagacc	tccatgggtt	actcccagat	cacagcaaga	ctgttctgaa	240
tacctcagat	ttctccttga	caggtcccat	gaagaagaaa	agatcttgaa	agttcaggcc	300
tcacacaagc	cttctgaaat	tctggaatgc	agtgaactt	ctttacagga	agtagctagt	360
aaagcagcag	tactaacaga	gaccctcgt	acaagtgcg	gtgagaagac	tttaatagaa	420
aaaatgtttg	gaggaaaact	acgaactcac	atacgttggt	tgaactgcac	gagtacctca	480
caaaaagtgg	aagcctttac	agatctttcg	cttgcccttt	ggccttcctc	ttctg	535

<210> 90

<211> 432

<212> DNA

<213> Homo sapiens

<400> 90

gcccgggacg	accacgcgt	acgactcagt	ttaagtccaa	acttttcta	aatttgatgt	60
agcagcgtaa	tgggctgcat	tactagttag	ttccttatgt	gagtgtgcga	gcatatgctg	120
gatgacttat	ctagaataat	gtagaagaga	attaaacatt	gaatgggagc	ttaaattagt	180
taattttctga	ggttcccttc	cattcttaga	attctttgat	ttttatattg	aattgagaga	240
actagtatag	tttttatctc	agcaaattat	aacaccattg	ttctcaaggc	atggaaaatg	300
tgcttttcat	ctttaagata	ctaaaccttt	tactcctatg	caattttttt	tagctagcct	360
ctaagcttgg	aaagcagtgg	accccatata	taatcctggc	caactctctt	agtggaacta	420
atatgggaga	ag					432

<210> 91

<211> 780
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(780)
 <223> n = a,t,c or g

<400> 91

ccatgcatag	gattaaactg	aatgatcgaa	tgacatttcc	cgaggaacta	gatatgagta	60
ctttttattga	tgttgaagat	gagaaatctc	ctcagactga	aagttgcact	gacagtggag	120
cagaaaatga	aggtagttgt	cacagtgatc	agatgagcaa	cgatttctcc	aatgatgatg	180
gtgttgatga	aggaatctgt	cttgaaacca	atagtggaaac	tgaaaagatc	tcaaaatctg	240
gacttgaaaa	gaattccttg	atctatgaac	ttttctctgt	tatggttcat	tctgggagcg	300
ctgctgggtg	tcattattat	gcatgtataa	agtcattcag	tgatgagcag	tggtacagct	360
tcaatgatca	acatgtcagc	aggataacac	aagaggacat	taagaaaaca	catggtggat	420
cttcaggaag	cagaggatat	tattctagt	ctttcgcaag	ttccacaaat	gcatatatgc	480
tgatctatag	actgaaggat	ccagccagaa	atgcaaaatt	tctagaagt	gatgaatacc	540
cagaacatat	taaaaacttg	gtgcagaaaag	agagagagtt	ggaagaacaa	gaaaagagac	600
aacgagaaat	tgagcgcaat	acatgcaaga	taaaattatt	ctgtttgcat	cctacaaaac	660
aagtaatgat	ggaaaantaa	attgagggtc	ataaggataa	gacattaaag	gaagcagtag	720
aaatggctta	taagatgatg	gatttagaag	aggtaatacc	cctggattgc	tgtcgccctg	780

<210> 92
 <211> 867
 <212> DNA
 <213> Homo sapiens

<400> 92

ctcagtcatg	ccagtgcctg	ctctgtgcct	gctctgggcc	ctggcaatgg	tgaccgggcc	60
tgcttcagcg	gcccccatgg	gcgggccaga	actggcacag	catgaggagc	tgacctgct	120
cttccatggg	accctgcagc	tggggccaggc	cctcaacggt	gtgtacagga	ccacggaggg	180
acggctgaca	aaggccagga	acagcctggg	tctctatggc	cgcaaatag	aactcctggg	240
gcaggaggtc	agccggggcc	gggatgcagc	ccaggaactt	cgggcaagcc	tgttgagac	300
tcagatggag	gaggatattc	tgcatctgca	ggcagaggcc	acagctgagg	tgctggggga	360
ggtggcccag	gcacagaagg	tgctacggga	cagcgtgcag	cggctagaag	tccagctgag	420
gagcgcttg	ctggggcctg	cctaccgaga	atctgaggtc	ttaaaggctc	acgctgacaa	480
gcagagccac	atcctatggg	ccctcacagg	ccacgtgcag	cggcagaggc	gggagatggt	540
ggcacagcag	catcggtgc	gacagatcca	ggagagactc	cacacagcgg	cgctcccagc	600
ctgaatctgc	ctggatggaa	ctgaggacca	atcatgctgc	aaggaaact	tccacgcccc	660
gtgaggcccc	tgtgcaggga	ggagctgcct	gttcaactggg	atcagccagg	gcgccggggc	720
ccacttttga	gcacagagca	gagacagacg	caggcgggga	caaaggcaga	ggatgtagcc	780
ccattgggga	ggggtggagg	aaggacatgt	accctttcat	gcccacacac	ccctcattaa	840
agcagagtca	aggcatctca	aaaaaaa				867

<210> 93
 <211> 690

<212> DNA

<213> Homo sapiens

<400> 93

tcggaaccgc	cctgaattac	ctctgtcgac	ccacgcgtcc	gggaaacgc	ttctacagga	60
tatggaaaaa	tttggctcga	tgatgtttcc	tgtgatggag	atgagtcaga	tctctgggtca	120
tgcaggaaca	gtgggtgggg	aaataatgac	tgcaatcaca	gtgaagatgt	tggagtgtgc	180
tgttctgatg	catcgatat	ggagctgagg	cttgtgggtg	gaagcagcag	gtgtgctgga	240
aaagttgagg	tgaatgtcca	gggtgccgtg	ggaattctgt	gtgctaattg	ctggggaatg	300
aacattgctg	aagttgtttg	caggcaactt	gaatgtgggt	ctgcaatcag	ggtctccaga	360
gagcctcatt	tcacagaaag	aacattacac	atcttaattg	ccaattctgg	ctgcgctgga	420
ggggaagcct	ctctctggga	ttgtatacga	tgggagtggg	aacagactgc	gtgtcattta	480
aatatggaag	caagtttgat	ctgctcagcc	cacaggcagc	ccaggctggg	tggagctgat	540
atgccctgct	ctggacgtgt	tgaagtgaag	catgcacaca	catggcgctc	tgtctgtgat	600
tctgatttct	ctcttcacgc	tgccaatgtg	ctgtgcagag	aattaaactg	tggagatgcc	660
atatctcttt	ctgtggggaga	tcactttggg				690

<210> 94

<211> 948

<212> DNA

<213> Homo sapiens

<400> 94

cgagtggcga	ggttcatcat	ggaggcagac	ggagtctcgc	tctgttggcc	aggctggagt	60
gcagggggcgt	gatctcggct	caactgcaacc	tccgtctccc	ggactaaagc	aattatcctt	120
cctcacgctt	ccgagtagct	ggaattacag	gtgtcaagct	agggatgcgg	tccattccca	180
ttgccactgc	ttgcaccatt	taccataagt	tcttttgcga	gaccaacctg	gacgcctatg	240
acccttacct	gattgccatg	tcttcaattt	acttggccgg	caaagtggaa	gagcagcacc	300
tgcggactcg	tgacatcatc	aatgtgtcca	acaggtaact	taaccaagc	ggtgagcccc	360
tgggaattgga	ctcccgcctc	tgggaactcc	gggacagcat	cgtgcagtgt	gagcttctca	420
tgctgagagt	tctgcgcctc	caggtctcct	tccagcatcc	acacaagtac	ctgctccact	480
acctggtttc	cctccagaac	tggctgaacc	gccacagctg	gcagcggacc	cctgttgccg	540
tcaccgcctg	ggccctgctg	cgggacagct	accatggggc	gctgtgcctc	cgcttccagg	600
cccagcacat	cgcctggcg	gtgctctacc	tggccctgca	ggtctacgga	gttgaggtgc	660
ccgcccagggt	cgaggctgag	aagccgttgg	gtggcagatt	tatgccatgg	acacagagat	720
cccctaaggt	cctggcccag	gcctgcccaa	agagaagcca	catctgcgtt	tgtcctttga	780
gaggactttg	actacaatac	aggcatgaca	tcaatgaaag	gaaagtcatg	aaatcgatga	840
gactgaatcc	ctacggattt	cttaaaagcc	agattttag	ggagaatgaa	tgtgcaacgt	900
ggctgaaatc	tattttgtgt	aataaaaggt	gatacaagtc	aaaaaaaa		948

<210> 95

<211> 541

<212> DNA

<213> Homo sapiens

<400> 95
 ttagttttata aagaaaagac atttaattgg ctcatagttc tgcaggctgt acaggaagca 60
 tagtagcttc tgcttctggy gaggcctcag gaaacttaca atcacagcag aagggtgaagg 120
 ggaagcaggc acgccgtaca tggctgggct ttcggcctcc tcttcatcaa caaggagtgc 180
 gtgggtcatgg cctatctctt caccaccttc aacgccttcc aggggggtctt catcttctgc 240
 tttcactgcy ccttacagaa gaagggtgag tgcaggcggy gtccctgggtc acagcctccc 300
 ttggagacgt ttccctgggtta cccaggagaa ggccggcgagg gtggagggga ctcaggggct 360
 ccctcaagcc cccagtgcgt gctgcagggc ttctgtggtc aggtctgcgt cccccgggag 420
 gggagcacga gctcagggtt agggaggggt taaccacggg tgaagagggt tctgttgaca 480
 gacgctgagg ccgcaaacgc tcctcctctc tcttcacact cgccaacacc gcggtggcgc 540
 t 541

<210> 96
 <211> 603
 <212> DNA
 <213> Homo sapiens

<400> 96
 cagcccgtaa ggatgatcta cctccaaata tgagattcca tgaggagaag aggctggact 60
 ttgaatggac actgaaggca ggggtgagaaa aaggctagcc ctggaagtga aataagggtc 120
 gggagggcca agaattgatga tagacggtga gggactgagg gatcagctga tgagttaagc 180
 ctcaacacct gtccctagggc tttgcagatg gccctcaaac gtgtttacac cctcctgagc 240
 tcctggaact gcctagaaga ctttgatcag atcttctggg gccagaagag tgccctggct 300
 ggtcagtggt tccccgaggt ctccataatc ccttaatggc ccctctggat gactcatcac 360
 actccacagt cccccgtaac tctttgcaag aagagacctt atcatatctg gtcaactcag 420
 agaggccttg agaattgaaaa cgcagaagct ggggttcaggg agggttatat acctgaacct 480
 ctggggtaga ttttgagaaa gggatatgca ggctgtggtta catatatcct cctttcacccg 540
 ccaccaaag agaacgttcg ccagtgcctg caggatgatg agttgttcag ctccctcgt 600
 gcc 603

<210> 97
 <211> 1385
 <212> DNA
 <213> Homo sapiens

<400> 97
 tctttcagca aggtgggggc aagcagaatg cctcccagga tttcacacct gagccctgcc 60
 ccaccctgct gagaaaacac tccgccacgt gaagagacag aggaggatgg caggagttac 120
 ctcggaagac aaacaggatc ttctctgccc tgctccagtc gaggttggct gaccctgtg 180
 gatcagtgac catttgctgg cagacagggg agagcagctt ccagcctggg tcagaagggg 240
 tgggcgagcc cctcgcccc tcaccctcca ggctgctgtg agagtgtcaa gtgtgtaagg 300
 gcccaaactc aggttcagtg cagaaccagg tcagcaggtta tgcccgcccg tacgttaagg 360
 ggccctctta aacccttgc ctggcctcac ctggccagct caccctttt ggggtgtaggg 420
 gaaaagaatg cctgaccctg ggaaggctcc ctggtagaat acaccacact tttcagggtg 480
 ttgcaacaca ggtcctgagt tgacctctgg ttccagccaag gaccaaagaa ggtgtgtaag 540
 tgaagtgggt ctcagtcctc agacatgtgc ccctttgctg ctggctacca ctcttcccca 600
 gagcagcagg ccccgagccc cttcaggccc agcactgccc cagactcgtt ggcactcagt 660

tccctcatct	gtaaagggtga	aggggtgatgc	aggatatgcc	tgacaggaac	agtctgtgga	720
tgacatgat	cagtgtctag	gaaagcagca	gagagagacg	ctccggcgcc	ccagccccac	780
tatcagtgtc	cagcgtgctg	gttccccaga	gcacagctca	gcacacact	gacactcacc	840
ctgccctgcc	cctggccaga	gggtactgcc	gacggcactt	tgactctga	tgacctcaaa	900
gcactttcat	ggctgccctc	tggcagggca	gggcagggca	gtgacactgt	aggagcatag	960
caagccagga	gatgggggtga	aggacacag	tcttgagctg	tccacatgca	tgtgactcct	1020
caaacctctt	ccagatctct	ctaagaatag	cacccccctt	cccattgccc	cagcttagcc	1080
tcttctccca	ggggagctac	tcaggactca	cgtagcatta	aatcagctgt	gaatcgtcag	1140
ggggtgtctg	ctagcctcaa	cctcctgggg	caggggacgc	cgagactccg	tgggagaagc	1200
tcattcccac	atcttgccaa	gacagccttt	gtccagctgt	ccacattgag	tcagactgct	1260
cccggggaga	gagccccggc	ccccagcaca	taaagaactg	cagccttggt	actgcagagt	1320
ctgggttgta	gagaactctt	tgtaagcaat	aaagtttggg	gtgatgacaa	atgttaaaaa	1380
aaaaa						1385

<210> 98

<211> 2191

<212> DNA

<213> Homo sapiens

<400> 98

accaccaccc	gtgcgggggg	atatctgagc	cattttctctg	tgggcttttg	tttttcaaag	60
actgggcagg	ttgttgttga	ggtgtgtgtg	ggctgccacg	atthttgtgga	agtataatac	120
tttgtcatta	tgagatgtcg	tctctcggtg	cctcctttgt	gcaaattaaa	tttgatgact	180
tgacgttttt	tgaaaactgc	ggtggaggaa	gttttgaggag	tgthttatcga	gccaaatgga	240
tatcacagga	caaggagggtg	gctgtaaaga	agctcctcaa	aatagagaaa	gaggcagaaa	300
tactcagtgt	cctcagtcac	agaaacatca	tccagtttta	tggagtaatt	cttgaacctc	360
ccaactatgg	cattgtcaca	gaatatgctt	ctctgggatc	actctatgat	tacattaaca	420
gtaacagaag	tgaggagatg	gatattggatc	acattatgac	ctgggcccact	gatgtagcca	480
aaggaatgca	ttattttacat	atggaggctc	ctgtcaaggt	gattcacaga	gacctcaagt	540
caagaaaagt	tgthtatagct	gctgatggag	tattgaagat	ctgtgacttt	gggtccctctc	600
ggttccataa	ccatacaaca	cacatgtcct	tggttggaac	tttcccatgg	atggctccag	660
aagttatcca	gagtctccct	gtgtcagaaa	cttgtgacac	atattcctat	ggtgtgggttc	720
tctgggagat	gctaacaagg	gaggtccctt	ttaaaggtht	ggaaggatta	caagtagctt	780
ggcttgtagt	ggaaaaaac	gagagattaa	ccattccaag	cagttgcccc	agaagthttg	840
ctgaactgtt	acatcagtgt	tgggaagctg	atgccaaaga	acggccatca	ttcaagcaaa	900
tcattttcaat	cctggaggtcc	atgtcaaatg	acacgagcct	tcctgacaag	tgtaactcat	960
tcctacacaa	caaggcggag	tggaggtgcg	aaattgaggc	aactcttgag	aggctaaaga	1020
aactagagcg	tgatctcagc	tttaaggagc	aggagcttaa	agaacgagaa	agacgtttta	1080
agatgtggga	gcaaaagctg	acagagcagt	ccaacacccc	gcttctcttg	cctcttgctg	1140
caagaatgtc	tgaggagtct	tactttgaat	ctaaaacaga	ggagtcaaac	agtgcagaga	1200
tgatcatgtca	gatcacagca	acaagtaacg	gggagggcca	tggcatgaac	ccaagtctgc	1260
aggccatgat	gctgatgggc	tttggggata	tcttctcaat	gaacaaaagca	ggagctgtga	1320
tgacattctgg	gatgcagata	aacatgcaag	ccaagcagaa	ttcttccaaa	accacatcta	1380
agagaagggg	gaagaaagtc	aacatggctc	tgggggttcag	tgattttgac	ttgtcagaag	1440
gtgacgatga	tgatgatgat	gacggtgagg	aggagtataa	tgacatggat	aatagtgaat	1500
gaaagcagaa	agcaaaagtaa	taaaatcaca	aatgttttga	aaacacaaaa	gtaacttgth	1560
tatctcagtc	tgtacaaaaa	cagtaaggag	gcagaaagcc	aagcactgca	ttthttaggcc	1620
aatcacatth	acatgaccgt	aattthcttat	caattctact	thttatthttg	cttacagaaa	1680
aacggggggga	gaattaaagcc	aaagaagtat	atthtatgaat	cagcaaatgt	ggtgcctgat	1740
tatagaaatt	tgtgactcta	tatacaatat	aggactthtta	aagthtgtag	attctggctt	1800
thtctthttaa	tgaatactth	ttagthttgta	thtgactthta	thtctctthtat	tcaaatcatt	1860
thtaaaaaact	tacattthtga	acaaacactc	ttaactccta	attgtthctth	gacacgtagt	1920
aattctgtga	catactthth	thtctcttata	gcaatacact	gtaatatcag	aaatgthttg	1980
cctgagcaac	ctagtaagac	ctcgtctcta	ctaataatta	aaaaactagc	tggcatggta	2040
gcacacacct	gtagtcccag	atactthggga	ggccaaggca	ggaggattgc	ttgagacctta	2100
gcaatcagtc	agggctgcag	tgagccatga	tggcaccact	gcactctagc	ctgggcaaga	2160

gaacaagatc ctgtctcaaa aaacagggaa a

2191

<210> 99
 <211> 335
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(335)
 <223> n = a,t,c or g

<400> 99
 ggcacgaggc tgaacttcag gtggatgatg agacaaaata gaccgatagg aatcgtctgg 60
 ctatatactc cttgttgcca ctgctgagtg actagactgg cccagagatc cgcgggtgcac 120
 atgctggccg ctccctccctc agaaaaaggc aatggcctaa atactgttta aatgacctga 180
 ctcgatgctg tgggaaaactg gctgctctgc tgcattgccg gtgactgtca gtccaaccgt 240
 tacatttgcc acgttctcca caagggggat agacgcaatg cgcccaggtc ccagttttct 300
 ttggaggcag cagctctcgc agggctgaat gttgn 335

<210> 100
 <211> 348
 <212> DNA
 <213> Homo sapiens

<400> 100
 cctactctgg gggatcaacc agatcttcat tccataactc gtgcttctcg tcctaaatta 60
 tgtactagaa aaaattgtaa tcctcttact ataactgtcc atgaccctaa ttcaactcag 120
 tagtattatg gcatgtcatg ggaattaaga ttttatatcc caggatttga tgttgggact 180
 atgttcacca tccaaaaaat cctgggtctca tggagccac ccaagccaat cgggccttta 240
 actgatctag gtgaccctat gttccagaaa cccctaaca aagttgattt aactgttct 300
 ccaccattct tagtcataaa agatacactc caaaagttcg agaaaatc 348

<210> 101
 <211> 416
 <212> DNA
 <213> Homo sapiens

<400> 101
 agcctcaata atgtaact gcccgaagc aaaacagaaa aagatttcat ccaactctgc 60

acccttgggg	taattaagca	agagaaactg	ggcacagttt	actgtcagge	aagctctcct	120
ggagcaaata	tgattggtta	taaaatgtct	gccatttctg	ttcacgggtg	gagtacctct	180
ggaggacaga	tgtaccacta	tgacatgaat	acagcatccc	tttctcaaca	gtaggatcag	240
aagcctattt	ttaatgtcat	cccaccaatt	cccgttggtt	ctgaaaattg	gaatagggtg	300
caaggatctg	gagatgacaa	cttgacttcc	ttggggactc	tgaatttccc	tggtcgaaag	360
gtttcttttt	cttttgagat	ggagtctcgc	tctgtcgccc	aggctggagt	gcagtg	416

<210> 102

<211> 352

<212> DNA

<213> Homo sapiens

<400> 102						
acgcgtccga	caaaaacaac	aacagatggg	gaaactgaaa	gtgcatagca	caaaatgcgg	60
actaattctg	aaatcaccaa	tatgtatctg	tgcttgggaa	atagaggcat	acacaggaat	120
gcagatgccc	acacactcac	attcacactc	acactcactc	tcacactcac	tctcacactc	180
actctcactc	gcactctcac	actacaccga	gatgtcaca	cactcagcct	ccccatgccc	240
aggccctgc	tctttgttaa	tcataagaag	accgtggaca	accacctgg	aaactatgtg	300
cccacagacc	cagactgaag	gtgataaaa	aggggtggctg	gcttgggggc	tg	352

<210> 103

<211> 702

<212> DNA

<213> Homo sapiens

<400> 103						
aaagcagggtg	cctggaaaag	cctgctgagg	gtgaagggga	accatccagt	gtcctggggtt	60
ggggaagcat	tttctctttt	atgagtctgt	ctctggctct	catggaacaa	aagtgggcag	120
tggtggtatg	agaagcagag	gctaattgtc	tacccctgc	ctccaagtag	aattactcct	180
tgtctgtgta	cctggtgagg	cagttgactg	caggaaacct	tctacaaaaa	ctcagagcaa	240
agggtatccg	gaaccagac	cactcgcggg	cactgagtga	gtaacatctt	tctctcttct	300
cccacctgat	ctggattcaa	gtcttctctg	ccctccagcc	ttcataatta	aaccataacc	360
tcttttttga	caacttactc	cccttctcac	atgaacccca	accctccccc	tctacctctg	420
accagtcttc	cagtctttat	agttgaagtt	ggaccactcc	caggcaccct	tgaatttcca	480
atcatgtatc	tgctttgcac	ctcacagtcc	ctaactccag	ccctgctaga	atatgggctc	540
tccggactgg	aaagaatctt	aggggtcctc	taatctaacc	ctcacatgat	gcttcaactc	600
ctccagatca	tctctaaccat	agccagagtg	tcacgctatg	tttaagcatc	ttcagggatg	660
ggaaaatccc	ccacacccat	gtattgcggc	cgctctagag	ga		702

<210> 104

<211> 689

<212> DNA

<213> Homo sapiens

<400> 104

ggcaacatac	attgtggact	ttggcttcag	tacaacattc	agagaggggc	agatgctgac	60
agctttttgt	ggcatgtacc	cctacgtggc	cccagaacgc	tccctggggc	aggcatgcca	120
gtgacccgcc	agggacatac	aaagcctcag	tgtcatactg	tatttcagga	atacagtagg	180
tagaagggcc	aggactttgc	ccttttactc	aggggaagcct	ccaaacttca	agaaaaaatt	240
ctcacaggaa	gatatcatgc	cccaccactt	cttgcccttc	aacttgactc	attaaaaaat	300
tactaatgct	gaacgccagg	aagtgtcctt	cactgtaact	gatgaaaaat	ccatgggtga	360
aaagtagcca	gaagatgcca	ctgataccat	acgaagagcc	actcctggac	caccccaaac	420
aatccagctc	atgggtggcca	tgggatttca	ggccaagaac	atctctgtgg	caatcataga	480
aagaaaattc	aactatccca	tggccaceta	cctcatttta	gagcacacaa	aacaagagag	540
gaagtgtccc	accatcagag	aactgtccct	tccctccggg	gttcccacct	ctccttcccc	600
atccactgaa	ctttccacct	tccctctctc	actgatgcgg	gctcataggg	agccagcttt	660
taacgttcag	cctcccgaag	aaagccagg				689

<210> 105

<211> 776

<212> DNA

<213> Homo sapiens

<400> 105

agcaaagcag	gagctggcca	agctgatgcg	gattgaggac	ccctccctcc	tgaacagcag	60
agtcttgctg	caccacgccca	aagctggcac	catcattgcc	cgccagggag	accaggacgt	120
gagcctgcac	ttcgtgctct	ggggctgcct	gcacgtgtac	cagcgcatga	tcgacaaggc	180
ggaggacgtg	tgcctgttcg	tagegcagcc	cggggaactg	gtggggcagc	tggcggtgct	240
cactggcgaa	cctctcatct	tcacactgcg	agcccaacgc	gactgcacct	tcctgcggat	300
ctccaagtcc	gacttctatg	agatcatgcg	cgcacagccc	agtgtggtgc	tgagtgcggc	360
gcacacggtg	gcagccagga	tgtcgccctt	cgtgcgcagc	atggacttcg	ccatcgactg	420
gactgcagtg	gaggcgggac	gcgcgctgta	caggtgcagc	tcccaccgcg	ctgctcaggc	480
ccggcctagg	ggtgggggacc	tgggggtggt	cagaccttgc	tgacctccac	gcccactcag	540
gcagggcgac	cgctccgact	gcacttacat	cgtgctcaat	gggcggctgc	gtagcgtgat	600
ccagcgaggc	agtggcaaga	aggagctggt	gggcgagtac	ggccgcggcg	acctcatcgg	660
cgtggtgagc	gcgacccccca	cccactgacc	tctggccttt	tccaggccag	tcctcggcca	720
actcacacgc	atcatcccgg	gtaatccagg	gagtgggtgaa	gtttttcccc	gggctc	776

<210> 106

<211> 707

<212> DNA

<213> Homo sapiens

<400> 106

cccacgcgtc	cggatggacc	ccaggaacca	cccagacctt	aggacagggg	acagcatggg	60
acacagttgc	ttccactcca	ggaaccagcg	agactacagc	ttcagctgag	ggaagacgaa	120
ccccaggagc	aaccaggcca	gcagctccag	ggacaggcag	ctgggcagag	ggttctgtca	180
aagcacctgc	tccgattcca	gagagtccac	cttcaaagag	cagaagcatg	tccaatacaa	240

cagaaggtgt	ttgggagggc	accagaagct	cggtgacaaa	cagggctaga	gccagcaagg	300
acaggagggg	gatgacaact	accaaggctg	ataggccaag	ggaggacata	gaggggggtca	360
ggatagctct	tgatgcagcc	aaaaaggtcc	taggaacccat	tgggccacca	gctctgggtct	420
cagaaacttt	ggcctgggaa	atcctcccac	aagcaacgcc	agtttctaag	caacaatctc	480
agggttccat	tggagaaaca	actccagctg	caggcatgtg	gaccttggga	actccagctg	540
cagatgtgtg	gatcttggga	actccagctg	cagatgtgtg	gaccagcatg	gaggcagcat	600
ctggggaagg	aagcgctgca	ggggacctag	atgctgccac	tggagacaga	ggtccccaag	660
caacactgag	ccagaccccc	gcagtatgac	cctggggacc	ccctggg		707

<210> 107
 <211> 485
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(485)
 <223> n = a,t,c or g

<400> 107						
ccgctggaa	atcaggtact	ggggacactg	gccctggtaa	cacagcagtc	tcaggcacac	60
ctgtgggtat	acctggagca	actcctggag	ctccaggtag	cagcaccct	ggggaagcag	120
acattggaaa	caccagtttt	ggaaaatcag	ggaccccaac	agtatctgct	gcctcaacta	180
ccagtagccc	tgtgagtaaa	cacaccgatg	cagcctcagc	cacagcagtg	acaatctctg	240
gaagcaaacc	aggtacacct	ggaacaccag	gtgggtgcaac	tagtggaggc	aaaattacac	300
ctggaattgc	atgaccacc	ctggaccaaa	agagccccctg	cttctccggg	tatggagggtt	360
atttcctgt	aaatcctcac	cagaacccat	gtgctgattc	cctgtaatct	tcccacaata	420
aatttttagc	agctctgnnn	nnnnnnnnnn	nggggcgccc	gttttaaggg	accacacctt	480
actcg						485

<210> 108
 <211> 565
 <212> DNA
 <213> Homo sapiens

<400> 108						
cgggctcacc	gctgctgtct	cccgtccca	agtctttctt	gtgaaatcca	aattggattc	60
tcttgatctt	ccatctttcc	agggcagtg	gcttgctctt	gttcctgctg	cagaagttgt	120
agaaggaa	ggcctcagag	cccacgctgt	cctcatcctc	ctcccgcacc	ctgctccctg	180
cttctgagct	cctgtctgcc	gcctcctctc	tcttgctctt	ggcgtgggtac	ctccgggaag	240
cctcctctc	aatctccagc	agcctctcgt	tccatgcgtc	ccagggtgctc	tccgaggaca	300
tcgagtctgc	gcggcgctc	ctgcggtggt	ccgggcgggtt	cagctccagc	tgctgcttca	360
ggaccagat	gtcgtggctg	ctcacgctct	cccaggcgct	gctctcgctc	aggggtgcgc	420
gccgcctccc	caaccaggag	ccagcgctgc	tctcctctc	tttctcctcc	tcccttcccc	480
acctccggta	cccttctgct	aaaaacctct	cgtttcgggt	ctgccactcg	tgaatgatcc	540
tctccagctc	ctcgtcctcg	accgc				565

<210> 109
 <211> 986
 <212> DNA
 <213> Homo sapiens

<400> 109
 ggatgacgtg ccgcccccg ctcctgacct ctacgacgtg cccctggct tgcggcgcc 60
 tggcccgggc accctgtacg atgtgccccg tgaacgggtg ctccctcctg aggtggctga 120
 tggtagcggtg gtcgacagtg gtgtgtatgc ggtgcctccc ccagctgaac gtgaagcccc 180
 ggcagagggc aagcgctgt cgccctccag caccggcagc acacgcagca gccagtctgc 240
 gtccctccttg gaggtggcag ggcggggccg ggaacccttg gagctggaag ttgctgtgga 300
 ggccttgga cggctgcagc aggggtgtgag cgccaccgtt gccaccttc tggacctggc 360
 aggcagcgcc ggtgcgactg ggagctggcg tagccctct gagccacagg agccgctgg 420
 gcaggacctg caggctgctg tggccgccc cagagtgcc gtccacgagc tgttgagtt 480
 tggccgcagc gcggtgggca atgtgcccc cactctgac cgtgccctgc atgccaagct 540
 tagccggcag ctgcagaaga tggaggacgt gcaccagacg ctggtggcac atggtcaggc 600
 cctcgacgtg ggccggggag gctctggagc cacccttgag gacctggacc ggctgggtggc 660
 ctgctcgcg gctgtgccc aggcagccaa gcagctggcc tccttcctgc acggcaatgc 720
 ctactgctc ttcagacgga ccaaggccac tggccgggg cctgaggggg gtggcaccct 780
 gcaccccaac cccactgaca agaccagcag catccagtca cgaccctgc cctcaccccc 840
 taagttcacc tcccaggact cgccagatgg gcagtacgag aacagcgagg ggggctggat 900
 ggaggactat gactacgtcc accttacagg gggaaggagg agtttttaga agaccagaa 960
 ggagcttctg gaaaaaagg cagcat 986

<210> 110
 <211> 414
 <212> DNA
 <213> Homo sapiens

<400> 110
 cgaagggaaa gcagcaggtt ggggcttctt gtggccaact tcagagcctg tcaccaggaa 60
 aggtaagcat gggaggaagg aagatggcga cagatgaaga aaatgtctat ggtttagaag 120
 agaacgctca gtcccggcag gagtccacgc ggaggtcat ccttggtggg agaacagggg 180
 ccgggaagag cgccactggg aacagcatcc tgggcccagag acggttcttc tccaggctgg 240
 gggccacgtc tgtgaccagg ccctgcacca cgggcagccg cagggtgggac aagtgccacg 300
 tggaaagtct ggacactccg gacattttca gctcccaagt gtccaagaca gatcctggct 360
 gtgaggagag aggtcactgc tacctgctct cggcccccgg accccacgcg ctgg 414

<210> 111
 <211> 419
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature

<222> (1)...(419)

<223> n = a,t,c or g

<400> 111

gactctcggg	ttacgttcac	taacgaagga	gggcggtggt	gggggtgatg	tggcggcctt	60
tgaggttggc	acaggggctg	cggccagccg	ggcgtctggg	cagtgcgggc	agctccagaa	120
gctcatcgtc	atcttcattg	gcagcctgtg	cgggctgtgc	accaagtgcg	ctgtgtccaa	180
cgacctcacc	cagcaggaga	tacagacccc	ggagatacaa	cagagaaatg	cataatgtcc	240
agtcaattta	ttaaagtctc	aaagtntnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	300
nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnatttcaa	tatgattaaa	gcaggagtga	360
ggacacagcg	aaagtgcagc	aaggaaaaga	gaacaaaata	aaacaggaga	gacagaata	419

<210> 112

<211> 1191

<212> DNA

<213> Homo sapiens

<400> 112

gtgcaaggtg	ctgtcactca	cgtgtgccct	cgaccctccc	gttcacccgc	agccttctca	60
gcgcctctcc	ctgggcccga	ggcctcctca	ccagcctacc	tggtgctctg	gaaaaaaatc	120
ccgtcccccg	actccgtccc	tacccccagt	cttcggccgg	ctctggcccc	tggggagggg	180
gctgcacggt	ggaaggaggc	tggctatggg	cccggctgcc	cgctgcatgt	acctcctcct	240
ccacccatcg	cctcttgcc	gggggtaact	ttgcctgggg	ctcattcttt	ggttaagctg	300
aagctgccgt	gggtggccaa	accgcagatt	ctttgcaaat	tctgagctgg	cagagctcgc	360
agccggggagc	cggccgggga	agaggagact	tgccgcgcgc	aagccgcctg	cctccaccct	420
gctctccatc	tcccgctcta	gaagggtctg	gaagctcgcg	gccgggggttc	cacctggaag	480
ctgcttgcat	ggctgaaccc	agcttaggtc	cctgaacggg	ctgctgggtg	aattctcccc	540
cttcgaagct	ggggaggttt	aggaggggga	aggcttctgt	gaagctctca	aaccactaat	600
agagccccct	cccacacagt	gacggcgcag	atgctcccc	ttttcttagt	tgacaccacc	660
aggcagcttc	ctggccgttg	gtaggttcct	gcagctggct	gagggaaacag	ggaccggcag	720
gggactttgt	taggggaggg	ttgggatggg	cagtgggccc	ctgaaagtta	atatattgga	780
acctagctcg	agtgtcgttc	tttccaattc	cgaaagtaga	aagagtaaaa	ataggggtga	840
ttgggggtggg	gttagtagaa	tgccctctct	agggcgctcc	cccccccc	accgttttag	900
agagctaggc	ctcagccagt	cttgccactc	ccatctcagt	gcttcctgaa	gaggctgttt	960
tgagtgttga	tgaaaagcaa	tgcaattatg	ccaaacagta	ttgagcagaa	taatttattt	1020
cttttttttc	ttttgcttta	aatcatgaat	cccgccaggt	acggtggctc	acgcctgtca	1080
tcccagcact	ttgggaggcc	aaggcgggcg	gattacttaa	tacttaaggt	caggagtctg	1140
agaccagcct	ggccgatatg	gtgaaacctc	gtctctacca	aaaaaaaaa	a	1191

<210> 113

<211> 1240

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(1240)

<223> n = a,t,c or g

<400> 113

agaacacgaa	ctagtgtctc	taagccacta	taatagttgc	acatacaaca	tgagtgtggt	60
gtggtaggat	gcttttcctt	ttaggtcttt	actgaacttt	caagggatta	aaaccaatgt	120
atgtcaactt	tatagcaaaa	gattcagatt	ctaactctga	ataccaatgc	atttttagagg	180
gggaaaaaat	gagggatgta	aaatatatat	agtagggtaa	gagttttgcc	tttgaacaat	240
gtgcataatc	tattttaatt	tggaatgttt	tatacttgca	tttcatgtta	tgtagttttt	300
ggactggact	gtgtttttcc	acaaaatgaa	aaatcaacta	ttttgccacc	ttattattca	360
acctacctgc	ccatagttgt	ctatgccagt	tactaatcta	tttaaattta	ataaatcaaa	420
agctgtcctt	agggattggc	caagagtcgt	aagtccttca	gcctgaaggt	ttttcaattc	480
attcataaac	gttgcattgt	tttctttcca	tccagccttg	atagcatagg	gcggctcttc	540
gaaagtgacc	agcatatacc	tgtctcctct	gctggcaggg	tcccgggcac	ggagcttcat	600
gaaggctctc	accgcgcctt	tggccgtgtc	caggtaggtg	gtgccagat	ggctgcgctg	660
gttcataagag	gcagacgtgt	ctatcaggaa	cagtaagatg	ggcatagtgc	tggccgggga	720
caccggggcc	cgaggtgggt	gagaaagagg	agatggtaga	ggtggaggcg	cgggtggcgg	780
cgaccgcgcg	tagcggggcg	ggggagcacg	gccccgggga	ggaaaacact	gtctgggtct	840
ttcctccggc	tgcggggaat	tcctcccccg	atagttgaga	ggaaactccc	cagaccaggt	900
gtccccgctc	gtaccncgcg	ctccgcctcc	tcctgcctgc	ctgcccgctg	gggcgggcgc	960
ccagccgtct	gtctgtcggg	tcgtccccc	cgcctcgggg	gtcccgtccc	cgctcccggc	1020
ccctgtgtgt	gtcccagcgg	gagacggggc	tggctcccca	ccccaccccc	ggtacaggag	1080
tggggacctg	ggagctggcg	aagaggggag	tgggctgagg	gaagattggc	cctggggctg	1140
ttggggagaag	tttcagggac	tccctccgca	caccggcggt	gtcaccactt	tctcagcccc	1200
tctcgcggaac	gcgtgggtcg	cgccgggggt	tccgcaggca			1240

<210> 114

<211> 810

<212> DNA

<213> Homo sapiens

<400> 114

aatagaattc	cgtcggcaca	cgcacgcgta	cctaggatcg	tatagagcgg	cgcgaatata	60
tgccgtcttc	ttaaatcaac	tcctctctct	caaaaagcct	ttctttccgt	gtcgcgaata	120
tcatcccctc	ggtcctgtcc	cgcagcaggt	tccccggcgt	tgggcttctc	tattatgccg	180
gccagcggag	tccaattggt	ctgacttcac	tgtccggaga	atcctctcgc	tcccaaacct	240
ccctgagaga	cgacctttaa	ccgtgccagc	cggacctgcc	tacaaagacc	ctcctcttca	300
acctgtcccc	tgtgttactc	cacaaaacgg	acacagaagt	tcgtcaacct	gcccagatac	360
cacgcctcaa	agcggcaaca	gagccgaacc	cctttctcag	gcttcggacg	gcccagaccc	420
ggcatctctt	ttctcctctt	ccccagacct	ttcacctctc	ggcctccgag	agccccagcc	480
tcagttcccc	tcaggccctt	aggaacctta	ctctccagca	gtacagtctg	tagacccccg	540
aatcagttcc	ccactcaacc	tcagaactcc	tctggcgccg	actggcccca	ctcgggcaaa	600
ggatggcggg	ggataggatg	acccgaacca	ccagagccag	caaacttacc	ccagccgcca	660
tgggtgattcc	gcaaagaaag	gggggtgggg	tctcggcgct	gccgcaaagt	aagccccccc	720
gggagagaag	ggagggggaa	agaggagagc	cgtggagaaa	cagcagccga	aaaacgagga	780
cgaaacagaa	gacatacgtg	cgacagttcg				810

<210> 115

<211> 320

<212> DNA

<213> Homo sapiens

<400> 115

caagagcacg	atgctgaagc	actggagagt	ggggctctgg	ggtcagtgct	ggatcagagg	60
caagaggagg	tgatgatgog	gccctgtcct	gagtgcacacc	aaccctctcc	cagtactaca	120
cctgcagctg	tgctctgggc	ttcattgcct	gctccatctt	cttgcagatg	agcctgaagc	180
caaaggtcat	gctgctgaca	gtggccctgg	tggcctgtct	cgtgctcttc	aacctctccc	240
agtgcctggca	gcgggactgc	tgcagccaag	gcctgggcaa	cctcactgag	cccagtggca	300
ccaacaggta	gggccccgcc					320

<210> 116

<211> 456

<212> DNA

<213> Homo sapiens

<400> 116

ggcaaggcag	gcggcgcggc	cggcctcttc	gccaaagcagg	tgcagaagaa	gttttagcagg	60
gcccaggaga	agtagacaag	gcggtttggg	aagacatgtc	agccagaaga	aagagcgagg	120
gaagaaagac	aagaaggacc	tgagatagag	tttgggtttt	cctttttttc	tctctctctt	180
tattaagccc	aacctgcctt	ctacaacgga	gaagtttttg	ttttctaaga	gctgatggac	240
ttagaagcat	ttggatgaac	agctctgctt	accaactgaa	atatccctat	tatcttctaa	300
aagtggagca	ctgctttgag	ccctgggaag	gcttaaaggc	aaccagctct	cccagattga	360
tttatcagca	gaaaactgat	ggaatgtaga	tgtagctcct	gactttaaga	gaccacaatg	420
gaagggagggt	tattttctat	catttgagggt	catgtg			456

<210> 117

<211> 2398

<212> DNA

<213> Homo sapiens

<400> 117

cccacgcgtc	cggctcagcct	cagtcttcaa	tgagggaccc	cgtacagagt	aacccaaacg	60
cttgttccta	tttcaggatg	tgaacactct	gcaaggagggt	gggcagcctg	tggtgactcc	120
gtccgtccag	ccctctcttc	agccggccca	tccagcggtta	ccacagatga	cctcacaggc	180
acctcagcca	tctgttactg	ggctccaggc	accttctgct	gccttaatgc	aagtgtcatc	240
tctcgattcc	cactcagctg	tatctggaaa	tgcccaatcc	tttcagccct	atgcagggtat	300
gcaagcctac	gcttatcccc	aggcatctgc	cgtcacctcc	cagctgcagc	ccgttcggcc	360
tttgtagcca	gcaccgctct	ctcagcctcc	ccatttccaa	ggatcagggtg	atatggcttc	420
atcttctcatg	actgaagccc	ggcaacataa	cactgaaatt	cgaatggcag	tcagcaaagt	480
ggctgataaa	atggatcatc	tcatgactaa	ggttgaagag	ttacagaaac	atagtgtctg	540
caattccatg	cttattccta	gcatgtcagt	tacaatggaa	acaagcatga	ttatgagcaa	600
catccagcga	atcattcagg	aaaatgaaag	attgaagcaa	gagatccttg	aaaagagcaa	660
tcggatagaa	gaacagaatg	acaagattag	tgaactaatt	gaacgaaatc	agagggtatgt	720
tgagcagagt	aacctgatga	tggagaagag	gaacaactca	cttcagacag	ccacagaaaa	780

cacacaggca	agagtattgc	atgctgaaca	agagaaggcc	aaggtgacag	aggagttagc	840
agcggccact	gcacaggtct	ctcatctgca	gctgaaaatg	actgctcacc	aaaaaaagga	900
aacagagctg	cagatgcagc	tgacagaaa	cctgaaggag	acagatcttc	tcaggggcca	960
gctcaccaaa	gtgcaggcaa	agctctcaga	gctccaagaa	acctctgagc	aagcacagtc	1020
caaattcaaa	agtgaaaagc	agaaccggaa	acaactggaa	ctcaagggtga	catccctgga	1080
ggaggaactg	actgaccttc	gagttgagaa	ggagtccttg	gaaaagaacc	tctcagaaag	1140
gaaaaagaag	tcagctcaag	agcgttctca	ggccgaggag	gagatagatg	aaattcgcaa	1200
gtcataccag	gaggaattgg	acaaacttcg	acagctcttg	aaaaagactc	gagtggtccac	1260
agaccaagca	gctgcagagc	agctgtcttt	agtacaggct	gagctacaga	cccagtggga	1320
agcaaaatgt	gaacatttgt	tggcctccgc	caaggatgag	cacctgcagc	agtaccagga	1380
ggtgtgcgca	cagagagatg	cctaccagca	gaagctggta	caacttcagg	aaaagtctgt	1440
ttgttttgca	gtgttttagcc	ctccaggccc	aaatcacagc	tctaccaag	caaaatgaac	1500
agcacatcaa	ggaactagag	aagaacaagt	cccagatgtc	tgggggttgaa	gctgctgcat	1560
ctgacccctc	agagaagggtc	aagaagatca	tgaaccaggt	gttccagtcc	ttacggagag	1620
agtttgagct	ggaggaatct	tacaatggca	ggaccattct	gggaaccatc	atgaatacga	1680
tcaagatggg	gactcttcag	ctgttaaacc	aacaggagca	agagaaggaa	gagagcagca	1740
gtgaagaaga	agaagaaaaa	gcagaagagc	ggccacgaag	accttcccag	gagcagtcag	1800
cctcagccag	ttctgggcag	cctcaagcac	ccctgaatag	ggagaggcca	gagtcacca	1860
tgggtgccctc	agagcagggtg	gtcgaggaa	ctgtcccgtt	gcctcctcag	gcctccacca	1920
cttcccagga	tggacacaga	aggaaagggg	actcagaagc	tgaggcactc	tcagagataa	1980
aagatggttc	ccttccaccc	gaactgtctt	gcaccccatc	ccacagagtt	ctagggcccc	2040
cgacttcaat	tccacctgag	cccctaggcc	ctgtatccat	ggactctgag	tgtgaggagt	2100
cacttgctgc	cagcccaatg	gcagctaaag	cccgaacaac	catcaggga	aggtctgtgt	2160
tcaggggaag	taggcaccag	atgggcccac	ttacaaggaa	aggttccaca	agattgttcc	2220
ctggatttca	ggaccccag	ggagggggac	ccactggcct	tagggcttga	aaagcccagg	2280
gagagcctca	gcctccacag	cttcaaggaa	aggttgatgt	tcactaggtt	ccaccgggtc	2340
cccacaaggg	agcttttcaa	gaacaggagg	gcaggtttcc	acagttttgc	agggagca	2398

<210> 118

<211> 800

<212> DNA

<213> Homo sapiens

<400> 118

agcgaacg	cgcagcaaat	tatcgaccgt	ctgcgcgtaa	aactggcgaa	agaaccgggg	60
gcgaatctgt	tcctgatggc	ggtacaggat	attcgcgttg	gtgggcgtca	gtcgaacgcc	120
agctaccagt	acacgttggt	atccgacgac	ctggcgccac	tgcgagaatg	ggagccgaaa	180
atccgcaaaa	aactggcgac	ggttgccggaa	ctggcgccac	tgaactccga	tcagcaggat	240
aacggcgcg	agatgaatct	ggtttacgac	cgcgacacca	tggcacggct	gggaatcgac	300
gtacaagccg	ccaacagtct	gttaaataac	gccttcggtc	agcggcaaat	ctcgaccatt	360
taccagccga	tgaaccagta	taaagtgggtg	atggaagtgg	atccgcgcta	taccaggac	420
atcagtgcgc	tggaaaaaat	gttcgttatc	aataacgaag	gcaaagcgat	cccgcgtca	480
tatttcgcta	aatggcaacc	ggcgaatgcc	ccactatcgg	tgaatcatca	gggattatcg	540
gcggccttga	ccatttcggt	taacctgccg	accggaaaat	cgctctcgga	cgccagtgcg	600
gcgatcgatc	gcgcaatgag	ccagcttggg	gtgccttcga	cgggtgcgcgg	cagttttgcc	660
ggcccgccgc	aggtgttcca	ggagaccatg	aactcgcagg	tgatcctgat	tattgcgcgc	720
atcgccacgg	tgtatatcgt	gctgggaatc	ccttacgaga	ggtacgtaca	tccgcgcgacg	780
attctcttgt	gaaggccgcc					800

<210> 119

<211> 427

<212> DNA

<213> Homo sapiens

<400> 119

aaatcatcac	acctgatgcg	atgggttgcc	agaaagatat	tgcagagaag	atacaaaaac	60
agggaggtga	ttatattattc	gctgtaaaag	gaaaccaggg	gcggcttaat	aaagcctttg	120
aggaaaaatt	tccgctgaaa	gaattaaata	atccagagca	tgacagttac	gcaatcagtg	180
aaaagagtca	cggcagagaa	gaaatccgtc	ttcatattgt	ttgcgatgtc	cctgatgaac	240
ttattgattt	cacgtttgaa	tggaaagggc	tgaagaaatt	atgcgtggca	gtctcctttc	300
ggtccataat	agcagaacaa	aagaaagagc	cagaaatgac	ggtcagatac	aatatcagtt	360
agttgggtat	cgccggggat	atatcagtca	cagcgatctc	cgggacggac	gattgaaatc	420
cgtaatc						427

<210> 120

<211> 378

<212> DNA

<213> Homo sapiens

<400> 120

ccattatttg	aaaatgctca	ctcaggcgcg	gcgggaagtg	attatcgcca	acgcctactt	60
cttccccggc	tatcgatttt	tacacgcctt	gcgtaaagcg	gcacggcgcg	gggtgcggtg	120
caaactgac	attcaggcg	aaccggatat	gccgattgtc	agagtcggtg	cgcgcttgct	180
gtataactat	ctggttaaag	gcggcggttc	ggtttttgag	taccgcccgc	gcccgcctcca	240
cggcaaagtg	gcattgatgg	acgatcaactg	ggcgacagta	gggtccagta	atctccatcc	300
ggtcagttag	tcggggaatc	tccaagcaaa	tgatcatcctc	cacgttctac	gggtaccgac	360
attgaatccg	taatcatg					378

<210> 121

<211> 508

<212> DNA

<213> Homo sapiens

<400> 121

ctgccgcctg	gtgaagttaa	cgccccatcg	aagccctggc	aaaagaagtc	cgtgaactga	60
aataacatac	tcgttaattg	ctcaatccag	ccacaacgcg	agaactgacc	agtctgggac	120
gaaacctgaa	ccgattgtta	aaaagtgaac	gcgaacgtta	cgacaaatac	cgtacgacgc	180
tcaccgacct	gacccatagt	ctgaaaaacgc	cactggcggt	gctgcaaagt	acgctgcgtt	240
ctctgcgtag	tgaaaagatg	agcgtcagtg	atgctgagcc	ggtaatgctg	gagcaaatca	300
gcgcattttc	acagcaaatt	ggctactacc	tgcacgtg	cagtatgcgc	ggcgggacat	360
tgtcagccg	cgagctgcat	ccggtcgccc	cactgctgga	caatctcacc	tcagcgtga	420
tcaaaggcaa	gccgcgtaaa	gggggcaacg	tactgtttt	tccattcaca	gcgatgtaca	480
gggacggaca	ttgaatccgt	gatcagtg				508

<210> 122
 <211> 724
 <212> DNA
 <213> Homo sapiens

<400> 122
 gggtaacact gtgatgtttc agcacctgat gcagaagcgg aagcacaccc agtggacgta 60
 tggaccactg acctcgactc tctatgacct cacagagatc gactcctcag gggatgagca 120
 gtccctgctg gaacttatca tcaccaccaa gaagcgggag gctcgccaga tcctggacca 180
 gacgccggtg aaggagctgg tgagcctcaa gtggaagcgg tacgggcggc cgtacttctg 240
 catgctgggt gccatatatc tgctgtacat catctgcttc accatgtgct gcactctaccg 300
 cccctcaag ccaggacca ataaccgcac gagccccgg gacaacaccc tcttacagca 360
 gaagctactt cagggaagcct acatgacccc taaggacgat atccggctgg tcggggagct 420
 ggtgactgtc attggggcta tcatcatcct gctggtagag gttccagaca tcttcagaat 480
 gggggtcact cgcttctttg gacagaccat ccttgggggc ccattccatg tcctcatcat 540
 cacctatgcc ttcattggtg tggtgaccat ggtgatgcgg ctcatcagt ccagcgggga 600
 ggtggtaccc atgtcctttg cactcgtgct gggctggtgc aacgtcatgt acttcgcccg 660
 aggattccag atgctaggcc ccttcaccat catgattcag aagatgattt ttggcgacct 720
 gatg 724

<210> 123
 <211> 435
 <212> DNA
 <213> Homo sapiens

<400> 123
 gagaaagcag cagctgccaa catagatgaa gtgcagaagt cagatgtatc ctctacaggg 60
 caggggtgtc tcgacaagga tgcgctgggg cctatgatgc ttgaggtagc acatcttcat 120
 tttagtgtctg tatttttaaaa tcttggtgat cttcacatta ttacatttaa tttcagggtga 180
 atataattta aggagaatcc aactagtagc tagtactatg gacctcttga gcttgctgat 240
 atgcctgtgt gtctctatgt atgttttggc tcctgctgcc agtatatgtg tgtttgaaat 300
 taacatagaa ttaaattaac tagattagag tagacattgg caagttgtaa ttgccagttg 360
 agcatttatt tgaaaaactg tattcacaag tcctactaaa ttctgtgttg attttagctt 420
 gaaatgttct caaaa 435

<210> 124
 <211> 363
 <212> DNA
 <213> Homo sapiens

<400> 124
 actggaagtg ccttcagagg tcaccccttt gggctttgcc atgcaggcta caaagactct 60

cctcctcaga	acatgctgct	tgcaggaatt	caacatcatg	gaaaagaata	aaggatgggc	120
tctcctggga	ggaaaagatg	gccatcttca	gggactatth	ctccttgcca	acgcattgct	180
ggaaaagaaat	cagctccttg	cacagaaggt	catgtactta	ttagtccttc	ttcttaaccg	240
agggaatgat	aaacataaac	tcacatctgc	aggctttttt	gtggagcttc	tccggagtcc	300
agtggccaag	agactgcccc	gcataatactc	tgttgcccg	tttaaagact	ggctacaaga	360
tgg						363

<210> 125

<211> 373

<212> DNA

<213> Homo sapiens

<400> 125

agaccggccc	ccgctccctc	agctgcgccc	gaggaggcgc	ccagtcctcg	gggtgaaggg	60
tcgggggatg	gcgaagcgaa	gagtgcgcgc	tccgggtgtg	gggggagcag	gaggaggac	120
gaagtccgcc	cgcgcgcgc	ccgcgcgcgc	tgacaccgag	cggagcgagg	aaggaggacg	180
agcgggtgaag	gaagcctacc	cttcagccgc	tcagccgcgc	ccgccgtcgc	cgtgacctct	240
gcgttgccgc	cggcgctgcc	acccgaactt	agccccctcg	atgccaattt	caaataggga	300
aggaaaaggg	aaaagaaggg	aagagaaaaat	ccggccgctg	agtcccgcgt	ccactcacac	360
ctccgctcgt	gcc					373

<210> 126

<211> 362

<212> DNA

<213> Homo sapiens

<400> 126

gcctacaggg	ggtccatggc	agcagttcta	ctttctgcag	ctccctaagc	agtgactttg	60
accccttaga	gtactgcagc	cctaaagggg	atccccagcg	agtggacatg	cagcctagtg	120
tgacctctcg	gcctcgttcc	ttggactcgg	aggtgcccac	aggggaaaacc	caggtttcca	180
gccatgtcca	ctaccaccgc	caccggcacc	accactacaa	aaagcggttc	cagaggcatg	240
gcaggaagcc	tggcccagaa	accggagtcc	cccagtcag	gcctcctatt	cctcggacac	300
agccccagcc	agagccacct	tctcctgatc	agcaagtcac	cagatccaac	tcagcagccc	360
ct						362

<210> 127

<211> 351

<212> DNA

<213> Homo sapiens

<400> 127

catggctgac	cccgaccccc	ggtaccctcg	ctctctgac	gaggacgact	tcaactatgg	60
cagcagcgag	gcctccgaca	ccgtgcacat	tcgaatggcc	tttctgagaa	gagtctacag	120
cattctatct	ctgcaggatc	tcttagctac	tgtgacttcg	acagataatt	tagcctttga	180
ggatggacgg	actgactggc	tgcaaaggcc	tgactgtgtc	tccttcaaaa	ttcatgtgct	240
gccaatgtga	cgggtattaag	aggagggggc	ttagaggggg	attagatcct	gaaagggtcct	300
tactttttgg	agtgacgagg	atgcatacga	tgaaagcatc	tcgtagatac	g	351

<210> 128

<211> 374

<212> DNA

<213> Homo sapiens

<400> 128

gaactcccca	aaggcaccat	ccagggttttt	accccgtttg	tcaaattccc	ctctggccca	60
gggctggctg	ctcagcagga	gtgtttaata	agcacttaat	tgcccgggtga	gtacagacca	120
ttccagctca	ccttaactgt	ttcctgggctg	actcgccctc	cggcctgatt	gccctgctca	180
tctggctgag	tgagctggaa	tgagtgtagt	ggtagtgcca	cctatagggt	cctcttacct	240
tggtcttatt	tcacaggagc	acttcccga	cgagtttacc	tcgggagatg	gaaagaaagc	300
tcaccaggac	tttggctact	tttatggctc	gagctatgtg	gcagcctctg	acagcagccg	360
gactcctggg	ctgt					374

<210> 129

<211> 392

<212> DNA

<213> Homo sapiens

<400> 129

taccaccacg	cccagcccca	acatatgact	ttctgtgtgt	tttccaagag	tctagtgtga	60
ggtcagaggt	cagacaggtc	atcaggaatt	ttgcttcaag	tgagttgctg	ctgccctgac	120
tcttttcccc	cagcaattaa	gtccccccgg	ggcttggggg	ttgggtttgt	cagcttgctt	180
ttgctgtgct	gagggcttct	ccagactgaa	tcagcaggtc	ctcagctcat	ctctgctcct	240
tctctctagg	accaactgcc	cctgtaagta	cagttttttg	gataacctca	agaagttgac	300
tcctcgacgc	gatgttccca	cttaccctaa	ggtaagatga	gattccggcc	cagaagaagc	360
tgcagctgtg	tccccagccc	cacgcgcgac	cc			392

<210> 130

<211> 359

<212> DNA

<213> Homo sapiens

<400> 130

ccgggaacgat	gcctgcctct	actccccagc	ctcagctccc	gaggtcatca	cagtaggggc	60
caccaatgcc	caggaccagc	cggtgacct	ggggactttg	gggaccaact	ttggccgctg	120
tgtggacctc	tttgccccag	gggaggacat	cattggagcc	tccagcgact	gcagcacctg	180
ctttgtgtca	cagagtggga	catcacaggc	tgctgcccac	gtggctggca	ttgcagccat	240
gatgctgtct	gccgagccgg	agctcacccct	ggccgagttg	aggcagagac	tgatccactt	300
ctctgccaaa	gatgtcatca	atgaggcgctg	gttccctgag	gaccagcggg	tactgacct	359

<210> 131

<211> 389

<212> DNA

<213> Homo sapiens

<400> 131

gttagaaatc	aagtttttgg	agcagggtgga	tcaattctat	gatgacaact	ttcccatgga	60
aattcggcat	ctgttggccc	aatggattga	aaatcaagac	tggtaggatc	aaacatattt	120
tcctagaag	ttgatgcaca	aatgtctgat	gctctatcca	tgtgaattta	ttttatggtc	180
cactttttac	tcagtagatg	cattcttttc	aggtaaagaa	ctttctcaag	gatttgaaag	240
ccttcccaaa	gaaggggaat	aattgtcctt	tctggttcca	ttcattgtaa	atgaaaagtt	300
aatggttcca	gtgcttcttt	tctctgtaaa	caaaaaccca	aataattttt	catgtattaa	360
aaaaagaagc	aatcaattg	attgtcagt				389

<210> 132

<211> 465

<212> DNA

<213> Homo sapiens

<400> 132

ggaggcagga	gatgcggatg	aagatgaggc	tgatgctaata	agctctgact	gtgaaccaga	60
ggggcccgtg	gaagcggaag	agcctcctca	ggaggatagt	agcagtcagt	cagactctgt	120
ggaggaccgg	agtgaggatg	aggaagatga	acattcagag	gaggaagaaa	caagtgggaag	180
ttcagcatca	gaggaatctg	agtctgaaga	gtctgaggat	gccaatcac	agagccaagc	240
agatgaagag	gaggaagatg	atgatttttg	ggtggagtac	ttgcttgcca	gggatgaaga	300
gcagagttag	gcagatgcag	gcagtgggccc	tctactcca	gggccacta	ctctaggtcc	360
aaagaaagaa	attactgaca	ttgctgcagc	agctgaaagt	ctccagccca	agggttacac	420
gctggccacg	acccaggtaa	agacgcccac	tcccctgctt	ctgcg		465

<210> 133

<211> 354

<212> DNA

<213> Homo sapiens

```

<400> 133
ctaaaaaac taagggagtt actgcttgaa gacaaccagt taccccaaat accctctggt    60
ttgccagagt ctttgacaga acttagtcta attcaaacca atatatacaa cataactaaa    120
gagggcattt caagacttat aaacttgaaa aatctctatt tggcctggaa ctgctatatt    180
aacaaagttt gcgagaaaac taacatagaa gatggagtat ttgaaacgct gacaaatttg    240
gagttgctat cactatcttt caattctctt tcacacgtgc cacccaaact gccaaagctcc    300
ctacgcaaac tttttctgag caacaccag atcaaataca ttagtgaaga agat          354

```

```

<210> 134
<211> 326
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (1)...(326)
<223> n = a,t,c or g

```

```

<400> 134
cccacgcgtc cggngacagg cctggccggc ctctgcagag acgtccaacc tcgtgcgcat    60
gcgcagccag gccctggggc agtcggcgcc ctgcctcacc gccagcctga aggagctgag    120
tctccccaga agaggaagtt tccctgtgtg tccaaatgct gggagaacat cacccttgg    180
atgaattgcc accacattaa ataaaatata tccaaagctc nnnnnnnnnn nnnngggggg    240
gccgttttaa aggacccttg ggggggccaa ggtttacgcg ggctggcaag gtaatagttt    300
tttccttata gggagccgaa ttaaaa          326

```

```

<210> 135
<211> 210
<212> DNA
<213> Homo sapiens

```

```

<400> 135
cttctgtgtg tctgtcttcc tgtgggtgcc tgcccgctct tttctcttct aacagcccct    60
ttgaaccagc tgatgcgctg tcttcggaaa taccaatccc ggactcccag tcccctccta    120
cattctgtcc ccagtgaat agtgtttgat tttgagcctg gccagtggt cagaggtagt    180
tgggctcttc tttcttggtc gacgcggccg          210

```

```

<210> 136
<211> 310
<212> DNA
<213> Homo sapiens

```

<400> 136

tttttccaat	acacatatataa	accatcattc	actaaaatgt	actatatatt	caatatatttg	60
tgtataactca	ctgcttttcc	taacgtgaaa	aattttaccaa	aatgctaatt	gtgacttata	120
aggtattttaa	cagactcccc	acaaaaagca	gaatgatcag	cgaaatcgga	aaagaaaagc	180
tgaaccatat	gaaactagcc	aaggtagtaa	taatttcgta	tcaacaaaag	tactcaattc	240
taatgtactt	agatagaatt	ttctaactca	tactaaataa	ttagtttgta	cacaggggatt	300
cctgataaag						310

<210> 137

<211> 502

<212> DNA

<213> Homo sapiens

<400> 137

cttaaagtga	aattttaaaaa	gtaataataa	ttttttaaaaa	tgttttaaagg	cttacttttgg	60
agagacagtt	ttacatagct	taatatttta	tcattaaagg	catggtggag	ctgggttcctg	120
cttccgatac	cctcaggaaa	atccaagtgg	aatatggtgt	gacaggatcc	tttaaagata	180
aaccacttgc	agagtggcta	aggaaataca	atccctctga	agaagaatat	gaaaaggctt	240
cagagaactt	tatctattcc	tgtgctggat	gctgtgtagc	cacctatgtt	ttaggcattct	300
gtgatcgaca	caatgacaat	ataatgcttc	gaagcacggg	acacatgttt	cacattgact	360
ttggaaagtt	tttgggacat	gcacagatgt	ttggcagctt	caaaagggat	cgggctcctt	420
ttgtgctgac	ctctgatatg	gcatatgtca	ttaatggggg	tgaaaagccc	accattcggt	480
ttcagttgtt	tgtggacctc	tg				502

<210> 138

<211> 963

<212> DNA

<213> Homo sapiens

<400> 138

ctcctagtcc	cctccctagc	ctgtcccttc	ctcctcccg	tgtccttggt	ggccaggaga	60
gcccttcacc	ccacacagct	gaggtggaga	gtgaggcctc	accacctcct	gctcggeccc	120
tcccagggga	agccaggctg	gcgcccattc	ctgaagagg	aaagccgcag	cttggtgggc	180
gtttcccaag	tgacttcattc	caaggaaccg	gctgagcctc	ttcccttgca	gccaacatcc	240
cccactctct	ctggttctcc	aaaaccttca	accctcagc	tcacttcaga	gagctcagat	300
acagaggaca	gtgctggagg	cgggccagag	accagggaag	ctctggctga	gagcgaccgt	360
gcagctgagg	gtctgggggc	tggagttgag	gaggaaggag	atgatgggaa	ggaaccccaa	420
gttgggggca	gcccccaacc	cctgagccat	cccagcccag	tgtggatgaa	ctactcctac	480
agcagcctgt	gttttgagcag	cgaggagtca	gaaagcagtg	gggaagatga	ggagttctgg	540
gctgagctgc	agagtcttcg	gcagaagcac	ttgtcagagg	tggaaacact	acagacacta	600
cagaaaaaag	aaattgaaga	tttgtacagc	cggctgggga	agcagcccc	accgggtatt	660
gtggccccag	ctgctatgct	gtccagccgc	cagcgccgcc	tctccaagg	cagcttcccc	720
acctcccgcc	gcaacagcct	acagcgctct	gagccccag	gccctggtga	gactgcagtc	780

accagcttc	catcttttcc	ctgagacccc	tttctgtcga	ctgtttttct	ccaggccctg	840
ggggtctgcc	ccgggggaat	agacccccctc	tccccacctc	ccctttcctc	acttagtgct	900
ctccttcccc	catcctggct	ccaggcatca	tgcgaaggaa	ctctctgagt	ggcagcagca	960
ccg						963

<210> 139
 <211> 376
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(376)
 <223> n = a,t,c or g

<400> 139	
cgccgctttg	tttctcaaga gactgggaat ctgtatatg ccaaagtaga aaaatcagat 60
gttggaatt	atacctgtgt ggttaccaat accgtgacaa accacaaggt cctggggcca 120
cctacaccac	taatattgag aaatgatgga gtgatgggtg aatatgagcc caaaatagaa 180
gtgcagttcc	cagaaacagt tccgactgca aaaggagcaa cggatgaagct ggaatgcttt 240
gcttttaggaa	atccagtacc aactattatc tggcgaagag ctgatggaaa gccaatagca 300
aggaaagcca	gaagacacaa gtcaagagtg gggaaanntc ttgagaaatc ccttaatttt 360
tcagcagggg	ggatgc 376

<210> 140
 <211> 968
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(968)
 <223> n = a,t,c or g

<400> 140	
gcaagggggca	gttggtgaac ttgctgcctc cagagaatth tccctgggtg ggaggcagcc 60
agggacccag	gatgctccgg acctgttacg tgctctgttc ccaagctggg ccccgctcca 120
ggggctggca	gtccctgagc tttgatggcg gggccttcca ccttaagggc acaggagagc 180
tgacacgggc	cttgctgggt ctccggctgt gtgcctggcc cccactcgtc actcacgggc 240
tggtgtctcca	ggcctgggtc cggcgactcc tgggctcccg gctctcaggc gcatttctcc 300
gagcatccgt	ctatgggcag tttgtggctg gtgagacagc agaggaggtg aagggtgctg 360
tgcagcagct	gcggaccctc agcctccgac cactgctggc agtgcccact gaggaggagc 420
cggactctgc	tgccaagagt ggtgaggcgt ggtatgaggg gaacctcggt gctatgctgc 480
ggtgtgtgga	cctgtcacgg ggccctcctg agccccccag cctggctgag gccagcctca 540
tgcagctgaa	ggtgacggcg ctgaccagta ctcggtctcg taaggagcta gcctcgtggg 600
tcagaaggcc	aggagcctcc ttggagctga gccccgagag gctggctgaa gctatggact 660
ctgggcagaa	cctccaggctc tctgcctca atgctgagca gaaccagcac ctccgggcct 720
ccctcagccg	cctgcatcgg gtggcacagt atgcccgggc ccagcacgtg cggctcctgg 780

tggatgcgga	gtacacctca	ctgaacctcg	cgtctctcgct	gctgggtggct	gccctggctg	840
tgcgctggaa	cagcccgggt	gaaggcgggc	cctgggtgtg	gaacacctac	caggcctgtc	900
taaaggacac	attctagcgg	ctggggaggg	atgcanaggc	tgcgcacagg	gccggcctgg	960
ccttcggg						968

<210> 141
 <211> 306
 <212> DNA
 <213> Homo sapiens

<400> 141						
agacggctga	aaagggaggg	gtattgaggg	cggttcagag	ggcgaggaga	ggggcgtaga	60
gaacctgtgg	agaagaagtt	cactggaggg	gcattaggcc	tcgcactatg	tatccagatc	120
atcagtaggg	gaagagaaaa	gatgggcaat	atgtatagtc	agacgagaag	tgggatcaaa	180
cagagggctc	atggagaagt	aggctaccca	ccacataacc	ccatcatagg	attgcaggag	240
atacagctat	agataagaat	atccaccagt	cggtgagtga	gcagatcaag	aagaactttg	300
ccaaga						306

<210> 142
 <211> 316
 <212> DNA
 <213> Homo sapiens

<400> 142						
ccacactcac	atttaatat	ctgttaggtt	gtttactttg	aggcaatgtc	atcctcatta	60
gtatagggca	ttatatccct	gaatagcaga	atactcctcc	attcatgaag	ttcagtatta	120
tacattctta	ttattgcaca	acaaatagaa	gactttggat	ttccttatat	aagtaccttg	180
acagatgact	aaccattttt	tcctatgctt	tacaactatg	atcagtaact	gtaatttttt	240
taaaggtcct	cctggacccc	cgggtgaaaa	aggagatcga	ggtcccactg	gagaaagtgg	300
tccacgagga	tttcca					316

<210> 143
 <211> 339
 <212> DNA
 <213> Homo sapiens

<400> 143						
gacaatacca	aatgaatgaa	cgtgactgtg	ttccaacaaa	actttattta	caaaaacagg	60
gatgggccgg	atgtagccag	aggccataat	ttgccaaacc	ctgattttaga	cgaaggaaag	120
gagcagtgtc	tcactgcttt	taaattaatt	ctgtattctc	acaaggccta	cattgaaatg	180

gaattatagc	ctcattttttt	cttagaacct	ttatatatttg	ttttattcat	atacagggtt	240
gtcaagctgg	acagactatt	aaagttcaag	tctcctttga	tttgcttagt	ctgatgttta	300
catttgtaag	tccatgtacc	aacgatttaa	tcatacacg			339

<210> 144
 <211> 2018
 <212> DNA
 <213> Homo sapiens

<400> 144						
acagttatc	tgtgaatcat	aggagaacac	atcttacaaa	actcatgcac	actgttgaac	60
angctacttt	aaggatatcc	cagagcttcc	aaaagaccac	agagtttgat	acaaattcaa	120
eggatatagc	tctcaaagtt	ttcttttttg	attcatataa	catgaaacat	attcatcctc	180
atatgaatat	ggatggagac	tacataaata	tattttccaaa	gagaaaagct	gcatatgatt	240
caaatggcaa	tgttgcagtt	gcattttttat	attataagag	tattggctct	ttgctttcat	300
catctgacaa	cttcttattg	aaacctcaaa	attatgataa	ttctgaagag	gaggaaagag	360
tcatatcttc	agtaatttca	gtctcaatga	gtcacaaccc	accacatta	tatgaacttg	420
aaaaaatanc	atttacatta	agtcacogaa	aggtcacaga	taggtatagg	agtctatgtg	480
cattttggaa	ttactcacct	gataccatga	atggcagctg	gtcttcagag	ggctgtgagc	540
tgacatactc	aaatgagacc	cacacctcat	gccgctgtaa	tcacctgaca	cattttgcaa	600
ttttgatgtc	ctctggctct	tccattggta	ttaaagatta	taatattctt	acaaggatca	660
ctcaactagg	aataattatt	tcaactgattt	gtcttgccat	atgcattttt	accttctggt	720
tcttcagtga	aattcaaagc	accaggacaa	caattcacaa	aaatctttgc	tgtagcctat	780
ttcttgctga	acttgttttt	cttggttggga	tcaatacaaa	tactaataag	ctcttctggt	840
caatcattgc	cggactgcta	cactacttct	tttttagctgc	ttttgcatgg	atgtgcattg	900
aaggcataca	tctctatctc	attgttgttg	gtgtcatcta	caacaagga	tttttgaca	960
agaattttta	tatctttggc	tatctaagcc	cagccgtggt	agttggattt	tcggcagcac	1020
taggatacag	atattatggc	gcattgcctaa	tcattcttgt	taatctcttg	gcttttggag	1080
tttgaggttt	tataggacca	gcattgcctaa	tcattcttgt	taatctcttg	gcttttggag	1140
tcattcatata	caaagttttt	cgtcacactg	caggggttgaa	accagaagtt	agttgctttg	1200
agaacataag	gtcttgtgca	agaggagccc	tcgtctctct	gttccttctc	ggcaccacct	1260
ggatcttttg	ggttctccat	gttgtgcacg	catcagtggg	tacagcttac	ctcttcacag	1320
tcagcaatgc	tttccagggg	atgttcattt	ttttattcct	gtgtgtttta	tctagaaaga	1380
ttcaagaaga	atattacaga	ttgttcaaaa	atgtccctctg	ttgttttggg	tgtttaaggt	1440
aaacatagag	aatgggtggat	aattacaact	gcacaaaaat	aaaaattcca	agctgtggat	1500
gaccaatgta	taaaaatgac	tcattcaaatt	atccaattat	taactactag	acaaaaagta	1560
ttttaaatca	gtttttctgt	ttatgctata	ggaactgtag	ataataaggt	aaaattatgt	1620
atcatataga	tatactatgt	ttttctatgt	gaaatagggtc	ctgtccaaaa	atagtattgg	1680
ccagatatatt	gggaaaagta	aattgggttt	cctcagggag	tgatatcccc	ttgcacccaa	1740
gggaaaagat	tttctttcta	acacgagaag	tatatgaatg	tcctgaaggg	aaacctggg	1800
ccttgatatt	tctgtgactc	gtgttgctct	tgaaactagt	cccctaccac	ctcggtaatg	1860
agctccatta	cagaaagtgg	aacataagag	aatgaagggg	cagaatatca	aacagtga	1920
aggggaatgat	aagatgtatt	ttgaatgaac	tgttttttct	gtagactagc	tgagaaattg	1980
ttgacataaa	ataaagaatt	gaagaaacaa	aaaaaaaa			2018

<210> 145
 <211> 429
 <212> DNA
 <213> Homo sapiens

<400> 150

cgacgcctgt	ccctcttaga	cttgacgctc	ggtcctcttg	gcagagaccc	cccgaggag	60
tgcagcacct	tctccccaac	agacagcggg	gaggagccgg	ggcagctctc	ccctggcggtg	120
cagttccagc	ggcggcagaa	ccagcgccgc	ttctccatgg	aggacgtcag	caagaggctc	180
tctctgcca	tggatatccg	cctgccccag	gaattcctac	agaagctaca	gatggagagc	240
ccagatctgc	ccaagccgct	cagccgcatg	tcccgccggg	cctccctgtc	agacattggc	300
tttgggaaac	tggaaacata	cgtgaaactg	gacaaactgg	gagagggcac	ctatgccaca	360
gtcttcaaa	ggcgcagcaa	actgacggag	aaccttgtgg	ccctgaaaga	gatccggctg	420
gagcacgagg	agggagcgcc	ctgcactgcc	atccgagagg	tgtctctgct	gaagaacctg	480
aagcacgcca	atattgtgac	cctgcatgac	ctcatccaca	cagatcgggtc	cctcacccctg	540
gtgtttgagt	acctggacag	tgacctgaag	cagtatctgg	accactgtgg	gaacctcatg	600
agcatgcaca	acgtcaagg	gaggcctcgg	gggcagggtc	cccccatctt	ggcagccacc	660
tgtccagaag	cccagtgtgg	ggacccactc	tcaccaccag	ggatccggct	gctgaggtgg	720
ctcaaaccct	cccacgtagg	aaagagggag	agggcaatgc	catcaacgag	tccaggaact	780
gggttgagcg	ctttacccca	agaacagaca	cacactgtct	gccactgtct	agctgttggt	840
ataaaaccca	ctctcaactc	tgaacatcag	tttcccagtc	tgtcaaattg	gagtgtgagc	900
tacctgccaa	aatgcaggga	ggcttctggg	gaagctcggg	gttatgaatg	acctctcctg	960
gtgtttgtta	agaatcaag	actgggcatg	gtggccccacg	cctgtaatcc	cagcactggg	1020
aggccaaggc	aggaagatgg	cttgagccca	ggagtttgag	accagcctgg	gcaacatggc	1080
aagacctcat	ctctactaaa	aattgaaaaa	ttagccgggc	acagtagcgt	gcacccatag	1140
tcccagctgc	ttgagaggct	gaggcaggag	ggccacttga	gccccggagg	ttgaggctgc	1200
agtgaagcat	gatcacacca	ctgcactcca	gcattgggtga	cagagtaaaa	ccctgacatg	1260
tattgcgggc	gctctagagg	ataacaagca	tac			1293

<210> 151

<211> 349

<212> DNA

<213> Homo sapiens

<400> 151

ggcacgagcg	gcacgagcct	tctcctactg	cattagcatt	tggggaccac	cctattgtac	60
aaccaaagca	attatccctt	aaaattattc	aggtaaatga	taattaaaat	gtttttttct	120
atggcttcta	agaaaccatt	gactaactta	ctaacaacta	agatgtctgt	ttgttttata	180
tgtagtcata	aagcagaatt	acacatcaag	aaagataact	tactaaacaa	aaacaacaga	240
attttagtaga	aggagtgaga	aactgaaaca	cacaatttac	tatcagcttt	ttaaacaacc	300
gttaacatgt	cagttctgtt	tactgattct	ttctgaactt	aatttccag		349

<210> 152

<211> 324

<212> DNA

<213> Homo sapiens

<400> 152

ggcacgagga	ccttccttgc	tttcagaatt	tcacccaggg	tctgacaggc	ctcaagaaag	60
gagaactagt	tatgaaccga	ttcatccagg	cccatcccca	gtggatcatg	attcactgga	120
atcgaagcga	ccacgtctgg	aacaggcttc	tgattctcat	tatcagggtc	acatcactgg	180
cgaatcccta	ccaggacgtg	tacactagca	gctcctcact	gtggaatctg	atgggcaatg	240

ccatgggtgat	taccactat	atccgtctta	ccccatatgt	tcaaagtaaa	ctcggttccc	300
tagggaacct	gatgccatgt	tacc				324

<210> 153
 <211> 377
 <212> DNA
 <213> Homo sapiens

<400> 153						
ggcacgagaa	aagaagaatt	cagtgcagaa	gaaaattttc	tcattttgac	ggaaatggca	60
accaatcatg	tacaggttct	tgtagaattc	acaaaaaagc	taccaggtat	tttttaaata	120
atcacagtta	atatttattg	agagtttaaa	tatgtgcca	cagattagat	tacctatttt	180
acatacgggtg	ttttaatttt	caaaacattc	ctgtgagatc	agctctattt	tcactattac	240
tttgccaagt	attttcacat	gtacttattt	cactgctatt	ctctacaata	gtcttgtagc	300
attgagaaaag	gcaggtctgt	tctttgtaaa	atgaaaatca	tttaatatct	gatttaaagt	360
aactgtcgaa	ctactat					377

<210> 154
 <211> 1224
 <212> DNA
 <213> Homo sapiens

<400> 154						
ggtttttttt	ttttttcttt	tgggaaaggc	attggccact	ttggacttta	ttagcaacag	60
taatgtcccc	tgacatacgc	acaagcttgt	agctccacgg	ccaggtcttc	ccccaacctc	120
acaatggccc	cgtgatgcag	gcaggcaggc	gagtgggggt	ctccccctct	tatccacagg	180
gccaccgaaa	ggcccacgag	acggccttgc	cggaggtcac	ccagcggagt	ggcttgctgg	240
gagccctggg	aataacagtc	ccacacaagg	ctctctccct	ccgcagctgg	acctgtacgc	300
gggggctctg	tttgtgcaca	tctgcctggg	ctggaaacttc	tacctctcca	ccatectcac	360
gctcggcatc	acagccctgt	acaccatcgc	aggtatgggtg	cctgcagcag	ggaggtccac	420
ccaggggacg	tgtaaagggg	tcagaaggcc	acctccccct	acaggcccga	gggagcagcc	480
caggaagtgg	cccagcagg	agccccagaa	gttccctccc	gtgtccctcc	tccttggggc	540
cagggccccc	tccagcaacc	ttgcttccac	tggcaggggg	cctggctgct	gtaatctaca	600
cggacgccct	gcagacgctc	atcatgggtg	tgggggctgt	cacctgaca	atcaaagggtg	660
aggacagagt	ctgtggccat	ggcggggctg	tccccacagc	gagccctttg	gagtctggca	720
ctgcccggca	ctgtgcagga	ttcatgccgt	tggggttctg	ggtagcatcg	ctgggagtgg	780
gtgggttcag	gaggttgagc	cactaggcag	tcagccccc	tgctggcccc	tcagggactg	840
ccctggctgg	tagaggctac	ccaccctgct	gccccgctgt	taccagctct	ggccctggca	900
aggagctgac	tcaggaactc	agggccagcc	acaccgcgat	tggctcagcg	cttgatgggtg	960
aggtggggct	gtaggcgggt	gtgaaggcac	acaaccagga	ggccataaaa	ctgcctgggc	1020
agctcctcca	attgtttaaa	agcatgtaca	aaatgccaaag	aggtgatgct	acctcctgca	1080
ggacaaaggc	cagggaggaa	agaagagagc	tgggagagat	tggcgatact	agtctggaac	1140
agataggaaa	ctcacagggc	tgcccggaga	gagcgtgagc	tcaccgtccc	tggaagtatg	1200
taagcagagc	caggagctcg	tgcc				1224

<210> 155
 <211> 345
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(345)
 <223> n = a,t,c or g

<400> 155
 ggcacgagcg gcacgagatc tgaagaggta tattgcttac agaaagagcg ggagatggta 60
 aatcacagtc ttcaagagac ttctgagcaa aacgttattc tacagcatac tcttcagcaa 120
 cagcagcaaa tggtacaaca agagacaatt agaaatggag agctagaaga tactcaaact 180
 aaacttgaaa aacagggtgtc aaaactggaa caagaacttc aaaaacaaag ggaaagttca 240
 gctgaaaagt tgagaaaaat ggaggagaaa tgtgaatcag ctgcacatga agcagatttg 300
 aaaaggcaaa aagtgattga gcttactggc actgccaggc aagtn 345

<210> 156
 <211> 340
 <212> DNA
 <213> Homo sapiens

<400> 156
 ggcacgagct tctacttgta caggaaaggt tacttgagtt tgtccaaagt ggtgccggtt 60
 tctcactatg ctgggacatt gctgctactt ctggcacgtg tggcctgcct cctaggcatt 120
 gtcgctggg cctaccccca ctcccgag tttctcgcca tctcctctcc gatccatctc 180
 tacctgacgt cataactcta tatgcatggt atgcgggtcca tcttagtctt ctaaaaaggc 240
 catttttagct tacctgccat caagctatac atgtggaaat atacactgta ttattttccc 300
 ttccagggtt attacttacc tcctctgttc ttatatctgc 340

<210> 157
 <211> 478
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(478)
 <223> n = a,t,c or g

<400> 157
 gagactccaa gccccagttt cacctcagag gcagagatga ggggtcccc ggtcctgtc 60

ctccagggcg	ccccaatgga	gtgtcctgtt	ccgcagggga	tcccggccgg	gtccagtcct	120
gagcctgcac	ctgaccccc	ggggcctcat	ttcctccggc	aggagcgcag	cttcgagtgc	180
cgcatgtgog	gcaaggcctt	caagcgctcg	tccacgctgt	ccacccacct	gtccatccac	240
tcagacacgc	ggccctaccc	ctgccagttc	tgccggcaagc	gtttccacca	gaagtccgac	300
atgaagaagc	acacctacat	ccacacaggt	gagaagccgc	acaagtgcc	ggtgtgcgga	360
aaggccttca	gccagagctc	caacctcatc	acccacagac	tcagagagaa	cccaccatgg	420
tgctgtctcc	tgccgacaag	accaacgtca	aggccgcctg	gngtaagggt	cgcgcgca	478

<210> 158

<211> 332

<212> DNA

<213> Homo sapiens

<400> 158

ggcacgagca	gctcaccaac	aacacagcca	ctgccccctc	tgccacgccc	gtgtttgggc	60
aagtggcagc	cagcacccga	ccaagtctgt	ttgggcagca	gactgggtatc	acagccagca	120
cagcagttgc	cactccacag	gtaatcagct	caagggttc	taatctagat	ttttagtata	180
tagtattatt	gaatatatat	aatgttttat	atattagact	ttatacttga	gacataggaa	240
ataatttatg	tataactgtt	aattaaattt	tatatttgc	agattagaaa	attctattaa	300
tttattaatg	aattatatct	aattatgtga	ca			332

<210> 159

<211> 868

<212> DNA

<213> Homo sapiens

<400> 159

cccacgcgtc	cggaataaag	agagaactct	gttactattg	tttttacatc	accaaataat	60
tattttaatat	cgtagctaa	gagaagaatt	ggctatgaac	tgtacttta	caactgacac	120
aactgcatac	aagttataaa	gtttaataat	ctttatcatc	ttggaaaata	aatctcttct	180
tgctaagtat	cagtttttaa	aaattgcccc	atgtattaga	tatgtatttt	tttaacaaaa	240
atgttctgtg	tattaattat	tttgaaataa	attttaagtt	cacaaaaagc	cattacaaga	300
agtggaaata	gcagcaatta	cacatggtgc	tcttcagggg	ttagcctact	tacattctca	360
tactatgatt	catagagata	tcaaagcagg	aaatatcctt	ctgacagaa	caggccaggt	420
gaaacttgct	gactttggct	ctgcttccat	ggcatcacct	gccaattcct	ttgtgggaac	480
gccgtattgg	atggccccag	aagtaatttt	agccatggat	gaaggacaat	atgatggcaa	540
agtagatgtg	tggtctcttg	gaataacatg	tattgaacta	gcggaaagga	agcctccttt	600
atttaatatg	aatgcaatga	gtgccttata	tcacatagcc	caaaatgaat	cccctacact	660
acagtcta	gaatggtgag	tattgtta	atatatattg	ctcagtggtg	aataaatgaa	720
atgctttttc	ataatctgtt	atcaaagtga	tttaatttca	gttaggtaaa	atgtatcacc	780
ttataagata	ttaaaataga	tgtattttac	ccttttaaat	atattttatc	tttatcatgt	840
ttccatttca	tggcatacgt	ataactgg				868

<210> 160

<211> 1404
 <212> DNA
 <213> Homo sapiens

<400> 160

gogccacgcg	cggcctggcg	gcggcgggcca	ctctaaccag	cgcaaaatgt	ccctggaaca	60
ggaggaggaa	acgcaacctg	ggcggtcct	aggacgcaga	gacgccgtcc	ccgccttcat	120
tgagcccaac	gtgcgttct	ggatcaccca	gcgccaatcc	tttattcgac	gattttctca	180
atggacagaa	ttattagatc	ctacaaatgt	gttcatttca	gttgaaagta	tagaaaactc	240
gaggcaacta	ttgtgcacaa	atgaagatgt	ttccagccct	gcctcggcgg	accaaaggat	300
acaggaagct	tggaagcgga	gtcttgcaac	agtgcattcc	gacagcagca	acctgatccc	360
caagcttttt	cgacctgcag	cgttcctgcc	tttcatggcg	cccacgggat	ttttgtcaat	420
gacgccactg	aaagggatca	agtcctgat	tttacctcag	gttttcctct	gtgcctacat	480
ggcagcgttc	aacagcatca	atggaaacag	aagttacact	tgtaagccac	tagaaagatc	540
attactaatg	gcgggagccg	ttgcttcttc	aactttctta	ggagtaatcc	ctcagtttgt	600
ccagatgaag	tatggcctga	ctggcccttg	gattaaaaga	ctcttacctg	tgatcttctc	660
cgtgcaagcc	agtggaatga	atgtctacat	gtcccgaagt	cttgaatcca	ttaaggggat	720
tgcggtcatg	gacaaggaag	gcaatgtcct	gggtcattcc	agaattgctg	ggacaaaggc	780
tgttagagaa	acgctagcat	ccagaatagt	gctgtttggg	acctcagctc	tgattcctga	840
agtcttcacc	tactttttta	aaaggaccca	gtatttcagg	aaaaacccag	ggtcatttgt	900
gattttgaaa	ctgtcttgta	ctgtcctggc	aatgggactg	atggtgccat	tttcttttag	960
tatattttcca	cagattggac	agatacagta	ctgtagtctt	gaagagaaaa	ttcagtcctcc	1020
aacagaagaa	acagaaatct	tttatcacag	aggggtgtag	gccgtgagtt	ttaggtgaat	1080
ttatgtggtt	ccctgcttga	aaaccttccc	cctctcccag	gttcggttta	gagaactttg	1140
cccacaggtc	ttctggggac	cccagagggtg	tctgtgctga	caaggcgact	tcagattcca	1200
tactgagatc	gttcccaggc	tggcgtctct	ggggttttta	aggctggctg	gagaagacag	1260
tgggaagggg	gccccgtctg	acacccctgg	ggttgctgag	ggaacgggtg	gagtggggat	1320
cggcctgcga	aaggatactg	tgaatcact	aattaactaa	taaacctgtc	tcaagttgag	1380
gatttgaaga	aaaaaaaaaa	aaag				1404

<210> 161
 <211> 562
 <212> DNA
 <213> Homo sapiens

<400> 161

cccacgcgtc	cgggagattg	gaagtcttct	ataacgggac	ctggggcagc	gtcggcagga	60
ggaacatcac	cacagccata	gcaggcattg	tgtgcaggca	gctgggctgt	ggggagaatg	120
gagttgtcag	cctcgccctt	ttatctaaga	caggctctgg	tttcatgtgg	gtggatgaca	180
ttcagtgtcc	taaaacgcat	atctccatat	ggcagtgcct	gtctgcccc	tgggagcgaa	240
gaatctccag	cccagcagaa	gagacctgga	tcacatgtga	agatagaata	agagtgcgtg	300
gaggagacac	cgagtgcctt	gggagagtgg	agatctggca	cgcaggctcc	tggggcacag	360
tgtgtgatga	ctcctgggac	ctggccgagg	cggaagtggg	gtgtcagcag	ctgggctgtg	420
gctctgctct	ggctgccctg	agggacgctt	cgtttggcca	gggaactgga	accatctggg	480
tggatgacat	gcggtgcaaa	ggaaatgagt	catttctatg	ggactgtcac	gccaaaccct	540
ggggacagag	tgactgtgga	ca				562

<210> 162

<211> 1812
 <212> DNA
 <213> Homo sapiens

<400> 162

gccttgcttg	gaggcaaagc	gtcctccact	ctgtcctcag	gactcagctg	tgtggccttg	60
gatttctttt	tgcgggactt	gcgccctttg	ggtgccaaag	gtccaggatc	cccctggaac	120
cagatggtac	ggccatgccg	gtcctgcagg	gagctcatgc	ctggcatgcc	atagcagcgc	180
agccaggctc	gaaaggcagc	aaagtccctc	tccccgctct	ctgacccgta	gcccctgccc	240
cccaactgga	ccacttcctt	gggcaactgag	tgacatagct	ccagcaggtc	tggattctgc	300
agcttggtcc	ttatcttctg	gtcagggttc	agctccgggc	tcggcctgtg	ctgctgcagg	360
gcctccagga	ccgagcgggc	cttctcaaag	gggggggatct	tcagccggta	caggatctct	420
gcccgcagat	agttgccaat	gccattgaag	aacctctggt	ccaggagggc	ctcgcagatg	480
ggccggtcaa	aggccttatc	cgctaggttt	cgtagcacat	tctccctgaa	ctgctggtac	540
tcttgcaaga	cacaggggcc	gcggcccggc	tgccactttc	ccccagggtc	ccagcggccg	600
aaccggcgga	tgtccacgaa	acataggggc	agccgggggc	caggcggggc	cgtgtaaaag	660
cgcagggtgg	catggcgtgg	cagctcctcg	cggggcacca	gctgaaaaga	gccggacatg	720
ccgaagcgga	agaccagggc	cagtggctcc	tgttggggct	gggcccagg	cagagggtct	780
agtatcagge	gcagctcctt	gcgcgggct	gaagctgaga	tgcggtaggc	actgctctca	840
aagggcacct	cagggttgcg	gctgacagag	gacttctcca	cgagccgcc	gaacaccagc	900
gcctgcagg	cctcattcac	aaactggctg	gccagggtgca	gctcggggcc	ctcaggcatc	960
ctgaggggag	gtggcagagt	cctggctggg	agggtggcga	agaacctgac	ttcccactgc	1020
ctggcgccgg	cgagatgcgg	gggcaggctc	gaggccccgg	gtcgccgctg	tctctgcggt	1080
tgggggaagt	caccagcta	gcgtgggaca	gggtcggcac	ccccagcagg	aaacagcagc	1140
gacgagccag	agcggagtcg	cctgcagctg	cgcgcaggac	gtgcacaggt	gcgcggtagc	1200
cacaggccct	agggaccggg	tggggatctt	aagcaccaac	gaacagtcag	acctaaactca	1260
taaacaaaca	tcatcacggc	ctgccctgtc	agaagcgcag	ccaagcaaca	acaacaacaa	1320
aaaaaggcga	ggaggtagac	ccacttgaga	tggttctgtt	gcggagagtc	tctgaaatca	1380
gaaagcgcca	gtccgcaaaa	acgaggaaac	ccgacgtgtc	cggcgggaagg	aaccgccagt	1440
acaaaggccc	tgaggcgaga	aagagattgg	tactgaaaag	aactcaaaga	agtccctgtg	1500
ggctggagta	tagctgcggg	ttagtgctgg	cagggtgaaga	cagagaagca	aaccagggtc	1560
aggtcgggtt	gggcctcggg	agggcctccg	tgtggagtct	gcacttcatt	ctaagtgtat	1620
acctaaccca	tcgccacgat	ttcccctcct	tcacactacc	ctgctacgtc	tccttattag	1680
gcgtaataaa	attatgtggc	tttgtaagaa	attggttttt	agagatgcat	gttaaagtat	1740
tgggtatgaa	atgtcatgat	ttgtctaatt	tactttaaaa	tacttctgcc	ataataaatg	1800
aatagaatta	ac					1812

<210> 163
 <211> 333
 <212> DNA
 <213> Homo sapiens

<400> 163

agctgacgtg	gtctgcctgt	tattggagag	atatattaag	aatccagttg	tggattgcag	60
ctgatattct	tttgcgaaat	cttgaaaaag	cacttcttta	tagtgaacac	cagaacatca	120
gcaacactgg	actgtcatcc	caaggcttat	tgatatttgc	ggagttgatt	cctgccatta	180
agaggacgtt	ggctcgccct	ctcgtgatca	ttgcgagcct	ggactatggc	attgagaaac	240
ctcatttagg	aacaggcatg	caccgtgtga	tcggactgat	gcttctatac	ttaatctttg	300
caaatgctga	aagcgtgatt	agagtcattg	ggg			333

<210> 164
 <211> 134
 <212> DNA
 <213> Homo sapiens

<400> 164
 tttttttttt gagatggagt ctgctcttgc tgcccaggct ggagtgcagt ggtgcaatct 60
 tggctcactg caagctctgc ctcccagggt caccgccattc tcctgcctca gcctcccagag 120
 tagctgggac taca 134

<210> 165
 <211> 839
 <212> DNA
 <213> Homo sapiens

<400> 165
 cctgagcccg gcgagcagga gaggaggtct tccggggccgc ggctcccgag cgcgcgggat 60
 ttgcagaact taatatgaat gtgaagaact tgcaaagaaa cttgaaaaca gccaaaggga 120
 tggcatatca agaaataaat tggccttggc agaattgtat gaagatgaag tgaagtgcaa 180
 atcttccaag tctaatagac ctaaagccac agtcttcaag agcccacgga caccacctca 240
 acggttttac tcaagtgaac atgaatacag tggattaaat atagttcgac cttcaactgg 300
 gaaaatttg aatgaacttt tcaaagaggc aagggaacat ggggctgtcc ctctgaatga 360
 agccacaaga gcttcagggt atgataaatc taagtcattt acagggtggag gatacagatt 420
 gggtagttct ttttgtaagc ggtctgaata tatctatgga gaaaatcagc tgcaagatgt 480
 tcagattttg cttaaactgt ggagcaatgg tttcagttta gatgatggag aattgagacc 540
 ttacaatgaa ccaacaaatg ctcaatttct ggagtctgtt aagagagggg tgactctcat 600
 tgcattgtat cctgaaattc agcaacttat gttagaaatc ttttaattgt gcattactgc 660
 tggcagaaga tttcaaaagg ttagtttgaa gttataattt gtgaaagtaa actcagatat 720
 tcagtgtctc caccatcca aagaacattg taacttacca gctcttcttg cttaaaggatg 780
 aggaatcaag tgattttgct atgataataa aagcttttct gtgttatgat taaaaaaaa 839

<210> 166
 <211> 1256
 <212> DNA
 <213> Homo sapiens

<400> 166
 ctgcataccc tgatggccct gcggcgcagc tccgggggtt acccacgcgt ccgagcggat 60
 gttcactctc acgaccatga ttcaagctct tgcacctgtt atgggatggg acaggaagcc 120
 actgaagatg ttttcatcag aagagatgag aggacatctt catcatcatc ataaatgtct 180
 gacgaagatc ctgaagggtg aggggcagggt tccagatctg ccatacctgcc tgcccctgac 240
 tgacaacacc cgcatgctgg cctctatcct catcaacatg ctctatgatg acctgcgctg 300

tgacccggag	cgcgatcact	tccgcaagat	ctgtgaggaa	tatatcacgg	gcaagtttga	360
cccccaggac	atggacaaga	acttgaatgc	catccagaca	gtgtcagggg	tcctgcaggg	420
cccctttgac	ctgggcaacc	agctgctggg	actgaaaggt	gtgatggaga	tgatggtggc	480
actatgtggc	tcagagcgcg	agacggacca	gctggtggcc	gtggaggccc	tcacccatgc	540
ctccacgaag	ctcagcccg	ccaccttcat	catcaccaat	ggagtgtcac	tgctcaaaca	600
gatctacaag	accaccaaaa	atgagaagat	caagatccgc	acactggtgg	gactctgtaa	660
gctcggctct	gcaggtggca	cagactacgg	tctcaggcag	tttgcggaag	ggtegacaga	720
aaaactggcc	aaacagtgtc	gcaagtggtc	gtgcaatatg	tccatagaca	ctcggaccgc	780
acgctgggca	gtggagggcc	tggcctacct	cacgctggac	gctgatgtga	aggacgactt	840
tgtccaggac	gtccctgccc	tgcaggccat	gtttgagctg	gccaagacca	gtgacaagac	900
catcctgtac	tcggtggcca	ccaccctggt	gaactgcacc	aacagctacg	atgtcaagga	960
ggatcatcca	gagcttgtcc	agctcgccaa	gttctccaag	cagcatgtgc	ccgaggaaca	1020
cccccaaggac	agaaggact	ttatagacat	gcgggtgaag	cggcttctga	aggcgggtgt	1080
catctctgcc	ctggcttgca	tgggtgaaagc	agatagtgcc	atcctcactg	accagaccaa	1140
ggagctgctg	gccaggggat	tcctggcact	gtgtgacaac	caaaggacc	gaggcaccat	1200
tgtggctcaa	ggtggtggca	aggccctgat	tccctggct	ttggagggca	cagatg	1256

<210> 167

<211> 892

<212> DNA

<213> Homo sapiens

<400> 167

atgtggacag	cgtgggtggc	ggcagcgagt	ctcggctccct	ggactcacc	acttccagcc	60
caggcgctgg	cacgaggcag	ctggtgaagg	cttcgtccac	aggcactgag	tcctcagatg	120
actttgagga	gcgagaccct	gacctgggag	acgggctgga	gaatgggctg	ggcagccct	180
tcgggaagtg	gacactgtcc	agcgcggtc	agaccacca	gctgcggcga	ctgcggggcc	240
cagccaagtg	ccgcgagtgc	gaagccttca	tggtcagcgg	gacggagtgt	gaggagtgt	300
ttctgacctg	ccacaagcgc	tgccctggaga	ctctcctgat	cctctgtgga	cacaggcggc	360
tcccagcccg	gacaccctt	tttgggggtg	acttccctgca	gctaccaggg	gacttcccgg	420
aggaggtacc	ctttgtggtc	acgaagtgca	cggctgagat	agaacaccgt	gccctggatg	480
tgcagggcat	ttaccgggtc	agcgggtccc	gggtccgtgt	ggagcggctg	tgccaggctt	540
tcgagaatgg	ccgagcgttg	gtggagctgt	cggggaactc	gcctcatgac	gtctcgagtg	600
tcctcaagcg	atttcttcag	gagctcaccg	agccctgat	ccccttccac	ctctacgacg	660
ccttcatctc	tctggctaag	accttgcattg	cagaccctgg	ggacgacct	gggaccccca	720
gccccagccc	tgaggttatc	cgtctcgtga	agaccctctt	ggtacagctg	cctgactcta	780
actacaacac	cctgcggcac	ctggtggccc	atctgttcag	ggtggctgca	cgatttatgg	840
aaaacaagat	gtctgccaac	aacctgggca	ttgtgtttgg	gccgacactg	ct	892

<210> 168

<211> 394

<212> DNA

<213> Homo sapiens

<400> 168

ggactccatg	tcattctctct	gcacagcgct	gatggctcgtc	actgggagga	tcccctttct	60
gagcttgaca	gtgaacgtgt	gtctgcattt	cttgtcactg	agaccctggg	gttctatttg	120
ttctgtctcc	ttgcagatga	aaccgtcgtg	ccaccagatg	ttccaagcta	cctctcttct	180

caggggaccc	tttctgaccg	acaagaaacc	gtggtcagga	ccgaggggtg	ccctcaggcc	240
aatgggcaca	ttgagagcaa	tggttaaggcc	tcagtaaccg	tgaagcagag	ctctgctgtg	300
actgtgtctc	tgggtgctgg	aggtggcctc	caggtcttta	cagggcaggt	acctggcatt	360
agatggggca	aacttggtga	agcccacgcg	tccg			394

<210> 169
 <211> 550
 <212> DNA
 <213> Homo sapiens

<400> 169						
ctgtgacacc	tccgggcage	ccggcacttg	ttgctccac	gacctgttgt	cattccetta	60
acccggcttt	ccccgtggcc	ccccgcctcc	tcccggcttc	gctccttttc	atgtgagcat	120
ctgggacact	gatctctcag	accccgctgc	tccggctgga	gaatagatgg	ttttgtgaaa	180
aattaaacac	cgccctgaag	aggagccccg	ctgggcagcg	gcaggagcgc	agagtgttgg	240
cccagggtgt	gcagaggtgg	cgctcccccg	gccccgggacg	gtagccccgg	gcgccaacgg	300
catgacagac	tcggcgacag	ctaacgggga	cgacagggac	cccagatcgc	agctctttgt	360
gaaggctgga	atcgatggag	aaagcatcgg	caactgtcct	ttctctcagc	gcctcttcat	420
gatectctgg	ctgaaaggag	tcgtgttcaa	tgtcaccact	gtggatctga	aaagaaagcc	480
agctgacctg	cgcaacctag	cccccggaac	gcacccgccc	tttctggcct	tcaactggta	540
cgtgaagaca						550

<210> 170
 <211> 422
 <212> DNA
 <213> Homo sapiens

<400> 170						
cttggattca	gtgatggaca	ggaagccagg	cctgaagaaa	ttggctgggt	aaatggctat	60
aatgaaacca	caggggaaag	gggggacttt	ccgggaactt	acgtagaata	tattggaagg	120
aaaaaaatct	cgctccccc	accaaagccc	cgccacctc	ggcctcttcc	tgttgaccca	180
ggttcttcga	aaactgaagc	agatgttgaa	caacaagtgc	tctacaagta	tagaaagaag	240
ccttcctctt	cccaccgtcc	ccagacacca	cataatggaa	aaagcaagaa	ttttctgcat	300
aagcaaggcc	ttaaaaaaaaa	aaaagccagc	ctctgatggg	acttttttcc	tgccaaaaat	360
cccactggtc	cactgtcgca	attttttaaa	aaggccacga	taaaagagta	aggcccatth	420
tg						422

<210> 171
 <211> 1042
 <212> DNA
 <213> Homo sapiens

<400> 171

cggaacgcgtg	gggtcatgga	gctggcactg	cggcgcctctc	cggccccgcg	gtgggttgcg	60
ctgctgccgc	tgctgctggg	cctgaacgca	ggagctgtca	ttgactggcc	cacagaggag	120
ggcaaggaag	tatgggatta	tgtgacggtc	cgcaaggatg	cctacatgtt	ctggtggtc	180
tattatgcca	ccaactcctg	caagaacttc	tcagaactgc	ccctggatcat	gtggcttcag	240
ggcgggtccag	gcgggttctag	cactggatctt	ggaaaactttg	aggaaattgg	gccccctgac	300
agtgatctca	aaccacggaa	aaccacctgg	ctccaggctg	ccagtctcct	atttgtggat	360
aatcccgtgg	gcactgggtt	cagttatgtg	aatggtatgtg	gtgcctatgc	caaggacctg	420
gctatgggtg	cttcagacat	gatgggtctc	ctgaagacct	tcttcagttg	ccacaaagaa	480
ttccagacag	ttccattcta	cattttctca	gagtcctatg	gaggaaaaat	ggcagctggc	540
attggtctag	agctttataa	ggccattcag	cgagggacca	tcaagtgcaa	ctttgcgggg	600
gttgcccttg	gtgattcctg	gatctcccct	gttgattcgg	tgtctcctg	gggaccttac	660
ctgtacagca	tgtctcttct	cgaagacaaa	ggtctggcag	aggtgtctaa	ggttgccagag	720
caagtactga	atgcogtaaa	taaggggctc	tacagagagg	ccacagagct	gtgggggaaa	780
gcagaaatga	tcattgaaca	ggtaaaaagg	ggaaaacactc	agaggcgagc	ctgcttggt	840
ttttctggtg	ggtacagggc	ccatggttgg	tgttgtcaaa	cttgaggtct	acactgaggc	900
ccccacata	tctgcaaatg	attgcatgct	ggataataaa	tctcttggtg	ctaagcagtg	960
atgtagtggc	tccttacaga	gtcagaaagc	cacccaggcc	tgcaagactt	gcttgctcct	1020
cactaaatgt	aaaaattcta	tt				1042

<210> 172

<211> 890

<212> DNA

<213> Homo sapiens

<400> 172

aaagtagtag	gttgggtgcaa	acgtagtaat	aaattggttt	ggccctgttt	tcatagaact	60
atagagggtg	gacctttgtc	cccttccaga	tgcctacaaa	caaactgatg	tttttgattt	120
ttttttcttt	ttaaattttg	gttgccacta	attcttataa	aaatcctcac	acaaggctgg	180
gctcagtggc	tcacacctgt	aatcccagca	ctttggggagg	ctgaggcagg	cggatcacga	240
ggtcaggaga	tcgagaccat	cctggctaac	acggtgaaac	ccccgtctct	actaaaaata	300
caaaaaaatt	agccggggcgt	ggtggcgggc	gcctgtatgc	ccagctactc	gggaggctga	360
ggcaggagaa	tggcgtgaac	ccgggaggca	gagcttgacg	tgagccgaga	tagcgccact	420
gcactccagc	ctgggcgaca	gagcaagact	ccatctcaaa	aaaaaaaaaa	agtgataata	480
ctgtaatccc	agcacttttg	gaggccgagg	caggcggatc	acgaggtcag	gagatcgaga	540
ccatcctggc	taacacgggtg	aaaccccgtc	tctactaaaa	atacaaaaaa	ttagctgggc	600
gtggtggcgg	gcacctgtag	tcccagctac	ctgggaggct	gaggcaggag	aatggcgtga	660
accaggagg	cggagcttgc	agtgagcgga	gatcatgcca	ctgcacttca	gcctgggcga	720
cagagcaaga	ctccatctca	aaaaacacac	acacacacac	acacacacac	acacacacaa	780
atagaaaaat	aataatagtt	ttaagcacct	ctaaagtaca	gatattgtgc	caagcaattt	840
atgtgaattg	attagattga	taactctaaa	aatagtttcc	ctaactcaact		890

<210> 173

<211> 1922

<212> DNA

<213> Homo sapiens

<400> 173

tttctttctt	catccaaaat	agtagagatg	tctttccac	gatgaactgt	gatgggtggag	60
atatcttttc	ctcggccaac	tctctctcca	tcggtctctt	tgatgtcatc	ttcaatagct	120
tcatacaattg	cttcatcaaaa	ctcatcaaat	ctgtagctta	tacatttctt	tggtcttggt	180
gacctctttt	caaagcaagt	ttgctttgga	tttttttgaa	tctttttctt	tttcttcttg	240
atcttcagaa	aagtctggct	ctttgtggag	gaatgatgtt	ttcaatactg	gataccaaca	300
tacaccaagc	gttcttttcc	ttcgttccgg	caacgctctt	tctttcttta	aggcaacatc	360
ccaaatctcg	gaaactggtc	ctctaatttt	tccaacaaga	gcaagtttaa	tggtgggcaa	420
aagggtggggc	aagaacccat	cctcccatct	ggggatggat	catcagagga	ggggcgaaag	480
gcagggcag	atgggtatcca	ctatcgcaag	agtcacacag	aagaattagc	tcaggatggg	540
ttggaaggcc	acattttttg	catggttcat	catcatctgc	taggatggct	tcttcaactt	600
ccttttcttc	ctcctcttct	gaagctgcag	atgatttttc	actgccagac	ccttcaactt	660
catcattgct	ggaatatattc	catctgccac	gtgtccgaga	accagtccat	cgaactttgc	720
ctttgggttt	taccttgctt	actttagaat	ttgtatcttt	ctctgatttt	ttcaaaattt	780
cctttttgtc	agttttttgc	aaagctgttg	actcttcttc	cacctcatct	tctccttccc	840
ctcttttttt	atcagctttc	tgatctctga	tctcagccac	ttttgcagtg	gggtctagata	900
ttcttgagg	tcttcttaaa	gtacgaccca	catttgtttt	ctcctcttcc	ttttctgtct	960
tctcttgctt	gttttctggt	tctagaactt	tggggggaga	atcgggcttc	tttttccgac	1020
ttgatatcct	gattgttaat	ttgatgccct	ctttctgctt	ttcagagggt	atctctgtat	1080
ttctgagggc	agtggtttct	tcttcaggaa	ccaacttata	tttgaatttg	cttttttgca	1140
tagaaccctt	tgtctcagaa	ggctcctcta	tgccagagg	ctgggcattg	tccagattat	1200
ccatttctac	ctttgtgaac	tcagaatcct	cttttagggt	ttctaggtct	acttttttca	1260
cagactggcc	accaacagta	cttgtactct	ggcattctac	cacttctttt	tctgaggcta	1320
gtttctcaca	gtgggtcaatg	atattagatg	gtggagaagt	ttcagctgcc	tcaggagagc	1380
caggcttttc	tgactctaga	gtactctttg	gaacttcttc	tggtatttga	ctcaatcttt	1440
gtgcgtcctt	atcaagaaaa	gtcttttttg	acttctctaa	cttttcaaga	cattctagga	1500
ttggtggggc	cttatccttc	ttagttttgg	gagacttctc	ttcaccttcc	atggtacacg	1560
actcgggtgga	agataaaagca	gtttttgaag	agagatcttt	tgccatctca	gaagaatcaa	1620
gagaagtttc	catttctgga	ggatcgggtt	cctctatattg	tgctttttga	ctatggatct	1680
ctaagactga	tattgaacta	tctgcactct	tctcctaaag	ggctgtttct	ttctcaagct	1740
cacctgtttt	catacttggt	tatgacagaa	tttaaggact	ctgttccatt	tccctccgtg	1800
atgatatttc	tgtccttagg	ggggctatag	ctctcttctt	ttgtctcata	aaactttgtc	1860
tctacttggt	tctgtcttaa	aatttggagc	taccttttca	tcactaactt	ctccatttac	1920
ca						1922

<210> 174

<211> 537

<212> DNA

<213> Homo sapiens

<400> 174

aaaagcggcg	cggctcgttc	aagatggcgg	agctcgacca	gttgccctgac	gagagctctt	60
cagcaaaaagc	ccttgtcagt	ttaaaagaag	gaagcttata	taacacgtgg	aatgaaaagt	120
acagttcttt	acagaaaaca	cctgtttgga	aaggcaggaa	tacaagctct	gctgtggaaa	180
tgcttttcag	aaattcaaaa	cgaagtcgac	ttttttctga	tgaagatgat	aggcaataaa	240
atacaaggtc	acctaaaaga	aaccagagg	ttgcaatggt	tccacagaaa	tttacagcaa	300
caatgtcaac	accagataag	aaagcttcac	agaagattgg	ttttcgatta	cgtaatctgc	360
tcaagcttcc	taaagcacat	aaatggtgta	tatacgagtg	gttctattca	aatatagata	420
aaccactttt	tgaaggtgat	aatgactttt	gtgtatgtct	aaaggaatct	tttctaat	480
tgaaaacaag	aaagttaaca	agagtagaat	ggggaaaaat	tcggcggtt	atgggaa	537

<210> 175
 <211> 659
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(659)
 <223> n = a,t,c or g

<400> 175
 tctctctttg ccagtaaatgt tggaagtgga catttcattg gcctggcagg gtcagggtgct 60
 gctacgggca tttctgtatc agcttatgaa cttaatggct tgttttctgt gctgatgttg 120
 gcctgggtct tcctacccat ctacattgct ggtcagggtca ccacgatgcc agaataccta 180
 cggaagcgct tcgggtggcat cagaatcccc atcatcctgg ctgtactcta cctatttata 240
 tacatcttca ccaagatctc ggtagacatg tatgcgggtg ccatcttcat ccagcagtct 300
 ttgcacctgg atctgtacct ggccatagtt gggctactgg ccatcactgc tgtatacacg 360
 gttgctggtg gcctggctgc tgtgatctac acggatgcc tgcagacgct gatcatgctt 420
 ataggagcgc tcaccttgat gggctacagt ttccgcgcgg ttggtgggat ggaaggactg 480
 aaggagaagt acttcttggc cctggctagc aaccggagtg agaacagcag ctgcgggctg 540
 ccccggaag atgcctttca tatttttcga gatccgctga catctgatct cccgtggccg 600
 ggggtcctat ttggaatgtc catcccatcc ctctggtact ggngcacgga tcagggtgaa 659

<210> 176
 <211> 1033
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(1033)
 <223> n = a,t,c or g

<400> 176
 cccacgcgtc cggatgtgtg ctccacttg ggggacctga ttggggcttc agaccttggg 60
 ggctgtctcg cagggtctcc tccatccttc ttgatttgc tgtcattgag gctgcccgt 120
 ctgggcgcca ttccccagcc taacacctct tctcagtctt tccttgagg tccctggagt 180
 ccaggccttg gggcagtga gaaaccgtgg ggaggggcat gagatgccag tccccaaagt 240
 ccttgggagc ccttgtgggc caagtcattg taggacacac cctctcctgg gcattgctga 300
 ggtcacccag tgagcctagg ctccccctc ctcccatccc cagcctgggg gaaccttcag 360
 cgtctctcct cctgttaggc cccggctcag ctccccagga acttttggtg gtgggtacta 420
 gtagggtaag gcagttcttc ccatcatgag ggagaccttg ggagactttc attaccaa 480
 ccattgctgc cccgaccttc ctgggactga tctgggtcac cctgggtctc tgatcttgg 540
 gaagtcaagt tcttatccca gacttgagag gttacaagcc tccagggtctc tggcaaagt 600
 tggagatgat ggacagccat ttgtacacac accagccagt cccttagcat atctctcttg 660
 gttttgtctc aggtctgct cagccacctc cctgacgctg tccactgtg tggatgtgg 720
 gaaggggctt ctggatttta agaagaggag aggtcactca attgggggag cccctgagca 780
 gcgataccag atcatcctg tgtgtgtggc tgcccgactt cctaccggg ctcaggatgt 840
 gctgcagcct cctggccact ggaggggctg accgctgat ccacctctgg aatgttgg 900
 gaagtgcct ggaggccaac cagaccctgg agggagctgg tggcagcatc accagtgtgg 960
 actttgacct ctgggctac cagggttttag cagcaactta caaccagggt gccccagttt 1020
 ggaaggtngg gga 1033

<210> 177
 <211> 335
 <212> DNA
 <213> Homo sapiens

<400> 177
 gtcaaaaacg atttcctagc aactgtggcc gtgatggaaa actgttttctt tggggacaag 60
 cacttcatat catcgcaaaa ctccctgggta agtgggagaag attgggaatg gtattttttt 120
 ccttgttatt aagctattag aaataaatat gcctttgctg gcacataata gtacttttgg 180
 acaacaggat atcctatgga gtttaaaaaat aagtatttaa aatataacaa atctgtatta 240
 gtccattctc atgctactaa taaagatata cccaagactg ggtaatttat aaaggaagga 300
 gttttaatgg cctcacagtt ccgtcgacgc gggcgc 335

<210> 178
 <211> 556
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(556)
 <223> n = a,t,c or g

<400> 178
 gttcacgtct gcagcagtaa gatgggagct ttgtccacgg agcgggtaca gtactacact 60
 caggaactgg gggtcaggga gcgcagtggc cacagcgtgt ccctcatcga cctctggggc 120
 ctccctgttg agtatctcct gtaccaggag gagaaccctg ccaagctgtc tgaccaacag 180
 gaggcgggtcc gccagggtca gaacccttac cccattttaca ccagtgtcaa cgtccgcacc 240
 aacttgagtg gggaagattt tgcagagtggt tgcgagttca cgccctatga ggttggtctc 300
 cccaagtacg gggccttatgt tcccaccgag ctcttcgggt cagaactctt catgggacga 360
 ttgctgcagc tccagcctga accccggatc tgttacctgc aaggatgtg gggcagcgcc 420
 ttgcccacca gcctggatga gatcttccta aagaccgccc gctcgggcct cagcttcctg 480
 gagtggtaca gaggcagtgt gaatatcaca gacgactgcc agaagcctca gctgcacaac 540
 ncctcgacgc gggaat 556

<210> 179
 <211> 631
 <212> DNA
 <213> Homo sapiens

<400> 179

gaatttctgg	gtcgtccac	gcgtcccgca	aaggatgagg	gaaacgatga	gggaaaggat	60
gagggaaagg	atgagggaaa	ggatgaggga	aaggatgagg	gaaaggatga	gggaaaggat	120
gagagaaagg	atgagggaaa	ggatgaggga	aaggatgaga	gaaaggatga	gggaaaggat	180
gagggaaagg	atgagggaaa	ggatgaggga	aaggatgagg	gaaaggatga	gggaaaggat	240
gagggaaagg	atgagggaaa	cgatgaggga	aaggatgagg	gaaaggatga	gggaaaggat	300
gagggaaagg	atgagggaaa	ggatgaggga	aaggatgagg	gaaacgatga	gggaaacgat	360
gagggaaacg	atgagggaaa	ggatgaggga	aaggatgaga	gaaacgatga	gggaaaggat	420
gagggaaagg	atgagggaaa	ggatgaggga	aaggatgaga	gaaacgatga	gggaaaggat	480
gagagaaagg	atgagggaaa	ggatgaggga	aaggatgagg	gaaaggatga	gggaaaggat	540
gagggaaagg	atgagggaaa	cgatgaggga	aaggatgaga	gaaaggatga	gggaaaggat	600
gagggaaagg	atgagggaaa	ggataagtaa	g			631

<210> 180

<211> 469

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(469)

<223> n = a,t,c or g

<400> 180

ggcggggctc	ntttgagacc	tgatgaccat	cattacgccc	agcttggcac	gagggggagg	60
acttcagcta	cgccctgcag	ccctactgcg	ggtactcctt	ccaggttgtg	ggggagatga	120
tccggaaccg	ggaggtgctg	ccttgccccg	atgactgtcc	cgccctggcg	tatgcóctca	180
tgatcgaggg	ctggaacgag	ttccccagcc	ggagggcccg	ctttaaggac	atccacagcc	240
ggctccgagc	ctggggcaac	ctttccaact	acaacagctc	ggagcagacc	tcgggggggca	300
gaaacaccac	gcagaccagc	tccctgagca	ccagccact	gtgcaatgtg	agcaacgccc	360
cctacgtggg	gcccgaagcag	aagggtccgc	cctttccaca	gacccaggtc	atccccatga	420
agggccagat	cagacccatg	gtgcccccg	cgcagctata	cgtccccgg		469

<210> 181

<211> 453

<212> DNA

<213> Homo sapiens

<400> 181

caggaattcc	gggcgccacc	cacgcgttcg	atggatcctg	gaagagcgca	agcgggtgat	60
gcaggaggcc	tgcgccaaagt	accgggcgag	cagcagccgc	cgggccgcca	cgccccgcca	120
cgtgtcccg	atcttcgtgg	aggaccgcca	ccgcgtgctc	tactgcgagg	tgcccaaggc	180
eggctgctcc	aattggaagc	gggtgctcat	ggtgtggcc	ggcctggcct	cgtccactgc	240
cgacatccag	cacaacaccg	tccactatgg	cagcgtctc	aagcgcctgg	acaccttcga	300
ccgccagggt	atcttgacc	gtctcagcac	ctacaccaag	atgetctttg	tccgcgagcc	360
cttcgagagg	ctgggtgtccg	ccttcgcgca	caagtttgag	caccccaaca	gctactatca	420
cccggctctc	tgcattggcca	tactggcccc	gta			453

<210> 182
 <211> 377
 <212> DNA
 <213> Homo sapiens

<400> 182
 cataatgtat agtattttctc ctgccaaactc tgaggaaggc caggaacttt atgtctgcac 60
 agtcaaggat gatgtgaact tggatacagt acttctccta ccctttttga aagaaatagc 120
 agtaagccaa ctggatcaac tgagcccaga ggaacagttg ctggtcaagt gtgctgcaat 180
 cattggtcac tccttccata tagatttgct gcagcacctc ctgcctggct gggataaaaa 240
 taagctactt caggtcttga gagctcttgt ggatatacat gtgctctgct ggtctgacaa 300
 gagccaagag cttctgctg agcccatatt aatgccttcc tctatcgaca tcattgatgg 360
 aaccaaagag aagaaga 377

<210> 183
 <211> 621
 <212> DNA
 <213> Homo sapiens

<400> 183
 ctcaccccta aagtgcacaga gtaaattaac tctaaggccc catccaggac tcaagctgtg 60
 tgattttaca aaaatgaaaa ttatattaat aatcccattg taaaatccca aaagaaagtc 120
 aagagactag cagaaagaca ggtgggtgat gggatgtcct ggacagagcc tggatcatga 180
 ggtcccatg tagtgcttgt actacgcaga tgtttctctt tgagctattt taaaggtgtg 240
 gaaaaagcca aagcaatgcc ctctccacgg atactaaaga ctacaccttc cactcagctg 300
 ctgccaccgt ctttctggga aaacaactgc aaggtaagat accaacagct cctgtgaca 360
 gaagggaag taagccaacc aaagcgagtc ctgcagaccc caacgcagag cattogtgat 420
 cacccttgcc tctccactgt ctctgatgct taccagcaaa gagaaaacat aaagttctac 480
 attcagcagg acattcacct gaacagtttc aaataggaca tgaaggcagg atccagattg 540
 aatgtttgga gggaactaga gacatgggga ggcagtgagt gcagtaagcg tagctgtgaa 600
 atgaagggga gaagatggtg g 621

<210> 184
 <211> 415
 <212> DNA
 <213> Homo sapiens

<400> 184
 accgggacga cccacgcgtc cgggaattta attctattat atatgcagac tttctaaaga 60

agataaagct	tttttatggg	agaaacgtta	ttattgcttc	aaacacccaa	attgtcttcc	120
taaaatatta	gcaagcgccc	caaactggaa	atgggttaat	cttgccaaaa	cttactcatt	180
gcttcaccag	tggcctgcat	tgtaccact	aattgcattg	gaacttcctg	attcaaagta	240
agtcaaatac	atatttttgc	tcttgtttta	ttgtcagttt	ttccagtaag	gtatgttgcc	300
agaagtattt	cctttccttt	taacatgaaa	gcaattcaat	ataatccaaa	tgtgtaaatg	360
tatatattata	caaacatata	ttctgcattg	aagttgtcaa	taaagcattg	catgt	415

<210> 185

<211> 359

<212> DNA

<213> Homo sapiens

<400> 185

ggaaaatgat	gatttgaggt	ttatttgaaa	tacaacaatg	tccaatagga	aaacactgca	60
actttcttca	ggtgttgaga	aatccaatag	agacctctgc	ttgtctcctc	ctttggcaag	120
agtcccaagg	ggagagagag	gatgggccac	cacgatgaat	actacaggct	gcggggaagg	180
ataaccctag	tccagaccat	tcctacaaaa	gaaatgggga	atccgaaagg	aaaaggaaga	240
aatctcacta	gcacatgtca	aagagccagg	agaggcacia	ttcaccaagc	agaggaagaa	300
atagtgaccg	cagcgggggc	cgggtgcagcc	gcagtgataa	cggtcggagc	cgttacagg	359

<210> 186

<211> 1616

<212> DNA

<213> Homo sapiens

<400> 186

ggaggttgcg	gcggcggctg	cggcgagcc	cggggcggcg	ggtgggaaga	ggactaccag	60
aggggcctgc	gggagaccca	gggtcggacc	cataggagtc	ctgtcgtcag	gacctccttg	120
atcggctctc	tgcttggtt	ctcgggtgaag	gaggagcttc	ggggtgtcgg	ctgggctgcg	180
cggactcctc	ttgggatccg	atgatggatc	ccaccgggtg	atcgggaatg	gggttacaat	240
gcagtgaggc	ggaaaggctc	tcgcccgggc	acagaaagat	ccccagggcc	gcaaggcgtg	300
ctgtcgcctg	caaaggcact	gaccacagag	cccactgcct	ccctccttcc	tgggtggagc	360
aggggcctgc	cttcactctc	aaggcccggg	ggctccggca	tctcgacgcg	gcttcggcg	420
acacgggcaa	agagagacag	aggctagtcc	gagccggagc	cagtgtgacc	acacgtggca	480
ctgacgtccc	ccaagagcac	atgcagtgcg	cctgtgtctc	tgaggccgta	gtgggcgacg	540
acgagacgga	cagtgtatgc	caggcctgcg	cccggggggc	actggagacc	tgcccctcaa	600
agcggaggaa	acgccaaagc	cacctgaaaa	cctgcgagac	agggcctgtg	cacgagtcca	660
gtactcctac	ttcgccaagt	ctcaggagacc	catccccgag	caacgggtggc	ggcgagagaa	720
agagcacggc	gccggcgag	gtgcagagag	acaggaggct	gatgggggga	agttgaggca	780
cctggggcag	agaaaaaat	gcattgccaa	gaggtttctg	ggtcatctac	tgacgaaaaat	840
gtcttcccat	cagcccttgc	gctgggtccc	agggacctg	gcacccgtcg	ttggcgccca	900
gggtgcgcgt	cgggccacta	gggtacccc	aactcggaca	gaaggcccat	gagttgaatt	960
tgaagtttgt	gggaatagag	gtgaggcacc	aggggcagaa	aaaaaacagg	agacctcgcc	1020
tcagacaagc	ggggcctggg	tcccccatgg	atgaaagtgc	cttccatta	tgctgtaccc	1080
tgggcagagt	ggacagtgc	gacctggtt	cgagcccagg	gtgcgcttcg	ggaccgcttg	1140
cggttaccag	aaagcgaaca	aatgggtccat	gagcggaagg	tgaggcacct	gaggcagaga	1200
aagtaaagaa	acgcgccgcc	gagaagcagt	gcctgggtcc	ctcacggagg	aaattgtctt	1260
ctccttagcc	cgttcgcttg	gcagtgaggt	ccctggcgctc	cctgggttga	tcccagggta	1320

cgctcgggc	cactagtgtt	acccaaggt	gggcagaaag	cccataaggg	gaaggcgagg	1380
cacctggggc	agagaaaaaa	aaaaacttcg	ccgcaaagaa	gcgcggcctg	attccccacg	1440
gacgaaagt	tcttcccac	agtccttgca	ctgggacccg	gggaccctgg	tgtccctggt	1500
tcgagctcag	ggtgtgcctc	agccgctacg	tgcaccccaa	ggggagcttt	gggagcccaa	1560
aagccaataa	gggaaagtaa	tttttaaggc	cccagtggt	gaggccctg	tcacag	1616

<210> 187
 <211> 916
 <212> DNA
 <213> Homo sapiens

<400> 187

ttttgataag	aggcaacatg	aagcaagaat	ccagcaaagt	gagaatgaaa	ttcactat	60
gcaagaaaaa	ctaaaaagta	tggaggaaat	ccaaggcctt	acagatctcc	aacttcagga	120
agctgatgaa	gagaaggaga	gaattctggc	ccaactccga	gagttagaga	aaaagaagaa	180
acttgaagat	gccaaatctc	aggagcaagt	ttttggttta	gataaagaac	tgaagaaact	240
aaagaaagcc	gtggccacct	ctgataagct	agccacagct	gagctcacca	ttgccaaaga	300
ccagctgaag	tcccttcctg	gaactgttat	gaaaattaac	caggagcgag	cagaggagtt	360
gcaggaagca	gagaggttca	gcagaaaggc	agcacaagca	gccagagatc	tcacccgagc	420
agaagctgag	atcgaactcc	tgcagaatct	cctcaggcag	aagggggagc	agtttcgact	480
tgagatggag	aaaacagggt	taggtactgg	agcaaaactca	caggtcctag	aaattgagaa	540
actgaatgag	acaatggaac	gacaaaggac	agagattgca	aggctgcaga	atgtactata	600
cctcactgga	agtgacaaca	aaggaggctt	tgaaaatggt	ttagaagaaa	ttgctgaact	660
tcgacgtgaa	ggttcttata	agaatgatta	cataagcagc	atggcagatc	ctttcaaaag	720
acgaggctat	tggtacttta	tgccaccacc	accatcatca	aaagtttcca	gccatagtcc	780
ccaggccacc	aaggactctg	gtgttgacct	taagtactca	gcctcaactc	ctgttagaaa	840
accacgccct	gggcagcagg	atgggaagga	aggcagtcaa	cctccccctg	cctcaggata	900
ctgggtttat	tctccc					916

<210> 188
 <211> 1080
 <212> DNA
 <213> Homo sapiens

<400> 188

cctctactgc	agcttcatca	tcagattctt	ctttctgttc	ttgggggtgct	tcttcttctt	60
ccatgggctc	ctcaacagtt	tcagtccttg	tgctccatcc	ataaatagga	aagtttatga	120
actgtgaata	ttttttgacg	agatttttaa	ttgtatccaa	ttcaaggtaa	tcagatgctt	180
cttcttttaa	gacaagggta	attgtcgttc	cccgtcctag	agtgtttcct	cttgggtcag	240
caattacaga	aaattcattg	gagtcagact	cccagattgg	ccagtttggt	gtcggtttct	300
attccgcctt	ccttgttagca	gataagggtta	ttgtcacttc	aaaacacaac	aacgataccc	360
agcacatctg	ggagtctgac	tccaatgaat	tttctgtaat	tgctgaccca	agaggaaaca	420
ctctaggacg	gggaacgaca	attacccttg	tcttqaaaaga	agaagcatct	gattaccttg	480
aattgggatac	aattaaaaat	ctcgtcaaaa	aatattcaca	gttcataaac	tttctatatt	540
atgtatggag	cagcaagact	gaaactgttg	aggagcccat	ggaggaagaa	gaagcagcca	600
aagaagagaa	agaagaatct	gatgatgaag	ctgcagtaga	ggaagaagaa	gaagaaaaga	660
aaccaaaagac	taaaaaagtt	gaaaaaactg	tctgggactg	ggaacttatg	aatgatatca	720
aaccaatatg	gcagagacca	tcaaaagaag	tagaagaaga	tgaatacaaa	gctttctaca	780

aatcattttc	aaaggaaagt	gatgaaccca	tggtttatat	tcactttact	gctgaagggg	840
aagttacctt	caaatcaatt	ttattttgtac	ccacatctgc	tccacgtggg	ctgtttgacg	900
aatatggatc	taaaaagagc	gattacatta	agctctatgt	gcgccgtgta	ttcatcacag	960
acgacttcca	tgatatgatg	cctaaatacc	tcaattttgt	caaggggtgtg	gtggactcag	1020
atgatctccc	cttgaatggt	tcccgcgaga	ctcttcagca	acataaactg	cttaagggtga	1080

<210> 189
 <211> 1344
 <212> DNA
 <213> Homo sapiens

<400> 189

tttttttttt	ttgctgctgg	gtcggggtttt	atttcaaagt	cagccacaga	ggcgggtttct	60
gcacagggtac	gtgatccgac	tccacaagct	cccaccaggg	gctcccatg	acccgcaatg	120
acgctgtgtg	gggtcaaagg	aaaacaggcc	acagccaggc	ccctcgatgg	acgcaggcag	180
gggaccagga	atgcggccca	cgcaggggga	tcgggaatca	ggcggaaggt	gcaggtttgc	240
agctggcggg	aggagccagc	atgcccgaat	ctctaaaata	ttcccggtag	aaaaatagac	300
atttccctcc	aaagcagatt	cctggggctg	gaggggtccct	ccaaggccag	gggtccgggt	360
gattccagag	catccacgct	ctgcgctgaa	ggcactgaac	ctgccatcac	tgtcacagcc	420
gtcaccggcc	aaggaggggtc	tggaggaggg	aaggggccct	tgcgaggctc	tgggtgctggg	480
gatcccgccc	cccaccaccg	gaggagctga	aagcccttgc	tcagccgctg	ccctgctggg	540
gaaccocggc	cccaccgccg	gaggagctgc	accctgtgtg	gtctgaggca	gccctgcact	600
gggcagcggc	cccgcgccgc	gctgaaccca	ctaggagagc	agctgcagca	cctgtcggat	660
gcgctggggc	ctccccggca	gggggggatc	agagccctcc	tcattccagct	cccgcatcag	720
ggcttccggc	ttctgcaccg	tcagctctcg	ggccccggcc	tgcagccctc	ccaggtaggc	780
cagcaggggtg	gagaagtgtc	catcgggaac	cttgtcactg	tcatacatgt	gcagcaggag	840
ccacgtctgc	ctcgtcttct	gaaacctcca	gttcttgtgc	ttttgggccc	atctgcagag	900
gtagtccagg	gccagttcgg	cccccgagcg	cctggcaggc	gggtgctggg	ccacaaggcc	960
tgcctcccg	agacgtgtcc	tctcctcttt	cttccgttcc	tttttcagct	tcctttccag	1020
gacctctctgc	tcctctgggg	acagctctgg	ctctgcgtcc	agccccggcc	tgagcacagc	1080
ttcgcccttg	gagccggctc	cttcgccact	tggtgcagcc	tcaggggcca	gcagtggccc	1140
ctctgctgac	gccttcttca	gctttttgtt	ctttttctct	gtcacttcag	gaacttttct	1200
cttctgtttt	gccatcctgc	gcccacctgc	gcccacgtcg	cccacctaag	cgtgaacagc	1260
tgcgtgcggg	acgccgcctt	ccggcagggg	cccgcggagc	cgtgggtcga	cccggcaaaa	1320
cgggtccaac	ctagggcgctc	gagg				1344

<210> 190
 <211> 550
 <212> DNA
 <213> Homo sapiens

<400> 190

cccggaaccca	cgccgcccc	gcgcacggc	tctccccac	accgccttat	tcgggtcgag	60
accccggggg	ccccggcgcc	gctgtctgat	gagcggatct	ccggaccccc	cgccagcagc	120
gataggctag	ctatcctaga	agactatgcg	gacccgtttg	atgttcagga	gactggcgaa	180
ggctcagcag	gagcttcagg	agccccagag	aaggtccctg	aaaatgatgg	ctacatggag	240
ccctatgagg	ctcaaaagat	gatggccgag	atccgggggt	ccaaggagac	agcaactcag	300
cccttgccctc	tgtatgacac	accctatgag	ccagaggagg	atggggccac	cccgaagggt	360

gagggggccc	cctggccccg	ggagtcccg	ctgccagagg	atgatgagag	gccccctgag	420
gagtatgacc	agccctggga	gtggaagaag	gagcggattt	ccaaagcctt	tgcagttgac	480
attaaggtca	tcaaagacct	accttggcct	ccacctgtgg	gacagctgga	cagcagcccc	540
tccttgccctg						550

<210> 191
 <211> 562
 <212> DNA
 <213> Homo sapiens

<400> 191

caattttttt	ctcttttctt	aaggtatcag	atacacaccg	gacttcaaca	ttctatcata	60
agacctaccc	aaccceaactg	tttacctctg	gacaatgcc	ccctacctca	gaaactgaag	120
gaggttggat	attcaacgca	tatggtcgga	aaatggcact	tgggttttta	cagaaaagaa	180
tgcattgccc	ccagaagagg	atttgatacc	ttttttgggt	cccttttggg	aagtggggat	240
tactatacac	actacaaatg	tgacagtcc	gggatgtgtg	gctatgactt	gtatgaaaac	300
gacaatgctg	cctgggacta	tgacaatggc	atatactcca	cacagatgta	cactcagaga	360
gtacagcaaa	tcttagcttc	ccataacccc	acaaagccta	tatttttata	tattgcctat	420
caagctgttc	attcaccact	gcaagctcct	ggcagggtatt	tcgaacacta	ccgatccatt	480
atcaacataa	acaggaggag	atatgctgcc	atgctttcct	gcttagatga	agcaatcaac	540
aacgtgacat	tggctctaaa	ag				562

<210> 192
 <211> 2171
 <212> DNA
 <213> Homo sapiens

<400> 192

cacgcgtccg	gaaaggaaga	ggcgggtgaga	ggctgcaaag	ccccttgccg	gttccgcaga	60
aaccagaaag	acctccccct	ccaccaagc	ctcagttcct	aaactcaggg	gcatactctc	120
aaaaacctct	tagaaatcag	ggagtgggtga	ggacactgtc	cagctctgcc	caagaggaca	180
tcatccggtg	gtttaaagag	gagcagctac	cacttcgagc	gggctaccag	aaaacctcag	240
acaccatagc	cccctgggtc	catggaattc	tcacactcaa	gaaagcaa	gaacttcttc	300
tgagcacagg	catgcccggc	agttttctca	tcagagtcag	tgaaaggatc	aaaggctatg	360
cctgtccta	tctgtcggag	gacggctgta	aacatttcct	catcgatgcc	tctgcagacg	420
cctacagctt	cctgggcgtg	gaccagctac	agcatgccac	cctggcggat	ttgggtggaat	480
atcacaagga	ggaacccatc	acttcctctg	ggaaggagct	ccttctctat	ccctgtgggtc	540
agcaggacca	gctgcctgac	tacctggagc	tgtttgagt	acagcctcca	tcagggtcat	600
cctacagcct	ccaagcgggc	tttcccctgg	acaaatgcc	ctgcaacatt	tatgtgtgaa	660
gccaaaatca	ccctgcagca	gagccaatgc	tgatcaactg	aaagtatcca	tgaggtcctc	720
attgacacct	ctttttctgca	caaatactgg	aattcaatgt	caagagaaaa	tgacctctgc	780
tcaaaagggg	gaagagtctc	aatttcagca	agtacctgtc	atgaagggtg	tgaccttaat	840
gatgtacata	aaataaaaca	aatgaagaaa	tggaaaactt	ttagaaatta	aggtgtactt	900
gaaaacgagt	atctatcata	tgacctctgc	actccctctg	tatcatctca	ggaggtttca	960
ggggcctggt	gacatgaagt	ttcgaagttt	catgttggct	ttggaatggg	agcaaaagcc	1020
tttccctggc	gagatgatgc	ttaaaacaca	cctcacttat	tgtacatgtt	ggaaccagga	1080
catgagagac	atagaaaaac	agaagtcatg	aatgtaaatt	gaatgagagg	cttaacatgc	1140
atgaaaatac	agatggacct	gcaggaaaag	gagcaa	acatcgctgagttt	gttttcttgt	1200

tcgggagaat	ggggccgggg	ctggcctggc	ctccccctgga	tatactctat	agtgcaccaa	1260
aaggataaa	catctgtaca	tgtatTTTTT	tattttttat	cagaagtgt	tagacaagaa	1320
cagaataa	aggctgtttg	gatgtacttt	gtggttgaat	tgtgttcccc	caaaatatat	1380
ggtgaagtct	taacccccat	ccccgtgaat	gggaccttgt	ttggaaatag	ggtctttgca	1440
gatatagtca	agatgaggtc	acattggatt	aggggtgggc	ccaaatccaa	tgactggcat	1500
ccttaggaga	agagagagtt	ttggtaatag	acacaaatgc	agtgggaaga	agaccagggg	1560
acaagaggca	agttggagtg	atgcagccgg	aagggaaggg	acaccaagga	tctccggcca	1620
ccagcagaag	ccagcagaga	ggcatgggac	aggttcccca	caagccttag	aaggaagcat	1680
ggccctgact	tcagaattcc	agactccaga	actggaagaa	taaatgtctg	ttgttttaag	1740
ctgcttagtt	catgctgagt	tcatgctgac	ttgttactat	agccccagaa	agctaataca	1800
gtcgtttatg	taattacata	acctgacaca	caagatcgac	ccattcactg	ctgcccagtc	1860
caccattttc	ataatgaagt	agaaatggga	ggtaagaaaa	acattccagc	cagttctgtt	1920
tagccctggg	acacatattt	gtcccgtcag	gaatcttatg	ccctcctgga	acccccgecc	1980
acctcagtc	agtcaccagtc	aggcgaacgg	cctctggaca	gggactgagg	tggctttgag	2040
ccactggaga	tcattttttct	tggaggatgg	agattggcta	gtacctctgg	cctaactgtg	2100
taggtcaata	ctctttttaca	ttgccttcta	ataaaagcag	aatgatacag	cagtgttgtt	2160
aaaaaaaaa	a					2171

<210> 193
 <211> 2095
 <212> DNA
 <213> Homo sapiens

<400> 193						
ggggaagtct	ggagaaggca	ttgtttcaat	tattaaaagt	gtgggggag	tgggcgggaa	60
aaacgcgcgc	actacagagg	ctggacgtaa	gcttatcggt	ggcgcgcgtg	cgcagcgcgc	120
gcccgagttg	ccaaaacaaa	ggggatttgg	tgatggaggc	tttgttagaa	ggaatacaaa	180
atcgagggca	tgggtggggga	tttttgacat	cttgtgaagc	agaactacag	gagctcatga	240
aacagattga	cataatgggtg	gctcataaaa	aactctgaatg	ggaaggacgt	acacatgctc	300
tagaaaacttg	cttgaaaatc	cgtgaacagg	aacttaagag	tcttaggagt	cagttggatg	360
tgacacataa	ggaggttggga	atgtttgcac	agcaggtaga	agaacatgaa	aaaatcaagc	420
aagagatgac	catggaatat	aagcaggagt	tgaagaaact	acatgaagaa	ttatgcatac	480
tgaagagaag	ctatgaaaag	cttcagaaaa	agcaaatgag	ggaattcaga	ggaaatacca	540
aaaatcacag	ggaagatcgg	tctgaaattg	agagggttaac	tgcaaaaata	gaggaattcc	600
gtcagaaaatc	gctggactgg	gagaagcaac	gcttgattta	tcagcaacag	gtatcttcac	660
tggaggcaca	aagggaaggct	ctggctgaac	aatcagagat	aattcaggct	cagcttgtca	720
atcggaacaa	gaaattagag	tctgtggaa	tttctagcca	atcagaaatt	caacacttaa	780
gcagtaaaact	ggagcgggct	aatgacacta	tctgtgccaa	tgagttggaa	atagagcgcc	840
tcaccatgag	ggtcaatgac	ttggttggaa	ccagtattgac	tgtcctacag	gagcagcagc	900
aaaaagaaga	aaaattgagg	gaatctgaaa	aactattaga	ggctctgcag	gaagaaaaga	960
gagaattgaa	ggcagctctt	cagtcctcaag	aaaatctcat	acatgaggcc	agaatacaaa	1020
aggagaagtt	acaagaaaaa	gtaaaggcaa	ctaacactca	acatgctgta	gaagctataa	1080
gtttggaatc	tgtgagtga	acgtgtaaac	agctgagcca	agaactaatg	gaaaaatatg	1140
aagaactgaa	gaggatggaa	gcacataaca	atgaatacaa	agcagagatt	aagaagttga	1200
aagaacagat	tttacagggt	gaacaaagtt	acagttctgc	actagaagga	atgaagatgg	1260
aaatctccca	tctaactcag	gagttacatc	agcgagatat	cactattgct	tccaccaaag	1320
gttcttcttc	agacatggaa	aagcgactca	gagcagagat	gcaaaaggca	gaagacaaa	1380
cagtagagca	taaggagatt	ttggatcagc	tggagtcact	caaattagaa	aatcgctcatc	1440
tttctgaaat	ggtgatgaaa	ttggaattgg	gtttacatga	gtgttccttg	cctgtatctc	1500
cccttggttc	aatagctaac	agatttttgg	aagaggagga	actgaggtct	catcacattc	1560
taggcgctt	ggatgcccat	attgaagaac	taaaaagaga	gagtgaagaa	acagtgaagc	1620
aattcacagc	cttaaagtag	cctcttaaaa	aaatcacaat	cttggaataa	aaaataaaca	1680
ccaaagagtt	actgtcatct	gaagtagcag	ctcttttaaaa	acatgaagag	ataaaattat	1740
aaaaatgata	catctaaagc	agtgggtgaag	aaagctgaaa	aactgatact	tttgataggc	1800
attttctctg	cactgggtttt	tttaaaggac	ttcttccagc	aataagttga	aagaataaac	1860
cactttgcta	gacttttttc	tcatacgaat	atattattatc	ataaagtgat	acttaccttg	1920

ctgactttaa	tgtgaatagc	tatgtactaa	ttgaaataag	gatttttatga	tacatgttga	1980
aaataaagta	actgcaggaa	ctttcttttag	gggaaatgtg	tagaagcatg	gatttagggg	2040
tcaaacatac	ctggatcgat	agactgggtt	tgccacttac	cagccaacgg	ggctt	2095

<210> 194
 <211> 1051
 <212> DNA
 <213> Homo sapiens

<400> 194						
gagacccctgt	cttaaaaaaa	taaaatgctg	tcagaataaa	aagcagtcaa	cagaaatgaa	60
acccttataa	gagacaaata	aatgtgggca	attattttct	gcaaaatgcc	ctccaagccc	120
ctgggcgcca	ttgccttctg	taataggaca	tcacctgaac	aggctttctg	ggctggagcc	180
aaggacccctc	cctgactccc	acctcccttt	ctgccttgta	ccccagccag	gtggaagaga	240
ccgyagtgg	gctgtccctg	gagcaaacgg	agcaaacactc	tcgcagaccc	attcagcggg	300
gcgccccctc	tcagaaggac	accttaacc	ctgggggacag	ccttgacacc	cctggcccc	360
ggatccctgc	cttccctgcac	ccgccttccc	tgagcgaggc	tgccctggcc	gctgaccccc	420
gcccgtttctg	cagccctgac	ctccgtccgc	tccctgggacc	catcctggat	ggggcttcag	480
tagcagccac	tcccagcacc	ccgctggcca	cacggcacc	ccaaagtcc	ctttcggtg	540
atctcccaga	tgaactacct	gtgggcaccg	agaatgtgca	cagactcttc	acctccggga	600
aagacactga	ggcagtggag	acagatttag	atatagctca	ggatgctgat	gctctggatt	660
tggagatgct	ggccccctac	atctccatgg	atgatgactt	ccagctcaac	gccagcgagc	720
agctacccag	ggcctaccac	agacctctgg	gggtgtgccc	ccggccccgt	gctcggagct	780
tccatggcct	gtcacctcca	gcccttgagc	cctccctgct	accccgctgg	gggagtggac	840
cccggctgag	ctgctccagc	ccttcagag	gggacccctc	agcatcctct	cccattggctg	900
ggggtcggaa	gaggaccctg	gccagagct	caaaggacga	ggacgaggga	gtggagctgc	960
tgggagtgg	acctcccaaa	aggccccca	gccagaaca	cgaaaacttt	ctgctctttc	1020
ctctcagcct	gagtttccct	ctgacaggag	g			1051

<210> 195
 <211> 423
 <212> DNA
 <213> Homo sapiens

<400> 195						
gtgaactcca	agactgtttt	gatgttcatg	atgcatcttg	ggaagagcag	atattctggg	60
gatggcataa	tgatgtccac	atatttgaca	caaagacaca	gacttggttt	caaccagaaa	120
ttaaagggtg	agttccacca	cagccacgag	ccgcgcatac	gtgtgcagtt	cttggaata	180
agggttatat	ctttggcgga	cgtgttctgc	aaactaggat	gaatgatattg	cactatctaa	240
acctagacac	ctggacttgg	tctggaagga	ttactattaa	tggagaaagc	ccaaaacatc	300
ggatcatggca	tactttaaca	cctatagctg	atgataaact	tttccatgt	ggtggactaa	360
atgcatataa	tatgccatta	agtgatgggt	ggattcataa	tgtcacaaca	cattgttgga	420
aac						423

<210> 196
 <211> 411
 <212> DNA
 <213> Homo sapiens

<400> 196
 tttttttttt ttgaggacaa ggtctcactc tgtcacccca aggtgggagt gcagtgcaga 60
 catcacagct cactggcagc ctcaaccctg gggttcaagt gacctctca ccttcagcct 120
 cccaagtag ttgtgcctcc taggcacaca acactatgcc ccggcaaatt tttttgtatt 180
 ttgtattttt tgtagaaaca ggatttcgcc atgttggcca ggctgggtctc gaacaccctg 240
 ggctcaactg atccgcctgc ctccggcctcc caaagtgcctg ggattacagg tgtgagccac 300
 cctgctcaac caggttttat tatttaagtt agttaaacctt tggatagatt gtataatata 360
 tagtttaatg taatcatgct catatttttt aaataaataa aacactatac t 411

<210> 197
 <211> 751
 <212> DNA
 <213> Homo sapiens

<400> 197
 cccacgggaa gggcaggtga agcaggggct gctgggggat tgctgggttc tgtgtgcctg 60
 cgccgcgctg cagaagagca ggcacctcct ggaccaggtc attcctccgg gacagccgag 120
 ctgggcccagc caggagtacc ggggctcctt cacctgtcgc atttggcagt ttggacgctg 180
 ggtggaggtg accacagatg accgcctgcc gtgccttgca gggagactct gtttctcccg 240
 ctgccagagg gaggatgtgt tctggctccc cttactggaa aaggtctacg ccaaggtcca 300
 tgggtcctac gagcacctgt gggccgggca ggtggcggat gccctggtgg acctgaccgg 360
 cggcctggca gaaagatgga acctgaaggc ctagcagga agcggaggcc agcaggacag 420
 gccaggccgc tgggagcaca ggacttgtcg gcagctgctc cacctgaagg accagtgtct 480
 gatcagctgc tgcgtgctca gccccagagc aggtgaggca cgtggccagc atgggagggc 540
 tgcagccagc gtgcccccca ctgccaggcc tcaggcacac ttagctttt tatgtgactg 600
 gctacacagc cctgtcagga ctaagtggga agaagtaagc ttgttctcaa ggggtggtgtc 660
 ctcagtttgt gaccttccc tgctgtcctc ttccagaggg acgtggccct tctctcccct 720
 gaccagtccct ttccactagt gcgaggcagg g 751

<210> 198
 <211> 636
 <212> DNA
 <213> Homo sapiens

<400> 198
 gggccgagtg tctggaggcc tctattgccc gatatgccca ccgtgtcgcc aatagccggt 60
 atacctttga cggtgaaacc gtgacgcttt cgccaagtca gggcgtaac cagctgcacg 120
 gcgggcccga agggttcgac aaacgtcgct ggcagattgt gaaccagaac gatcgtcagg 180
 tgctgtttgc cctgagttca gatgatggtg atcagggtct cccgggtaat ctccggcgca 240

cggtgcaata	tcgtctgacc	gacgataacc	gtatctccat	tacttatcgc	gccacagttg	300
ataaaccttg	cccggtgaat	atgactaate	acgtctattt	caatcttgac	ggcgagcagt	360
ctgacgtgcg	caatcacaag	ttgcagattc	tggcggacga	atatctgccg	gttgatgaag	420
gcggcattcc	gcacgacggc	ctgaaatctg	tcgccggaac	gtcttttgat	ttccgcagcg	480
ccaaaatcat	cgccagtgag	tttcttgccg	acgacgatca	gcgcaaagtg	aaaggttacg	540
atcacgcatt	cttggttacag	gccaaaggcg	atggcaagaa	agtggcggcg	catgtctggt	600
cagcagatga	aaaattgcag	ctgaagggtc	acacca			636

<210> 199
 <211> 690
 <212> DNA
 <213> Homo sapiens

<400> 199						
aaagtggcag	tgtttcttct	gaaattctca	ggcagtcaga	ctgtcttagg	caaatcttga	60
taaaatagcc	cttatccagg	tttttatcta	aggaatccca	agaagactgg	ggaatggaga	120
gacagtcaag	ggttatgtca	gaaaaggatg	agtatcagtt	tcaacatcag	ggagcgggtg	180
agctgcttgt	cttcaatttt	ttgctcatcc	ttaccatttt	gacaatctgg	ttatttaaaa	240
atcatcgatt	ccgcttcttg	catgaaactg	gaggagcaat	ggtgtatgac	aagccgccga	300
aatttgccat	gtcacgagag	caaattgtcac	agtcattgtc	tcacacggca	cataatgcaa	360
gtctgttgac	agatgcgggt	ccattgtcat	gtggggagtc	gagggcgagc	tgtttgtttt	420
tgtaacgatg	ttgggaagtg	atggctctgc	agtcacaaaag	agcagccttc	tctcactggc	480
tgcaccgatg	aacattacga	agttctagaa	caaacatcac	ttcaaaatgc	ctggagtaat	540
tcctcttata	tcaactaatt	tcaagaagaa	aacctgcaga	aactaacccc	acccctctca	600
acgagaatat	tgtgtccacg	tcctctttac	ttatacgacc	cgtctcttat	tctcttataa	660
cacaacgtca	taactaaacg	agcacaaac				690

<210> 200
 <211> 433
 <212> DNA
 <213> Homo sapiens

<400> 200						
gtgactccaa	ggaaccaaga	ctgcagcagc	tgggcctcct	ggaggaggaa	cagctgagag	60
gccttggatt	ccgacagact	cgaggatata	agagcttagc	aggggtgtct	ggccatggtc	120
ccttggtgct	gcaactcctc	tccttcacgc	tcttggtcgg	gctccttgtc	caagtgtcca	180
aggctcccag	ctccataagt	caggaacaat	ccaggcaaga	cgcgatctac	cagaacctga	240
cccagcttaa	agctgcagtg	ggtgagctct	cagagaaatc	caagctgcag	gagatctacc	300
aggagctgac	ccagctgaag	gctgcagtg	gtgagcttcc	agagaaatct	aagctgcagg	360
agatctacca	ggagctgacc	tggctgaagg	ctgcagtg	tgagcttcca	gagaaatcta	420
agatgcagga	gag					433

<210> 201
 <211> 782

<212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(782)
 <223> n = a,t,c or g

<400> 201

gaagaagggg	aaaagaggct	ccaggcccoct	tctccaatca	ctccctgcca	ccctttctcc	60
tttggattcc	ttggctgctt	tagcaggtct	tcctagaggc	taactttgat	ctttcttgct	120
gcagtttctt	tttgggagag	ctagtcagtc	ccacagagtg	gtatccctag	aagggagaag	180
taaggattgc	cctcttcttt	aaaatgaaag	ccagctattt	ttcacgccct	ttaactgcag	240
gtctgctcta	ttttcttttc	tctctctgga	gctgagagtc	agagggccct	tctcctctc	300
ctttcagccc	ccaacactaa	gctgatggat	tgataaatac	ctcagccct	cgcctttctc	360
aaccacactg	gcaagtcttc	ttaggatctg	atcccagttt	tctggaagca	atcctacccc	420
agcccattct	tcccagagtc	gagccttaat	ccttctcact	tctcagtgtc	agagcagaaa	480
tgaatcctgg	ggttgactgt	gtccattogg	gttattagca	gctaagaagc	ccagacgagt	540
agtgtgagct	gccttgggag	cctcagtgag	ggcactggga	ctggcctcac	tctcttgccc	600
ccagcctagt	gggctttctc	ctctgtctct	ccggtggccc	caggcaatcg	actgcacac	660
gcanggacgt	gagttggagc	ggccacgtgc	ctgcccacca	gaggtctacg	ccatcatgcc	720
gggctgctgg	gcagcggagc	cccagcaacg	ccacagcatc	aaggatgtgc	acgcccgtg	780
ca						782

<210> 202
 <211> 714
 <212> DNA
 <213> Homo sapiens

<400> 202

ttcagagacc	tatccatgag	gggaattcct	cacatgctgg	ctttggggcc	acagcagctg	60
ctggcccagg	atgaggaggg	ggacacgctc	cttcacctgt	ttgcggctcg	ggggctgcgc	120
tgggcggcat	atgctgcggc	tgaggtgctc	caggtgtacc	ggcgtcttga	cattcgtgag	180
cataagggca	agaccctct	cctgggtggc	gctgctgcca	accagcccct	gattgtggag	240
gatctgttga	acctgggagc	agagcccaat	gocgtgacc	atcagggacg	ttcggctctg	300
cacgtggccg	ctacctacgg	gctcccagga	gttctcttgg	ctgtgcttaa	ctctggggtc	360
caggttgacc	tggaagccag	agacttcgag	ggcctcacc	cgtccacac	ggccatcctg	420
gcccttaacg	ttgctatgcg	cccttccgac	ctctgtcccc	gggtgctgag	cacacaggcc	480
cgagacaggg	tggattgtgt	ccacatgttg	ctgcaaattg	gtgctaata	caccatccag	540
gtgagcgggg	atgtgggcgg	tcagaccctg	ggagattgtg	tggaaatggg	ccacttggtg	600
gtccggggag	tccaggcaaa	tgetgacttt	gcctcttct	tgetgcgtgc	ccttgaacat	660
gttacttcac	ttctctgtgc	cttaaggggt	ttttgcttgt	ttctttgtca	gtta	714

<210> 203
 <211> 477
 <212> DNA
 <213> Homo sapiens

<400> 203

cggacgcgtg	ggcggacgcg	tgggtgggga	ccaagatggc	ggaccttgat	tgcctccga	60
agctgtcagg	ggtgcagcag	ccgtctgagg	gggtgggagg	tggccgctgc	tccgaaatct	120
ccgtgagct	cattcgctcc	ctgacagagc	tgcaggagct	ggaggctgta	tacgaacggc	180
tctgcggcga	ggagaaagt	gtggagagag	agctggatgc	tcttttgga	cagcaaaaca	240
ccattgaaag	taagatggtc	actctccacc	gaatgggtcc	taatctgcag	ctgattgagg	300
gagatgcaa	gcagctggct	ggaatgatca	cctttacctg	caacctggct	gagaatgtgt	360
ccagcaaagt	tcgtcagctt	gacctggcca	agaaccgcct	ctatcaggcc	attcagagag	420
ctgatgacat	cttggacctg	aagttctgca	tggatggagt	tcagactgct	ttgagga	477

<210> 204

<211> 706

<212> DNA

<213> Homo sapiens

<400> 204

gcgggtggaat	tccgggttcc	ccgttctggt	tccgcatatc	tctacagcta	tgctactgtg	60
ggtgaactct	gggccttcac	cactggctgg	aacctcatcc	tctcctatgt	cattggtaca	120
gccagtgtgg	cccgggcctg	gagctctgct	tttgacaacc	tgattgggaa	ccacatctct	180
aagactctgc	aggggtccat	tgcactgcac	gtgccccatg	tccttgacga	atatccagat	240
ttctttgctt	tgggcctcgt	gttgcctgct	actggattgt	tggctctcgg	ggctagttag	300
tggccctgg	ttaccaaagt	gttcacaggc	gtgaaccttt	tggttcttgg	gttcgtcatg	360
atctctggct	tcgttaagg	ggacgtgcac	aactggaagc	tcacagaaga	ggactacgaa	420
ttggccatgg	ctgaactcaa	tgacacctat	agcttgggtc	ctctgggctc	tggaggattt	480
gtgcctttcg	gcttcgagg	aattctccgt	ggagcagcga	cctgtttcta	tgcatttgtt	540
ggtttcgact	gtattgctac	cactggagaa	gaagcccaga	atccccagcg	ttccatcccc	600
atgggcattg	ggatctcact	gtctgtctgc	tttttgccgg	attttgctgt	ctcttctgca	660
ctcaccctga	tgatgcctta	ctaccagctt	cagcctgaga	gcctcg		706

<210> 205

<211> 852

<212> DNA

<213> Homo sapiens

<400> 205

ggcttccatc	ctaatacgac	tcactatagg	gctcgagcgg	ccgcccgggc	aggtgctggg	60
tcgtttgtgg	gcgaagtaag	tgctgtagat	aaagactttg	ggccaaatgg	agaagtaagg	120
tattcttttg	aaatggtgca	gccagattht	gagttgcatg	ccatcagtgg	ggaaattaca	180
aatactcatc	agtttgacag	ggagtctctt	atgaggcggg	gagggactgc	tgtgttttag	240
tttacagtca	tagcaacaga	tcaggggatc	cctcagcctc	tcaaggatca	ggccactgta	300
catgtttaca	tgaaggatat	aatgataat	gctcccaaat	ttttaaaaga	ctttttacca	360
gctacaatat	cagaatcagc	agccaatctg	acacaagtgt	taagagtatc	tgcctcagat	420
gttgatgaag	gtaataatgg	acttattcac	tattctataa	taaaaggaaa	tgaagaaaga	480
cagtttgcta	tagacagtac	ctctggctag	gtaacactaa	ttggcaaatt	agactatgaa	540

gcaacacctg	cctattccct	tgtaattcaa	gcagtggatt	cagggacaat	ccccctcaat	600
tcaacgtgta	ctttaaatat	tgatatttta	gatgaaaatg	acaatacccc	tttctttccc	660
taaatcaaca	cttctttgtt	gatgttttgg	aaaacatgag	aattggtgaa	ctcggggcct	720
ctgggtactgc	aactgattcc	cgattcaggt	gacattgctg	atttataatta	caagtttact	780
gggactaaac	acccccccgg	aacttttagc	attagcccca	aacacttggg	agtatttttc	840
ttggcccaaa	aa					852

<210> 206

<211> 361

<212> DNA

<213> Homo sapiens

<400> 206

ctggtgattg	ctatgacctg	tatggagggg	agaagtttgc	cactttggct	gagttgggtcc	60
agtattacat	ggaacatcat	gggcaattaa	aagagaagaa	tggagatggt	attgagctta	120
aaaatcctct	gaactgtgca	gatactactt	ctcaaagggtg	gtttcatgga	cacctctctg	180
gaaaagaagc	agagaaattg	ttaactgaaa	aaggaaagca	tagtagcttt	cttgtagcag	240
agagccagag	ccaccctgga	gattttgttc	tctccgtgtg	caccggtgat	gacaaaggag	300
agagcaatga	cggcaagtct	aaagtgactc	atgtcatgat	tcactgtcag	gaactgaaat	360
c						361

<210> 207

<211> 2483

<212> DNA

<213> Homo sapiens

<400> 207

ataaaatgga	catagtagta	ggacttacct	cccagggctg	tggttataga	ggttttgtaa	60
gaattaaatg	acatcatcca	tgtaaagcat	atagcagaat	gcctggcaca	tagatgccct	120
tagtgaattt	ttgctgttgt	tgtgattctt	ttgggagcag	tcatagtaac	atattctcat	180
atgttgggtat	gttctttcat	attgcattgt	cttatgaata	gattctggaa	accaaaatgg	240
aggaaatgat	gataagacta	agaatgctga	gaggaactat	ttaaagtgtt	tacctgggga	300
attttatatt	acacggcatt	ctaattctct	agaaatccat	gttgctttcc	atctctgtgt	360
ggatgaccat	gtgaaatcgg	gaaacatcac	tgctcgtgat	cctgccatta	tgggactccg	420
aaatatactc	aaagtttgc	gtacccatga	catcacaaca	ataagcattc	ctctcttgc	480
ggtacatgat	atgtcagagg	aatgactat	accctgggtc	ttaaggagag	cggaaactgt	540
gttcaagtgt	gtcaaagggt	tcatgatgga	aatggcttca	tgggatggag	gaattttctag	600
gacagtgc	tttctagtac	cacagagtat	ttctgaagaa	atgttttate	aacttagtaa	660
catgcttccc	cagatcttcc	gagtatctac	aacactcact	ctgacatcca	agcactaaac	720
ccttatagat	tgacatgctg	gcagaagatg	attgttaa	ttccaggaa	cttgtgctat	780
gctgggaatc	tgtcaagcaa	aagatgccca	gaaagagaac	ttgcagctca	atccacaaat	840
caagatacat	gtgtgtgaaa	cccattccaa	aaattttatat	actggcacia	actgggtggat	900
caacccctaa	cttaaacact	taaagtctct	ttatgaattt	ctcttttttt	cttctctgtg	960
ttacctgtgg	aatattagggt	aatctaaaac	tttttatatta	ttcacacagg	gacacttggg	1020
gggaaaggga	aacttgatta	tatttacatg	ggagggcatt	tgactttttt	caaggagggc	1080
ttggacttcg	tcttcagggtg	gcaatcctta	attaaacata	caaacaaaat	tttcccttta	1140
ctttctttgc	caaaacaaaa	tgtaaaagca	ctgaaatata	cattgcaagt	acaaatttcc	1200
tgtgaaaatc	tttttataga	aacacaaatg	tataagacaa	atgtgcttgt	tcttttaaat	1260

tctcctgttt	cagaatctct	ttttaatcta	ctcctaagga	tgtacaagtt	agagtcagaa	1320
gacgttttgg	attttttccc	tctctctcat	cctcccgtg	tgcccttgca	cttgcatatt	1380
aataacattt	catggactgg	gaaatagtgt	tcttttttgc	aagcttgatg	tcaagttagt	1440
ctaaaccagc	acctggcagt	attttagtgc	tcatcaacat	tgtgacaatc	acacaaggaa	1500
gatcatttct	acatttctgt	cctccctgcg	ttctcagctt	gcttaaccat	tcctctacct	1560
cttgcatttt	tttgcgata	aatgtatccc	catttctgct	tctctgtttc	ccctcctttt	1620
ccattgtttt	tccttatggg	actactttct	caggtgctac	atatcatata	tttgtcccat	1680
ctataacata	tttaaagtgt	ataagtagta	actccattaa	acaaaggcat	ttacaaaagc	1740
acacaggtgt	ttagaaaagc	aatagtttca	tcaattccaa	gttatgtgga	tattgtaact	1800
ggccacaaga	atgaaatgga	gggcatttgg	tgtcataaga	tggcatgtct	tgatgacaag	1860
aaacaaaacg	cccttcatta	atatgcctca	gtgtaataac	tattatagaa	actgttggca	1920
agcagagtgc	tttctataa	cagaatgtgt	cttaattttc	tacttgaggg	aaaggtttgt	1980
ccaggtaaca	acactaaaga	caaccctaag	aacacccact	ccagcagtat	gtccattaga	2040
cactaaaact	ctccaaatta	tttgtcaggg	agcctggcga	ttctgccaag	aaggcaggtg	2100
ttttgccctt	agagcctata	cagttctctt	ggagaaattg	tctttcaggc	accactgtta	2160
atcactgaga	ctgattctaa	tgcaaagcag	ggaagacaga	ggcagaaacc	aggagagtgg	2220
tagatcagtg	cagcccagat	atcggaatgg	aggagcaaag	tttcattcac	ggatgtttgt	2280
tgaatgctgc	tgcccaactc	ttcctttgtc	acctctaggg	tattccacta	agttacttat	2340
aaactgggtg	ctttaactga	gggctgtgta	aagggtactat	ttggcatgtg	aagtcaggat	2400
aaatttatcg	aatgtccgtt	ttccacatgc	aactgtgtta	cagaagtagt	aaaattggaa	2460
gaatcatgtt	tatggtgtta	cca				2483

<210> 208

<211> 366

<212> DNA

<213> Homo sapiens

<400> 208

caagcatcct	gcccgccttg	ctggtgacca	tcttgatctt	catggaccag	cagatcactg	60
ccgtcattgt	caaccggaag	gagaacaaac	tgaagaaggc	tgccggctac	catctggacc	120
tgttctgggt	gggcaccttc	atggctttgt	gctcctttat	ggggctcccc	tggtacgtgg	180
ctgccacggt	catctcctac	gccacatcg	acagcctcaa	gatggagaca	gagaccagtg	240
cccctgggga	gcagccccag	tttctgggag	tcaggggaaca	gagagtaacc	ggcatcatcg	300
tcttcactct	gacgggaatc	tctgtcttcc	tggctcccat	cctaaagtgt	atccccctgc	360
cggtgc						366

<210> 209

<211> 574

<212> DNA

<213> Homo sapiens

<400> 209

cggcgcttca	cgcgtagagg	caggcagtgc	gaatggaatg	ctcattgatg	gtggtagcca	60
gatagtaaaa	gttcaagggc	acgctgatgg	tacaacgata	aataagtctg	gctctcagga	120
cgtagtacaa	ggaagtctgg	caacgaacac	aaccataaat	ggtggctgcc	agtatgttga	180
acagagcaca	gtagaaacaa	caaccattaa	aaatggcggt	gagcaaagag	tatatgagag	240
ccgtgcgctg	gacacgacga	ttgaaggcgg	aactcagtct	ctgaatagta	agtcaacggc	300
aaaaaatacg	catatctatt	ctgggtggcac	gcaaattgtt	gataacacca	gcacctcgga	360

tggtattgaa	gtttattctg	gtggcgtgct	tgatgttagg	ggtgggtacgg	caacaaatgt	420
taccacgac	gatgggtgcaa	ttttaaaaaac	taacactaac	ggtacgacgg	tgagcgggtac	480
gaatagtga	ggtgcattct	ccatccacaa	tcacgtggca	gacaatgtgt	tgctggaaaa	540
cggtgggtcat	ttagacataa	acgcataatgg	ttcg			574

<210> 210
 <211> 383
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(383)
 <223> n = a,t,c or g

<400> 210						
tttttctctt	ccatccagct	gactgatgat	cagggccccc	tcctgatgac	cactgtagcc	60
atgcctgtgt	ttagtaagca	gaacgaaacc	agatcgaagg	gcattcttct	gggagtggtt	120
ggcacagatg	tcccagtga	agaacttctg	aagaccatcc	ccaaatacaa	ggtaatgaat	180
gacctaatcc	ctgaaatcaa	agcaacagag	atgccagag	ccttggtttc	acaaagtcca	240
ggcttcaaac	tctactttgg	agcgatgttt	ttgctcacca	ctattacagc	ctgttagctt	300
gtctttatac	catctgcaca	gttattttaa	aggnnnnnnn	nnnattattt	acaaggactg	360
gctgtttttc	ttattttacct	cct				383

<210> 211
 <211> 592
 <212> DNA
 <213> Homo sapiens

<400> 211						
tttcgtgttc	aggaactggc	accaatgcgt	gttacatgga	ggacatgagc	aacattgacc	60
tggtggagg	cgacgagggc	aggatgtgca	tcaacacaga	gtggggggcc	ttcggggacg	120
acggggccct	ggaggacatt	cgcactgagt	tcgacagga	gctggacctc	ggctctctca	180
accaggaaa	gcaactgttc	gagaagatga	tcagtggcct	gtacctgggg	gagcttgcca	240
ggcttatctt	gctgaagatg	gccaaggctg	gcctcctgtt	tggtgggtgag	aaatcttctg	300
ctctccacac	taagggcaag	atcgaaacac	ggcacgtggc	tgccatggag	aagtataaag	360
aaggccttgc	taatacaaga	gagatcctgg	tggaacctgg	tctggaacctg	tctgaggctg	420
actgcattgc	cgtccagcat	gtctgtacca	tcgtctcctt	ccgctcggcc	aatctctgtg	480
cagcagctct	ggcggccatc	ctgacacgcc	tcggggagaa	caagaagggtg	gaacggctcc	540
ggaccacagt	gggcatggac	ggcaccctct	acaagataca	ccctcagtac	cc	592

<210> 212
 <211> 2166
 <212> DNA

<213> Homo sapiens

<400> 212

```

tttcggttgca attgcaacga atgggtgttgt gcctgctggt ggctcctact acatgatttc      60
cagggtctctg ggcccagagt ttgggggtg cgtgggcctc tgcttctacc tgggcactac      120
ctttgcagga gccatgtaca tcctgggcac catcgaaatc ctgctggctt acctctccc      180
agccatggcc atcttcaagg cagaagatgc cagtggggag gcagcagcca tgctgaacaa      240
catgcgtgtt tacggcacct gtgtgctcac ctgcatggcc actgtggtgt ttgtgggtgt      300
caagtatgtc aacaagtttg cccttgctct cctgggttgt gtcctcctct ccctcctggc      360
catctatgct ggggtcatca agtctgcctt cgaccacccc aacttcccga tctgcctcct      420
gggtaaccgc acgctgtctc gccatggctt tgatgtctgt gccaagctgg cttgggaagg      480
aaatgagacg gtgaccacac ggctatgggg ccttttctgc tcctctcgct tcctcaacgc      540
cacctgtgat gaatacttca cccgaaacaa tgtcacagag atccagggca tccttgggtgc      600
tgccagtggc ctcatcaaag agaacctctg gagctcctac ctgaccaagg gcgtgattgt      660
ggagaggagt gggatgacct cgggtgggct ggccgatggc actcctatcg acatggacca      720
cccttatgtc ttcagtgata tgacctcta cttcacctg ctggttgga tctacttccc      780
ctcagtcaca gggatcatgg ttggttctaa ccgctctggg gacctgaggg atgcccagaa      840
gtcaatcccc actggcacca tcctggccat cgccaccacc tctgctgtct acatcagctc      900
cgttgttctg tttggggcct gcattgaggg ggtcgtcctg cgggacaagt ttggcgaagc      960
tgtgaatggc aacctcgtgg tgggcactct ggcttggcca tctccatggg taattgtcat     1020
cggatccttc ttctccacct gtggggctgg gctgcagagc ctacaggggg cccacgcct     1080
gctgcaggcc atctcgaggg atggcattgt gcccttctct caggtctttg gccatggcaa     1140
ggccaatgga gagccgacct gggccctgct cctgactgcc tgcatctgcg agattggcat     1200
cctcattgca tccctcgacg aggtggcccc catcctctct atgttcttcc tgatgtgcta     1260
catgtttgtg aatctggcct gtgcagtgea gacgtgctg aggacacca actggaggcc     1320
acgctttcga tattaccact ggacctctc cttcctgggc atgagcctct gcctggccct     1380
catgttcate tgctcctggg attatgcact ggtagccatg ctcatgtctg gactcatcta     1440
caagtacatt gagtaccgtg gggcaaagaa ggagtggggc gatgggatac gaggtctgtc     1500
tctcagtgcg gctcgtctatg ccctcttacg cctggaggaa gggcccccac acaccaagaa     1560
ctggaggcca cagctgctgg tgctggtgag tgtggacca gaccagaatg tgggtgaccc     1620
ccagctgctc tcaactgacct cccagctgaa ggcagggaag ggctgacca tcgtgggctc     1680
tgtccttgag ggcacctttc tggaaaatca tccacaggcc cagcgggcag aagagtctat     1740
caggcgccctg atggaggcag agaaggtgaa gggcttctgc caggtggtga tctcctccaa     1800
cttgcgatgat ggcgtgtccc atctgatcca gtctgggggg ctcggggggc tgcagcacia     1860
cactgtgctt gttggctggc ccgcgaactg gcgccagaag gaagatcatc agacgtggag     1920
gaacttcatt gagctggctc gggaaaccac agctggccac ttagccctgc tggtcaccaa     1980
gaacgtttcc atgtttcctg ggaacctga gcgcttctct gaaggcagca tcgaccgttg     2040
ggggattggg cactgaggag gcatgctcat gctggtgccc ttctgctgc ggcaccacia     2100
ggtctggcgg aagtgaaga tgctatctt cactgtggcc cagatggttg acatgcatgc     2160
catgag

```

<210> 213

<211> 392

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(392)

<223> n = a,t,c or g

<400> 213

ttctatctga	ggctactgtc	ttttttctgc	tttcaggagc	atgagaagag	gtggttgagc	60
gttgacttta	atttgatgga	tcctaaactc	ttggcttcag	gttctgatga	tgcaaaaggt	120
actgtttgaa	tctctttctc	agcacctcct	tctccctggc	cctcttaact	gtaattcctt	180
tcacgggcag	aaatacaaat	atttactcaa	actcatgtca	gtcctttgtg	attactgatt	240
attattattc	cccannnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	300
nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	360
nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nn			392

<210> 214

<211> 425

<212> DNA

<213> Homo sapiens

<400> 214

ggcggaattc	aaaagcaatg	cacaggtctt	cctgtgacgg	gccgctactc	tctctgccct	60
cagtgggacg	gtcagccacc	catgccttgg	tccaggccca	gctgatctgc	tcaggagcca	120
ggcggggcat	gcacgctttt	attgtgccaa	tcgggagtct	tcaggaccac	accccaactgc	180
caggtaagcc	cataatgctc	cctcaaggaa	ccctgccagg	aggagagccc	aggtggcctc	240
cctgacctgg	ggccccagag	ggccacagga	gtagctaaga	catgtctccc	ttgggcaggg	300
agcgggtccag	ttggacagac	ttgggtgctaa	ctggctaggt	gaacttgagc	aagatttagc	360
atctttctga	cctcagcttg	ttcacctgca	aataggtac	aataatccca	gtgtcacagg	420
ctgct						425

<210> 215

<211> 608

<212> DNA

<213> Homo sapiens

<400> 215

ctgcgggacc	ctcatcttgc	aggcccgggc	ctatgtggga	ccgcacgtcc	tggcagtggt	60
gaccgcacac	gggttctgca	cggcaaaagg	gggcctgggtg	agctccatct	tgcaaccccg	120
gcccacaaac	ttcaagttct	ataaacacag	catgaagttt	gtggctgccc	tctctgtcct	180
ggctctcctc	ggcaccatct	acagcatctt	catcctctac	cgaaaceggg	tgccctctgaa	240
tgagattgta	atccgggctc	tcgacctggt	gaccgtgggtg	gtgccacctg	ccctgcctgc	300
tgccatgact	gtgtgcacgc	tctacgcccc	gagccgactg	cggagacagg	gcattttctg	360
catccaccca	ctgcgcacat	acctgggggg	caagctgcag	ctgggtgtgtt	tcgacaagac	420
gggcacccctc	actgaggacg	gcttagacgt	gatgggggtg	gtgcccctga	aggggcaggg	480
attcctgccc	ctgggtcccag	agcctcgccg	cctgcctgtg	gggcccctgc	tccgagcact	540
ggccacctgc	catgccctca	gccggctcca	ggacaccccc	gtgggcgacc	ccatggactt	600
gaagatgt						608

<210> 216

<211> 858

<212> DNA

<213> Homo sapiens

<400> 216

ctatctggtc	actggccact	gtggctttgt	attcctctaa	cgtggctgcc	aaggctgctt	60
ttcctttctg	ctcagactca	ataattcgct	ccatatgggtg	actgcgttct	ttgagtgtccc	120
ctatcatttc	ttgagcttcc	ttattgtctt	gttctgccat	tttcaaagta	ttgcttaaat	180
gctgctggac	accaagaagc	tgctcccggt	caaaacgggc	attctcagcg	aggtccatgt	240
aacgttgctc	taattccata	tagcggccac	tttttacatc	ttcatctatg	acagattgaa	300
tacttccgct	ctcttctaga	tgagcatcac	atttcttatg	tcatagatga	agatgtaaaa	360
agtgggcgct	atatggaatt	agagcaacgt	tacatggacc	tcgctgagaa	tgcccgtttt	420
gaacgggagc	agcttcttgg	tgtccagcag	catttaagca	atactttgaa	aatggcagaa	480
caagacaata	aggaagctca	agaaatgata	ggggcactca	aagaacgcag	tcaccatatg	540
gagcgaatta	ttgagtctga	gcagaaagga	aaagcagcct	tggcagccac	gttagaggaa	600
tacaaagcca	cagtggccag	tgaccagata	gagatgaatc	gcctgaaggc	tcagctggag	660
aatgaaaagc	agaaagtggc	agagctgtat	tctatccata	actctggaga	caaattctgat	720
attcaggacc	tcctggagag	tgtcaggctg	gacaaagaaa	aagcagagac	tttggctagt	780
agcttgccag	aagatctggc	tcatacccca	aatgatgcc	atcgattaca	ggatgccatt	840
gctaaaggta	gaggatga					858

<210> 217

<211> 399

<212> DNA

<213> Homo sapiens

<400> 217

agcacgctac	cgctttaccc	tcagcgccag	gacgcagggtg	ggctctgggg	aagccgtcac	60
agaggagtca	ccagcaccac	cgaatgaagc	tactccaacc	gcagctcttc	ccacattgcc	120
cccgactacc	gtgggtgcga	cgggcgctgt	gagcagtagc	gatgctactg	ccattgctgc	180
caccaccgaa	gccacaacag	tccccatcat	cccaactgtc	gcacctacca	ccatggccac	240
caccaccacc	gtcgccacaa	ctactacaac	cactgctgcc	gccaccacca	ccacggagag	300
tcctccacc	accacctccg	ggactaagat	acacgaatcc	gcccctgatg	agcagtcctt	360
atggaacgtc	acggtgctcc	ccaacagtaa	atggggccaa			399

<210> 218

<211> 662

<212> DNA

<213> Homo sapiens

<400> 218

ctgaagtcaa	cgcaagacga	aatcaaccag	gcaaggagca	aactgtccca	gctgcatgaa	60
agccgccagg	aggccacag	gagcctggag	cagtatgacc	aggtgctcga	tgagagccat	120
ggtgccagcc	tgaccgacct	ggccaacctg	agcgaaggcg	tctccctggc	agagaggggc	180
agttttggag	ccatggatga	tcctttcaaa	aataaagcct	tgttatttag	caacaacacg	240
caagagttgc	atccggatcc	tttcagaca	gaagaccctt	tcaaattctga	cccattttaa	300

ggagctgacc	ccttcaaagg	cgacccgttc	cagaatgacc	cctttgcaga	acagcagaca	360
acttcaacag	atccatttgg	aggggaccct	ttcaaagaaa	gtgaccatt	ccgtggctct	420
gccactgacg	acttcttcaa	gaaacagaca	aagaatgacc	catttacctc	ggatccattc	480
acgaaaaacc	cttccttacc	ttcgaagctc	gacccctttg	aatccagtga	tcccttttca	540
tctccagtg	tctcctcaaa	aggatcagat	ccctttggaa	ccttagatcc	cttcggaagt	600
gggtccttca	atagtgtga	aggctttgcc	gacttcagca	ctattgaagg	tcgacgcggc	660
cg						662

<210> 219

<211> 752

<212> DNA

<213> Homo sapiens

<400> 219

cgagcgcgtg	gggatctgg	caatagctcc	caaccctcac	ttcgtgaggg	ccacgacaaa	60
cctgttttta	atggagctgg	aaagcctcat	tccagcacct	cttcaccaag	tgtcccaaag	120
acttctgcta	gcaggactca	gaaatctgct	gttgagcaca	aagccaaaaa	atctctgtcc	180
catectagcc	atccaggcc	tgggcccattg	gtcacccac	acaataaggc	taagagtcca	240
ggtgtcaggc	agccaggcag	cagctctagc	tcagccctg	ggcagcccag	cacaggggtt	300
gctcgacca	cagttagttc	tggccctgtg	cctaggcgcc	agaatggcag	ctccagctca	360
ggacctgagc	gatcaatcag	tgggtccaag	aagccaacca	atgactcaaa	tccctctagg	420
cgagcagtc	gtggtacatg	tggccctgga	caacctgcaa	gcagctcagg	tggccctggg	480
cgacccatca	gtggttcagt	tagttctgca	agacccttgg	gcagctctcg	tggccctggc	540
cggcctgtga	gcagtccaca	tgaacttcga	cgaccagtga	gtggcttggg	ccccccgggg	600
cggtctgtca	gtggccctgg	gagatccata	agtggctcaa	ttccagctgg	acggactgtc	660
agtaattcag	tcccaggaag	accagtgcagc	agcttgggac	ctggggcaaac	agttagtagc	720
tcaggtccca	ctataaagcc	taagtgcact	gt			752

<210> 220

<211> 582

<212> DNA

<213> Homo sapiens

<400> 220

ttattattat	tttgcataga	gacaagcact	cactgtgtta	cccaggetgg	ttttgaactc	60
ctgagcttaa	tcagttctca	cctgctttgc	cctcccaaag	tgctatgatt	acaggtgtga	120
gccaccacgc	ttggccctgc	ccaggagtca	tttttgtatc	tacaggatc	ttcctatgct	180
gtagacagat	gccctttttc	aaggcaaaaa	ccctagccat	ttttctcttc	tccttcagag	240
tctgcaacat	cctctcaact	catccaagtg	actactgcct	ggtgctcttg	gggatgcagg	300
gaggcctgag	aaggccaatg	tctatacaga	aagttctaac	atagtgcact	gagtcaatgt	360
gggcacttta	aagccctttc	acctgccaag	tcacgaagca	cccctatagt	tgtgtttgta	420
aaatactggg	gggtttgaag	gggaaaaggg	ataactccaa	ggtaccatct	ttgcatttca	480
gatccacaca	acttaaagat	ctgctgtcga	gtgaatgggg	aagtgggtcca	gagcagcaac	540
accaaccaga	tggtattcaa	gacagaggac	ctgatagcct	gg		582

<210> 221
 <211> 440
 <212> DNA
 <213> Homo sapiens

<400> 221
 ggaattc gat cagtagaagt ttggggggata tagaaacgaa ggTTTTtctaa ctttttagctt 60
 tcaaggagat tgtccgggtt ggaaagcaag atatgaaaaa taaatatgtc aagaatataa 120
 tccaaaacaa tctaattaag tgctagaagt ttgccatgga cagacaaagt gctacttggg 180
 aagggaagttc cagaaacacc acagctgggt acatttcttca ccactctgag tgggtggcagt 240
 gacgcgttgg ctttgtgaga atgggtgtgtc ttacttgaga aagtgtgtgt gttctgcctg 300
 caggcatggg actcgtctgt ctggagaagt ggcagccgct gcaaacaatt cgcactgcac 360
 agtcggaatt gctttcaacg ccaagatcgg aggtatggga aaccaactca cgtggatgta 420
 gaaatgcgcc agttagctct 440

<210> 222
 <211> 489
 <212> DNA
 <213> Homo sapiens

<400> 222
 ccgacgattt cgtgaggcgg cagccaggtg gggttccagc cagagcacgc acgcacggag 60
 ccgggagcat gcagcctgca ctgcggggga tgtgatgtc ggctctaact cgcctggctg 120
 gcccgccacg gacgcctcag cttgcaacca tggtaacgtt tctggcgggg gacacccccg 180
 ggagcccacc gcgatgggca gcctcctggg gactgatgga cgagtgtcca cctcccagac 240
 cgagagcgct tagtaggtcg gaggaagtgg agaggatgta acacgcccc agccgggagt 300
 gaagccctga ggagctcctc ccccttctgt tcccaccctc aagtctgacg atgacacctc 360
 caattttgat gaaccaaaga agaattcgtg ggtttcatcc tctccgtgcc agctgagccc 420
 ctcaggttcc tcgggtgaag aactgccgtt tgtgggggtt tcttacagca aggcactggg 480
 gattcttgg 489

<210> 223
 <211> 493
 <212> DNA
 <213> Homo sapiens

<400> 223
 ttctgtcgag cgccttgccg acctccacgc tgccctgcgc ccgcgccgca aggtggcgct 60
 cctcttggag gtgtgcagag atgtctatgc gggcctggct cgaggcgaga accaagatcc 120
 cctgggggcc gacgccttcc tgccggcgct gaccgaggaa ctcatctgga gcccgacat 180
 tggggacacg cagctggacg tagagtcttct tatggagctc ttagatccag atgagctgcg 240
 gggagaggct ggggtactacc tgaccacgtg gtttggggcg ctgcaccaca ttgccacta 300
 ccagcccga acagaccgcg ctccccgggg gctcagctcc gagggccgcg cctccctgca 360

ccagtggcac	cgcaggcgga	cgctgcacag	aaaggatcat	cccagagccc	aacagctgga	420
ctgaccctgg	ctggctgaag	agccctggcc	agatgtcctg	tggacagacc	caatttctgg	480
cctcgtctgc	tgg					493

<210> 224
 <211> 883
 <212> DNA
 <213> Homo sapiens

<400> 224						
agtgacctgg	aaacaagttc	tgatccagaa	ggtgaggatt	gggatgagga	agctgaggat	60
gatggttttg	atagtgatag	ctcactgtca	gactcagacc	ttgaacaaga	ccctgaaggg	120
cttcaccttt	ggaactcttt	ctgcagtgtg	gacccctata	atccccagaa	ctttacagca	180
acaattcaga	ctgctgccag	aattgttcct	gaagagcctt	ctgattcaga	gaaggatttg	240
tctggcaagt	ctgatctaga	gaattcctcc	cagtctggaa	gccttcctga	gaccctgag	300
catagtctctg	gggaggaaga	tgactgggaa	tctagtgcag	atgaagcaga	gagtcttcaa	360
actgtgggaa	cttcattctg	ttaattctgg	atggaccctt	acaacccttt	aaattttaag	420
gctccttttc	aaacatcagg	ggaaaatgag	aaaggctgtc	gtgactcaaa	gaccccatct	480
gagtcatttg	tggccatttc	tgagtgtcac	accttacttt	cttgtaaggt	gcagctgttg	540
gggagccaag	aaagtgaatg	tccagactcg	gtacagcgtg	acgttccttc	tggaggaaga	600
cacacacatg	tcaaaagaaa	aaaggtaacc	ttccttgaag	aagttactga	gtattatata	660
agtgggtgatg	aggatcgcaa	aggaccatgg	gaagaatttg	caagggatgg	atgcaggttc	720
cagaaacgaa	ttcaagaaac	agaagatgct	attggatatt	gcttgacatt	tgaacacaga	780
gaaagaatgt	ttaatagact	ccagggaaca	tgcttcaaag	gacttaatgt	tctcaagcaa	840
tgttgagttg	gcagcctgta	gtcctagcta	gcatacacta	cct		883

<210> 225
 <211> 389
 <212> DNA
 <213> Homo sapiens

<400> 225						
cggcgcgctc	tacggcatat	tctttttttg	gaactgtgga	gaatatggct	ccaaaagtgg	60
ttaatcgtcc	aggtcatact	cagagtgtctg	actgggggtc	ttttgggggg	ttaatgggaa	120
ggtttgaatt	tgggattttt	ttaaagggga	aggagattgt	taagttagga	tcaacagggga	180
atggtaaaga	aactgggggt	tttattttct	ttattttatg	ccctatgtaa	taaataacca	240
aaaaacatta	ttgcgtgcag	tataaaagga	ctatgaaatc	tgtttagctgc	gtctatctca	300
tcctaatttg	aaagggcaaa	aaaaaatatt	accatagatt	tcctgcta	agtaacaatc	360
ttaaagcatta	atgggtgttg	gtctttttg				389

<210> 226
 <211> 412
 <212> DNA
 <213> Homo sapiens

<400> 226
 ggggtttgttt ttcttccagg ccccatgtct gtgggttttg acttctctct gccaggcatg 60
 gagcatgtct atgggatccc tgagcatgca gacaacctga ggctgaagg cactgagtga 120
 gtcctatggg gacatcagga agatggagg gggcaggaag gaggcaggcc tttagggaga 180
 tgggtgtgca tattggatac tctaggcaag catgggtcat ttcttggtgc cagaatcacc 240
 tttggtgata gaaaattttt tgagaaagga caagaggagc ctttgcttat ctctcacctg 300
 tgtctgtgga gtgggtgttag catataacgc agcctggggc cagtttagcag cccaagtctg 360
 tctgtttgcc tgcaggggtg gggagccata tgcctctac aatttgatg tg 412

<210> 227
 <211> 390
 <212> DNA
 <213> Homo sapiens

<400> 227
 gggagtgagt gccagggcac tgacctggac acccgcaact gtaccagtga cctctgtgta 60
 cactgtctt ctggccctga ggacgtggcc ctctatgtgg gcctcatcgc cgtggccgtc 120
 tgccctggcc tgctgctgct tgcctcatc ctcgtttatt gccggaagaa ggaggggctg 180
 gactcagatg tggctgactc gtccattctc acctcaggct tccagcccg cagcatcaag 240
 ccagcaaaag cagacaaccc ccactgtctc accatccagc cggacctcag caccaccacc 300
 accacctacc agggcagtct ctgtcccggt caggatgggc ccagcccaa gttccagctc 360
 accaatgggc acctgtctag cccctgggt 390

<210> 228
 <211> 777
 <212> DNA
 <213> Homo sapiens

<400> 228
 cttatttata atgaagatat gatttgttgg attgaatcaa gagaatcttc aaatcaactc 60
 aaatgtatcc agataacaaa agcaggagga ttaacagatg aatggacaat caatattctt 120
 caatccttcc acaatgtgca acaaattggcg attgactggc tactcgaaa tctctatttt 180
 gtggaccatg tcggtgaccg gatctttgtt tgtaattcca acggttctgt atgtgtcacc 240
 ctgattgata tggagcttca caatcctaaa gcaatagcag tagatccaat agcaggaaaa 300
 cttttcttta ctgactacgg gaatgtcgcc aaagtggaga gatgtgacat ggatgggatg 360
 aaccgaacaa ggataattga ttcaaagaca gagcagccag ctgactggc actagacct 420
 gtcaacaaat tggtttactg ggtagatctt tacttggact atgtgggagt agtggactat 480
 caaggaaaaa atagacacgc tgtcattcaa ggcagacaag tcagacatct ttatgggtata 540
 actgtgtttg aagattattt gtatgcaacc aattctgata gctacaatat cgtaaggata 600
 agccgattta atgggactga tattcactca ttaattaaaa ttgagaatgc ttggggaatc 660
 cgaatttata aaaaaagaac tcaaccaaca gtcagaagcc atgcatgtga agtcgatcca 720
 tatggaatgc cagggggctg ttcacacatc tgtctactca gcagcagtta cacgaaa 777

<210> 229
 <211> 486
 <212> DNA
 <213> Homo sapiens

<400> 229
 ttctcgtctgg gaacccgcag cctggggact cctccggcgg gggcgctggg ggcgggctgc 60
 cgccccctgg ggagcaggag ctgagccggc gcttgacag cctgtatccc gcggtcaacc 120
 agcagagagac tccgctgccg cgctcctgga gccccaggga caaatacaac tacattggtc 180
 tctcccaggg caacctccgc gtccactaca aaggctcatg caaaaatcac aaagatgcgg 240
 cctcagtgcg tgccacccac cccatacctg ctgcctgtgg catttattac tttgaagtga 300
 agattgtcag caaaggaaga gatggttaca tgggaatagg actctcggct caaggcgtca 360
 acatgaacag acttcctggg tgggacaaac attcctatgg ttaccatggt gatgatgggc 420
 attcgttctg ctctcggggg actggccagc cctatgggtcc cacattcacc acaggagacg 480
 tgatcg 486

<210> 230
 <211> 396
 <212> DNA
 <213> Homo sapiens

<400> 230
 tttttttttt ttaagatggg gtctcgtctt gtcacccagg ctggagtgca gtggtgtgat 60
 gtcagctcac tgcaagctcc gctcccagg ttcacactat tctgcctcag cctcccaagt 120
 agctgggact acaggtgcgt gccaccatgc ccggctaatt tttttgtatt tttagtagag 180
 acggggtttc accgtgttag ccagtatggt cttgatctcc tgacctcgtg atccacctgc 240
 ctgggcctcc caaaagtgtc gggattacag gtgtgagctg ctgcgcctgg cttatgagtc 300
 gtatgttctg atcctccctc ttgaagttgc cttctgtggt ctaaggaggg cctgaaggtt 360
 caggtaaaaa cttcaggggtg accttcactg ggggtg 396

<210> 231
 <211> 713
 <212> DNA
 <213> Homo sapiens

<400> 231
 tcagctcagc ttggcacag gaaaggtgtt cttgtgtgcc ttgtcttttg tttactttgc 60
 caaagcattg gcagaaggct atctgaagag caccatcact cagatagaga gaagggttga 120
 tatcccttct tcaactgggtg gagttattga tggtagtttt gaaattggga atctcttagt 180
 tataacattt gtttagctact ttggagccaa acttcacagg ccaaaaaataa ttggagcagg 240

gtgtgtaatc	atgggagttg	gaacactgct	cattgcaatg	cctcagttct	tcatggagca	300
gtacaaatat	gagagatatt	ctccttcttc	caattccact	ctcagcatct	ctccgtgtct	360
cctagagtca	agcagtcaat	taccagtttc	agttatggaa	aaatcaaaat	ccaaaataag	420
taacgaatgt	gaagtggaca	ctagctcttc	catgtggatt	tatgttttcc	tgggcaatct	480
tcttcgtgga	ataggagaaa	ctcccattca	gcctttgggc	attgcctacc	tggatgattt	540
tgccagtga	gacaatgcag	ctttctatat	tgggtgtgtg	cagacggttg	caattatagg	600
accaatcttt	ggtttcctgt	taggctcatt	atgtgccaaa	ctatatgttg	acattggcct	660
tgtaaaccta	gtcattttta	ggtggaagca	tgttacagca	cattatcgag	gaa	713

<210> 232

<211> 1067

<212> DNA

<213> Homo sapiens

<400> 232

cagccttcca	aggtagggca	caccaaggcc	taaggaatca	gaaagggccc	gaggggtgggc	60
tgtgtcctgg	ctttcaggcc	ctggggcgac	caccagcctc	tgctcactct	gaggctccag	120
ccagggcgcc	aagcctcagg	accgtgggtg	gggcccagg	acactctgga	cccccgttcc	180
attcatgaga	ggcctcagc	acgccacgtg	tctgtctgtg	cagcccgag	ggaggggtgga	240
agccttctgt	aaattccaca	tgtgggcccga	gggcatgacg	tccttgatga	aggccgcgct	300
ggacctcacc	taccccatca	cgcccatggt	ctccggagcc	ggcttcaaca	gcagcatctt	360
cagcgtcttc	aaggaccagc	agatcgagga	cctgtggatt	ccttatttcg	ccatcaccac	420
cgacatcaca	gcctcggcc	tgcggggtcca	caccgacggc	tcctgtgggc	ggtaogtgcg	480
tgccagcatg	tccctgtccg	gttacatgcc	ccctctctgt	gacccgaagg	acggacacct	540
gctgatggac	gggggctaca	tcaacaacct	cccagcggat	gtggcccggg	ccatgggggc	600
aaaagtgggtg	atcgccattg	acgtgggcag	ccgagatgag	acggacctca	ccaactatgg	660
ggatgcgctg	tctgggtggg	ggctgctgtg	gaaacgctgg	aaccccttgg	ccacgaaagt	720
caagggtgttg	aacatggcag	agattcagac	gcgcctggcc	tacgtgtgtt	gcgtgcggca	780
gctggagggtg	gtgaagagca	gtgactactg	cgagtacctg	cgccccccca	tgcacagcta	840
cagcaccctg	gacttcggca	agttcaacga	gatctgcgaa	gtgggctacc	agcacgggcg	900
cacggtgttt	gacatctggg	gccgcagcgg	cgtgctggag	aagatgctcc	gcgaccagca	960
ggggccgagc	aagaagcccg	cgagtgcggg	cctcacctgt	cccaacgcct	ccttcacgga	1020
ccttgccgaa	attgtgtctc	gcattgagcc	cgccaagccc	gccatgg		1067

<210> 233

<211> 704

<212> DNA

<213> Homo sapiens

<400> 233

tttcgtgtga	gggagagccg	agggaaaccag	cgcggtgcct	agcggaactc	cagggctgga	60
atcccagagac	acaagtgcac	ctgctagctg	ttagcacttg	gcagacggag	ttctcctcta	120
gggtagttct	aactttgggt	aataatgttt	gtcagctacc	tgatattaac	attgctccac	180
gttcaaacag	cagtgttagc	aagacctggg	ggagagagca	ttggctgtga	tgactactta	240
ggctccgaca	aagtcgtgga	caaagtgtgg	gtgtgtggag	gagacaacac	gggctgtcag	300
gttgtgtcgg	gcgtgtttaa	gcatgccctc	accagcctgg	gctaccaccg	cgctgtggag	360
attcccagag	gagccacgaa	aatcaacatc	acggagatgt	acaagagcaa	caactatttg	420
gccctgagaa	gtcgttcttg	acgctccatc	atcaatggga	actgggcaat	tgatcgacca	480

ggaaaatac	aggcgagg	gaccatgttc	acctacaagc	gtccaaatga	gatttcgagc	540
actgccggag	agtcctttt	ggcggaaggt	cccaccaacg	agatcttggg	tgtctacgtg	600
agtttggatg	tttctggact	gttcttttga	ttttgaatct	tgtcacttct	aaggaacata	660
ctctgaacaa	ataagcaaca	aatcatttgc	catactcaat	aaaa		704

<210> 234

<211> 420

<212> DNA

<213> Homo sapiens

<400> 234

atttcaggag	ggaccagaag	cgcaggcccc	ctcaggagga	attacaactt	catcgccgcg	60
gtggtggaga	aggtggcgcc	atcgggtggt	cacgtgcagc	tgtggggcag	gaaccagcag	120
tggattgagg	tgggtgctcca	gaatggggcc	cgttatgaag	ctggtgtcaa	ggatattgac	180
cttaaattgg	atcttgcggt	gattaagatt	gaatcaaag	ctgaacttcc	tgtactgatg	240
ctgggaagat	catctgacct	tcgggctgga	gagtttgtgg	tggctttggg	cagcccattt	300
tctctgcaga	acacagctac	tgcaggaatt	gtcagcacca	aacagcgagg	gggcaaagaa	360
ctggggatga	aggattcaga	tatggactac	gtccagattg	atgccacaat	taactatggg	420

<210> 235

<211> 1057

<212> DNA

<213> Homo sapiens

<400> 235

cccacgcgtc	cgagaactca	aagaaattct	ggataggaaa	gggcatttct	cagagaatga	60
gacaagggtg	atcattcaaa	gtctcgcatc	agctatagca	tatcttcaca	ataatgatat	120
tgtacataga	gatctgaaac	tggaaaatat	aatgggttaa	agcagtctta	ttgatgataa	180
caatgaaata	aacttaaaca	taaagggtgac	tgattttggc	ttagcgggtga	agaagcaaag	240
taggagtga	gccatgctgc	aggccacatg	tgggactcct	atctatatgg	cccctgaagt	300
tatcagtgcc	cacgactata	gccagcagtg	tgacatttgg	agcataggcg	tcgtaatgta	360
catgttatta	cgtggagaac	cacccttttt	ggcaagctca	gaagagaagc	tttttgagtt	420
aataagaaaa	ggagaactac	attttgaaaa	tgcagtctgg	aattccataa	gtgactgtgc	480
taaaagtgtt	ttgaaacaac	ttatgaaagt	agatcctgct	cacagaatca	cagctaagga	540
actactagat	aaccagtggt	taacaggcaa	taaactttct	tcggtgagac	caaccaatgt	600
attagagatg	atgaaggaat	ggaaaaataa	cccagaaaagt	gttgaggaaa	acacaacaga	660
agagaagaat	aagccgtcca	ctgaagaaaa	gttgaaaagt	taccaaccct	ggggaaatgt	720
ccctgagacc	aattacactt	cagatgaaga	ggaggaaaaa	caggtaggaa	gaatcattgc	780
tgcatttctc	ccaagtgtaa	aataccctca	ccacacctgg	aacatttttt	tgcaaactctg	840
tctttttgtt	gttagtttgt	aacaaaggcc	gagcggtata	tagcaagtaa	agttctttct	900
gccttataag	gctagcatga	tttagcgagg	tggcctacat	gtttatttta	aggttggtga	960
ttatgtaggg	caggtgtctg	caaacttttt	ctgtaaggga	acaaacagta	aatatttttag	1020
gctttgtggg	ccctagtagt	ctttgtcaca	actactc			1057

<210> 236
 <211> 467
 <212> DNA
 <213> Homo sapiens

<400> 236
 ttgagtatta gtgtcagtga tgtgtctctc tctgatgaag gacagtacac ctgttcttta 60
 tttaacaatgc ctgtcaaaac ttccaaggca tatctcaccg ttctgggtgt tcctgaaaag 120
 cctcagatta gtggattctc atcaccagtt atggagggtg acttgatgca gctgacttgc 180
 aaaacatctg gtagtaaacc tgcagctgat ataagatggt tcaaaaatga caaagagatt 240
 aaagatgtaa aatattttaa agaagaggat gcaaatcgca agacattcac tgtcagcagc 300
 acactggact tccgagtggg ccggagtgat gatggagtgg cggtcactctg cagagtagat 360
 cacgaatccc tcaatgccac ccctcaggta gccatgcagg tgctagaaat gcactataca 420
 ccatcagtta agattatacc atcgactcct tttccacaag aaggacg 467

<210> 237
 <211> 416
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(416)
 <223> n = a,t,c or g

<400> 237
 ggtacaacca gaaagtggat ctcttcagcc tgggaattat cttctttgag atgtcctatc 60
 accccatggt cacggcttca gaaaggatct ttgttctcaa ccaactcaga gatcccactt 120
 cgcctaagtt tccagaagac tttagcagtg gagagcatgc aaagcagaaa tcagtcactc 180
 cctggctggt gaaccacgat ccagcaaaac ggcccacagc cacagaactg ctcaagagtg 240
 agctgctgcc cccaccccag atggaggagt cagagctgca tgaagtgctg caccacacgc 300
 tgaccaacgt ggatggaaag gcctaccgca ccattgatgg gccagatct tttcggcagc 360
 gcatctcccc tgccatcgnt ttacacctat gaccagcgac atattgaagg gcaact 416

<210> 238
 <211> 739
 <212> DNA
 <213> Homo sapiens

<400> 238
 ggaccaggac tacaagtacg acagtacctc agacgacagc aacttcctca accccccag 60
 ggggtgggac catacagccc caggccaccg gacttttgaa accaaagatc agccagaata 120
 tgattccaca gatggcgagg gtgactggag tctctggtct gtctgcagcg tcacctgcgg 180
 gaacggcaac cagaaacgga cccggtcttg tggctacgag tgcactgcaa cagaatcgag 240

gacctgtgac	cgtccaaact	gcccaggaat	tgaagacact	tttaggacag	ctgccaccga	300
agtgagctg	cttgcgggaa	gcgaggagtt	taatgccacc	aaactgtttg	aagttgacac	360
agacagctgt	gagcgctgga	tgagctgcaa	aagcgagttc	ttaaagaagt	acatgcacaa	420
ggtgatgaat	gacctgcccc	gctgccccctg	ctcctacccc	actgagggtgg	cctacagcac	480
ggccgacatc	ttcgaccgca	tcaagcgcaa	ggacttccgc	tggaaggacg	ccagcggggc	540
caaggagaag	ctggagatct	acaagcccac	tgcccgggtac	tgcattccgt	ccatgtctgtc	600
cctggagagc	accacgctgg	cggcacagca	ctgctgctac	ggcgacaaca	tgcagctcat	660
caccaggggc	aagggggcgg	gcacgcccc	cctcatcagc	accgagttct	ccgcgggagct	720
ccactacaag	gtggacgctc					739

<210> 239

<211> 611

<212> DNA

<213> Homo sapiens

<400> 239

ggaatcggaa	gaaaatggag	agagtgcaat	ggacagcaca	gtggccaaag	aaggcactaa	60
tgtaccatta	gttgcctgctg	gtccttgtga	tgatgaaggc	attgtgacta	gcacaggcgc	120
aaaagaggaa	gacgaggaag	gggaggatgt	tgtgactagt	actggaagag	gaaatgaaat	180
tgggcatgct	tcaacttgta	caggggttagg	agaagaaagt	gaaggggtct	tgatttgtga	240
aagtgcagaa	ggggacagtc	agattggtac	tgtggttagag	catgtggaag	ctgaggctgg	300
agctgccatc	atgaatgcaa	atgaaaataa	tgttgacagc	atgagtggca	cagagaaagg	360
aagtaaagac	acagatatct	gctccagtgc	aaaagggtatt	gtagaaagca	gtgtgaccag	420
tgcagtctca	ggaaaggatg	aagtgcacac	agttccagga	ggttgtagag	gtcctatgac	480
tagtgcctga	tctgatcaaa	gtgacagtca	gctcgaaaaa	gttgaagata	ccactatttc	540
cactggcctg	gtcgggggta	gttacgatgt	tcttgatatct	ggtgaagtcc	cagaatgtga	600
agttgctcac	a					611

<210> 240

<211> 1090

<212> DNA

<213> Homo sapiens

<400> 240

tttttttttt	ttaagcttga	aataaaat	ttattttgtt	ttgaattaaa	tcaaccatga	60
ttattcacag	tgcaagtaagt	gtgtatcatc	tgtttgatat	tttcatatta	cagttttgat	120
agtgtctctc	agtcctcgaa	atcttctttg	ggtggaaatg	atgaactgtc	agctactttc	180
ttagaaatga	aaggacattt	ctatatgtat	gctgggtctc	tgctcttgaa	gatgggtcag	240
catggtaata	atgttcaatg	gcgagctctt	tctgagctgg	ctgcgtttgt	ctatctcata	300
gcatttcagg	taagtcttcc	acttgaggca	attgacattt	cacggagtct	tgatgtgttt	360
taaatgaagg	tgtgctctgg	tatgtaatga	caatatgtga	acaaacctgt	ggaattaaag	420
ttaaaatgaa	atagtcaatt	tgatacagtg	gaaaataact	aagcatacac	aatactggtg	480
aggctggtga	aacagggatg	ttgaatgcac	tcttgctgaa	agcctgcatt	gccatgattt	540
gtttgtagac	aaatttgaag	agtttgatct	ttttactctg	ccatttttgg	gaacatgata	600
aagatgtaat	ctcgtattat	gggtaaagct	tgattcaaaa	agatgtgtta	cttggacaaa	660
atcctaataa	gtagacgtag	ggcaatggct	ttatagccta	tgatagaaga	atatgattgc	720
aatttaacat	gttaattgaa	acacatgtat	ataacattta	tgactgtatt	gtgtatatgt	780
aacagtatat	ctattaatct	ttgaaaacat	aaaacctttt	cttatttttt	atttttttat	840

ttttttttga	gaccaagtct	ctctctgtcg	ccaggctgga	gtgcagtggg	gtgatctcgg	900
ctcactgcag	cctccacctc	ctgggttcga	gtgattctcc	tgctcagcc	tcccagatag	960
ctgggactac	aggcccatgc	taccaagccc	agctaatttt	ttgtattttt	aatagagatg	1020
gggtttcacc	atgttggcca	ggatgggtcg	aatctcttga	cctcttgatc	tacctgcctt	1080
ggtctcccaa						1090

<210> 241
 <211> 680
 <212> DNA
 <213> Homo sapiens

<400> 241						
gcaacaccca	tcccaggaaa	agccacaagt	cctgaccccc	agccccagga	agcagaagct	60
gaacagaaa	tacaggtccc	accatgacca	gatgatctgc	aagtgcctct	ccctgagcat	120
atcctactcc	gctaccattg	gcggectgac	caccatcacc	ggcacctcca	ccagcctcat	180
cttcctggaa	cacttcaaca	accagtatcc	agcctcagag	gtgggtgaact	ttggcacctg	240
gttctctctc	agcttcccca	tatccctcat	catgctgggtg	gtcagctggg	tctggatgca	300
ctggctgttc	ctgggctgca	attttaaaga	gacctgctct	ctgagcaaga	agaagaagac	360
caaaagggaa	cagttgtcag	agaagaggat	ccaagaagaa	tatgaaaaac	tgggagacat	420
tagctaccca	gaaatgggtga	ctggattttt	cttcactctg	atgaccgtac	tgtggttttac	480
ccgggagcct	ggctttgtcc	ctggctggga	ttctttcttt	gaaaagaaaag	gctaccgtac	540
tgatgccaca	gtctctgtct	tccttggett	cctcctcttc	ctcattccag	cgaagaagcc	600
ctgctttggg	aaaaagaatg	atggagagaa	ccaggagcac	tcactgggga	ccgagcccat	660
catcacgtgg	aaggacttcc					680

<210> 242
 <211> 491
 <212> DNA
 <213> Homo sapiens

<400> 242						
cttgaaagag	aaggggacaa	aggaacacca	gtattaagag	gattttccag	tgtttctggc	60
agttgggtcca	gaaggatgcc	tccattcctg	cttctcacct	gcctcttcat	cacaggcacc	120
tccgtgtcac	ccgtggccct	agatccttgt	tctgcttaca	tcagcctgaa	tgagccctgg	180
aggaacactg	accaccagtt	ggatgagttc	caaggctctc	ctctatgtga	caaccatgtg	240
aatggggagt	ggtaccactt	cacgggcatg	gcgggagatg	ccatgcctac	cttctgcata	300
ccagaaaacc	actgtggaac	ccacgcacct	gtctggctca	atggcagcca	ccccctagaa	360
ggcgacggca	ttgtgcaacg	ccaggcttgt	gccagcttca	atgggaactg	ctgtctctgg	420
aacaccacgg	tggaagtcaa	ggcttgccct	ggaggctact	atgtgtatcg	tctgaccaag	480
cccagcgttt	g					491

<210> 243
 <211> 983
 <212> DNA

<213> Homo sapiens

```

<400> 243
tgcgcccgca ccatgagcga catccgccac tcgctgctgc gccgcgatgc gctgagcgcc      60
gccaaggagg tggtgtacca cctggacatc tacttcagca gccagctgca gagcgcgccg      120
ctgcccacgc tggacaaggg ccccggtggag ctgctggagg agttcgtgtt ccaggtgccc      180
aaggagcgca gcgcgcagcc caagagactg aattcccttc aggagcttca acttcttgaa      240
atcatgtgca attatttcca ggagcaaacc aaggactctg ttcggcagat tattttttca      300
tcccttttca gccctcaagg gaacaaagcc gatgacagcc ggatgagctt gttgggaaaa      360
ctgggtctcca tggcggtggc tgtgtgtcga atcccgtgtg tggagtgtgc tgccctcctgg      420
cttcagcgga cgcccggtgt ttactgtgtg aggttagcca aggcccttgt agatgactac      480
tgctgtttgg tgccgggatc cattcagacg ctgaagcaga tattcagtgc cagcccgaga      540
ttctgctgcc agttcatcac ctccgttacc gcgctctatg acctgtcatc agatgacctc      600
attccaccta tggacttgct tgaaatgatt gtcacctgga tttttgagga cccaaggttg      660
attctcatca cttttttaaa tactccgatt gcggccaatc tgccaatagg attcttagag      720
ctcaccccg ctcgttggtg gatccgctgg tgcgtgaagg cacccttggc ttataaaagg      780
aaaaagaagc cccctttatc caatggccat gtcagcaaca aggtcacaaa ggacccgggc      840
gtgggggatgg acagagactc ccacctcttg tactcaaaac tccacctcag cgtcctgcaa      900
gtgctcatga cgctgcagct gcacctgacc gagaagaatc tgtatggggc gcctggggct      960
gatcctcttc gaccacatgg tcc

```

<210> 244

<211> 526

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1) ... (526)

<223> n = a,t,c or g

```

<400> 244
cggctcgtcc nnatttgaac cccttctttg atcggcctgc agtaccgggc cggaattacc      60
cggctcgagcc acgcgttcgc tcacgcgtcc ggccaaccag aagggttgcg acggggaccg      120
cctgtactac gacggctgtg ccatgatcgc catgaacgga agcgtctttg ctcaaggatc      180
ccagttttct ctggatgacg tggaagtcct gacggccacg ctggatctgg aggacgtccg      240
gagctacagg gcggagatct catctcgaaa cctggcggtg agtgctccag tagacacctg      300
tgtgggatgc tcatcaaaga cgtggaaagt ggccccattc gtgcgggcoct ggtggaggcc      360
gtgaggggtgc agtgctgaa aagtctgaca gggaagttcc ggacttcccg agcgtggaaa      420
ggggctggtg ccgcagacag aacctgcttc catctgttcc ccgtcatcct ctgcttgggc      480
caggccctga gctgggggtga gctggggaca ggcaggcagg tgtatt

```

<210> 245

<211> 418

<212> DNA

<213> Homo sapiens

<400> 245

ggggcgggcc	ccccaggtag	gcatggetgc	tgccccagc	ccattttctt	tgaatctggt	60
cactcctatt	cactcctact	tgccactcct	tctattcatt	actcactgcc	cctgccccta	120
gtccccatgg	tacccttgag	ccatgggcat	ttcctgagcc	ccactcagca	ggctctgctt	180
cccccaggtc	ctggtgaacg	agggcggtgg	ctttgaccgg	gcctctggct	ccttcgtagc	240
ccctgtccgg	ggtgtctaca	gcttcgggtt	ccatgtggtg	aagggtgtaca	accgccaac	300
tgcccagggtg	acctcagcac	tgccccccat	ccccggctca	ggaggggtggg	gagggggaag	360
aaggggagcc	cagctgacct	ccgggtggac	tctccattga	cctgtgtcct	ggacgaaa	418

<210> 246

<211> 706

<212> DNA

<213> Homo sapiens

<400> 246

acctcatatt	attggagcag	aagatgatga	ttttggtact	gaacatgaac	agatcaatgg	60
acagtgcagc	tgtttccaga	gcattgaatt	gctaaaatct	cgcccggtc	atttggtgt	120
tttcttacgc	catgtagttt	cacaatttga	ccctgcgact	ttgctttgtt	atctctattc	180
agacctgtat	aaacatacca	attccaaaga	aactcgctgc	atcttccttg	agtttcatca	240
gttctttcta	gatcgatcag	cacacctgaa	agtttctggt	cctgatgaaa	tgtctgcaga	300
tctagaaaag	agaagacctg	agctcattcc	tgaggatctg	catcgccact	atatccaaac	360
tatgcaagaa	agagtccatc	cagaagttca	aaggcactta	gaagattttc	ggcagaaacg	420
tagtatggga	ctgaccttgg	ctgaaagcga	gctgactaaa	cttgatgcag	agcgagacaa	480
ggaccgattg	actttggaga	aggagcggac	atgtgcagaa	cagattgttg	ccaaaattga	540
agaagtattg	atgactgctc	aggctgtaga	ggaagataag	agctccacca	tgcagtatgt	600
tattctcatg	tatatgaagc	atttgggagt	aaaagtgaag	gagcctcgaa	atttggagca	660
caaacggggg	cggattggat	ttcttcccaa	aatcaagcaa	agtatg		706

<210> 247

<211> 439

<212> DNA

<213> Homo sapiens

<400> 247

caagggaggg	gggttgatcc	cctggcacag	gtcgaggccc	tggacccaca	tcctttgtct	60
gcctccccac	cccacagtgc	ccgttcacgc	acgatttcat	cctggccctc	cataggaaga	120
tcaagaatga	gcccgtgggtg	tttccctgag	ggccagaaat	cagcgaggag	ctcaaggacc	180
tgatcctgaa	gatgttagag	aagaatcccg	agacgagaat	tggggtgcca	gacatcaagt	240
tgcacccttg	ggtgaccaag	aacggggagg	agccccttcc	ttcggaggag	gagcactgca	300
gcgtgggtgga	ggtgacagag	gaggagggtta	agaactcagt	caggctcatc	cccagctgga	360
ccacgggtgat	cctgggtgaag	tccatgctga	ggaagcgttc	ctttgggaac	ccgtttgagc	420
cccaagcacg	aatggcgaa					439

<210> 248
 <211> 730
 <212> DNA
 <213> Homo sapiens

<400> 248
 cccacgcgctc cggaataaa atagataaga cttccgatgg accaaaactt ttcttaacag 60
 aagaagatca aaagaaactt catgattttg aagagcagtg tggtgaaatg tatttcaatg 120
 aaaaagatga caaatattcat tctgggagtg aagagagaat tctgtgctact tttgaaagag 180
 tggaacagat gtgcattcag attaaagaag ttggagatcg tgtcaactac ataaaaagat 240
 cattacaatc attagattct caaatggcc atttgcaaga tctttcagcc ctgacggtag 300
 atacattaaa aacactcact gccagaaaag cgtcggaagc tagcaaagtt cataatgaaa 360
 tcacacgaga actgagcatt tccaaacact tggctcaaaa ccttattgat gatgggtcctg 420
 taagaccttc tgtatggaaa aagcatgggtg ttgtaaatac acttagctcc tctcttcctc 480
 aaggggatct tgaaagtaat aatccttttc attgtaatat tttaatgaaa gatgacaaag 540
 atccccagtg taatatattt ggtcaagact tacctgcagt accccagaga aaagaattta 600
 attttccaga ggctgggtcc tcttctgggtg ccttattccc aagtgtgtgt tccccctcag 660
 aactgcgaca gagactacat ggggtagaac tcttaaaaaa atttaataaa aaacaaaaaa 720
 aaagggcggc 730

<210> 249
 <211> 466
 <212> DNA
 <213> Homo sapiens

<400> 249
 attgctgccg ctggatcgac tgetttgect tgtacgacca gcaggaggag ctcggtcggc 60
 acatcgagaa ggtccacatc gaccagcgca aaggggagga cttcacttgc ttctgggccg 120
 gttgccctcg aagatacaag cccttcaacg cccgctataa actgctgatc cacatgagag 180
 tccactctgg ggagaagccc aacaagtgtc cgtttgaagg ttgcgagaag gccttttcaa 240
 ggcttgaaaa tctcaagatc cacttgcgga gccacacagg cgagaagccg tatttgtgcc 300
 agcatccggg ttgtcagaag gccttcagta actccagtga ccgcgccaaa caccagcgga 360
 cgcatctgga cactaaacct tatgcttgtc aaattccagg atgtacccaa cgctacacag 420
 acccaagttc cctaagaaag catgtgaagg cacattcttc caaaga 466

<210> 250
 <211> 963
 <212> DNA
 <213> Homo sapiens

<400> 250
 ggagcgggctg ccacggaaaa cgcttgcccg gacgggtggct ggcgccctg cctgggcgcg 60

gagggcgcg	gtggcgggcc	ccgcggcctt	ctctcagctt	cctttctect	cacgacggcc	120
tccacagtc	ggagcccggc	ggagcccggg	cctggcgggg	agagctgect	ccacggccgg	180
gcacccagac	cccaccgtcg	cagtcgccac	cacctcagtc	catccttgg	accggcaatg	240
ggcttcgtat	cctocagtgc	acttgtaact	gacttggaca	cggaatacta	agaactcact	300
tctgtcctca	tcccagtcgc	gccggcggtg	accatctcgg	ctcttttggg	cttaactgcc	360
gctcctctgg	aotctgtctg	actttggggg	caccatggac	caaagtggga	tggagattcc	420
tgtgaccctc	atcattaaag	caccgaatca	gaaatacagt	gaccagacta	ttagctgctt	480
cttgaactgg	accgtgggga	aactaaaaac	gcattctatc	aacgtttacc	ctagcaaacc	540
agtaagtgtg	taaaagctgg	gggcagctgc	tctgaccagc	agcttttcgt	gccgtgtacc	600
ctcctttttc	ctgottctcc	cctccagtct	tgaatcaaat	aggtctcttt	tggtagaccg	660
cgaggatttt	tgagttctga	ggttgtgtct	cctgagtgtt	cgaaccatca	ttaattttt	720
cctgatgagg	ttcagttaat	tagtaagagg	aagcagaaat	atcaagggac	ttaagaattg	780
gcaggcaaag	accgggcgcg	gtggctcacg	cctgtaatcc	cagcactttg	ggaggccaag	840
gcgggcggat	cacgaggtoa	ggagttcgag	accagcctta	ccggcatggg	gaaacctgt	900
gtctactgaa	aatacaaaaa	ttaactgggc	gtggtggcgc	atgcttgtaa	tcccagctac	960
tgc						963

<210> 251

<211> 894

<212> DNA

<213> Homo sapiens

<400> 251

gcgggggacc	ggatgtgtgt	ggtggcgcg	gccgaagagc	ttgtgtgcgg	agctgagagg	60
cctatggatg	aggaggacgc	ggcgccccg	gtttgttctc	atgaacaaga	tggatgacct	120
caacctgcac	taccggtttc	tgaattggcg	ccgggggac	cgaggagattc	gagagggtccg	180
agctttccga	tatcaggaga	ggttcaaaca	tatccttgta	gatggagata	ctttaagtta	240
tcatgaaac	tctggtgaag	ttggctgcta	cgtggcttct	cgacccctga	ccaaggacag	300
caattatttt	gagggtgtcta	ttgtggacag	tggagtccgg	ggcaccattg	ctgtggggct	360
ggtccctcag	tactacagct	tggatcacca	gcctggctgg	ttgcctgact	ctgtagccta	420
ccatgctgat	gatggcaagc	tgtacaatgg	ccgagccaag	ggccgcccagt	ttgggtcaaa	480
gtgcaactcc	ggggaccgga	ttggctgtgg	cattgagcct	gtgtcctttg	atgtgcagac	540
cgcccagatc	ttcttcacca	aaaatgggaa	gcgggtgggc	tctaccatca	tgcccattgtc	600
cccagatgga	ctgttcccag	cagtgggcat	gcactccctg	ggtgaggagg	tgcggctgca	660
cctcaacgct	gagctgggccc	gtgaggacga	cagcgtcatg	atggtggaca	gttacgagga	720
tgaatggggc	cggctacatg	atgtcagagt	ctgtgggact	ctgctggagt	acttagggaa	780
gggcaaaagc	atcgtggatg	tggggctggc	ccaggcccg	cacccactca	gcacccgcag	840
ccactacttc	gagggtggaga	tcgtggaccc	tggagagaaa	tgctacatcg	ccct	894

<210> 252

<211> 861

<212> DNA

<213> Homo sapiens

<400> 252

tcccgggtcg	acgatttcgt	ctggagtgtt	agcaccagta	ctggatgtga	cagcaggcag	60
aggagcactt	agcagcttat	tcagtgtccg	attctgattc	cggcaaggat	ccaagcatgg	120
aatgctgcog	tcgggoaact	cctggcacac	tgctctctct	tctggctttc	ctgctcctga	180

gttccaggac	cgcacgctcc	gaggaggacc	gggacggcct	atgggatgcc	tggggcccat	240
ggagtgaatg	ctcacgcacc	tgcgggggag	gggcctccta	ctctctgagg	cgctgcctga	300
gcagcaagag	ctgtgaagga	agaaatatcc	gatacagaac	atgcagtaat	gtggactgcc	360
caccagaagc	aggtgatttc	cgagctcagc	aatgctcagc	tcataatgat	gtcaagcacc	420
atggccagtt	ttatgaatgg	cttcctgtgt	ctaatgaccc	tgacaaccca	tgttactca	480
agtgccaaagc	caaaggaaca	accctggttg	ttgaactagc	acctaaggtc	ttagatggta	540
cgcggttgcta	tacagaatct	ttggatatgt	gcacacagtgg	tttatgccaa	gtaagtgtg	600
atttgttctc	attcaacttg	tccagagggt	ttcaatgtct	ttgtgtaaat	ggtttacata	660
gtctcactct	ctgaatcact	catctttaca	cttttttagag	tttgtaaatg	gtgaaagatt	720
tgaaaatttaa	ggtatgattt	cagtgaagaa	taccaagtgt	tgtattgtgc	gaaggaaaag	780
tagactagag	ttatttttct	ttccttgagt	gtcacttgaa	tataaaagaa	taaaaatttt	840
tgaatagtgt	taaaaaaaaa	a				861

<210> 253

<211> 556

<212> DNA

<213> Homo sapiens

<400> 253

caggctgtta	agacaagagc	ttgtgggtgct	ttgccacctt	caccacccca	gtttgatatc	60
tttgctggca	gctgggattc	gtccccggat	gttgggtgatg	gagttagcct	ccaagggttc	120
cttggtatgc	ctgcttcagc	aggacaaagc	cagcctcact	agaaccctac	agcacaggat	180
tgcactccac	gtagctgatg	gtttgagata	cctccactca	gccatgatta	tataccgaga	240
cctgaaaccc	cacaatgtgc	tgcctttcac	actgtatccc	aatgctgcca	tcattgcaaa	300
gattgctgac	tacggcattg	ctcagtactg	ctgtagaatg	gggataaaaa	catcagaggg	360
cacaccaggg	tttcgtgcac	ctgaagttgc	cagaggaaat	gtcattttata	accaacaggc	420
tgatgtttat	tcattttggt	tactactcta	tgacattttg	acaactggag	gtagaatagt	480
agagggtttg	aagttttcaa	atgagtttga	tgaattagaa	atacaaggaa	aattacctga	540
tccagttaaa	gaatag					556

<210> 254

<211> 435

<212> DNA

<213> Homo sapiens

<400> 254

caaaggccag	taatagtacc	catgagtttc	gtattggcct	acctgagggg	tgggaatccg	60
aaaaaaaggc	agttatcccc	ctggggatcg	ggccaccctt	gacttttaac	tgcctagggg	120
ttctgggggg	tattctcacc	tacgggagga	aaggcttcca	aactgcccac	ttttacttaa	180
aggacagtcc	atccccataa	gtaatatcca	ccccctccacc	acctatcttt	ccaatttcaa	240
aggaggtcgg	accaattcca	ataaagcaat	ttccaaagca	tgtggcaaat	ttacatgcaa	300
gtaggggggt	tactgaaaaa	tttgaaacac	tgaaaaagtt	ttaccaggaa	gggcaaagct	360
gtactgttga	cttaggtatt	acagcaaaac	gtcccaacca	cccagacaac	aggcacagga	420
atcgatcctt	aattg					435

<210> 255
 <211> 698
 <212> DNA
 <213> Homo sapiens

<400> 255
 cctcatttcc tgategaaca gcctcacttg tgttgctgtc agtgccagta gggcaggcag 60
 gaatgcagca gagaggactc gccatcgtgg ccttggtgtg ctgtgcggcc ctacatgcct 120
 caccagccat acttcccatt gcctccagct gttgcacgga ggtttcacat catatttcca 180
 gaaggctcct ggaaagagtg aatatgtgtc gcatccagag agctgatggg gattgtgact 240
 tggctgctgt catccttcat gtcaagcgca gaagaatctg tgtcagcccg cacaaccata 300
 ctgttaagca gtggatgaaa gtgcaagctg ccaagaaaaa tggtaaagga aatgtttgcc 360
 acaggaagaa acaccatggc aagaggaaca gtaacagggc acatcagggg aaacacgaaa 420
 catacggcca taaaactcct tattagagag tctacagata aatctacaga gacaattcct 480
 caagtggact tggccatgat tggttagtct cgctctgtca cacaggctgg agggcagtgg 540
 cgggatctcg gttcacccca acctttgcct caggggttca agggattctc gtgcctcagc 600
 cttccaagtg gctgggattg caggtgtgcg ccagtaacgc tggctagttt tagtattttt 660
 tgttacagac ggggtttcac catgttggtt gggctggt 698

<210> 256
 <211> 736
 <212> DNA
 <213> Homo sapiens

<400> 256
 gtttgaacag ccgggaaacc cgggcgaccc acgcgtacga actccgcccc catggggggc 60
 ccactttttc gctttgattc cttcttcccc caaagaggtc ccagctaccc catcctccag 120
 aagggaaccc attgccccaa cagcgactct tctctctaaa aagaccccag caactctagc 180
 ccccaaagag gccctcattc cccagctat gactgttccc tcccctaaaa agaccccagc 240
 aattccaacc cccaaagaag cccagctac cccatcctcc aaagaggcct ccagtcccc 300
 agcagtgact ccttccactt acaaaggggc cccatcccc aaagagctcc tcattccacc 360
 agctgtgact tctccttccc ccaaagaggc acctactcct ccagctgtga ctctccatc 420
 ccccgaaaag ggcccagcaa ctccagcccc caaagggact cccacttccc cacctgtgac 480
 tcttctctcc ctcaaagact cccctacttc cccagcttct gtcacatgta aaatgggggc 540
 cactgttctt caagcatcta aagggttcc agcaaagaaa ggccccacag ctctgaaaga 600
 agtacttgtt gccccagctc cagaaagcac gccaatcatc acagctccca ctcggaagg 660
 tccacagacc aaaaagagtt ctgctacttc acctcctata tgcccagatc cctcagctaa 720
 gaatggttct aaagga 736

<210> 257
 <211> 77
 <212> DNA
 <213> Homo sapiens

<400> 257
 ctccgcctcc caaagtactg ggattacagg tgtgagccac cgtgcccagc caagaccttg 60
 tatctttaaa aaaaaaa 77

<210> 258
 <211> 499
 <212> DNA
 <213> Homo sapiens

<400> 258
 aatgctcctt tggtaagaac aattatatgg cttaaattaat ctcagccacc tagttctaaa 60
 tgtagagcaa ggattgcaag ggattattta gacaagttca tcaattaagt aaaattagac 120
 atgaaggata taagaatgaa tgataaagca agctaaaaat ggtgaaacaa gggatgtctg 180
 attggaagta gaagatatatt atttaggttc taggacatta gtatcagtga ggacagtaat 240
 ttcttgcttg tttgtatttc agtgatcaca tacacttctt tacctgataa cgtctctctt 300
 ctctaggctg gttttgggta cggcttgcca atttctcgtc tgtatgcaa gtactttcaa 360
 ggagatctga atctctactc tttatcagga tatggaacag atgctatcat ctacttaaag 420
 gtatcccttg aattcaatag caaaatcctg tttctaaaac cattgctcct tttatagccc 480
 tgagtgtctat ggtcgggag 499

<210> 259
 <211> 621
 <212> DNA
 <213> Homo sapiens

<400> 259
 tttcgtgact gtagtcagcc cttagtggat gagagcgcct atgcttcaga aacagcaggc 60
 tcccaggatg gacaccccg cccctgaaga acgcttagag aagcaaaatg aaaaactgaa 120
 caaccaggaa gaggagacgg agtttaagga actggacggg ctgagggag ccttggcaaa 180
 cctccgggga ctgtcagagg aggagaggag cgagaaggct atgcttcgct cccgcattga 240
 agagcagtc cagctcatct gcatcctgaa gcggagggtca gatgaggccc tggagcgctg 300
 ccagatccta gagctgctca atgcagagct ggaggagaag atgatgcagg aggctgagaa 360
 gctcaaggcc caggggtgagt acagtcggaa actagaggaa cgctttatga ccctagcagc 420
 caaccacgag ttgatgctcc gcttcaagga tgaatacaag agtgagaaca tcaagctgag 480
 ggaggagaat gagaagctga ggctggagaa taacagcctc ttcagccagg ctctgaagga 540
 tgaggaggcg aaagtattac agctcacagt ccggtgtgag gccctcactg gggagctaga 600
 aacgctgaag gagagggtgtg c 621

<210> 260
 <211> 414
 <212> DNA
 <213> Homo sapiens

<400> 260

agatccgggt	gogagccacg	cgtccgtgca	ggtgcaggta	ctgaaagagc	aactttttgc	60
tgggcgtatg	ccttcaccct	tccgctcctg	cgcactcatg	ggaatgtgtg	gcagtagaag	120
cgctgataac	ttgtcatgcc	cttctccatt	gaatgtaatg	gaaccagtaa	gcttctttcc	180
tcttaaataca	ctggggaagg	gaatgataca	acatttcaga	cacatagttt	ccctagttta	240
gatgaaatat	atgtttatgt	taaatacata	atttgataaa	ttattgttga	ttggaagtga	300
ctttcacctt	tgaaagtcca	ttgctgtctg	aagccactag	aaagccacct	gaattgcaat	360
agtgatttat	ctttctgact	aaaggaggta	atgcaccata	aaaacatgta	cagt	414

<210> 261

<211> 620

<212> DNA

<213> Homo sapiens

<400> 261

gtaaccacca	ctactcatag	cgttggacga	gggcatgagc	tacagttgct	taatgaagaa	60
ctgagaaaca	ttgagcttga	gtgtcagaat	atcatgcagg	ctcacaggct	ccagaaagtg	120
acagaccagt	atggagacat	ctggacattg	catgatggag	gattccggaa	ttataacacc	180
agcatagata	tgcaaagggg	aaagctagat	gacatcatgg	agcatccaga	aaagtctgac	240
aaggacagtt	ctagtgttta	caacacagct	gagagctgca	gaagtactcc	gctcactgta	300
gaccgttccc	ctgacagttc	ccttccaagg	gtgatcaacc	tcaccaataa	gaaaaacctg	360
agaagcacia	tggcagccac	ccagtccctc	tccggacaga	gcagtaaaga	gtcgacctcc	420
accaaagcca	aaaccactga	gcaagggttg	agcgctgaaa	gcaaggagaa	ggttttagaa	480
ggcagcaagc	ttcctgatca	agagaaggca	gtcagcgaac	acatccctta	cctctctcct	540
taccacagct	cctcatatag	atatgcaaac	atcccagcac	acgcccggca	ttatcaaagc	600
tacatgcagt	taattcaacg					620

<210> 262

<211> 418

<212> DNA

<213> Homo sapiens

<400> 262

gggtctgggg	ctgcctggcc	accgtgtcca	cccacaagaa	gatccaagga	ctgccatttg	60
ggaactgcct	gcccgtcagt	gatggcccct	tcaacaatag	cactgggatt	cctttcttct	120
acatgacagc	caaggacccc	gtgggtggctg	atctgatgaa	gaaccccatg	gcctcgctga	180
tgctgccaga	atcagaaggg	gagttctgca	gaaaaaacat	cgttgatccg	gaagatcccc	240
gatgtgtcca	gttaacgctc	actggccaga	tgatcgcagt	gtctccagaa	gaagtagaat	300
ttgccaagca	agccatgttt	tcaaggcacc	cagggatgag	gaagtggcct	cgtaaatatg	360
aatggttctt	tatgaagatg	aggatagaac	atatctggct	tcagaaatgg	tatggagg	418

<210> 263
 <211> 441
 <212> DNA
 <213> Homo sapiens

<400> 263
 ttctcgtcaga gccgcgggag gacgggttgc tgggtattatt agcaagcagc aaatatggcg 60
 gtggcgcgcg tggacgcggc ttgcctccc ggagaaggat cagtgggtcaa ttggtcagga 120
 cagggactac agaaattagg tccaaattta ccctgtgaag ctgatattca cactttgatt 180
 ctggataaaa atcagattat taaattggaa aatctggaga aatgcaaacg attaatacag 240
 ttatcagtag ctaataatcg gctgggttcg atgatgggtg tggccaagct gacgttgctt 300
 cgtgtattaa atttgccctca taatagcatt ggctgtgtgg aagggtctaa ggaactagta 360
 catctggaat ggctgaattt ggcaggaaat aatcttatag ccatggaaca gatcaatagc 420
 tgcacagctc tacagcatct c 441

<210> 264
 <211> 832
 <212> DNA
 <213> Homo sapiens

<400> 264
 tatttcgagc ggcagttggg gcggtaccag aggggtgcctg gaaggatacg gccagctcc 60
 acaagagcga ggaggcgaag cgggtgctgc ggtattacct ctccagggc cagcgtata 120
 tctggatcga gaccagcaa gccttctacc aggtcagcct cctggacat ggccgctctt 180
 gtgacgacgt ccaccgctcc cgccatggcc tcagcctcca ggaccaaag gagaggaagg 240
 ccatttacgg ccccaacgtg atcagcatac cgggtcaagtc ctacccccag ctgctggtgg 300
 acgaggcctt cagcatcgcg ctgtggctgg ctgaccacta ctactggtac gccctgtgca 360
 tcttccctcat ttcctccatc tccatctgcc tgtcgctgta caagaccaga aagcaaagcc 420
 agactctaag ggacatggtc aagttgtcca tgcgggtgtg cgtgtgcccgg ccagggggag 480
 aggaagagtg ggtggactcc agtgagctag tgcccggaga ctgcctggtg ctgtcccagg 540
 aggggtgggct gatgcctgt gatgccgcc tgggtggccgg cgagtgcctg gtgaatgata 600
 gctctctgac aggagagagc attccagtgc tgaagacggc actgccggag gggctggggc 660
 cctactgtgc agagacacac cggcggcaca cactcttctg cggaaccctc atcttgcctg 720
 cccgggccta tgtgggaccg cacgtcctgg cagtgggtgac ccgcacaggt atgagccggg 780
 aggctgggct tgagagagat ccgggctcag cacccttgaa gaggtggagt gg 832

<210> 265
 <211> 714
 <212> DNA
 <213> Homo sapiens

<400> 265
 ttctcgtggg ggccgggctcc accttcacct ctgccttctg ctctgcttca tgcctcccga 60

ggacgctgcc	atggctgtgc	tgacggcctc	caaccacgtg	agcaacgtca	ccgtgaacta	120
caacatcacc	gtggagcgga	tgaacaggat	gcagggcctg	cgggtctcta	cagtgccagc	180
cgtgctgtcc	cccaatgcca	cgctggcact	gacggcgggc	gtgctggtgg	actcggccgt	240
ggaggtggcc	ttcctgtgga	cctttgggga	tggggagcag	gccctccacc	agttccagcc	300
tccatacaac	gagtccttcc	cggttccaga	cccctcggtg	gccaggtgc	tggtaggaca	360
caatgtcacc	cacacctacg	ctgccccagg	tgagtacgtc	ctgaccgtgc	tggcatctaa	420
tgccttcgag	aaccggacgc	agcagggtgt	gatccgcagt	ggccgggtgc	ccatttgtgtc	480
cttggagtgt	gtgtcctgca	aggcacaggc	cgtgtacgaa	gtgagccgca	gctcctacgt	540
gtacctggag	ggccgctgcc	tcaattgcag	cagcggctcc	aagcgagggc	ggtgggctgc	600
acgtacgttc	agcaacaaga	cgctggtgtc	ggatgagacc	accacatcca	cgggcagcgc	660
aagcatgtga	ctggtgtctg	ggcggggcgt	gctgcgggac	ggcgagggat	acac	714

<210> 266

<211> 1872

<212> DNA

<213> Homo sapiens

<400> 266						
cccggaaattc	ctgggtcgac	tatttctgtg	aaaggctgcc	actctgcatg	tgcacagtga	60
ccagaagccc	cttcacgatg	gggcccctcg	gtcgcagcag	aacttggttc	gcatgaagga	120
ggcgctgagg	gccagcacca	tggacgtcac	cgtggtcctg	cctagtgggc	tggagaagag	180
gagcgtgtct	aatgggagcc	atgcgatgat	ggacctactg	gttgaacttt	gccttcagaa	240
ccacctgaat	ccatcccacc	atgcccttga	aattcgggtc	tcagaaaacc	aacaaccttt	300
gagttttaag	ccaaataact	tgattggggac	cctgaatgtg	catactgtgt	ttctgaaaga	360
aaaagttcct	gaagagaagg	ttaagcctgg	tccccctaag	gtgcctgaga	aatctgtgcg	420
tttggtcgtg	aattacctgc	ggacacaaaa	agctgttgtg	cgtgtgagcc	ctgaggttcc	480
ttccagaat	attctcccag	tcatttgtgc	aaagtgtgag	gtcagcccag	agcacgtggt	540
tctcctcagg	gacaacattg	cgggagagga	gctggagctg	tccaagtcce	tgaacagact	600
cgggataaag	gagctctacg	cgtggggacaa	cagaagagaa	accttttagga	aatcacact	660
tggcaatgat	gagacagata	aagagaagaa	aaaattttctg	ggattttttca	aagttaataa	720
aagaagcaat	agtaagggct	gtttaacgac	ccccaaactcc	ccatccatgc	actcacgttc	780
tcttacgctg	ggtccatccc	tctcgctggg	cagcatctca	ggggtgtccg	tgaagtccga	840
gatgaagaag	cgccgagccc	ctcctcctcc	aggttcaggg	ccacctgtgc	aagacaaggc	900
atcggaag	gtatctcttg	ggtcacagat	tgatttacag	aagaagaagc	ggcgagcgcc	960
agctccccct	ccaccacagc	caccaccacc	gagtcccctg	atcccccaacc	gcactgagga	1020
taaggaggag	aacaggaaga	gcacgatggg	ttattgctgt	gcgtcattcc	ctactcaggc	1080
caagcgcttc	tgatggacgg	gcctcttctc	gacctcggac	ctttcccagt	gtctcttctg	1140
ccctggctct	gattttctctg	ttgttcttcc	tcctttcagg	ataaaagggc	tcattgtata	1200
ccagaatttt	acttcccttg	gggtttacat	ataaatgcat	taataacaga	gatttgtttg	1260
attgaggttt	atattttttt	gaaggaggta	aattatatgc	aaatttttagg	ttgataatat	1320
tcacctgtct	gaaattcact	gatacttgga	aatgttcctg	tgaagaactc	tgctttattt	1380
taattcatta	ttaattcatg	tttttcttat	tggatattca	gttccagaat	ttattgccaa	1440
tttttcttaa	aactagattg	tatccataaa	ttgaccagta	tagtcaattt	ggatagaact	1500
gaaactttct	gtctacctgg	taaaactaag	tgcctaaaaa	catgaactat	aaatgtagtt	1560
actaggaact	cacaacttat	atatactatc	cattcaatga	tacataggac	ccaatgtctt	1620
tgtgtttttg	aggttttctc	gttactgtgt	actttgccat	tttacatagt	tcactaaaaa	1680
gaaagaagtg	ggagaagaag	gggggtctat	tcattattct	atattatgat	tctcttcatt	1740
attctgttct	cttcattatt	ctattcattt	cttcacccat	ttattcacta	aacagtgaca	1800
tagtacttac	ttgatgctag	gtattacacc	agttttgtgg	gctataagag	tgaataacaa	1860
gcacgtgacc	tt					1872

<210> 267

<211> 684
 <212> DNA
 <213> Homo sapiens

<400> 267

tgtagataca	gagtagctaa	ttctaaaatt	catatggaag	gcaaagaaac	taaattagcc	60
aaaacaattt	tgaaaaagat	ttcaaaaaaa	ttttgaagga	atcatgctgc	ccagttttta	120
gacttactat	aaagctgtga	taatcaaggc	aatctgggtat	ttatgaaagg	ataaacacat	180
agatcaatgg	aataaagtcc	aaaaccagac	tcacataaat	agcaattgat	ttctgacaaa	240
ggtgaaaaga	caactcaatg	gggaatggag	agttttttcaa	cagatgattt	taaaacaact	300
gaacatccat	atgcaaaaaa	ataaacctac	ctaaatttca	cagcttatac	aaaaattaac	360
ctaaaatgga	tcacggatct	aaatgtagaa	ctaaatttat	aaaattttta	gaagaaaaaa	420
atccataggc	cgggcacggg	ggctcatgcc	tgtaatccca	gcacttcaga	ggctgaggcg	480
ggcagatccg	ttgaggtcag	ttcaagacca	gcctagccta	tgtggtgaaa	tcccaactct	540
actaaaaata	aaaaataaaa	aaaaaatggg	ctgggagtgg	tgggtgcacac	ctgtagtccc	600
agctacttgg	gagactgaag	cacaagaatc	acttgaaccc	agcaggcaga	ggttgcagtg	660
agtggagatt	gtgccactgc	accc				684

<210> 268
 <211> 453
 <212> DNA
 <213> Homo sapiens

<400> 268

ggtcgacgat	ttcgccccgc	gtcggacgag	gagcgggagc	cgtgggagcc	gtggacgcag	60
ctgcgcctgt	cgggccacct	gaagccgctg	cactacaatc	tgatgctcac	cgccttcacg	120
gagaacttca	ccttctccgg	ggagggtcaac	gtggagatcg	cgtgccggaa	cgccaccgcg	180
tacgtagtgc	tgcacgcttc	ccgagtggcg	gtggagaaaag	tgacgtggc	cgaggaccgg	240
gcgttcgggg	ctgtccctgt	agccggtttt	ttcctctacc	cgcaaaccga	ggtcttagtg	300
gtgggtgctga	ataggacact	ggacgcgcag	aggaattaca	atctgaagat	tatctacaac	360
gcgctcatcg	agaatgagct	cctgggcttc	tttcgcagct	cctatgtgct	ccacggggag	420
agaagattcc	ttgggggttac	tcagttttcg	cct			453

<210> 269
 <211> 525
 <212> DNA
 <213> Homo sapiens

<400> 269

ggcacgagaa	ctgggtgctta	atttaatgcc	aattcatgat	gtaggtttct	aagcagcaca	60
taaaaggggc	tttttaggta	gcactgagta	ctttactaaa	aatacaaaaa	ttagccaggg	120
ggggggggtgc	acgtctttta	tcccagctac	tcagggcggg	ggccaggggg	tggggtaggg	180
tgggggctga	gacaggagaa	gcacttgaac	ccaggaggcg	gagggttcag	tgagctgaga	240
ttgtgctact	gtactccaac	ctgggcaaca	aacagagtga	gacactgtct	caaataaata	300

aataaataga	taaataaaaat	aaaataaaaat	aaaaagaact	cgaccctttt	tacaatagct	360
aaaggaaaaat	aaaataactta	agaatatact	taaccaagga	ggtgaaagac	ctctacaaag	420
aaaactacaa	aacactgctg	aaagaaatca	cagatgacac	aaacaaaaaac	acatcccaag	480
ctcatggaca	ggtagaatca	atactgtgaa	aatgactata	ctgcc		525

<210> 270

<211> 880

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(880)

<223> n = a,t,c or g

<400> 270

cccagtccca	cattgagccc	tgatcccatc	caagtccata	gacttggcct	ctgaccaaaac	60
ctgaccctgc	acttgctact	taaggtgggc	ccatattcag	ctcagaccct	gaaccgagct	120
ctgaccctgg	cttctgactg	aatctgtgac	agactaaggc	ctgaccctgg	ccctatacca	180
cgtctccacc	cgtgtcctca	actgagtgc	gaccccaaac	ctagacagcc	ctacctgatc	240
cttccccccag	gcctgtcccc	gccgcttcat	ctcaaaagtt	gaaggtgagg	agccggtaaa	300
caggtctgga	gcctggctctc	agactcagcc	tgagcaagct	cagtctgggg	tcattggggc	360
tgtaaccccg	ggcaggccct	tgtagggat	gcagggtctc	accctagggg	tataagggat	420
ttctgtgcc	atcagaactt	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	480
nnnnnnnnnn	nnnnnnnnnn	atcttgctgt	tagcatatgt	gatgacctg	acttcacctc	540
cctggcgcca	atctcctctt	ctgtaaaatg	gcttatgcat	tacaaagtga	ggtcctgcca	600
gtgactacac	ctagaggcat	taagtgcctt	tgtggactcc	tgccctgcac	ctcacctctc	660
ccagcttttt	aacccctga	ggaaccttct	taccttgagt	ccctcaccg	ctacaggcca	720
tccatgagca	gatgaactgc	aaggagtatc	aggaggacct	ggccctgcgg	gctcagaacg	780
atgcggctgc	ccggcgccg	tcagagatgt	ttaaggtgag	gctggctcag	ggtcgtggcc	840
tagcatcttt	aagttctggg	atccagtctg	gggtagggag			880

<210> 271

<211> 1066

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(1066)

<223> n = a,t,c or g

<400> 271

tgaccctcgt	aagngcgttg	gaattccctc	acctgtgtgg	tcctcacctt	cctggggccac	60
cgccctgctga	aacggtttct	ggtgccaaag	ctgaggaggt	ttctcaagcc	tcagggccat	120
ccccgcctgc	tgctctggtt	taagaggtga	gtgagctcac	agccccgagg	cagggcaggg	180
gagggccctc	gagctgaggg	ggtggctcca	gggttatggc	cagggctgga	ggaggaggaa	240
ggctctgtgt	catggagaac	tctctggcgc	cccagggcag	gagccagtgg	gtggcttcaa	300

acaaagcagc	atctttgtgg	tgtttcacca	gttcttagtc	ccagttacag	caggtgactg	360
tgggtggacga	aaactggact	caacagtttc	ctccattcag	ggatcccagg	ccatggagca	420
aggagggccc	gaatcagtac	ctccctcaga	tcacctggac	agtgtgagac	aaaaagccgc	480
agggaccatc	cctggagggg	gattcagcag	gctcgatcgg	ggtccagggtg	ctggtatattt	540
tcattagcct	ccaggggatt	ctgatgtagc	cagcagcgtc	cttggacaac	agtttgagat	600
ctgctgcttt	tcaaactgga	ttccttggag	cgtcggaaat	ctcagcgtatg	tcacagggca	660
ggagaggggag	gttgtggagg	gaaaattcag	acttcccgcc	cagcccacca	tttcaccagg	720
cagctctaaa	tttatgtgtt	ttataagcca	aggttcacac	aaaaaagaaa	attcgctggg	780
gggaaaaaaa	cagtttctat	ggcttaaaaa	aaagtctgaa	gaccaccagt	ctattttcaat	840
actctatattt	gttgatgaag	aagctgggtga	ccaaagatac	ccaaagacta	agtcaggggg	900
atgcaggggt	acaggggtgc	ctctcacttt	cccaaagtga	gatccacata	ccacagcaaa	960
atgatttgag	ccagcctgtg	gatgaacaca	tttaaaattt	tatttataaa	tacattttact	1020
gttacatttg	acttctcttt	attaaatata	tttgtgattt	ataaaa		1066

<210> 272

<211> 659

<212> DNA

<213> Homo sapiens

<400> 272

tacggggaat	tcgtcaccta	ccaaggggtg	gctgtgacgc	ggagccggaa	agaaggcatc	60
gcacacaact	acaaaaatga	gacggagtgg	agagcgaaca	tcgacacagt	gatggcgtgg	120
ttcacagagg	aggacctgga	tctggtcaca	ctctacttcg	gggagccgga	ctccacgggc	180
cacaggtacg	gccccgagtc	cccggagagg	agggagatgg	tgccggcagg	ggaccggacc	240
gtgggctacc	tcggggagag	catcgccgcg	aaccacctca	cagaccgcct	caacctgac	300
atcacatccg	accacggcat	gacgaccgtg	gacaaacggg	ctggcgacct	ggttgaattc	360
cacaagttcc	ccaacttcac	cttcggggac	atcgagtttg	agctcctgga	ctacggacca	420
aacgggatgc	tgctccctaa	agaagggagg	ctggagaagg	tgtacgatgc	cctcaaggac	480
gccaccccca	agctccacgt	ctacaagaag	gaggcggttc	ccgaggcctt	ccactacgcc	540
aacaacccca	gggtcacacc	cctgctgatg	tacagcgacc	ttggctacgt	catccatggg	600
gtgagtcgcc	tgctggaggc	accacctcca	ggggctccct	cccagggtc	tgggtcttc	659

<210> 273

<211> 412

<212> DNA

<213> Homo sapiens

<400> 273

acgcgacttc	tcgggtcgac	ccacgcgtcc	gcacatataa	cacatcacgc	accttttgag	60
tggctacctt	ggttctcgcc	tttcttttca	agagaccatt	cttcaacaga	actgtaagga	120
ttctttcttg	ctgaatcaga	tgtgacgcat	cccacttctg	cgtttgagg	ctagcacata	180
ccgctccaag	ggctttgacg	tcacagtga	gcactcacac	ggaagctgga	cgggcttcgg	240
tggggaagac	ctcgccacca	tccccaaagg	gttgaatact	tattttcttg	tcaacattgc	300
cactattttt	gaatcaaaga	atttcttttt	gcctgggatt	aaatggaatg	gaatacttgg	360
cctatcttat	gccacacttg	ccaagccatc	aagttctctg	gagaccttct	tc	412

<210> 274
 <211> 522
 <212> DNA
 <213> Homo sapiens

<400> 274
 gaattaagag ttactccggg ccaaatggcc ggagttgtca gatctggcag cgtcttgcgt 60
 ggggctccag ggagctgctg ctgggggtgga agctctcaca ctctttctcc acgtgccctt 120
 tccagttccc tgacatcgctg gagttctgctg aggccatggc caacgccggg aagaccgtaa 180
 ttgtggctgc actggatggg accttccaga ggaaggtaag gcgtctgac caggtctgga 240
 gctgggattg aggagggcaa gaggcttctg gatgggcaca gagacaccag ctctgggtga 300
 ccagggtca gccaccacag ggttacggcc gagctgctca ggccttggct gagccaaggg 360
 actccatggt ctgtgcagac tgcgtgccat ctgttgccgc aggtgctttg aattggcaaa 420
 gggacagagc cgggcatggt gctctggggg ttgggggaag gactaaggtc agagcaaact 480
 ctcttggtt cagtacttgt gaatcagagg gtttaaaaga aa 522

<210> 275
 <211> 650
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(650)
 <223> n = a,t,c or g

<400> 275
 gaattctgct tatgcaccaa tttgcagctc ctgcaaccat gatgcagcct caccgcggacc 60
 tttcaacatt ttccctttca cctaaaactg tatttttctc tgctaagacc ggctacccta 120
 ctttcatttt cctttcactc ttcttggtc ttttgggct ttttaggaatt tgggatgatt 180
 caggctctga caggcatggt actagattta ttttaggctg ctcttttgct gttgtccaac 240
 aggccaagga gagattttaa tgatttatcc aatatttgct aaatagtcac gtgtttcatt 300
 tatcccatat atagttcagc cttaatatg tttttgttt gatttggtac actagtgcac 360
 acatagagac gtgaagccag aaaatatcct catcacgaaa cattccgtga ttaagctttg 420
 tgactttgga tttgctcggc ttttgactgg accgagtga tactatacag actacgtggc 480
 taccaggtgg taccgtccc ctgagctgcn ggtgggggac acgcagtacc ggccccccgg 540
 tgggatgttt ggggcaattg gctgtgtctn tgctgagctn gctgtcaggg aagtgcctct 600
 ggtggccagg aaaatcggaa tgttggatca gctgtatctg attaggaaga 650

<210> 276
 <211> 497
 <212> DNA
 <213> Homo sapiens

<400> 276

cccttgatga	ccatctagtc	agtgcggtgg	aattcccatg	acagacgtat	ctgactggtc	60
atgtgggtcag	caagcctcgc	ctttgggtcag	gccctggagg	gtacagctga	cccatagggc	120
cacttccatg	gcactgggca	agtggctgta	ttggaaatga	agtcgttgcc	cccgatttct	180
ttggggccag	gttgagcttt	cctgcccaga	gcacggaggc	taaagggggg	gggctttgga	240
ctggattggg	gctgacctca	gcctacacct	gcaggaggag	gtggagacag	aggtggcctg	300
ggaggaatgt	gggcacgtcc	tactgtcact	gtgctacagc	tctcagcagg	gtggcttgct	360
ggtaggtgtg	ctgcgtgcg	cccacctggc	ccccatggat	gccaatggtt	actcggaccc	420
cttcgtgcgc	ctgtgagtga	actggggtag	gcaggcggga	ggtgaggata	aggcggtgac	480
tcctcacctc	tccaggg					497

<210> 277

<211> 428

<212> DNA

<213> Homo sapiens

<400> 277

tgggtggaatt	ctcgccatgg	aatatgcacc	aggcggcact	ctggctgagt	tcatecaaaa	60
gcgctgtaat	tccctgctgg	aggaggagac	catcctgcac	ttcttcgtgc	agatcctgct	120
tgcactgcat	catgtgcaca	cccacctcat	cctgcaccga	gacctcaaga	cccagaacat	180
cctgcttgac	aaacaccgca	tggtcgtcaa	gatcgggtgat	ttcggcatct	ccaagatcct	240
tagcagcaag	agcaaggcct	acacggtggg	gggtacccca	tgctatatct	cccctgagct	300
gtgtgagggc	aagccctaca	accagaagag	tgacatctgg	gccttgggct	gtgtcctcta	360
cgagctggcc	agcctcaaga	gggctttcga	ggctgcgaac	ttgccagcac	tggtgctgaa	420
gatcatgg						428

<210> 278

<211> 427

<212> DNA

<213> Homo sapiens

<400> 278

gtccagtgtg	gtggaattca	ccaggtgtcc	ggggcagtgg	tagtatctgg	gctgctgcag	60
ggcatgatgg	ggctgctggg	gagtcgccgc	cacgtgttcc	cccactgtgg	gcccctgggtg	120
ctggctccca	gcctggttgt	ggcagggctc	tctgccaca	gggaggtagc	ccagttctgc	180
ttcacacact	gggggttgcc	cttgctgtac	gtgagtcctg	agaggcgtgg	gatgggtgcc	240
agtgggggtg	tatgggggga	ctaggggagg	gcagaactgc	tggtcctatc	agattcagca	300
gogactggaa	tagggacata	ttttatattt	ggaatccaag	acttttcctt	gattcatctg	360
gtctccttga	atttcacact	gttttctgct	gtcccccaag	gtcacttctt	attccttcca	420
tgggagt						427

<210> 279

<211> 561
 <212> DNA
 <213> Homo sapiens

<400> 279
 ccagaaatga ccgggtcgac ccacgcgtcc gcacccagct atggaggcag ctgcaggaac 60
 aacttggttt accgagaaga aacctacact ccaaaagctg agacggacga gatgaatgag 120
 gtggaaacgg ctcccatgcc tgaagaaaac catgtttggc tccaaccgag ggtgatgaga 180
 cccaccaagc ccaagaaaac ctctgcggtc aactacatga cccaagtcgt cagatgtgac 240
 accaagatga aggacaggtg cataggggtcc acgtgtaaca ggtaccagtg cccagcaggc 300
 tgcctgaacc acaaggcgaa gatctttgga agtctgttct atgaaagctt cgctagcata 360
 tgcggcgccg ccatccacta cgggacccctg gatgacaagg gaggcctggt ggatatcacc 420
 aggaacggga aggtcccctt cttcgtgaag tctgagagac acggcgtgca gtccttcagg 480
 taactactct gtgatcgggg ctctgtgaaa cggttttcct gtttatgacg gtgttgttga 540
 atttttgaaa aataccacac a 561

<210> 280
 <211> 792
 <212> DNA
 <213> Homo sapiens

<400> 280
 atttttgatg ccatgtggct acattggttt tagaatacta ataaaatcca ttgcttttaa 60
 aataaataaa taaaccccat agcacatcct ccatacaaca tctgttgtcc ctcaagatac 120
 aattgttacc actatcatct aaccattatt ttatgataac tttaaaatat caacttggca 180
 agaaaatatt ccacaaaaca cactctgcct ttttacttta aagagtcctt ggctacctgg 240
 gccaatatta ttctcatttg taggatttag gttccacaga atataatatg tgcctttttc 300
 tgtgttccct gcagatttgc aagtaccatc cctttttggg gccttacttt gcacctccag 360
 catctgggaa acaatgtttt cctgttgcag actctctttg gtgcagtcac cctcctggcc 420
 aattgtgttg caccttgggc actgaatcac atgagccgtc gactaagcca gatgcttctc 480
 atgttccctac tggcaacctg ccttctggcc atcatatttg tgcctcaaga aatgcagacc 540
 ctgcgtgttg ttttggaac cctgggtgtg ggagctgctt ctcttggcat tacctgttct 600
 actgcccag aaaatgaact aattccttcc ataactcagg gaagagctac tggaaatcact 660
 ggaaactttg ctaatatgtg gggagccctg gcttccctcg tgatgatcct aagcatatat 720
 tctcgacccc tgccttggat catctatgga gtctttgcca tctctcttgg ccttgttgtc 780
 ctctctcttc cg 792

<210> 281
 <211> 1047
 <212> DNA
 <213> Homo sapiens

<400> 281
 ggtcttgggt tcaagggatc atatgaaaag tgcccagcag ttcttccagt tgggtggagg 60

atcagctagt	gaatgtgata	caataaccagg	gaggcagtgc	atggcttccct	gtttcttccct	120
gcttaagcaa	tttgatgatg	ttttgattta	cctcaactca	tttaagagcc	acttctataa	180
tgatgacatc	tttaacttta	attatgcccc	agccaaagct	gcaacaggca	ataccagtga	240
gggcgaagag	gcgttcctct	tgatccaaaag	tgagaagatg	aaaaatgatt	acattttacct	300
cagctggtta	gctcggggct	atattatgaa	taagaaacca	agactagcct	gggaacttta	360
tcttaagatg	gaaacctccg	gcgagtcctt	cagtctctta	cagctcattg	ctaatagactg	420
ctacaagatg	ggccagtttt	actattctgc	caaagctttt	gatgtccttg	agaggctgga	480
tcctaaccct	gaatattggg	aaggcaaacg	gggtgcctgt	gtgggcattt	tccagatgat	540
catagctggg	agagaaccca	aagagaccct	tcgagaagtg	ctccatttac	tgagaagcac	600
aggtaacacc	caagtagaat	acatgatccg	gatcatgaag	aaatgggcca	aagaaaacag	660
agtgtccatc	ctaaaatagc	gccagtgcac	taggaaccag	cttctacttt	gacataaaac	720
tggaaatcat	tttcaactca	gctttaatct	gtgatacagg	gctctgtttt	attgacattt	780
tccttccttg	ctctttaagc	ctcaagggtca	gagactgact	tgctgagact	tagtctcctg	840
gctgaacaga	gtgccatagt	ctgtgaccct	gtatgatcct	agtagcaata	agattttgga	900
cttatctggg	gcctttcttc	caaaaatgct	cagagtactt	ttatgcaatt	tactgacttt	960
aaggaaaaca	gtataacttt	tttttgtag	cattttatgg	cattgtctcc	tggctgcaat	1020
aacaaacatc	tttgatgttc	aagaatc				1047

<210> 282
 <211> 357
 <212> DNA
 <213> Homo sapiens

<400> 282						
ctttaaaagt	ttctgatgaa	ttagtgcagc	aatatcaa	taaaaaccag	tgtctttcag	60
caatagcatc	tgatgcagaa	caagaacct	aaattgatcc	atatgcattt	gttgaaggag	120
atgaggaatt	cctttttcct	gataaaaaag	atagacaaaa	tagtgagaga	gaagctggaa	180
aaaaacacaa	ggtaagagaa	atcacagtac	accaaagggg	cactgttgat	tttgtagcac	240
tgcatatagt	aacactctta	ctaccacagt	tatctcactt	cttttgtctt	agaatagaaa	300
gagtaatcat	ttatttagaa	aaacctat	ttgcccggct	gcggtggctc	atgcctg	357

<210> 283
 <211> 536
 <212> DNA
 <213> Homo sapiens

<400> 283						
ctgggggtgcc	ccgcaacctg	ccttccagcc	tggagtatct	gctgttgtcc	tacaaccgca	60
tcgtcaaaact	ggcgccctgag	gacctggcca	atctgaccgc	cctgcgtgtg	ctcgatgtgg	120
gcggaaattg	ccgcgcgtgc	gaccacgctc	ccaacccctg	catggagtgc	cctcgtcact	180
ccccccagct	acatcccgat	accttcagcc	acctgagccg	tcttgaaggc	ctggtgttga	240
aggacagttc	tctctcctgg	ctgaatgcc	gttgggtccg	tgggctggga	aacctccag	300
tgtggacct	gagtgagaac	ttcctctaca	aatgcacac	taaaaccaag	gccttccagg	360
gcctaacaca	gctgcgcaag	cttaacctgt	ccttcaatta	ccaaaagagg	gtgtcctttg	420
cccaccttgt	ctctgggccc	cctttccttc	ggggaagcct	gggtcgcccc	ttgaaggagg	480
ctgggacatg	gcacggcaat	ccttctttcc	cgctccactt	cgaatggggg	aagacc	536

<210> 284
 <211> 440
 <212> DNA
 <213> Homo sapiens

<400> 284
 gtatcttatt tgcggcgctg atctggagtt cgttcgatga gaatatagaa gcttcagccg 60
 gaggcggcgg tggttcgtec atcgacgctg tcatggttga ttcagggtgcg gtagttgagc 120
 agtacaaacg catgcaaagc caggaatcaa gcgcgaagcg ttctgatgaa cagcgcaaga 180
 tgaaggaaca gcaggctgct gaagaactgc gtgagaaaca agcggctgaa caggaacgcc 240
 tgaagcaact tgagaaagag cggtttagcgg ctcaggagca gaaaaagcag gctgaagaag 300
 ccgcaaaaca ggccgagtta aagcagaagc aagctgaaga ggccggcagc aaagcggcgg 360
 cagatgctaa agcgaaggcc gaagcagatg ctaaagctgc ggaagaagca gcgaagaaa 420
 cggctgcaga cgcaaagaaa 440

<210> 285
 <211> 119
 <212> DNA
 <213> Homo sapiens

<400> 285
 gcgatggaaa tcgtccacga gccgcgcgac ctcgagcgtt acatgcgcga ggccgtgaag 60
 gtgtcgaacg attcgccggt gctgctcgac cgcttcctga acgacgcgat cgagtgcga 119

<210> 286
 <211> 398
 <212> DNA
 <213> Homo sapiens

<400> 286
 aaacagggga tttaagtgtg tcttttgtgt ttgcaaggca ctaacaccac tcccgtctgt 60
 atttaaatgc tgtccccagg ttacgactat ggctatgtct gcgtggagtt ttcactcttg 120
 gaagatgcc a tcggatgcat ggaggccaac caggttgctt tatacttcgg tcaaatgatg 180
 ctggaaggat atattttttt atatatgggg agggagggtt tcaaatgatt ttactttgga 240
 aagggtacaag aagtcctatct gtggagcata ctgtattcca accatcgggt gtgaggaaaa 300
 tctttaaaaa ggctggaaaag ctttctctag aaaacttaat gggcacagag tgcattttaa 360
 aagctagagc ccagttgctt ttggactaga ttccaaaa 398

<210> 287
 <211> 1177
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(1177)
 <223> n = a,t,c or g

<400> 287

cccacgcgtc	cgctcctctg	gggggtcaaga	ggaccccgcc	agccagcagt	gggcacgacc	60
gegettcaca	cagccctcca	agatgaggcg	ccgggtgata	gcacggcccg	tgggtagctc	120
cgtgcggctc	aagtgcgtgg	ccagcgggca	ccctcgccgc	gacatcacgt	ggatgaagga	180
cgaccaggcc	ttgacgcgcc	cagaggccgc	tgagcccagg	aagaagaagt	ggacactgag	240
cctgaagaac	ctgcggccgg	aggacagcgg	caaatacacc	tgcccgctgt	cgaaccgcgc	300
gggcgcctac	aacgccacct	acaagggtgga	tgtgatccag	cggacccggt	ccaagcccgt	360
gctcacaggc	acgcaccccg	tgaacacgac	ggtggacttc	ggggggacca	cgtccttcca	420
gtgcaaggtg	cgacgcgacg	tgaagccggt	gatccagtgg	ctgaagcgcg	tggagtacgg	480
cgcgcagggc	cgcacaaact	ccaccatcga	tgtgggcggc	cagaagtttg	tgggtgctgcc	540
caeggggtgac	gtgtggtcgc	ggcccagcgg	ctcctacctc	aataagctgc	tcatcaccgc	600
tgcccgcagc	gacgatgcgg	gcatgtacat	ctgccttggc	gccaacacca	tgggctacag	660
cttcgcgagc	gccttcctca	ccgtgtctgc	agacccaaaa	ccgccagggc	cacctgtggc	720
ctcctcgtcc	tcggccacta	gcctgcctgt	gcccgtggtc	atcgccatcc	cagccggcgc	780
tgtcttcctc	ctgggcaccc	tgctcctgtg	gctttgccag	gcccagaaga	agcctgtcac	840
ccccgcgcct	gccccctccc	tgcttgggca	ccgcccgcgc	gggacggccc	gcgaccgcag	900
cggagacaag	gaccttcctt	cgttggccgc	cctcagcgtc	ggccctggtg	tggggctgtg	960
tgaggagcat	gggtctccgg	cagcccccca	gcatttactg	ggcccaggcc	cagttgctgg	1020
ccctaagttg	taccccaaac	tctacacagg	acattccaca	ccacacacat	acacacaccc	1080
cccaccctcc	tgccaattaa	acagtagcca	ttcccnaaaa	atnnnnnnnn	nnnnnnnnnn	1140
nnnnnnnnnn	nnnnnctcgg	ccccgccta	ttcaccg			1177

<210> 288
 <211> 100
 <212> DNA
 <213> Homo sapiens

<400> 288

tgaattttca	ttttacaggg	aagtgtttgt	ttatgtcagg	gctcagtgag	gtccagctga	60
cccatatgga	tgatcacact	ctaccagggt	attgaagctc			100

<210> 289
 <211> 406
 <212> DNA
 <213> Homo sapiens

<400> 289

cggcacgagc	ggcacgagag	tcagagggtt	ttaatttact	tgtgaagctc	acactattga	60
aactaattgc	aatgcttgac	tttattttct	ttagagtcca	agaaagagaa	aaacaaggca	120
tagcacaaat	ccccctctag	agtgtcatgt	tggttgggta	atggattcca	gagaccatgg	180
gccaggaaca	tcctctgtca	gcacttcaaa	tgcttcacct	tcagaaggcg	caccactagc	240
aggaagttat	ggatgtactc	ctcattcatt	cccaaagttc	cagcatcctt	ctcatgaact	300
tttgaaggaa	aatggcttta	cccaacaagt	gtaccacaag	tatcgtcgaa	gatgcctaag	360
tgagagaaaa	cgcttgggaa	ttgggtcagtc	ccaagaaatg	aatacc		406

<210> 290

<211> 359

<212> DNA

<213> Homo sapiens

<400> 290

cccggcagcg	gcggcagcgc	ggggggccga	gacggcagtg	cctaccaggg	cgcgctgttg	60
cctcgagaac	agttcgcggc	cccgcttggg	cggccggtgg	ggacctcgta	ctccgccacc	120
taccgggcct	acgtgagccc	cgacgtggcc	cagtcctgga	ctgccgggccc	cttcgatggc	180
agcgctcctgc	acggcctccc	aggccgcagg	cccaccttcg	tgtccgactt	cttggaggag	240
ttcccgggtg	agggtcgtga	gtgtgtcaac	tgcggggccc	tgtccacacc	gctgtggcgc	300
cgagatggca	ccggccacta	cctgtgcaat	gcctgcggcc	tctaccacaa	gatgaatgg	359

<210> 291

<211> 954

<212> DNA

<213> Homo sapiens

<400> 291

cccagatcat	cgacatgggtg	cgttgtgggtg	gtggtacagc	tgtggagtct	tacctgtcac	60
agtgtcaaga	aatgaagggg	atgaacggaa	ccagggtgctg	accctgtatc	tgtggatacg	120
gcaggagtgg	acagatgcct	acctacgatg	ggaccccaat	gcctatgggtg	gcctggatgc	180
catccgcato	cccagcagtc	ttgtgtggcg	gccagacatc	gtactctata	acaagtactg	240
cctatctggg	ccccctctct	ctcttaccct	tctctagact	tgcccttagc	tgtgggggtg	300
tagtgatccc	ctctccctac	cacataacct	ggttgccacg	ctgccctgga	agcttttccc	360
caggaccctt	ctaagctgcc	aagcactcag	ccccctccatg	gcacccccac	tttaggctat	420
cccaggccag	cccaggctga	acgtctcctc	ggaacctact	gtgtggtcca	gggcagatgt	480
ctgaatcaca	agggcctctc	tagggcacac	ttttagctct	aagtctctca	gggctcccc	540
aagagcctgt	ctaagggtct	ctttcctcca	ggacatagcc	ctctggaaca	ctgctttatg	600
tctccttgac	cagttccgtg	tctcccagcc	agcacatagc	tctgcatatt	ttctctgggg	660
cccttctaca	agttttgcag	atgtccccc	agggaaagtc	ctgtgtgtcc	cggagctacc	720
tctgggttct	gcagaggcct	ttttatacat	cctctggcta	cgtctgtgtc	ccttctggcg	780
ccttcaggca	ccaccctctc	caggcctcga	aaggcagcgg	gtctctctag	gtgcactcca	840
ccctctgtgt	tgctttgttc	tgaaaacaag	aatcaaatta	acgaaaaaaaa	aacaagcaca	900
agttttattta	tttattttgag	acacagcctg	ggcaagagag	tgagacttca	tctc	954

<210> 292
 <211> 595
 <212> DNA
 <213> Homo sapiens

<400> 292
 tacgcactga ctggtgcggt gggtattgtc accgggatgg tgatgggaaa tatcgccgat 60
 tatttcaatc tgcctgtttc cagtatgagt aataccttca ccttcctcaa cgcgggcatt 120
 ttaatctcta tcttctctaa cgcttggtg atggaaatcg tcccgttgaa aacgcagtta 180
 cgttttggct ttctcctgat ggtgctggcg gttgccggtt tgatgttcag ccacagcctg 240
 gcgctgttct cggcggcgat gttcattctc ggggtggtca gcggcatcac catgtcgatt 300
 ggtacattcc tggtaacaca aatgtatgaa gggcgtcagc gcggttccc cctgttattt 360
 accgactcct tcttcagtat ggctgggatg attttcccaa tgatcgccgc gtttctactg 420
 gcgcgcagca ttgagtggta ctgggtttat gcctgcacgc ggctggtgta tgcgctatt 480
 tttattctga ccttcggctg tgagttcccg gcgctgtgca gccatgcgac taagttgggt 540
 accgccagta gttatccag tctggacggt gtacagctac ggacattgaa tgcgt 595

<210> 293
 <211> 552
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(552)
 <223> n = a,t,c or g

<400> 293
 tcttgaagag ccgctgctga tcaacaccag cttaagcaaa gaacagcgtc gggaaaaagc 60
 cctgtcgatg atggcgaaaag tcggcctgaa aaccgagcac tatgaccgct atccgcata 120
 gttctccggc ggtcagcgtc agcgtatcgc catcgcccggt ggtctgatgc tcgaccgga 180
 tgtggtgatt gccgatgaac cggtttccgc gctggatggt tcagtgcgcg cgcaggtgct 240
 gaatctgatg atggatttgc agcaggagtt ggggctgtct tatgtcttta tctcccacga 300
 cctgtcgggtg gtggagcaca ttgctgatga agtgatggtg atgtacctgg gccgctgcgt 360
 ggagaagggg acgaaagacc aaatcttcaa taaccgcgc catccgtaca ctcaggcgct 420
 actttccgcg acgcgcgcgc tgaacccgga cgatcgccgc gagcgcatca agctcagcgg 480
 tgaactacca agccactga atccaccgcc gggttgcgcc ttcaacgcc gctgttgtcg 540
 gcgnttcggc cc 552

<210> 294
 <211> 426
 <212> DNA
 <213> Homo sapiens

<400> 294

tagcgccacc	cttgaacggg	tactaaatca	ccctgacgaa	acgcaagccc	gacgcttaat	60
gacgctggaa	gatatcgtca	gtgggttattc	caatgtgttg	atctccctgg	cagatagtca	120
gggtaaaacg	gtgtatcact	cccccggtgc	gccggatatc	cgcgagttta	cgcgtgacgc	180
catacccgat	aaagacgctc	aggggtggcga	gggtgtatctc	ctttccggcc	cgacgatgat	240
gatgccaggc	cacggtcacg	ggcatatgga	acacagcaac	tggcggatga	ttaacttgcc	300
ggttggcccc	ttgggtggacg	gcaaaccgat	ttatacgctc	tacatcgcg	tttcgatcga	360
ttttcatctt	cattacataa	atgatttgat	gaataaactt	attatgaccg	catcggtaat	420
catcat						426

<210> 295

<211> 340

<212> DNA

<213> Homo sapiens

<400> 295

gggtgctggc	gtatccgggg	attaaagtct	cgacggcaga	agccagggtc	atcttaccgg	60
cgcagtatcg	ccgccaggat	tgcattgcgc	acgggcgaca	tctggcaggc	ttcattcacg	120
cctgctatct	ccgtcagcct	gagcttgccg	cgaagctgat	gaaagatgtt	atcgctgaac	180
cctaccgtga	acgggttactg	ccaggettc	ggcaggcgcg	gcaggcggtc	gcggaaatcg	240
gcgcggtagc	gagcgggtatc	tccggctccg	gcccagacctt	gttcgctctg	tgtgacaagc	300
cggaaaccgc	ccagcgcggt	gccgaactgg	tgggtaaaat			340

<210> 296

<211> 281

<212> DNA

<213> Homo sapiens

<400> 296

cgggcagcag	cagcgcgtgg	cgctggcccc	cgcgctgata	ctcaagccga	aagtgcgtgt	60
gtttgatgag	ccgttgagta	acctcgacgc	caacctgcgt	cgcagcatgc	gcgacaagat	120
ccgcgagttg	caaaagcagt	ttgatatac	ctcgctgtac	gtcaccacgc	atcagagcga	180
agcctttgcg	gtttctgata	ctgtgctgg	gatgaacaag	gggcacatca	tgcagatcgg	240
ctcaccgcag	gatctccggg	tacggagatt	gaattggtaa	t		281

<210> 297

<211> 155

<212> DNA

<213> Homo sapiens

<400> 297

tggcggtgca	ttacctagag	cgggtgagaa	ttgccgaaca	tgcgcataag	tttcccggac	60
agatttcagg	tggtcagcag	caacgcgttg	ccattgcgcg	ttcgctgtgt	atgaagccga	120
aaattatgtt	gtttgatgag	ccaacgtcgg	cgctc			155

<210> 298

<211> 217

<212> DNA

<213> Homo sapiens

<400> 298

gctccctatg	acgccgaaaa	ttattttgat	tatgacaatc	tgaataacgg	accttctttg	60
cagcactggt	ttggcgctga	ttcactgggg	cgtgacattt	tcagccgtgt	cctggttggt	120
gcgcaaatct	cgctggcggc	gggcgtgttt	gccgtgttta	tcggcgccgc	gatcggggacg	180
ttgctgggct	tgctcgtcgg	atattatgaa	ggctggt			217

<210> 299

<211> 568

<212> DNA

<213> Homo sapiens

<400> 299

aggattttctg	tctgatecgt	gaccttgacc	cgatcgatga	gcttggtggac	ttcccgatcg	60
tttacgcttc	tgcgctgaac	ggtatcgcg	gtctggacca	cgaagatatg	gcggaagaca	120
tgacccccgt	gtaccaggcg	attggtgacc	acgttctctgc	gcgggacgtt	gaccttgacg	180
gtccgttcca	gatgcagatt	tctcagctcg	attacaacag	ctatggtggc	gttatcgga	240
ttggccgcac	caagcgcggt	aaagtgaagc	cgaaccagca	ggtcactatc	atcgatagcg	300
aaggcaaaac	ccgcaacgcg	aaagtgcgta	aagtgcgtgg	ccacctoggt	ctggaacgta	360
tcgaaaccga	tctggcgga	gctggcgata	tcgttgcgat	cacgggocct	ggcgaactga	420
acattttctga	caccgtttgc	gacacgcaaa	acgttgaagc	gctgcgggca	ctctccgttg	480
atgagccgac	cgtttctatg	ttcttctgcg	ttaacacctc	gccgttctgc	ggtaaagaag	540
gtaagtctgt	aacgtctcgt	cagatcct				568

<210> 300

<211> 366

<212> DNA

<213> Homo sapiens

<400> 300

caaggcacc	gcgctgaatc	tcaaggttcc	tccaaagata	aaaccctct	tgccttcgct	60
ggcctgaaat	tcggtgacta	cggctccatc	gattacggcc	gtaactacgg	tgtagcatac	120
gacatcgggtg	cgtggactga	cgtcctgcc	gaattcgggtg	gtgacacttg	gactcaaacc	180
gacgtgttca	tgactcaacg	tgcaactggt	gttgcaacct	atcgtaacaa	cgacttcctt	240
ggctctggttg	atggtctgaa	ctttgctgct	cagtaccaag	gcaaaaacga	tcgtagcgat	300
ttcgataact	acactgaagg	taacggccac	ggcttcggtt	tctctgctac	ctatgaatac	360
gaaggg						366

<210> 301

<211> 199

<212> DNA

<213> Homo sapiens

<400> 301

gcgataccta	ttccgtttct	attccgctgg	gagccaccat	caatatggcg	ggcgagcaa	60
tcactattac	cgtgttgacg	ctggctgcgg	ttaatacgct	gggtattccg	gtcgatctgc	120
ccacggcgct	gctgttgagc	gtggtggctt	ctctgtgtgc	ctgtggcgca	tccggcggtg	180
cgggggggtc	tctgctgct					199

<210> 302

<211> 140

<212> DNA

<213> Homo sapiens

<400> 302

gccaacgcgc	agcaagggct	gccagtggt	atcacctga	agctaaataa	ccttgctgat	60
aaaggcctgg	ttgatcgtct	gtatgcggcc	tccagctcgg	gcgttcgggt	taatctgctg	120
gttcgcggaa	cgtgttcgct					140

<210> 303

<211> 441

<212> DNA

<213> Homo sapiens

<400> 303

cgcggaatg	acgtcatcc	ccggcacaca	tctgctggaa	aacatccaca	acatctgggt	60
gaacggggta	ggcacgaata	gcgcgcgctt	ctggcgggatg	ttgcttaaca	gctttgtgat	120

ggcgttcagc	attacgctcg	gcaaaaattac	cgtctcgatg	ctctcggcat	ttgccattgt	180
ctggtttcgt	tttccgctac	gtaacctctt	cttctggatg	atttttatca	ccctgatgct	240
gccggttgaa	gtacgtatct	tcccgaacgt	ggaagtcac	gccaacctgc	agatgctoga	300
cagctacgcc	ggtttaacgc	tgccgctgat	ggcctcggcg	accgctactt	tcctgttcgg	360
caagttaaatt	atgtcggggc	cggacaaggt	ggtgccagcc	gcgcggatct	ccgggtacgg	420
acctagagtt	cgtaagcaag	a				441

<210> 304

<211> 402

<212> DNA

<213> Homo sapiens

<400> 304

ctgtgcgaaa	tgtttgctg	atgcggatga	atgcccctcc	ggggcgtttg	aacggattgg	60
tcgcgatatc	agccttgacg	ctctggaacg	ggaagtgatg	aaagatgaca	ttttctttcg	120
cacgtccggc	ggcggcgtca	cgttttctgg	cggcgaagtg	ttaatgcagg	cggagtttgc	180
tacccgtttt	ttacagcgac	tgccgctgtg	gggtgtgtca	tgccgcatcg	aaactgccgg	240
agacgcacca	gccagcaagc	tattaccgct	ggcgaaattg	tgcgatgaag	tggtgttcga	300
tttaaaaatt	atggacgcga	ctcaggcgcg	ggatgtgggtg	aagatgaacc	tgccacgcgt	360
gctggagaat	ctgcgtttgc	tggtgagtga	gggcgtcaac	gt		402

<210> 305

<211> 346

<212> DNA

<213> Homo sapiens

<400> 305

tacctgttat	tgtttgtctg	cttccttgtg	atgtctctgc	tggttgggct	ggtgtacaaa	60
tttaccgccc	aacgcgcggg	caaacagtcg	ctggatgatt	tgatgaacag	ttcgctgtat	120
ctgatgcgca	gcgaattgcg	tgagatcccc	ccacacgact	ggggtaaaac	tctgaaagag	180
atggatttaa	atctctcttt	cgatctgcgt	gtcgagccac	tgagtaaata	ccatcttgat	240
gatatttcca	tgaccgcgact	gcgtggcggc	gaaattgtcg	ccctggacga	tcagtacacg	300
tttttgcagc	gtatcccgcg	cagccactac	gtgctggcag	ttggtc		346

<210> 306

<211> 207

<212> DNA

<213> Homo sapiens

<400> 306

gttgaattat	tcctcagcga	tgaaggcgat	gatgtggtga	ttgaagtcgc	cgatcagggc	60
tgcggcgttc	cagagtctct	acgagacaaa	atatttgagc	agggggtcag	tacgcgtgct	120
gacgagcccg	gtgaacatgg	cattgggttg	tacttgattg	ccagctacgt	aacgcgctgc	180
ggtggtgtta	tcactctcga	agataat				207

<210> 307
 <211> 214
 <212> DNA
 <213> Homo sapiens

<400> 307						
tcgacgccat	tatcgcccc	gatgccaaag	ccctgcccgc	tgccgcacaa	gccgcagaaa	60
acttgaaaaa	tgacaaagta	gcgattgtcg	gattcagtag	gccaaatgtg	atgcgcccgt	120
atgtagagcg	cggcacggtg	aaagaatttg	gcctgtggga	tgtggttcag	caaggcaaaa	180
tatcagtgtg	tgtggcggat	gcattacagt	aaaa			214

<210> 308
 <211> 129
 <212> DNA
 <213> Homo sapiens

<400> 308						
tacatcgtag	tgacggggaa	aacacattgc	ggtacgccac	ttactaccgt	tacaggagac	60
gcaacgcaat	cgggttatct	gacgctgaac	ctgcctgaaa	tgtgggaagt	gtcagggttat	120
aaccgtgtt						129

<210> 309
 <211> 358
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(358)
 <223> n = a,t,c or g

<400> 309						
gccggttttg	ccgcatcaat	ggtgcttagc	gatgactcaa	cgtaccagtg	cgccgactgc	60
aaatctgccc	gccgggccag	taaggagtac	cccagttcat	caagaagctg	gcttgccact	120
ttcggaacg	cgaccggatt	aagcttcaat	gactttgtct	ggttatttgt	aagtgcgctt	180

aaccgtgcct	caataat	tttt	cattttcccc	gcgacatcgt	tgagctgctg	cggggttttg	240
ctggcattaa	tatcggttc	cacaccttca	actgaagaag	taatcccggt	ctgatatagc		300
tggcgatcgg	tcgcgataat	ggcgntctgc	tctttttcta	tttgctgcaa	gaccgtgg		358

<210> 310
 <211> 253
 <212> DNA
 <213> Homo sapiens

<400> 310						
tggcggcctt	cctgagagaa	tattgccgag	gagtaacgca	ctaaacgcta	tcgttctaac	60
gtcatcaact	gggggatggt	accgctgcaa	atggcggaag	taccaacctt	tgaagtgggg	120
gattacattt	acatccctgg	cattaaagcg	gcgctggata	atccgggtac	gacgtttaa	180
ggttatgtga	tccatgaaga	tgcgccggta	acggaaatta	cgctctatat	ggaaagtcag	240
gaagccagaa	cag					253

<210> 311
 <211> 304
 <212> DNA
 <213> Homo sapiens

<400> 311						
gctgcaaact	gaaattggca	gcatggtcta	tgcggtgaaa	ccaggcgatg	gttctgcgcg	60
tgaacaggcg	gcgagctgcc	agcgtgtgat	tggcggtctg	gcgaatattg	ccgaggagta	120
cgcgactaaa	cgctatcggt	ctaacgtcat	caactggggg	atgttacgcg	tgcaaatggc	180
ggaagtacca	acctttgaag	tgggggatta	catttacatc	cttggcttta	aagcggctaa	240
gtatagtcog	ggcacggcgt	ttacagtcta	tgcgatctcc	gggtacggac	ctcgaatctg	300
ataa						304

<210> 312
 <211> 344
 <212> DNA
 <213> Homo sapiens

<400> 312						
actctagagg	atctgctgat	ggcgtagat	ggagagcaac	atcttcagca	acaggtatcg	60
gaaaaagtat	tagccgataa	tgtgttaatt	gcccctgggt	ctgttaaacc	tgatgcgaca	120
ttctggtcgg	ccttaatcca	ggatcgctat	aacgtgatga	cctgtattga	aaaagacgcc	180
tgcgctcctgg	tcgagcaaga	tctgaatagt	gatggtcagg	cggagcggat	cctgtttgct	240
tttaatgatg	acagagtcac	tgtctatggc	tttgactcag	acagaaaaga	atgggacgcg	300

cttgatatga gtttacttcc gaacgaaata acgaaagaaa aatt

344

<210> 313

<211> 630

<212> DNA

<213> Homo sapiens

<400> 313

agagtcaa	at	agcagatgca	ggaagatgcc	aggtgaaaga	tgccgggggtg	gcccagctcg	60
gctgtccctg	ctgcttgacc	tgcccactcg	ccctcttccc	cacccccgac	aggtgattga		120
cttcggatcc	gccagcattt	tcagcgaggt	gcgctacgtg	aaggagccat	acatccagtc		180
gcgctttctac	cgggccccctg	agatccctgct	ggggctgccc	ttctgcgaga	aggtggacgt		240
gtgggtccctg	ggctgcgtca	tggatgagct	gcacctgggc	tggcctctct	accccgcaa		300
caacgagtac	gaccaggtgc	gtacatctg	cgaaaccag	ggcctgcca	agccacacct		360
gttgacgccc	gcctgcaagg	cccaccactt	cttcaagcgc	aacccccacc	ctgacgctgc		420
caacccttg	cagctcaagt	cctcggctga	ctacctggcc	gagacgaagg	tgcgccatt		480
ggagcgccgc	aagtatatgc	tcaagtcgtt	ggaccagatt	gagacagtga	atgggtggcag		540
tgtggccagt	cggctaacct	tccctgaccg	ggaggcgctg	gcggagcacg	ccgacctcaa		600
gagcatgggtg	gagctgataa	gcgcctgctc					630

<210> 314

<211> 2285

<212> DNA

<213> Homo sapiens

<400> 314

cgcttgttaa	agaaacgagt	tgagtgtagg	cagtgtggga	aggccggcag	gaaccagtca	60
acgctgaaga	cgcacatgcg	aagccacacg	ggggagaaac	cgtacgaatg	cgatcactgt	120
ggtaaggcct	tcagcatagg	ctccaacctg	aatgtgcaca	ggcggatcca	caccggggag	180
aagccctacg	aatgccttgt	ctgcggggaa	gccttcagcg	accactcatc	cctcaggagc	240
cacgtgaaaa	ctcaccgggg	agagaagctc	tttgtgtcat	ccgtgtggaa	aaggctccag	300
tgagcgcgcc	tgcttttagag	acacaggatg	attcagaccg	gaaacagacc	tcgtgggtgt	360
aagaggaagc	ctctgtgagc	tcgcacctta	ctgggtgcaa	aagaatccac	ggaacttggg	420
agaagtccag	ttcctgtaaa	aactgggaag	acgaggcggt	ctcatcccat	aggaggtttg	480
tgagaactca	cgccgggggt	gaaaatgtac	gtctgtagca	tggagaagcc	ttcagggtac	540
attcagctct	taacaaacac	aggaggactt	aatggcagct	tggcatttaa	tgtcaaaatc	600
caagccgttg	cattttaatgt	caaaatgact	tcagaccact	tctagccttc	tgggcccattg	660
agtaataatg	agcacactag	ggagcatctc	tgtaaacaca	gtggctgggg	aaaccttcc	720
tagtctcact	tgattcctca	tgacggaaat	cacactaaag	agagaaatca	gtgaagtaag	780
gaacgtggaa	ggtcatgaat	gggcccga	ccacggccag	ctgcttgtct	ttgtatggct	840
tgccagctaa	caatagtgg	tccatcttta	aggaagaaga	atgtttgatg	gagaaaattt	900
gtggccaatg	aagtctgaaa	tacttcctgt	catctgcccc	tttccagaaa	aacttggccg	960
accttgggtc	tacagcacgg	gttctcagtc	gggcgacgat	ttggctgtgt	aggcgctcatt	1020
tggcaatgtc	tagagacatt	tttggtagtt	agaatggggg	gaagatactc	ctgacttgta	1080
ataagaagac	atcagagatg	ctgctaagtc	ggctccagca	cacaggagcc	ccccacaacg	1140
aagagttagt	gccccaaaac	gtcactgttg	ctgaggttga	aaataatcat	gcagtcattc	1200
ctcaattact	gcctccagca	attcctccat	ttttatgaat	cttgtgagca	cttacgctag	1260
gagaaatttc	ttttacaaaa	cttttaaaat	acagttagtg	ctgataattc	ctatgtggaa	1320

atgattccag	ccatgggtccc	ctcacttgag	catgtgaata	ttctcacgga	gagaagcccc	1380
agcgagat	ttccggtgaat	acgggattgc	acttactctt	tcacacgga	aacagacccc	1440
cgagagaagc	cccaacgaga	ttttccggtg	aatacgggac	tgcacgtact	ctatcatcat	1500
gaaaacagag	ccccgttcat	aaatTTTTca	tctttatttt	taagggtata	ctcctctaaa	1560
taacccttaa	gcctcatcaa	gaaagggttg	tttatagtat	ttttactata	gcttcatcct	1620
tgataacgtc	ctaatttctt	tctggacaac	ctccttgacc	aatggcatat	tgagatctat	1680
gtgacatgag	gataatttct	agtaccactt	tgttactggg	acctgatgca	cacggattgc	1740
gaccagagca	tgatgcctcc	atcaagtggg	aatatgtttg	cagcctgctg	tccagccaag	1800
agtgcacgat	acttctagtg	acttccccgg	tatccactct	catcttcttc	caatatcaag	1860
agaatccagg	ttctgtcaga	ttagtaagg	gtgctaattct	aaatTTTaaa	aaatctctta	1920
cagggttttct	tgcagctggg	accatccatg	tctcacagcc	ctggccactg	acagatcagc	1980
agatgtcacc	acatgggctt	ctgagaaagc	tcttgaatgg	ggatcggttct	taaacaatgaa	2040
ttcctccctg	tatgttttgg	tctttgcttt	acttttcacc	ttgcaaagag	atccagtacc	2100
tagtattgga	agatccacct	taacgacogt	gcataatgaaa	accacagtct	aaggaagtga	2160
ctgcagaaaag	ctcacagcga	ccctggcctc	ccctgtggcc	tctttgagtg	tctgcagcag	2220
ccctggactt	ccagacttct	atcacatgag	aaaaaataaa	actgattatt	ggtttaaaaa	2280
aaaaa						2285

<210> 315
 <211> 1316
 <212> DNA
 <213> Homo sapiens

<400> 315						
ggctgtctat	cagtggataa	ggtgggggct	gtctatcagg	ggagaagggtg	ggggctgtct	60
atcagtggag	aagggtgggg	ctgtctgtca	gtggagatgg	tgggggctgt	ctgtcagtgg	120
agatgggtggg	ggctgtctgt	cggtggagat	ggtgggggct	gtctgtcggg	gtagatgggtg	180
ggggctgtct	gtcgggtggag	atgggtgggg	ctgtctgtcg	gtggagatgg	tgggggctgt	240
ctgtcgggtgg	agaagggtgga	agcttgtact	cagagcagggg	gataatttaga	cttgaagggg	300
ccagggagga	aggtactggg	tctactaagc	cccatgttca	ctgggcagcc	actaagttag	360
ggaccgtgtg	tgtaccgagt	ggattccgac	aaagaagctg	tctcaggagc	cccagccagc	420
tgcagagggg	ggcccaagct	ccaaggctgg	gtgtcagggt	tgccaggtgc	tggctccgct	480
aggggcccga	ggctgcgctg	ggcgggactg	ggctgggctg	gtacctgtgc	ccggtgtcag	540
gccagctgta	gttgcagcgg	tcagctgccg	ctctctggcc	ccatgcgaac	tgctgtgccca	600
ggtgcaccct	gggggaccag	gctgcctggg	cttctctggaa	ctggtgaagc	tgccgccact	660
tcctctatgc	tgtctccagc	aggcaattct	gggtaaacga	tcttcatttg	cctataaagc	720
tgcacagctc	acaggccttg	gaccgtttct	gccccagccc	cagcattggc	cctttggaca	780
gactctgaaa	ccgtgcgcag	aacgcaccct	gtcattacaa	atgactcctg	gaggcagtcc	840
ccgggggccc	ggcaggagca	cctgtgtttc	tgtgggggtct	gaaaatgaca	gaccaatcgc	900
ttgaacccgg	gaggcggaag	ttgcagttag	ccgagatcga	gacattgccc	tccagcctgg	960
gcaacaagag	caaaactcca	tctcaaaaaa	aagaaaaaag	tgccgagtgg	agtcgtcacg	1020
cccgtaatcc	tagcactttg	ggaggcagag	gtgggcggat	cacctgaggt	cgggagttcg	1080
agaccagcct	gaccaacatg	gagaaaacccc	atctctacta	aaaacacaaa	aattagccgg	1140
gcgtgtgcat	gcctgtaatc	ccacctactc	aggaggctga	gggaggagaa	tcgcttgaaa	1200
ccgggagccg	gaggttgtag	tgagccgaga	tcgtgccatt	gcactccagc	ctgggcaaca	1260
agagcaaaaa	ctccatctca	aaaaaaaaaa	ggagagagag	aaaccggggac	cgcaag	1316

<210> 316
 <211> 2486
 <212> DNA
 <213> Homo sapiens

<400> 316

tttttttttt	ttaaacaaaa	ctttattggt	aatagttttc	aaatatgttt	acaacagcac	60
actgttcaag	aggaagtctc	gtccttcgca	gcacacaggt	tgaatcgccc	ccgcacccac	120
ccggggcccc	accccaggcc	tgagaactcc	tcttgggatg	gggagaagtt	atgagagggg	180
gaaatacggg	gatgaatggg	gtggctcccc	agcggctccc	cacttttcta	ttacgagaga	240
aaaaagcaca	aatgagaaag	tgggggagag	gtgatggaca	gctgacagct	aagctggagg	300
aggggcgccc	aggatggggg	aggcggaagc	tgggtgggtga	gtaaaacagg	cagccccctc	360
ccagcagctc	tagcettgaa	ccccgggccc	tggcttgggg	ggacttggcc	tcttctgttc	420
ccttttgcag	ggatgccctc	cccactcagc	tgagggaagg	ctggacgtta	aaatctagcg	480
gagaataaaa	ttaaggagtt	ggggggaaac	gctgctggga	ggaaagactt	gggcttgggg	540
ctccccctct	gtcttttttg	gggatgactc	ctctttggca	gggagagggg	cagctgcctt	600
gtctggcttt	caaagcccaa	gggtgaagac	aggtctgttg	gggaaaaaga	gagcggaggc	660
ttcctaagg	ggcctagacc	ctcgcaggat	tggcagagag	gattccccgg	ggagggggcc	720
aggggagatt	agcagcgggg	aggttcaaac	cccagcgcct	ccctttccaa	agtcagtctg	780
cttctcttta	aaatggattt	gaggaatggg	gggacatggg	aggggtggga	gtagaggaag	840
gagggagggg	ggcactgggt	gaacttaaat	aagattttta	attgttggtt	ttttaaaaaa	900
attctagcaa	gcaacccact	gaacatgtca	ctaaaaatct	ctccttccca	ggcaggatta	960
ctccgaaagg	aaggttggcg	cttcgttcat	ttgcccttag	caagtggggc	ctgtgggttg	1020
gtgggatggg	ggtgtgggtg	ggggctggag	ttaagcgtga	gccccctctt	ccataacctg	1080
tccctggata	caccagcaag	acctggtctg	actggagttg	agaaactcgt	ttaaaacagg	1140
cagaagtggg	ctgggagggc	tgaggggctg	gggggctgtg	gggaaagaga	aagggaaaag	1200
tgggagaggg	ggcaggaggg	tgaaggggat	gagggggagc	agctggtgtt	tctgtccctc	1260
tgattatctg	ggcttccctg	tccccctacc	cctggagggt	gggggtgggg	tgaaaattaga	1320
tgaaggaac	tctggggccc	tctggctgtt	caatccaacc	ctcccacccc	cccgacccaa	1380
aaaaagaaaa	aagaaaaaag	aaaacccatg	ggggcacagg	catgccctta	aaactcagaa	1440
aactccttgc	ccaaacttct	cattgatgga	aaacccggat	ttcttcttcc	tcatagtctg	1500
caaagttaac	tcgtatcccc	agggccttta	aactttggta	tgaagggagc	ttccaccttc	1560
ctctggtaga	tggcaatcca	gtcagttgtg	gcaaaccact	tgtggttctt	gatatcgttg	1620
acccattctt	tgaggttccc	aaagcgcttg	gtgagatcta	cctgcaggag	gttccgcagc	1680
aggtccttca	agtcagagct	gaagtgggaa	gggaagcgca	ccttcccaga	gacgatcttc	1740
tcatagatct	ggatgggctg	gtctgcgaag	aagggcgggt	agccagcggc	catttcatag	1800
ataagaacct	ccagggccca	ccagtccacg	gccttgttgt	agcctttgct	caggataatc	1860
tcaggggcca	ggtactcagg	ggtgccgcac	aaggccaag	tgcggccctt	cacgcgcttg	1920
gcgaaaccca	agctgttcac	ctgaatgtag	ccctgctggt	caatgagcag	attctccggc	1980
ttcaggtccc	tgtagatgag	atccagcgag	tgcagatact	caaaggtcag	gacgatctgg	2040
gccgcgtaga	aacgggcatg	gggctcactg	aaccttccga	tccgccgtag	gtgtgagaac	2100
atctccccgc	cgggcacgta	ctccatgacc	atgtataagt	ttgagttgtc	cttgaaggag	2160
aactcgagtt	tgacgaggaa	cggaaagtgt	acagcttgca	ggatgcgctt	ttcattcagg	2220
gtgtgttcga	tctgtttcag	tttccccacc	ttctgttagt	cgaggatctt	catggcatag	2280
tggttccccg	tctcettgtg	tttcaccagc	atcacccgcc	cgaaggagcc	cgtgccgagg	2340
gtcttgattc	gttcaaaactg	atccaagtgg	gctgtgttct	gagcgggact	ttcccatttt	2400
ttaagaaaat	cttcttttgg	tttggtctaa	aattctttca	cgctctcctg	ctcgtctccc	2460
ttcttggcgg	cggcggcggt	gccccat				2486

<210> 317

<211> 867

<212> DNA

<213> Homo sapiens

<400> 317

tttttttttaa	gtttatataa	ctttattata	agtattaatt	tgtttgaatt	aagtttatat	60
aactttaata	taagcattaa	tttgtttgaa	atataaagta	ttataaaaata	ttgtaattaa	120

gcttacagat	aattttttaa	atatatacat	tatgactaat	ataccaaaat	tattttatatg	180
tacacattta	tattttaatac	ccaaagaaaa	tttactacca	catttgctaca	gtagatatta	240
acctgacatg	tttattaatt	gacccatag	gtataattat	aggtcagcat	aatttttacag	300
tctattcttt	tattttacta	aattaggaat	gccactatc	ccggacaaat	aatgcagggt	360
gatgtggcca	cccaagaatc	atagtagctc	ttcagttagc	tatcttgcaa	tctctgatat	420
aattctacta	tgtgaataga	gtgaattcca	attcttcatc	aaaaagtgc	ggtggagggt	480
gtcagggtgtg	ttccagtata	gattcccaat	ccaacggccg	gcagatggga	gagcagcaga	540
gatggaaatt	gtgctcagaa	taagccctct	ttctcataat	acttgatatt	ctcatgctga	600
gagtagctgt	gcacttttgg	tgttttagaga	agaacttctt	tggaagaata	ttttctggtc	660
aatttgacca	atgtttacatg	taatctgaat	tagtctgtaa	gattctttca	acctcttttc	720
ttctctcaat	acggttttac	tcagactgag	agctgtcttt	ctcttcaatg	ctttgggaat	780
tcagtgcttt	gtgtctaagc	ccctattagt	atcacatggg	gtctgtgagt	gaggggggct	840
gtcacctga	gaactcctgg	agctgct				867

<210> 318

<211> 1683

<212> DNA

<213> Homo sapiens

<400> 318

ggcagcaggt	aggaaccagt	ggtctatgtc	ccgaccacta	cttggttga	tagggcttaa	60
tgaaaaggtg	agagagccag	ctccctgggtg	ccaaccaga	agcagtggca	accacgcact	120
tggtatcacc	aagccctggg	agaaatgtgt	atagaaacac	cccacgggtg	tgaaacaggg	180
aaaatgggtc	atttactgag	caagtcccat	ttgtgctttc	agtatcacat	aatcatttaa	240
ctgttagaag	tcagcatgtg	tggtagctca	cagacacagg	ataaaggagt	gtttccctta	300
ggcagtaaga	gaaacctttc	aaggaaataa	tgtacctggg	tatcagagga	cctaagacct	360
aagttctagt	tctagctctg	ctataaaca	gtcttgagat	tctggtaaaa	gaaaggctctg	420
gataagatga	ccctttttaa	gtgctttaca	atttaaaaat	tcttgatatt	cttagtagga	480
tgaagccata	ttatcccaca	agtgccttgc	tgaatttctt	ttttaagggt	ccaatttttag	540
tagacattcc	attcctcctt	agagaagaac	attcttcaac	cctgcagatg	acggaggggt	600
aatctgcctt	ccctgcttc	tctaaccttc	tgttccactc	cttgccccac	agtatttttc	660
tgacctaaag	aacagtattg	tgaacagcca	gccaccggag	aagcagcagg	ccatgcacct	720
gtgtttttgag	aacctgatgg	aaggcatcga	gcgaaatctt	cttacgaaaa	acagagacag	780
gtgagtataa	agcgtcctgc	ctagaaatct	cagacaattg	ctatttttca	aatcaacgaa	840
acaggcagtt	gcttttaaagt	ctttgacatc	tgtgttttga	ggccatctaa	agcaatgcaa	900
tccaatagaa	aagtgaagca	tgttaaacag	gcaaaattca	ttttaataat	atattttatt	960
taaccattg	tatctaaaat	attgtatcag	tgtgtaatca	gtatttttaa	attgtgggtt	1020
ttcacattct	ttttgtacta	catttccaaa	atcctgtgta	ctttacattt	aacagcatat	1080
ctcagttcat	acgttttcat	cagaaatact	tgatctgtat	ttagatttca	taaatttaca	1140
gttgacaaag	tagattcctg	taatacccag	attgtttcaa	acacacctag	ggactttcca	1200
gtaactgcat	tgagtatctg	ggctttgcaa	tttaactttta	aattttattt	aatttttaatt	1260
aattttaaac	aaggcatttt	aattttaa	taagatgcag	ttggggagct	gaatgttaaa	1320
ttgtatttaa	tttggattca	tgttctcagt	cacactggcc	ataattcagg	ggcacggtag	1380
ccatatgtgg	ttaggcagcc	gccctattgg	gacaggcata	gcactgcacc	acctgggtct	1440
tgctggcatt	aaggaaatga	ggatgggctt	cattgggctt	tactggccct	tcacgtgtga	1500
gggcaacttc	ctacttctgt	cagtgaagatt	tcttttgtgc	tgccatgagc	ccaaggtagc	1560
cctcagggcc	ccagatttga	ccagatctct	aagccaactt	ttctcttaga	gtcttaagac	1620
tgaatttaac	tgatctttga	aacagaacct	atcaattcat	acattctact	tcccatgctt	1680
ttaa						1683

<210> 319

<211> 1606

<212> DNA

<213> Homo sapiens

<400> 319

tttttttttt	ttcgtatttc	aagggttttt	attctgagca	gtaggtacaa	aaaataatga	60
catagttgtg	tctaattctg	tatagttcag	gcaccctcca	caggctgtca	atctctgatt	120
tgatctactt	ttaccagatc	taacagatcc	ttgaattttac	tttactgtat	atacttcctt	180
cttgctcaca	ttgggaatca	aactaatgct	ggaaacatgc	atcttcagac	ttcattgagg	240
aattccagat	tgagacacgc	tgggatgtgg	attgagtcca	tggtttagaga	agatggatta	300
aatggaaaca	aaacaggaaa	catgtgcttg	gcatctaata	gcagttgctg	agggtcattc	360
cgctcttgta	gttggtgectg	gattgttctg	ataaaggcca	ctgttaccgg	ttcttcaa	420
tcattcaggg	gagtataaag	gtttaaaatt	ttgacaatct	gctgggtgct	gagggaggta	480
cacagggagc	agatagcctc	tgcgtcctcc	tgggttttct	tctttaattg	caggagctgg	540
gctgcttgga	tcagaggttc	catggtctga	actgctocac	tctggtgaag	gtttcttccc	600
cgaagccact	cctcaagctg	acttatattg	tacctgagtt	gcatgcctgt	gctccaagag	660
cagacgtcct	tccgcaggag	caggtcatta	agagtcactg	cgttgatcat	gtagaagagc	720
tgtttgaata	cctgcaggat	gatctcaggg	tccaagccct	ggtcacacat	gactgtatga	780
aaggcattca	tctggcggat	gatagcttcc	aggcgggatg	agttatectc	atctgccatg	840
ctggaggagt	gcttctggga	gccagtgggc	ttcacaccag	atagaccctg	aatgctctaa	900
ttttccaaca	tggcagaaac	tatcatcggc	tgtaacacac	cctcggcaat	tttaatgagc	960
tgctggtaga	tctgaatgga	aaggtcacgt	caggcacctg	acggtattcg	gtgaggtcaa	1020
aattcttaag	acagtgttca	attctgcttt	gcagtgttct	gagtcatgaa	gccctcatcc	1080
ccgctgtact	gcttcagaca	gtgaagaagg	cgggcagggtg	ttggataacc	agaatgacgt	1140
catctcaaag	tcattcattgt	gctttttcag	gactttctta	atgccgttga	tggtggagggt	1200
cagcagggag	tgcaccttga	gatcgctcgt	ggtgtagtcc	cgctgcccgg	atgcacatgt	1260
agaggatgta	ggcgggggaga	cagggcactg	tgcccagacag	catctggggc	ttcaagtctg	1320
tcaccagggt	ccggatgagg	agggcctcgt	cctcttttgtg	gtactccagc	atgccctgga	1380
aatccttctc	tttccgctgg	accgtgacct	gcctgttgag	ctcatggcgc	ttcctctcac	1440
tctgggcca	tgccctgggca	gcttctaggt	cctgggcttt	cttcatgtaa	atcttcagtt	1500
gctttttgag	cttccctctca	ttctttttcca	gcttttctac	cagttcttta	aggtccagat	1560
tctcgttggt	cagccgggat	atttctctgt	gaacgcgcgt	cgtgcc		1606

<210> 320

<211> 676

<212> DNA

<213> Homo sapiens

<400> 320

ggcacgagga	gaatactatt	cttaaagctg	ctgaagtgca	ggtcccacca	aatgagtag	60
taacacctga	agcaaaggcg	tttattttgac	gatgtttggc	ctaccaaag	gaggactgca	120
ttgatgccca	gcaactggcc	tgtgaccccc	tacttgctgc	attatatcca	aaaattggtc	180
tttgtgagta	gccctgctgg	ggctgctatt	gcatcaacct	ttgggggtgtc	caacagctgt	240
tcttcgaatt	gagactgact	ccaaggccac	aaactgttca	acacacacaa	agtggacaaa	300
tagcatttag	cagcaggttt	ggaacgtaga	gaatctgaat	ggatctgatg	aaacctgaac	360
cagggtccta	ttttgtgct	tttttcccat	ccactgagca	tgacagcatg	gattctcttt	420
aaggagaaac	catggggcagc	tccagccagg	cctcatagga	aaaggcccgg	catgaggttc	480
tggcgtcaat	ggccactgtg	tatggctgct	ctgagtgagg	aaaaaactaa	aaagaaaaac	540
tggttccatg	tactgtgaac	ttgaaaacat	gcagactcac	gggggttccct	gatgcaatgc	600
ttcagatgaa	gattgtggac	ttgaaaatac	agactagaag	gccggggcaca	gtggctcatg	660
cctgtaatct	cagcac					676

<210> 321
 <211> 1502
 <212> DNA
 <213> Homo sapiens

<400> 321
 tttttttttt ttttctattg cttaatagaa aacatatattt tattccgtac tttaaaaata 60
 tagactttct agcaacttat aaatttctat tataataata aattgatact ttgagccaag 120
 aaaacaatat aaccaaaaaat tcatttggtc cctttgttta ggggtgtttt acatttatgc 180
 ataattttgc ttttataaaa gatgattgtt acaatcagg atacaactac ttggttatgt 240
 ctaagttctg tctcttaaaa tatgttcttt tagagaattc atttaatcat cttattcttt 300
 tcttcaattt tctccaaaca gtggtagaag tactatttga tagacagaat aaagaaaatt 360
 gtttttggcc acaccagat cactactgata tctacagcat agtcctggct acaggggagc 420
 tcaactctaa ctggtgaagc gggcctggtt tagaaagtaa caatgaggta gtaactcatg 480
 atagtgttag ctgttatcaa aaattaacaa ctttaggtat ttttgttttg ggtttttgcg 540
 gtttaggtac atccaaaatt tcttcatagt ctgcactcat tccctttgcc cagcgaccaa 600
 ctgtgaccat tcgctctgaa ttctgacttt cagggcaatc tttctttaaa tgttccacag 660
 agccacaaaag tttgcaaccg ccaccatcag catagagtc tttgggatta tcaggacaag 720
 atctagacag gtgccccatt tctccacaaa caaaacattt tgcaaaaagga aattcgccaa 780
 gagccgggtc tacttttagcc ttacacttgg ttatttcgtg ctctgtggac ccacacctgt 840
 aacatatccc agtgcccattg tcttgatttt caagggcggc ggggcaatct gcaattccat 900
 gaccaggttt tctacaatgg aaacacacca ttgcattttt ctttgccgct tgccttttta 960
 atcttcttcc tcccgctoga ctgtctttct ttaaagcaac tgcaatttct tcccttactt 1020
 cctcactgtc tgttgcata atttgccc atgtgaaccat ctgtgaattc tgtcttaggt 1080
 attccatgaa tccattcaca tcttcattta agtactcttt tttctttttg ttctttttat 1140
 gttttgcttg ggggtgcatca tttttgaggg atagcctatt ggcttcaagt tgtttacgct 1200
 ttggtaggtt ttggcttggt cctccaaagg atcccttctt catgtcctcc catgatgttg 1260
 caggcaaggg tctcttggtt tatgtggtac taactcgggc ccacctggtc ataatttcat 1320
 cagtggtagc ttatcaattt ttaagacaag caggggtggt tagccatcaa caacaaaaac 1380
 aacaaaacta aagagacatg ctatatcact atatgtcaca tatgcccata tgttaaactt 1440
 ttaattatta aaacactttt tatttcagtt agatatctgt atacatatatt aatggctata 1500
 at 1502

<210> 322
 <211> 989
 <212> DNA
 <213> Homo sapiens

<400> 322
 gttgggggtc cactctgtcg cctaggctgg agtgcagtgg cgtggatctc tgctcactgc 60
 aagctccgcc tcccgggttc atgccattct cctgactcag cctccggagt agcggggact 120
 acaggcgcac gccaccaggc cgggctaatt tttttttttt gtatttttag tagaaacggg 180
 gtttcaccgc gttagccaga atggtttcta tctcctgacc tcatgatccg ccacacctcg 240
 cctcccaaag tgctgggatt acaggcgtga gccactgtgc ctggccaaac gctggtaggt 300
 ttgggagtga gaccacatta catttaata tatttacaat gttttctgct ctattcttta 360
 gtagactttt cctcacgtgg tccctacgcat ttctttctaa gtttattttc atatagccta 420
 tccctgtcta caattttaat tgggatcttc tatattctag ttattatttg taaataagaa 480
 aactactgac ttttttctag tatattttct cagaatagga ttttctattt ttctataaaa 540
 tgaccaatgt tatgaagctt cgtaagtttt gtcaaagtga tacacacata cagcaaaaaa 600

tcaaataagta	cagaagtata	aaagcaacaa	cctctgcctt	gcccccttctc	caccttcagg	660
cccccttccc	agatacaata	atttttagct	ttttattttt	aattattctg	gttgttacct	720
acataactct	gggcaatatg	gaaaagttat	tgattttgta	tattaatttc	ataatcagtt	780
accttgatga	attctcttgt	ttctagtagt	ttttctttag	ggtttttaaag	ggatacaatc	840
ataccatttg	cagttagtaa	ccattttatc	tcctcttatt	tccaacttcg	tactgttttc	900
tcttgtctaa	tttgttttta	attggtgggt	acttctagaa	caagggttaa	taaaagtgg	960
gttggtgggc	gtccttattt	ctgatatta				989

<210> 323

<211> 1106

<212> DNA

<213> Homo sapiens

<400> 323

tcggacgcgt	gggaggacgc	gtgggctcgg	tcgcttagtg	tgtctcctag	ttcctatcct	60
gaactacaca	ctgaagttcc	actgtctgtc	ttaattctgg	gattgcttgt	tgttttcatc	120
ttatctgtct	gttttggggc	tggtttattc	gtctttgtct	tgaaacgcgc	aaaggagtg	180
ccgagcgttc	ccaggaatac	caacaactta	gacgtaagct	cctttcaatt	acagtatggg	240
tcttacaaca	ctgagactca	cgataaaaaca	gacggccatg	tctacaacta	tatcccccca	300
cctgtggtac	agatgtgcca	aaaccccatc	tacatggcag	gaagggaagg	gagacccagt	360
agcctattac	cgaaacctgg	caaggagttt	cagctattag	gcaacctgga	ggagaaaaaa	420
gaagagccag	ccacacctgc	ttacacaata	agtgccactg	agctgctaga	aaagcaggcc	480
acaccaagag	agcctgagct	gctgtatcaa	aatattgctg	agcgagtcaa	ggaacttccc	540
agcgagggc	tagtccacta	taacttttgt	accttacctt	aaagggcagt	ttgccccctc	600
ctatgaatct	cgacgcctaa	accaagacag	aatcaataaa	accgttttat	atggaactcc	660
caggaaatgc	tttgtggggc	agtcaaaaacc	caaccacctt	ttactgcaag	ctaagccgca	720
atcagaaccg	gactacctcg	aagttctgga	aaaacaaact	gcaatcagtc	agctgtgaag	780
ggaaatcatt	tacaacccta	aggcatcaga	ggatgctgct	ccgaactgtt	ggaaacaagg	840
acattagctt	ttgtgtttgt	ttttgtttct	cctttcccag	tgttaatggg	ggactttgaa	900
aatgtttggg	agataggatg	aagtcatgat	tttgcttttg	caagttttcc	tttaaattat	960
ttctctctcg	ctctcctctt	cccactccca	cactgaaaaa	caaagaagaa	aaaagaaaca	1020
aaaccataaa	caaaatctat	gaagaaatgc	attgtagaaa	cattcatgtc	cactgatggt	1080
tcctaagaag	agaagggaag	aagaaa				1106

<210> 324

<211> 2366

<212> DNA

<213> Homo sapiens

<400> 324

gcactatgtc	acattgcgct	ggggcagcag	atgaacctgc	actggctgca	caagatcggg	60
ctggtgggtc	tcctggcttc	cacgggtggg	gccatgtcgg	ccgtggccca	gctgtgggag	120
gacgagtggt	aggtgctgct	gatctccctg	cagggcacag	cgccattcct	gcatgtgggg	180
gctgtggcag	cagtcacat	gctctcctgg	atcgtggcag	gacagttcgc	ccgtgcagag	240
cggacctcct	cccaggtgac	cattctctgt	accttcttca	ccgtgggtgt	tgccctctac	300
ctggccccct	tcaccatctc	ctctccctgc	atcatggaga	agaaagacct	cggcccccaag	360
cctgctctca	ttggccaccg	cggggccccc	atgctggctc	cagagcacac	gctcatgtcc	420
ttccggaagg	ccctcgagca	gaagctgtac	gggctccagg	ctgacattac	catcagcctg	480

gacggcggtgc	ccttctcat	gcatgacacc	accctgcggc	gcaccaccaa	cgtggaggag	540
gagttcccg	agctggcccg	caggcctgcc	tccatgctta	actggaccac	cctgcagaga	600
ctcaacgctg	gccagtggtt	cctgaagact	gaccccttct	ggacagccag	ctccctgtca	660
ccctccgacc	acagagaggc	ccagaaccag	tccatctgca	gcctggcaga	gctcctggag	720
ctggccaagg	gcaatgccac	actgctgctc	aacctgogtg	acccgccccg	ggagcaccct	780
taccgcagca	gttttatcaa	cgtgactctg	gaggccgtgc	tgcactccgg	cttccccag	840
caccaggcca	tgtggctgcc	tagcaggcag	agggccctgg	tgcggaaggt	ggctcccggc	900
ttccaacaga	catcaggctc	caaggaggca	gtcgccagcc	tgcggagagg	ccacatccag	960
cggctgaacc	tgcgtacac	tcagggtgcc	cgccaggagc	tcagggacta	cgcgtcctgg	1020
aacctgagtg	tgaacctcta	cacagtcaac	gcaccgtggc	tcttctccct	gctgtgggtg	1080
gcgggggtcc	catccgtcac	ctctgacaac	tcccacaccc	tgtcccaggt	gccttcccc	1140
ctctggatca	gtcccccgga	cgagtactgt	ctcatgtggg	tcactgccga	cctggctctc	1200
ttcaccctca	tctgtggcat	cttctgtctc	cagaagtggc	gcctgggtgg	catacgtagc	1260
tacaacctg	agcagatcat	gctgagtgct	gcgggtgcgc	ggaccagccg	ggacgtcagc	1320
atcatgaagg	agaagcttat	tttctcagag	atcagcgatg	gtgtagaggt	ctccgatgtg	1380
ctctccgtat	gttcagacaa	cagttatgac	acatatgcc	acagcaccgc	caccctgtg	1440
ggcccccgag	ggggtggcag	ccacaccaag	accctcatag	agcggagtg	gcgttagctg	1500
aagacatgtc	tgtcccacct	gtacctgaca	cagaagctgg	ggagccatag	agagctggtg	1560
gaagtgtgtc	tgaactcgga	gtgctctggg	agcgggctcc	acagcctcct	tgtgggctcc	1620
agccccctgt	cagccgcagc	ctctcttgag	ggggactccc	tgtctcctga	ggcccagctg	1680
ggccaggact	ccatcccttc	agatgcccc	gcaggcctgg	ggctccttct	gggaagtatg	1740
gggcttaggg	cttgggtccc	ctcttctgag	gcctctcctc	gtatcccagc	ctggaagctt	1800
tgtgggtcca	tggggccatgc	cataccccc	gtggcaatgg	agtgtgtgga	tgctcacctg	1860
tgccatctgt	cctcctgtct	gtgccaggag	gcacctgagt	tctctgctgt	tatcctgcc	1920
caagggcctg	ggccgagcct	ctacctgaag	caactctgct	cttctgtca	gtctcaaagc	1980
acaaggaggt	tcagcccagg	aggaagccag	ctgcaatgtg	gagacacgtc	ctcctcccca	2040
accacacctc	tgccaccgcc	aacccccctgc	cccaggagcg	ggcctgagcc	acgtccccta	2100
ggagcagctg	gagatggcca	aaagagttag	ctcaggacta	ctggatccca	tgcccagggtg	2160
tccagcagac	ctcaaggcag	aagggtcacc	taaccaggga	gttccacaga	ctgatgtgac	2220
ctcaggttcc	cacatcagtg	gccaccaggc	agggcccacc	tggtagaagt	gttctggata	2280
tggcccagg	tgggtgtgtg	gctaagtggg	cctgaacaga	gggaacccta	gggcccttgg	2340
ccaatgtgat	taaagctgcc	atcttg				2366

<210> 325

<211> 1925

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(1925)

<223> n = a,t,c or g

<400> 325

ttttttgaaa	tctgggtccca	aagtttcaaa	agaatactaa	tgcaacaaaa	agaaataacc	60
tctctgtata	aagtgtattat	agagatgtgt	gttgaggtaa	acagcttcat	aaaaaccgtt	120
gagcagggaa	gcacagccac	tgctatagaa	attttttaggt	aagtctgggtg	ctagcattat	180
tctacaaaac	tgtttacacc	cattataaat	aggggacagt	tcttattgct	cctggagctt	240
gtagctccaa	tctgttccag	ctccactgaa	aaatgatttt	tctcaacaat	tggtagcaaa	300
gatttccaaa	tttacaaaaa	gtcattacca	atgcatcact	ttttgattaa	tttctgattg	360
ccatatagat	atggactaca	gtatgcatgt	ccttgacacc	aagtacagaa	aaaaagctta	420
gaaaagtctg	tttatcaaag	ttcagttcaa	tgagaaacat	gaaaaagtgc	aaaatatgta	480
caattcctgg	cagttctcac	acgggatttt	tttgactaca	gaccataaaa	gtttacattt	540
gtgtaatgaa	atgacgatgg	atttcacatc	actgttaata	tacaagtttt	tgcttcaaa	600
tgcttacttt	atttataaaa	gagaagatca	agagggttgc	aggaattttt	tttttttaac	660
aacaaatcaa	tgggtatgtgt	cccaatctcc	ttcttctctc	tccttttagtg	caacatggcg	720

cagcagcctc	atggataagg	tctgatttca	aaagacattc	ctgaaacctc	acctacagca	780
gcactctagg	ggtcccatta	ggggtggctc	tctttttctt	ctgcagccga	ttctgaacct	840
ttcgagattt	tactactttc	attctcacct	caaaaacttc	atgaatggcc	ttccggaagc	900
aatgaaaatt	atagtcaatt	agcccttttc	tttcaaagct	ttcctctctg	acaaagcaaa	960
cgagagccag	gaactttgtc	acctctttta	aataaagcac	ggttgtatta	ttaagcttta	1020
tgatggctgt	ggattccttg	tcataggggg	ttcctgctcc	atcttctttg	agaccataaa	1080
tacaagagat	gtcaataaacc	acatctatca	tatcacagca	gagctcatag	gtttgcatat	1140
ccaccggagt	actatcagtt	gcaatataaa	ttttactgac	cacatcaaatt	agaaatgcct	1200
tttcaattcc	agaatttgag	ataaagatgt	tcagcaaatt	ctccagagtt	gggagttgtg	1260
gaatcagttt	ctgaacaact	ttgctaaaag	cttcaaatat	tgaatgatca	tatatgcttg	1320
tcagataaaa	gctgaggtga	atTTTTTctt	atccagcatt	tgcaaggcca	tcgtttgccc	1380
tctggtgaat	atctcttttg	gtttcaattt	tgtggtcatt	tgacagacca	tccactttat	1440
gaataaacac	ctcgaagttg	atgtcagtat	tcacttttga	ggccctgggtc	accgtgaggt	1500
ggagcctggc	cagggcttcc	atgtaatcat	cctgtgagtc	aatgacaaat	atcagtgtct	1560
ctgttccccg	gaagatcatt	tcatagtcaa	atgtagggtc	aaaaaagtca	atctgtcctg	1620
ggaagtccca	aatctgaaaa	ttgacaaaag	agctgttgga	aacatcttcc	cggcataatct	1680
tattagtgtc	ctccaagaac	agagtttctg	tgggagacat	tttgtgaaag	acaactttct	1740
gaatagacga	cttgccgctt	ctcctcaggg	ccatgagcag	gattctcggc	ttcacttcag	1800
tgctgaaggg	gtcactgaag	tccagaactc	cctcctctgt	gccgctgtcc	ggatcggcgt	1860
cggaggagtc	gggcccgtct	ccgtagtccg	ctgaattccn	ccgcngtgac	tgagtctcat	1920
tccca						1925

<210> 326

<211> 1181

<212> DNA

<213> Homo sapiens

<400> 326

tttttttttt	ttgagatttc	ccaggactgg	ctttaatttg	aaaaatctga	ttgggggtctc	60
ttcccgtatc	agagaaggaa	cagcccaagc	tatgaccoca	gggccagggga	attcagtcctc	120
caccagacc	tgtcattcca	tcactagggg	gtaattccag	gtccccctg	ccagccctga	180
gacaggagga	cggatgtgaa	gttgcccagg	actagattct	gtctctccaa	agtggcccaa	240
gccctgttct	ctgtactagg	gaagccagct	gtgtcttttc	gaggacagtt	ggtcagcca	300
gcaggctcag	ttcagatacc	agacaacat	tccagcacga	gggctcagcg	ccctggcccc	360
ggcggctcgt	ccagtgcctg	tgtgcccacc	agcacatcca	tgaggtagtc	caattcggcc	420
tctgccagct	ccggagcttc	ctccttgccc	ggcccatcct	cagggcctgg	tttgaggccc	480
tcagaggctg	gtgccc aaaag	ttcattgtca	tacatagagg	tgtcaatatt	ctcaaacagg	540
ccctcaagcc	catcgtccag	tagacagcca	gtggctgggc	ccagcaggtc	caaggcacc	600
aggctgggag	ctgctcccc	gatgctacgg	cctgggtggc	cctcgtctgc	caagggttg	660
ggagcctgac	tcaggccctc	aatgtggctg	aggctcctca	ggaggctggc	catggaggct	720
gaaagggcag	cgtccgagct	tgccagtaag	ttgtcagcca	cactgggggc	tgagggtggg	780
ctaggcacag	gtggcagggc	agccgcgggt	gccatggacg	cctggatgag	cgcagagtg	840
ttcacgacca	gcaccagggt	ccgcaggctc	ggctcactct	gctgcaggct	gtgggtggagc	900
ttgagcactg	agagggtcaaa	gagggagcta	gaggccaagg	ccgggggtgc	ctgtgccacc	960
gctgcgtggc	caggatctag	ccaccaggag	tcgactgcca	gaggttcctt	ctcctcctcc	1020
tctctccgtt	tccgcttcag	acccttgctc	agcatcttgc	tcactagcgg	ccaatcagaa	1080
cgaagaggta	gccaccacac	accaatcagg	aaacggcggc	ggcagcatcg	cttgttggct	1140
gtcctccgga	aaccgcgcgc	tgggtcgcgc	ccacgcgtcc	g		1181

<210> 327

<211> 1842

<212> DNA

<213> Homo sapiens

<400> 327

aagtacaaaa	taatatTTTta	ataacatagg	aacatgaaca	tgaaaacaat	gtaaacaggt	60
tagaattttt	ggatatgata	cctaccaaac	gtgatttgga	accgtaccgc	aactgggtaa	120
aattttctatg	gcaaaaaggat	taaccaaggc	atatcatagg	aaatccactt	tgcccaatat	180
aagcagttct	cagcacatac	tcaaatgcac	acaaacatga	aaatcggaat	taaaggaatg	240
ttaaaaaaat	aacttaggca	gacacaaata	aaaccacccc	actagtgtat	gaatgatgcc	300
acgtttctta	tgatcttaat	tacatttaag	gatttaaaaa	atgccactga	tctcacagtt	360
tacaatatcc	aaatcttcaa	acctgctgga	agaagtccca	cagcacagcc	tggaaattcg	420
catccgttgc	attctctcgt	gcagttacct	gcttatgggc	tgtaccttct	gccttgatat	480
gtagtacgtt	cttctcgaag	gatggaaagct	ctcttttgca	gaaaattaac	ctgtgatttt	540
agggaggaaa	tggtgtcttc	aagttcttgt	cttagggatg	ctggcatcaa	tcctttcaat	600
tttgtttcat	attcttgtcg	tatgtaagtt	atctgttctt	gtgactccaa	ttctttgtgt	660
tgtaattttt	tctctgcaca	tgcacctga	ttagaacggt	tttctaattc	atcttgtaaa	720
accttgattg	cttgggtcatt	atctctaata	agctgcttct	tctcatcttc	aaacttttgt	780
ctaacatcct	ggagccgcct	ttctgcagca	agctgctgct	ggctgttctc	ttctttcaga	840
gaggaaatgg	ttgtctgaag	ttctgctatg	atctgtgaag	atttggcaag	cttctgagtg	900
tattccttct	caatctgctt	cagcttgctg	ttggcctttt	ccagtgtcat	ctctgtctca	960
gcagcatgag	tctttttcag	ctctattttc	atcttttctg	attcagcctt	cagtttattg	1020
acgacaatct	catgttccct	tgtagccctt	tgcttttctt	cttcacgaag	aagaccaagc	1080
tctaccagct	gctgtttccg	ctgtgagttc	acattgatca	attcttctct	caacttgtga	1140
acctgggcct	ccatgtcggc	aataacctgt	gcatctcggt	tcttgaactc	ctgaatttga	1200
ttttcgtgct	ccatattggc	agcgcgaagc	tgtttttcca	ggttttcaat	ttcccgttca	1260
tggtctcggg	ctaggctatc	cttctctgct	ttatgctgct	gtaatagggtg	cgtcttctcc	1320
tgttcatgct	ccagcttcag	ctctactatc	tgttgttcat	accgctgtct	gatgtcctcc	1380
agttgccata	aaaactcctt	tgattgtttc	tcacgaagag	atttggatct	agttagatct	1440
gctccactt	tttccatttc	aaagcttctt	caaatttatg	aattttcttt	tgagtatctt	1500
cttttctttt	atcaagttca	ctctgcaagt	catgagcctt	tttttcatag	atgtgtttta	1560
gatgactttt	ctccatctga	aacttatatt	cttgatccct	tagttgttgc	tttctttgaa	1620
gttctgatcc	ctgtaactgc	tgttttaatt	gacagacatt	ctgctctaata	tcttcaatca	1680
tactagatgc	cttagaagct	gaaagagcat	gttcttgttt	tagaagggtt	atatcagcat	1740
catatttggt	ttgtaacagt	ttcatgtttt	gtcctaatac	atttacaaga	tggtccttct	1800
ctttatgcag	tgtgttacgc	cttgccctta	cttcttgtaa	tt		1842

<210> 328

<211> 1293

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(1293)

<223> n = a,t,c or g

<400> 328

tttttttttt	ttgacgcggg	gagagattta	atttacatag	cagccacttg	gggtccagtc	60
agagctgggg	cagtggggga	atctataacc	ccagagggta	ccccccagac	ccccaccccc	120
gggagaccag	tcttcacca	cccttggtatg	ggctcccaag	gttggtgcaga	agatgtctcca	180
gtcaaaagga	tagagacatt	tgggaaataa	aggctgtccc	caaagtgtgg	gggaangtcc	240
acggcctggg	agtggatagc	ctacatgggtg	gccccagggg	gtctgagaga	ccagtcccat	300
gtccctgggc	gagtccttca	gcctgggtgg	ccctagagga	aagccttcgc	gggcggaaac	360

tggtccctgg	aggagggcgc	ggtactggtc	aaaatecttc	ctttccacac	gggtgacgcc	420
gccttcctta	gcatacccac	aacttcccgg	cacaccagcc	ttgataaagc	gcttcattcg	480
tgggacacca	gaatcacacc	aacccttgaa	attgtttgaa	ggcaaggccc	cagagcctca	540
atggctctcc	catgtccaag	gtgggtttgt	gggttcaccc	cagaatgtag	aaagttgggg	600
cagggcaata	gtccatctga	gcaaaaggcc	acttcggctt	ctttctggcc	cccaagacag	660
gctggcaaag	aggacgcag	gcccagttct	ccggagatgc	ccataccgaa	cccaagctgg	720
tgacnggtac	tcctcctcag	gccgccccag	gaaaacttgc	gtgcccagca	agttcccaca	780
agcactgaac	gttttaggtcc	cagctgctcc	cacatgggtgc	tggctgaaat	agccaatctt	840
cagattcctg	tgagcgtgtc	tgatgccccg	aacagggtgcc	aggtccccc	aaagcagctt	900
cagcatggta	gaacttcccag	ccccattctc	tccaaccaca	cagatgcgag	actcgagatc	960
agcagacaca	gagaggcgac	tgaagatgac	gtgcttcgga	tcgtagtaga	aatccacctc	1020
atctagctgc	agaattggcg	gcgagaactt	ctcaaacc	tcagggaaact	tcattacgac	1080
ctctgattcc	ttgtccacag	gcttcagctc	aggcctggga	gaagagatga	ggtagactag	1140
atttattact	taaaaaata	acttcttaca	cgagtaatat	atgttcagag	aaaacttaga	1200
aagggtttgt	actcctacca	ctcaggtatc	attactttag	agtcattctt	tctcattttac	1260
tgtatgctaa	aaaatagaat	taggcttttt	gtg			1293

<210> 329

<211> 1734

<212> DNA

<213> Homo sapiens

<400> 329

aaatttgtat	ttcgataaacc	attagtgcag	tgccgtggaa	gtcaagatgg	cggcgcggac	60
agcgttcggg	gctgtgtgcc	ggcgctctg	gcagggattg	gggaattttt	ctgtaaacc	120
ttctaagggc	aatacagcca	aaaatgggtg	cttgcttctc	agtaccaata	tgaagtgggt	180
acagttttca	aacctacacg	ttgatgttcc	aaaggatttg	accaaaccctg	tggttaacaat	240
ctctgatgaa	ccagacatat	tatataagcg	cctctcggtt	ttggtgaaag	gtcacgataa	300
ggctgtattg	gacagttatg	aatatatttgc	tgtgcttgct	gctaaagaac	ttggtatctc	360
tattaaagta	catgaacctc	caaggaaaat	agagcgattt	actcttctcc	aatcagtgca	420
tatttacaag	aagcacagag	ttcagtatga	aatgagaaca	ctttacagat	gttttagagtt	480
agaacatcta	actggaagca	cagcagatgt	ctacttggaa	tatattcagc	gaaacttacc	540
tgaaggggtt	gccatggaag	taacaaagtt	ttgtttcttt	atTTTTTTtag	acacaatttag	600
aacagttacc	agaacacatc	aaggagccaa	tctgggaaac	actatcagaa	gaaaaagaag	660
aaagcaagtc	ataaagcctc	agggaggcca	tttttgccta	aatttgaaat	gaggggtgggc	720
cagatgagta	tgtttaagtg	gagagtgett	ccagctgaga	tgatttgagt	ctgtcctaac	780
tgctccattg	agttctcgtg	ccctcatcag	ctgagggcag	ggaatggaac	tttaattgaa	840
gaaccacttt	tatctattct	ttttattcat	tgtttcagtt	ctgatttcag	caaacatgag	900
caaaccactt	tgactgaaag	cagaaagagt	gaaaattcta	ttttgttacg	ctactggtgt	960
tcaattatta	gtttgtacca	tttttaattt	atgtcagttg	atgcattctga	aaataagtgc	1020
ttggagtgtt	cgtaccctta	ttttttttta	agattcctag	aaggaatctt	tggttaattc	1080
agattgagca	gttaaagtgtt	ttgctattta	cctttgtgca	ggctggcata	tgctaatttg	1140
ggggtggtaa	ccaaccgatt	ttatctcatg	taagcattac	atTTTgaaga	ctgaatatac	1200
ttcacagcag	atcaaacaca	tttatggcat	gcaactgac	cttcttggag	cccagaactt	1260
tatagagtgt	cctaccaggg	ttactgtaat	ggaatttatg	atcttaagaa	attactagtt	1320
gtattattta	tcctatgatt	cattcattca	ataagctttt	actgcataaa	ctttacatcc	1380
agcactgtag	ttaagtaccc	aaaattgaat	agaaataatg	gcttttgaaa	attgcacaaa	1440
gcaggccagg	cacggtggct	cacgcctgta	atcccagcac	tttgggaggc	cgaggcaggc	1500
ggatcacgag	gtcaagagat	ccagaccatc	ctggctaaca	cggtgaaacc	ccgtctctaa	1560
taaaaatata	aaaatttagct	ggacatgggtg	gcacgtgcct	gtaatcccag	ctactcagga	1620
ggctgaggca	ggagaatcgc	gtgaaccogg	gcccgggtgga	ggctgcagtg	agacgagatc	1680
gcgccactgc	actccagcct	ggcgacagag	cgagacaccg	tctcaaaaaa	aaaa	1734

<210> 330
 <211> 2105
 <212> DNA
 <213> Homo sapiens

<400> 330
 tttttttttt ttatgtcatt cagccttttac tgtaaaaaag gaaacaataa aaacaaaacc 60
 ctattaataa acacaatgca aacaatgccc gagattatca taaaaacata ctagcaagcc 120
 acaagtacca gagaggggtg aacaggcata tctgctagct ctccctcttg agtcctcagc 180
 ctcccacagg aggcacaagg tccaaactat tctcaaaaaa aaaggacagc ctcttttatgc 240
 tgaaatatgga acttttaaagg aagctcttct tgtagtccaa atggacgtac cttgtggtat 300
 ggctgtaagg actcgatttt acggcttctg tattcctaac tatagctagg cctgtcacct 360
 gctgttcctg tgatctcagc ttacacctaga agagctcctg aaacagaatg ggtacacgaa 420
 aatctggaat gaatagctat ctgctcaaaa acgattgttt aaaaacagat gattggggcc 480
 gggcgcggtg gctcatgcct gtaatcccag cactttggga ggccgaggcg ggcggatcac 540
 gaggtgagga gatcgagacc atcctgggca acatgggtgaa acccctctc tactaaaaat 600
 acaaaaatta gctgggctg gtgatgccag ccaactcgga ggctgaggca ggagaatcgt 660
 ttgaaccagg gactcagagg ttgcagcgag ccgagactgc gccactgcac tccagcctgg 720
 cgacagagcg agactccgtc tcagaacgaa caaagaaaca acaaaaccag atgactggga 780
 gactgaagag gaaaaaagat gggagaaaac gtagggaag gatggggcct cacagactca 840
 gctgtgggtg ggggggtaaa tcattacctc aggagaagcc caaggaattg tccccgaggt 900
 gagctttgga aagaaaacaa aaacaaaaaac aaaaacacca aaaaacacct aaatttcctg 960
 tattaaagtg acacataatc atgttttctg attctcttca ctgtctgcct gcggggagg 1020
 ggtggggaag gtgttaatga tgctgatcgc tacttctgct tcaaggagat ctggtgggga 1080
 attcttcac cagtcagag tttgctggtg ctgacctcat ccctgtatca cgggcctaga 1140
 atgtgggagg ctaataggat ggggtgggtg caggaggtag aagaggggat ggcctagaga 1200
 gtttctccat tcagagctgg agagtgtgtg aaggggaagg tattttaaaa gggctccacc 1260
 cccccctagc cccagccctc cagctgtggg gagaggccac ctccctctgat ggggtctcga 1320
 tgctgctgct ctgttcctgg tctggcacgt cctcctcttc ctgctccaag ctgaagttct 1380
 cgagctcctg aaaaatctca tccatgaagt cctgggagtt ctgtttgtaa gacacagcta 1440
 atcgaattgc atcattgaag agcttcacaa cattggtacc atcagcagcc gagacgaaat 1500
 acaggggcag ggagaacttc ttggcaaaat tgaagctttt ttgggtcacg tttatgtctg 1560
 ctgtagagag aaggtaggac attggtctgt ctgtcaaggg aaggggaagaa ggtttggagg 1620
 gggggggcac tggaggcctt cattccagaa agtgggtag gcagggatga ttgggaaaca 1680
 ggtccttagaa agagctcagt taataggat ctgtgtcttg gaaagagggc aggtcggctt 1740
 agctggcttc tttataaggt gggaagaatg caagcaacca accaagggtt gtatcttatc 1800
 gtgggagggg ggaccaatca ctgaagggtt cctgcccggg gaatggagga ggaaatgtat 1860
 gagggcaggt cccagtgaa ttgctaacac ccagggtgcag ggatggcccc accatcaatt 1920
 ttattggcca ccacgatgca tgggatctct ggctgaact cccgaagctc tgtataccag 1980
 gtgctcaggt tcctatgggt gactttctc tggacatcaa acaccatgat gcaagcgtgg 2040
 gtcttgtggt agtaggaggc atgcatgctc tggaaccgtt cctggcctgc cgtgtcccaa 2100
 aagtc 2105

<210> 331
 <211> 5654
 <212> DNA
 <213> Homo sapiens

<400> 331
 ggagcgacgc cgctcgggtc agtcggcggc cggactggga agatggacgc agctactctg 60
 acctacgaca ctctccggtt tgctgagttt gaagatttct ctgagacctc agagcccggt 120

tggatactgg	gtagaaaata	cagcattttc	acagaaaagg	acgagatcct	gtctgatgtg	180
gcacttagac	tttggtttac	atacaggaaa	aactttccag	ccattggggg	gacaggcccc	240
acctcggaca	caggctgggg	ctgcatgctg	cggtgtggac	agatgatcct	tgcccaagcc	300
ctggtgtgcc	ggcaccatgg	ccgagattgg	agggtggacac	aaaggaagag	gcagccagac	360
agctacttca	gcgtcctcaa	cgcattcatc	gcaggaagg	acagttacta	ctccattcac	420
cagatagcgc	aaatgggagt	tggcgaaggc	aagtccatag	gccagtggta	cgggcccaac	480
actgtcgccc	aggtcctgaa	gaagcttgct	gtcttcgata	cgtggagctc	cttggcggtc	540
cacattgcaa	tggacaacac	tgttgatgat	gaggaaatca	gaaggttggt	caggaccagc	600
gttcctctgt	caggcgccac	tgcgtttcct	gcagattccg	accggcactg	caacggattc	660
cctgccggag	ctgaggtcac	caacaggccg	tcgccatgga	gacccctggg	acttctcatt	720
cccctgcgcc	tggggctcac	ggacatcaac	gaggccctacg	tggagacgct	gaagcactgc	780
ttcatggatg	ccccagtcct	tgggcgtcat	cggagggaag	cccaacagcg	cccacttatt	840
tcacgggcta	agttgggtga	ggagctcatc	tacctggacc	cccacaccac	gcagccagcc	900
gtggagccca	ctgatggctg	cttcaccccg	gacgagagct	tccactgcca	gcacccgcgc	960
tggcgcata	gcacgcgga	gcttgaccgc	tccatcgctg	tggtagctgg	cgggccacctg	1020
agcacacagg	catttggtgc	tgaatgctgt	ttgggaatga	cgaggaaaac	tttcggatttt	1080
ttgcgttttt	ttttcagcat	gttgggataa	gtactgtgtt	cacgtgggtg	ggaatctgaa	1140
gggtataaga	gcccgaactg	tgtccttgca	ccctcacgtc	cctccccag	gcaccacctc	1200
ctgtgcagcc	ttcatggcct	tcgagtggcc	cagagagcgt	gtgtctggat	gtgagcgtgt	1260
gtgggcgcgt	gctgagtgtg	catggatgag	tgtgagccat	ggtgagtgtg	tccccctcac	1320
acctacattt	aaacacacgg	gcggcccttc	cacccacccc	tgcaccacct	tcgtcacacc	1380
cacatttaaa	cacgggcggc	ccctccaccc	accactcct	gcaccacctt	ttgttttcctg	1440
gaggctctga	cttgacctct	ctgggggatt	tcctaagaag	gagcttcctt	gtttttccat	1500
tttgattacc	tagttgtgat	ttttgggtgtg	tgatttatgc	agacctgcct	gccctcaaat	1560
atatttgatg	gggaaaagagg	ccaaaaaacc	cccctagaaa	tcatgaatga	cggtgacatg	1620
ctcagggaag	cagttaaccg	aatcgggggg	tctgttgttg	atgctccgcc	ccattttagga	1680
ggaagaaggc	agatctgggc	ctgaaatggg	acgggtctctg	agctgtggcg	cagccccaga	1740
gtgcacacca	gcctccatgc	acctcctggg	cggggtggca	gtagtgggga	acatgggctg	1800
gagctctgtg	gctcacactt	tttgtttgtt	tgtttgtttt	tgagacggag	tctcactctg	1860
tcgcccaggc	tggagtgcag	tggcgcgcatc	tcggctcact	gcaagctccg	cctcccaggt	1920
tcacgccatt	ctcctgcctc	agcctctgga	ttagctggga	ctacaggcac	ccgccaccac	1980
gcctggctaa	ttttctgtat	ttttaataga	gacgggtttt	cactgtgtta	gccaggatgg	2040
tcttgatctc	ctgacctcat	gatccaccca	cctcggcctc	ccaaagtgcct	gggattacag	2100
gcgtgagcca	ctgcgcgcag	cctgggcgcac	acttcttacc	agaacctagt	cacgaattcc	2160
tcgtcgaaact	agaattaggt	atgtttgtta	ctgtaaacgc	agcttgggtg	cttacagtga	2220
ttggcactct	aacagtcagg	tcaggctaga	gagccagcca	ccgcagacag	aggagtggac	2280
gcgtgaacgt	tgagttgaga	ccaaaggggc	cacctgggtg	gataactgtc	ctcaccctgt	2340
aggaggagga	atgtccctcg	tccccggggg	agagtgtctc	tacaccagcg	ccgagggcgc	2400
agaatgggtg	cttcagggga	agagagtggc	cagtttgagc	ttctcccccc	atttcgtttc	2460
tttttgtgtt	aacatctgcy	catctggcag	cgttgagaat	tcctagtga	tgtcattaca	2520
ggcggcagct	ttaaggatgt	gattgcccgt	gacctttggc	cggtccctctg	tctcctggct	2580
cctcagcagg	aggctccctg	tgtcacgggtg	tccttgggca	gttctcggtg	gccttttgccg	2640
ccaagcttcc	agggagctgc	tgggcgaagg	ctgagaccca	gcggccctgt	ctcacagtca	2700
cagagagaag	agctccccac	ttggccctaa	ctcataacct	gccccaatcc	cggaaacttc	2760
ggtgaggttt	gagagatgca	caccacgtaa	catctcgtgg	gcgaatcaag	gcacagcaac	2820
gcagtggagc	ctgaggggag	ccgggcactg	gtgcagggga	ccatgcacag	ggcacccctcg	2880
gagctccatt	cccggccaca	ggagccaagg	caggctggaa	tgtccagcac	ctgcatgctg	2940
ggggcctctg	ctgcgccact	ggcagtggga	atggaaagccc	ccacctctta	tccgactgca	3000
gatgggggtg	tcgtgttctg	ctcatcgtea	tttcgtttta	gggggtttttc	tgtaagactg	3060
aagatgactt	cagtgattgg	tgccagcaag	tcaaaaagct	gtctctgctt	ggagggtgcc	3120
tgcccatgtt	tgagctgggtg	gagcagcagc	cttcacatct	ggcctgcccc	gacgtcctga	3180
acctgtccct	aggtgagagc	tgccaagtcc	aggtgggggtc	cctcggaggt	acgatctgtg	3240
cccttgcttc	cccagtcctg	gcccccttgg	ttttgaccat	taaggtgtgt	gtgagcctga	3300
gcogtgagca	cttggcagtg	gttcgcctgt	gagaccaggt	atggagtggga	gcgtcccttc	3360
ctccaagctt	gcgcccagca	gcccaggacc	cacctcgtct	tccccaccag	cgctgcctgc	3420
cggggcgctg	tggagctggg	cgtgctacca	tggagtcctc	aggggtctgg	agcagacaga	3480
acatgcaggc	tctgtggtga	cgcagtcctg	ggtggggggac	tggttcactt	gggcaccact	3540
ggccatgggt	ggcgtagacc	cctcggacca	tggccagcgt	gccgcaggag	ccggcctggg	3600
ctcgtgcagt	gaagtgagtg	gccgtgagcg	cgtcctcctc	atctctgtct	ccctgtggga	3660
aactctacaa	acaaggcaat	ggcaatggaa	ccactcctga	tgaccacgag	ggtcagacgc	3720
gggacagagg	ccctcaggc	ctgagattgt	gcccgcgcgc	ccctgccttc	ctcaccctgc	3780
cctgctcctc	ttctctgctc	cctccccca	tattcgcagg	tctgcacaac	ccccggacct	3840
gttcacacccc	gcattggggac	agctgtctgt	gggctgcaga	gcaggcactg	ctcagctctgc	3900
cccacgccaa	gggcccctga	ctcacaccca	ggtggccccc	ccaagatgcc	tgatgcgcta	3960

tgctctgttc	cttctagatt	cttctgatgt	agagcgactg	gaaagattct	tcgactcaga	4020
agatgaagac	tttgaaatcc	tgccctttg	aaaatcctgg	ggtcgggggt	ggcacctgtg	4080
agagcctggg	gtcctgtgtg	ccgctgcgtt	tcattccatcc	cgcccgtctg	cctgcgcagg	4140
gctgcgcccc	gtgctgcctc	ccccagagg	gccacccgct	gtgctcgtgg	actgaggetg	4200
cgctgccccg	gaggccttac	tgcttggtgt	cagactgccc	agctcagagt	gcccgtcagg	4260
gcctgtgcat	ccgcacgcgg	agccgtctgt	taggagcttc	cagagcgttc	tctcgacact	4320
gccagccccg	tgtagcacc	tgggcctcag	tcccacttgc	tcccaggcgc	cggttctgtg	4380
gttggttttg	aattaaagtc	ctgtttgaag	ttgtcagaca	cagacatgaa	tttctggggc	4440
gctccctgag	tcagtctcag	aagacctgtg	caggctggcg	tgagaggagc	ggcagccaca	4500
ctgcggcccc	acgcccgaag	actgggctgc	tctcaggggg	ggcgcgcccc	ccgctgtgtc	4560
ctctctgccc	agcctggctt	accaagggct	acctcagtgg	gagatgaggt	tggaggaacg	4620
aaggcgaggt	tctccttgc	tttggggaga	aaagtattca	ggaagtgggt	gtgtgggaaa	4680
cctgaagatg	gcgtgcacag	gacacagcgt	ggtcggcctg	ggcagaaggg	cggctggctg	4740
tcctggagct	gctgctggag	cctgccctca	gagtgtccct	ttccagtgtc	gtggcattct	4800
gtggcagctt	ccccaggtgt	ggtgacgggg	ggggggcggg	gcctccacct	gtgacagcca	4860
ggcttgaggg	tggacggcgt	gcctctccca	ggagccttcc	ccatgtcctt	gccttgctga	4920
gaattgccct	cccatgccgc	tgagggtgtta	ggtggttttag	ggccaaaagg	ggaaaaccac	4980
ttgagtcttg	tggtgtgtgg	tgggcagaca	ccacagggtg	gcataccctg	gtggcatttc	5040
cagaacctca	gccccgattc	cagcacccac	caccgcctga	ccctgtgtaa	cctgctgtcc	5100
cgggtcccag	agtgcactct	gccccactgc	tctgtgcct	gtcctgggaa	agtagctttg	5160
cccactagg	aaatgtaaac	aggagggcct	ggggagcgtg	ggcacttttc	tcatgagcag	5220
ctactgcggc	gttggcagga	ctcgctgctg	ctgctgctgc	tgcttggtga	ggtcggggag	5280
ccggagatcc	ccgaggacgc	gcgccggaca	gtcggcactg	accggcccat	ctggtagcag	5340
aggacacccc	cagcccccca	agcattgaag	acatagtgtg	tttctctgta	tcctttctcc	5400
cttgggtgta	gttgggggtg	ggaagcaggg	aaggctgggt	cgatctccat	tccttgggct	5460
ccgcgtccga	gttcatgggt	cgccgctgtg	ctgggagctg	cagtgggaat	gtgtgggaca	5520
ccttgaccaa	aggggagctt	tgtctcgtgt	gttttgaaaa	aggcttaatg	aagagaatgt	5580
tgttcattct	tagtagtata	gtttgcaatt	cttaatggca	aataataagt	ttcagtagaa	5640
acccaaaaaa	aaaa					5654

<210> 332

<211> 283

<212> DNA

<213> Homo sapiens

<400> 332

ggagccaccg	cgccccccgc	caaatttaga	ctttttgagc	tctgtgcgtt	gtgcctttca	60
acacttttca	caatggattt	tctgcttctt	gataaggaag	gcacccttga	tcctgtcatg	120
gattcattta	gcacacattg	gaccacgata	ggccctgctg	acatgttttt	ttcattgtag	180
acagcattat	aagaacttta	aatctcacgg	cacaaacccc	tcgaagtctg	tctgggcaca	240
tgccacatgc	caatcttgtg	cctttcccaa	ccttcttggg	tgg		283

<210> 333

<211> 1759

<212> DNA

<213> Homo sapiens

<400> 333

gacccgcctt	gcggaattcg	gcacgagggga	cccctgtgcc	caggctccgt	gcgagcagca	60
gtgtgagccc	ggtgggccc	aaggctacag	ctgccactgt	cgcctgggtt	tccggccagc	120
ggaggatgat	ccgcaccgct	gtgtggacac	agatgagtgc	cagattgccg	gtgtgtgcca	180
gcagatgtgt	gtcaactacg	ttggtggcct	cgagtgttat	tgtagcgagg	gacatgagct	240
ggaggctgat	ggcatcagct	gcagccctgc	agggggccatg	ggtgccccagg	cttcccagga	300
cctcggagat	gagttgctgg	atgacgggga	ggatgaggaa	gatgaagacg	aggcctggaa	360
ggccttcaac	ggtggctgga	cggagatgcc	tgggacctg	tggatggagc	ctacgcagcc	420
gcctgacttt	gccctggcct	atagaccgag	cttcccagag	gacagagagc	cacagatacc	480
ctaccgggag	cccacctggc	cacccccgct	cagtgcctcc	agggtccctt	accactcctc	540
agtgtctctc	gtcacccggc	ctgtggtggt	ctctgccacg	catcccacac	tgccttctgc	600
ccaccagcct	cctgtgatcc	ctgccacaca	cccagctttg	tcccgtgacc	accagatccc	660
cgtgatcgca	gccaaactatc	cagatctgcc	ttctgectac	caaccgggta	ttctctctgt	720
ctctcatcca	gcacagcctc	ctgcccacca	gccccctatg	atctcaacca	aatatccgga	780
gctcttccct	gccaccaggt	cccccatggt	tccagacacc	cgggtcgtctg	gcaccagac	840
caccactcat	ttgcctggaa	tcccacctaa	ctgtgccctt	ctggtcacca	ccctcgggtgc	900
ccagctaccc	cctcaagccc	cagatgccct	tgtcctcaga	accaggcca	ccagcttcc	960
cattatccca	actgccccagc	cctctctgac	caccacctcc	agggtccctg	tgtctcctgc	1020
ccatcaaate	tctgtgcttg	ctgccaccca	gcccgcagcc	ctccccaccc	tectgccctc	1080
tcagagcccc	actaaccaga	cctcacccat	cagccctaca	catccccatt	ccaaagcccc	1140
ccaaatccca	aggggaagatg	gccccagctc	caagttggcc	ctgtggctgc	cctcaccagc	1200
tcccacagca	gcccacaacag	ccctggggga	ggctgggtctt	gccgagcaca	gccagaggga	1260
tgaccgggtg	ctgctgggtg	cactcctggt	gccaacgtgt	gtcttttttg	tggctcctgt	1320
tgcactgggc	atcgtgtact	gcacccgctg	tggcccccat	gcacccaaca	agcgcatacc	1380
tgactgclat	cgctgggtca	tccatgctgg	gagcaagagc	ccaacagaac	ccatgcccc	1440
caggggcagc	ctcacagggg	tgcagacctg	cagaaccagc	gtgtgatggg	gtgcagaccc	1500
ccctcatgga	gtatggggcg	ctggacacat	ggccggggct	gcaccaggga	cccatggggg	1560
ctgcccagct	ggacagatgg	cttctctgtc	cccaggccca	gccagggtcc	tctctcaacc	1620
actagacttg	gctctcagga	actctgcttc	ctggcccagc	gctcgtgacc	aaggatacac	1680
caaagccctt	aagacctcag	ggggcggggtg	ctgggggtctt	ctccaataaa	tgggggtgtca	1740
accttaccca	aaaaaaaaa					1759

<210> 334

<211> 2852

<212> DNA

<213> Homo sapiens

<400> 334

ctacgagtag	gtcggcgccc	gcacctcccc	gcaccgccc	cgtgcgcgc	ccggaggagc	60
gaccgcgcga	gttctcagac	tccagctgca	ttccctccgc	gtccgcccc	cgttctctcc	120
gctccggggc	ccgcaatggc	ccaggcagtg	tggtcgcgc	tccgcccagc	cctctggctt	180
gcctgcctcc	tgccttgggc	cccggcaggg	gtggccgcag	gcctgtatga	actcaatctc	240
accaccgata	gccctgccac	cacgggagcg	gtggtgacca	tctcggccag	cctggtggcc	300
aaggacaacg	gcagcctggc	cctgcccgtc	gacgccacc	tctaccgctt	ccactggatc	360
cacaccccg	tgggtgcttac	tggcaagatg	gagaagggtc	tcagctccac	catcctgtgt	420
gtcggccaag	tgcgcgggga	attcccggtc	tctgtctggg	tactgcgcgc	tgactgctgg	480
atgtgccagc	ctgtggccag	gggtttgtg	gtcctcccca	tcacagagtt	cctcgtgggg	540
gaccttggtg	tcacccagaa	cacttcccta	ccctggccca	gctcctatct	cactaagacc	600
gtcctgaaag	tctccttcc	cctccacgac	ccgagcaact	tctcaagac	cgccttggtt	660
ctctacagct	gggacttccg	ggacgggacc	cagatggtga	ctgaagactc	cgtggtctat	720
tataactatt	ccatcatcgg	gaccttcacc	gtgaagctca	aagtgggtgg	ggagtgggaa	780
gaggtggagc	cggatgccac	gagggctgtg	aagcagaaga	ccggggactt	ctccgcctcg	840
ctgaagctgc	aggaaacct	tcgaggcatc	caagtgttgg	ggcccacctt	aattcagacc	900
ttccaaaaga	tgaccgtgac	cttgaacttc	ctggggagcc	ctcctctgac	tgtgtgctgg	960
cgtctcaagc	ctgagtgcct	cccgtctggg	gaagggaggt	gccacctgtg	gtccgtggcc	1020
agcacagcgt	acaacctgac	ccacaccttc	agggaccttg	gggactactg	cttcagcatc	1080
cgggcccaga	atatcatcag	caagacacat	cagtaccaca	agatccaggt	gtggccctcc	1140

agaatccagc	cggtctgtctt	tgctttccca	tgtgctacac	ttatcactgt	gatgttggcc	1200
ttcatcatgt	acatgacctt	gcggaatgcc	actcagcaaa	aggacatggt	ggagaacccg	1260
gagccacctt	ctgggggtcag	gtgctgctgc	cagatgtgct	gtgggccttt	cttgctggag	1320
actccatctg	agtacctgga	aattgttctg	gagaaccacg	ggctgtctcc	gcccccttat	1380
aagtctgtca	aaacttacac	cgtgtgagca	ctccccctcc	ccaccccatc	tcaagtgttaa	1440
ctgactgctg	acttggagtt	tccagcaggg	tggtgtgcac	caactgaccag	gaggggttca	1500
tttgctgagg	gctgttggcc	tggatcatcc	atccatctgt	acagttcagc	caactgccaca	1560
agccccctcc	tctctgtcac	ccctgacccc	agccattcac	ccatctgtac	agtccagcca	1620
ctgacataag	ccccactcgg	ttaccacccc	cttgaccccc	tacctttgaa	gaggcttctgt	1680
gcaggacttt	gatgcttggg	gtgttccgtg	ttgactccca	ggtgggcctg	gctgcccact	1740
gcccattcct	ctcatattgg	cacatctgct	gtccattggg	ggttctcagt	ttcctcccc	1800
agacagccct	acctgtgcca	gagagctaga	aagaagggtca	taaagggtta	aaaatccata	1860
actaaagggt	gtacacatag	atgggcacac	tcacagagag	aagtgtgcat	gtacacacac	1920
cacacacaca	cacacacaca	cacacagaga	aatataaaca	catgcgtcac	atgggcattt	1980
cagatgatca	gctctgtatc	tgggttaagtc	ggttgctggg	atgcacctg	caactagagct	2040
gaaaggaaat	ttgacctcca	agcagccctg	acaggttctg	ggcccgggcc	ctccctttgt	2100
gctttgtctc	tgcagttctt	gcgcccctta	taaggccatc	ctagtccctg	ctggctggca	2160
gggggctgga	tggggggcag	gactaatact	gagtgttgc	agagtgtctt	ataaatatca	2220
ccttatttta	tcgaaaccca	tctgtgaaac	tttcaactgag	gaaaaggcct	tgcagcggta	2280
gaagagggtt	agtcaaggcc	gggcgcggtg	gtcacgcct	gtaatcccag	caactttggga	2340
ggccgaggcg	ggtggatcac	gagatcagga	gatcagagac	accctggcta	acaagggtgaa	2400
accccgctct	tactaaaaaa	atacaaaaag	ttagccgggc	gtggtggtgg	gtgcctgtag	2460
tcccagctac	tccggaggct	gaggcaggag	aatggtgcga	accggggagg	cggagcttgc	2520
agtgagecca	gatggcgcca	ctgcactcca	gcctgagtga	cagagcgaga	ctctgtctcc	2580
aaaaaaaaaa	aggccggggc	cgggtggctca	cgcttgtaat	cccagcactt	tgggaggccg	2640
aggcggggcg	atcacgaggt	caggagatcg	agaccatcct	ggctaacacg	gtgaaacccc	2700
gtctctacta	aaaatacaaa	aaaaattagc	cgggcgtgat	ggtgggcgcc	tgtagtccca	2760
tctactcggg	aggctgaggc	aggagaatgg	cgtgaacccg	ggaggtggag	gttgcaagtga	2820
gccgagattg	cgcactgca	ctcccgctcg	gg			2852

<210> 335

<211> 865

<212> DNA

<213> Homo sapiens

<400> 335

gtcgtggaat	tgccttcca	gctgtcttct	gtgagtgtct	gcctgacagt	ttcctttggc	60
tggcagctag	gcactgtgtc	ttcctgtctc	tctagggact	ggttcttgaa	gggaaacctc	120
ctcatcatca	tcgtcagtgt	gttaatcatc	ctgccccctg	ccctcatgaa	acacttgggc	180
tacctggggg	acaccagtgg	tctctctctg	acctgcatgc	tgtttttctt	tgtttcggtc	240
atctacaaga	agttccaact	tggctgtgct	ataggccaca	atgaaacagc	aatggagagt	300
gaagctctcg	tgggactccc	cagccaagga	ctcaacagca	gctgtgaggc	ccagatgttc	360
acagttgact	cacagatgtc	ctacacagtg	cccattatgg	cttttgcttt	tgtctgccac	420
cctgagggtg	tgcccattca	tacggagctc	tgcggccct	ccaagcgag	gatgcaggcc	480
gtggccaacg	tgtccattgg	ggccatgttc	tgcagtgtatg	ggctcacagc	aacctttgga	540
tacctcacct	tctacagcag	tgtgaaggcg	gagatgctgc	acatgtacag	ccagaaggac	600
ccgctcatcc	tctgtgtgcg	cctggccgtg	ctgctcgcg	gtgacctca	ctgtgccagt	660
cgtgctgttc	cctatccgcc	gggcccgtca	gcagctgctt	ttcccaggca	aggccttcag	720
ctggccacga	catgtggcca	tagctctgat	cctgcttgtt	ttgggtcaatg	tcttctgcat	780
ctgtgtgcca	accatccggg	atatcttttg	agttatcggg	tccacctcag	cccccagcct	840
catcttcac	ctccccagct	gtatt				865

<210> 336
 <211> 1126
 <212> DNA
 <213> Homo sapiens

<400> 336

gtggcgccgg	gagcaaaagc	agcatgatgc	agctcatgca	cctggagtc	ttttatgaaa	60
aaacctctc	ctgggcttat	caaggaagat	gacactaagc	cagaagactg	cataccagat	120
gtaccaggca	atgaacatgc	cagggaaattt	ctggctcaca	caccaactaa	aggacttttg	180
atgccactgg	agaaagaagt	caaagttaag	cacttacttt	tcattggatt	gcttcataat	240
ttcttgggtga	tggaaaattc	attcctaaag	caacaagatt	aaaggatggt	tgggtaagca	300
attagttttac	ctgtcttttc	tgggacctta	cacggttcat	ccatgattgc	atctcactaa	360
agaattggag	tttaatgaat	aaaaacttta	atataatcta	ctgattcttt	atctcactaa	420
ggtgaaacac	tcttatctta	cagaaatatt	tccccttttc	tttgctttta	ggttggcatt	480
gcaaatggta	cggtcaccga	acaggctaca	agaatgccc	tttctttatc	aaagacaacc	540
aaaagttaca	acagttcaga	gtagcacatg	aggatttcat	gtatgacatc	atagcagaca	600
ataaacaaca	tgaaaagaat	gtaaggatac	agcagttaaa	acagttactg	gaggattcta	660
cctcaggtga	agataggagc	agctccagtt	cctctgaagg	taaagagaaa	cacaagaaaa	720
agaagaagaa	agaaaagcat	aagaaaagga	agaaagaaaa	gaaaaagaag	aaaaaacgga	780
agcacaatc	ttccaagtca	aatgagggtt	ctgactcaga	gtgacaagga	tgtgacttgt	840
tcaacattct	cttctcaaac	actgaccaag	gaacagagga	agatgcagtc	agagaaagca	900
gcaggataga	gacgccgaga	gaggagtata	tgtgggtcac	agcagtgagc	tcccaccgc	960
cttgcaagtga	agatgtgacc	ccaggagagg	gagtgctctc	ttccaggtgc	tagctctgga	1020
cagcagctga	tttttaggcag	gaaagtttct	tcacgttgtt	cctccctgct	ggtcacatga	1080
gtttacgatt	cctttgaagt	gtctcccaca	gggtggcagg	actggg		1126

<210> 337
 <211> 4280
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1) ... (4280)
 <223> n = a, t, c or g

<400> 337

aagaaattgc	aggtgctgca	gcagagaaca	tgttaggcag	tttgctgtgc	ctcccaggtt	60
cagggtcagt	gcttcttgac	ccctgcactg	gttctaccat	atcagagaca	acaagtgaag	120
cttgaggtgt	agaggtattg	ccaagtgact	cagaggcccc	agacctaaag	caggaggagc	180
gtctgcaaga	actggagagc	tgttctggac	tgggtagcac	atctgatgat	acggatgtca	240
gggaggtcag	ttcccgcgcc	agcacaccag	gcctcagtgt	tgtgtccggc	ataagtgcaa	300
cctctgagga	tattcccaat	aagattgaag	acctgagatc	tgagtgcagc	tctgattttg	360
ggggtaaaga	ttctgtcact	agtccagaca	tggatgaaat	aactcacgat	tttctttata	420
tacttcagcc	aaaacaacat	tttcaacaca	ttgaagcaga	agcagacatg	agaatccagc	480
tgtcttctag	tgccaccagc	ctgacctctc	ctccttctca	gtcagagtct	ctgctggcca	540
tgtttgatcc	actgtcttca	catgaagggg	cttctgctgt	ggtaaggcca	aaggttcact	600
atgctaggcc	atcgcatcca	ccaccagatc	ccccaatcct	ggaaggagct	gtgggaggaa	660
atgaggccag	gttgccaaac	tttggttccc	ccatgtttta	actcccagct	gaaatggagg	720
cattcaagca	aaggcattcc	ttacccctga	gagactagtt	cgaagcagga	gctctgaata	780
tagtatcttc	tgtccggaga	cccatgagtg	accccagctg	gaaccggcgt	cccaggaaat	840
gaagagcgag	aactccctcc	agctgcagcc	attgggtgcta	cttcttttgt	ggctgcacct	900

cattcatcat	cttcatcccc	gagtaaggac	tcctcaagag	gagagactga	agaacgcaaa	960
gatagcgatg	atgagaaatc	agacaggaac	agaccttggg	ggagaaaacg	ttttgtttca	1020
gccatgccta	aagctcctat	accatttaga	aagaaagaaa	aacaagaaaa	agacaaagat	1080
gatctggggc	ctgacagatt	ctcaacactc	acagatgata	ccagccctag	actcagtgca	1140
caagctcagg	tggctgagga	tattctggac	aaatacagga	atgccattaa	acggaccagc	1200
cccagtgatg	gagcaatggc	aaactatgaa	agtacagagg	ttatgggtga	tggtgaaagt	1260
gcacatgatt	ctccccgtga	cgaagcactg	cagaacatct	cggctgatga	tctcccagac	1320
tctgcaagcc	aagcagccca	cccgcaggat	tcagctttct	cttacagaga	tgcaaaaaag	1380
aaactgaggc	ttgctctttg	ctctgcggac	tctgttgcc	tcccagtgct	gacccattc	1440
aacaagggaat	ggttttaccag	accacacaga	cccagaagac	aatgaaattg	tatgcttctt	1500
aaaagttcaa	atagctgaag	caattaattt	acaagataag	aatctaattg	ctcaacttca	1560
agaaacaatg	cgctgtgtgt	gccgttttga	taataggact	tgtaggaaac	tgctggcttc	1620
gattgctgag	gactacagaa	aaagagcccc	atatattgct	tatctcactc	gttgctcgaca	1680
aggactacag	accacacagg	ctcacctgga	aaggctattg	caaagagttt	tgccgggacaa	1740
agaagtggcc	aatcgatact	ttaccactgt	ctgtgtgaga	ttactgcttg	agagcaaaaga	1800
aaagaagatc	aggggaattca	ttcaagactt	tcagaaaactc	accgcagctg	acgataaaaac	1860
tgtcaggta	gaagattttc	tgcagtttct	ttatgggtgca	atggcccagg	atgtcatatg	1920
gcaaaacgcg	agtgaagaac	agcttcaaga	tgacacagctg	gccattgagc	gaagcgtgat	1980
gaaccggatt	ttcaagctcg	ccttctaccc	taatcaagat	ggggacatac	ttccgcagcca	2040
ggttcttcat	gaacatatcc	agagattgtc	taagtagtg	actgcaaatc	acagagctct	2100
tcagatacca	gaggtttatc	ttcgagaagc	accatggcca	tctgcacaat	cagaaatcag	2160
gacaataagt	gcttataaaa	ccccccggga	caaagtgcag	tgcatcctga	gaatgtgctc	2220
tacgattatg	aacctcctga	gcttgcccaa	tgaggactct	gtccctggag	cggatgactt	2280
tgttctgtg	ttgggtgttg	tggtgataaa	ggcaaatcca	ccctgtttgc	tgtctactgt	2340
gcagtatata	agtagctttt	atgctagctg	tctgtctgga	gaggagtcct	attgggtggat	2400
gcagttcaca	gcagcagtag	aattcattaa	aaccatcgat	gaccgaaagt	gaccaagacc	2460
aaggccccc	aaggcagcag	actgttaate	agacaaaacag	atctctgaga	aggtgcatca	2520
gctgctttga	aggetgaaga	ttgttttcta	tgatactgca	cagcatcagg	cattttaaag	2580
catatcttta	ctaaacaggt	taatgagcta	acaagcaggt	tctctogtct	ttgggctctt	2640
tcctttctga	gttgcatatt	ctattttctt	gtccccaagt	agagactagt	actacaaaaa	2700
gggaccacat	ttttcaagta	tttctaagta	taaaaaaaca	aacaaaaatc	tcttaggaaa	2760
tgtctagacc	tccattcttg	gattcccttt	ctttctcttt	attttaaaaa	agaacagtac	2820
ccctctttta	agatgctgtc	ttacattaat	gagcatctaa	tggaagaag	gtatgagttg	2880
cactgaggat	tagaatagtg	gtgcgttagt	ggcattatct	ataaatacac	tcacctaaat	2940
tgaaagctaa	gaaggaaatg	taaatataat	atatatttat	atttgatgta	atatggacat	3000
ctgcagatte	taataaaca	ggactattgc	tgatagtagg	ctgtgacata	ctgtcttggt	3060
aaatggtttc	cttgacaaaa	tttaagctga	gcttaaaagc	aaaaaaaca	aaagtacaca	3120
gaaatattta	ttaaaatgta	atacagttta	ttgaactttc	taggtatgga	gtttgatgga	3180
cagggctgcc	tttaatgagt	gtgaaggcta	ctaagtcact	tagacatctc	accgtggaag	3240
tttgtgagcc	tgcattagga	gatagactga	ttaccataca	tgacataaaa	aggaacagtg	3300
gatagctcat	actttatggt	ggttcttctc	ctccgaaata	atatactgca	gaaatcccag	3360
acagagctcc	ttacaaaact	ttaattgtta	tatatttttg	atgattattc	acattgaatg	3420
cacagaccaa	gaattcagtg	aatgtcattt	tttaaaaaac	taattttgat	tgtctgctct	3480
agtatacaaa	gttttactag	tgataaacta	ttttaatcaa	ccatactatt	cttatggaaa	3540
aaaatatcta	ttttggcagg	tttctgtgcc	tttattttccc	tcttctgaaa	aaaagtctgt	3600
gttttcatag	tttgggtttgc	attgtatata	aataattaat	caggaatggg	ttttgggtgcc	3660
tgaaaaattg	gccatggagg	cacaccaaag	cttcaagcac	aagtcttgta	catggggccat	3720
cactgtcttg	tttcaacttcg	tgtgttttct	aaacacattt	agctgctttt	ttaacaaact	3780
cagccccata	cttgagtccc	ttgttggttg	gagcatttcc	aggcatcttt	taagggaact	3840
gtgacaaaaca	gcctcgggca	gatgaacacg	gaggctctct	gttgtctgtc	tctgagatct	3900
ttgtgtctgg	gaatgcctaa	agattttatt	tttttttctt	tgggtttatt	ttattttatt	3960
ttattttttt	gagacagagt	ctcacctgt	tgccaggct	ggagtgcatt	ggtgcgatct	4020
tggctcactg	caacctccac	ctcccagttc	aagtgattcc	cctgcctcag	cctcccaggt	4080
agctagggac	tacaggcgca	tgtcacccaa	gcccggctaa	atttttgat	ttttagtagg	4140
aaacgggggt	tttcaccatg	ttgggcccag	gtggatctct	aatctctga	acctcgtgga	4200
tcaccccgc	ttngggcttc	caaagtgcc	gggatttaca	agcgtggaac	cacctgnccc	4260
agccagaaat	taggattttt					4280

<212> DNA

<213> Homo sapiens

<400> 338

tggccatctt	tactgtgggc	tgaagcctgt	gcgcttactc	gcgcatgtgc	aagccttccc	60
tcgctttcct	cttccaagta	gccttgcta	gagcggagcc	tcccgcgcca	tttctgtgcg	120
cctgcgtagc	gtgacctgc	gcagcctggg	aggcgggtct	tagctccagg	tgcgtagcgc	180
atctgacttg	acgtggccca	caactgaaag	gtctggggag	aaggcgccgt	gtccgggtgt	240
ggagaggggc	gtcgtggaag	cgagaagagt	ggcccgtccc	tctcctcccc	ctttccctct	300
ttcggaaagt	ggtttctgcg	gggcccggga	gcctcggagt	accgaacctc	gatctccggg	360
gcggggctct	tgggtggggac	tgagcgcccc	ctcccgggga	cgggcgggtct	ggcgcgggag	420
tcccctgcgg	gagcgtgatt	ggctggaaac	ggtcccgaac	ccccagggga	gcccgatccc	480
tgggggaccc	tggcttcgga	ctccagtatc	tgctcgtcga	gggtccctgc	cctagtggcc	540
tatgtccctt	gctcggggcc	atggagacac	tgcgccagct	acggcgccgc	ctctgtctga	600
agaaggggaa	gtgacctccg	gcctccaggc	tctggccgtg	gaggataccg	gaggccccctc	660
tgcctcggcc	ggttaaggccg	aggacgaggg	ggaaggaggc	cgagaggaga	ccgagcgtga	720
gggggtccgg	ggcgaggagg	cgcagggaga	agtcgccagc	gctgggggag	aagagcctgc	780
cgaggaggac	tccgaggact	ggtgcgtgcc	ctgcagcgac	gaggaggtgg	agctgctgc	840
ggatgggcag	ccctgggatgc	ccccgcctc	cgaaatccag	cggctctatg	aactgctggc	900
tgcccacggg	actctggagc	tgcaagccga	gacccctgcc	cgcggcctc	ccacgcggga	960
ggcccagagc	gaagaggaga	gacccgatga	ggagccggag	gccaaagaag	aggaagagga	1020
aaaaccacac	atgccacagg	aatttgattt	tgatgatgag	ccagtgcac	caaaggactc	1080
cctgattgac	cggagacgca	ccccaggaag	ctcagcccgg	agccagaaac	gggaggcccg	1140
cctggacaag	gtgctgtcgg	acatgaagag	acacaagaag	ctggaggagc	agatccctcg	1200
taccgggagg	gacctcttca	gcctggactc	ggaggacccc	agccccgcca	gccccccact	1260
ccgatccctc	gggagtagtc	tcttccctcg	gcagcggaaa	tactgattcc	cactgctcct	1320
gacctctagg	tgcagtgtcc	gtacctgctg	gagcctgggc	cctccttccc	cagcccagac	1380
attgagaaac	ttgggaagaa	gagagaaacc	tcaagctccc	aaacagcacg	ttgcgggaaa	1440
gaggaagaga	gagtgtgagt	gtgtgtgtgt	gttttttcta	ttgaacacct	gtagagtgtg	1500
tgtgtgtgtt	ttctattgaa	cacctataga	gagagtgtgt	gtgttttcta	ttgaacatct	1560
atatagagag	agtgtgtgag	tgtgtgtttt	ctattgaaca	cctattcaga	gacctggact	1620
gaattttctg	agtctgaaat	aaaagatgca	gagctatcat	ctcttaaaag	gaggggctgt	1680
agctgtagct	caacagttag	gccccacttg	aaggagaggg	cagaattgta	ctcaccagga	1740
ttggaaaatg	aaagccagat	gggtagaggt	gcctcagttt	agcacctgtc	ccatct	1796

<210> 339

<211> 1771

<212> DNA

<213> Homo sapiens

<400> 339

cttgggcccga	gggacgtttg	ggcaagtggg	ttagtgctgg	aaacggggga	ccaatgagat	60
cgtagccatc	aagatcctga	agaaccaccc	atcctatgcc	cgacaagggtc	agattgaagt	120
gagcatcctg	gcccggttga	gcacggagag	tgccgatgac	tataacttcg	tccgggacct	180
cgaatgcttc	cagcacaaga	accacacgtg	cttgggtcttc	gagatgttgg	agcagaacct	240
ctatgacttt	ctgaagcaaa	acaagtttag	ccccttgccc	ctcaaataca	ttcgcccagt	300
tctccagcag	gtagccacag	ccctgatgaa	actcaaaagc	ctaggtctta	tccacgctga	360
cctcaaacca	gaaaacatca	tgctgggtgga	tccatctaga	caaccataca	gagtcaaggt	420
catcgacttt	ggttcagcca	gccacgtctc	caaggctgtg	tgctccacct	acttgacgtc	480
cagatattac	agggcccctg	agatcatcct	tggtttacca	ttttgtgagg	caattgacat	540
gtgggtccctg	ggctgtgtta	ttgcagaatt	gttcctgggt	tggccgttat	atccaggagc	600
ttctgagtat	gatcagattc	gtatatattca	caaacacagg	gtttgcctgc	tgaatattta	660

ttaagcgccg	ggacaaagac	aactaggttt	ttcaaccgtg	acacggactc	accatatacct	720
ttgtggagac	tgaagacacc	agatgaccat	gaagcagaga	cagggattaa	gtcaaaagaa	780
gcaagaaagt	acattttcaa	ctgttttagat	gatatggccc	aggtgaacat	gacgacagat	840
ttggaaggga	gcgacatgtt	ggtagaaaag	gctgtccggc	gggagttcat	tgacctgttg	900
aagaagatgc	tgteccattga	ttctgtcaag	agattctctc	cagtcggatc	cctgaaccat	960
ccctttgtca	ccatgtcact	ctttctcgat	tttccccaca	gcacacacgt	caaatcatgt	1020
ttccagaaca	tggagatctg	caagcgtcgg	gtgaatatgt	atgacacggg	gaaccagagc	1080
aaaacccctt	tcatcacgca	cgtggccccc	agcacgtcca	ccaacctgac	catgaccttt	1140
aacaaccagc	tgaccactgt	ccacaaccag	ccctcagcgg	catccatggc	tgcagtggcc	1200
cagcggagca	tgccccctgca	gacaggaaca	gcccagattt	gtgcccggcc	tgacctgttc	1260
cagcaagctc	tcatcgtgtg	tccccccggc	ttccaaggct	tgcaggcctc	tccctctaag	1320
cacgctggct	actcgggtgcg	aatggaaaat	gcagttccca	tcgtcactca	agccccagga	1380
gctcagcctc	ttcagatcca	accagggtctg	cttgcccagc	aggcttggcc	aagtgggacc	1440
cagcagatcc	tgcttcccc	agcatggcag	caactgactg	gagtggccac	ccacacatca	1500
gtgcagcatg	ccgccgtgat	tcccagagacc	atggcaggca	cccagcagct	ggcggactgg	1560
agaaatacgc	atgctcacgg	aagccattat	aatcccatca	tgcagcagcc	tgcactattg	1620
accggtcatg	tgacccttcc	agcagcacag	cccttaaagt	tgggtgtggc	ccacgtgatg	1680
cggcagcagc	caaccagcac	cacctctctc	cggaaagata	agcagcacct	gtattgcggc	1740
cgcgctagag	tatccaagat	tgogtctcgc	t			1771

<210> 340

<211> 2725

<212> DNA

<213> Homo sapiens

<400> 340

ggaattcgct	atatgccgct	atcctctggg	catgtcagga	ggccagattc	cagatgagga	60
catcacagct	tccagtcagt	ggtcagagtc	cacagctgcc	aaatatggaa	ggctggactc	120
agaagaaggg	gatggagcct	ggcgccctga	gattccagtg	gaacctgatg	acctgaagga	180
gtttctgcag	attgacttgc	acaccctcca	ttttatcact	ctggtgggga	cccaggggcg	240
ccatgcagga	ggatcatggca	tcgagtttgc	ccccatgtac	aagatcaatt	acagtcggga	300
tggcactcgc	tggatctctt	ggcggaaccg	tcatgggaaa	caggtgctgg	atggaaatag	360
taacccttat	gacattttcc	taaaggactt	ggagccgccc	attgtagcca	gatttgtccg	420
gttcattcca	gtcaccgacc	actccatgaa	tgtgtgtatg	agagtggagc	tttacggctg	480
tgtctggcta	gatggcttgg	tgtcttacia	tgtctccagct	gggcagcagt	ttgtactccc	540
tggaggttcc	atcattttatc	tgaatgatcc	tgtctatgat	ggagctgttg	gatacagcat	600
gacagaaggg	ctaggccaat	tgaccgatgg	tgtgtctggc	ctggacgatt	tcaccagac	660
ccatgaatac	cacgtgtggc	ccggctatga	ctatgtgggc	tggcggaacg	agagtgccac	720
caatggctac	attgagatca	tgtttgaatt	tgaccgcac	aggaatttca	ctaccatgaa	780
gggtccactgc	aacaacatgt	ttgctaaagg	tgtgaagatc	tttaaggagg	tacagtgcta	840
cttccgctct	gaagccagtg	agtgggaacc	taatgccatt	tccttcccc	ttgtcctgga	900
tgaogtcaac	cccagtgtctc	ggtttgtcac	gggtgcctctc	caccaccgaa	tggccagtg	960
catcaagtgt	caataccatt	ttgcagatac	ctggatgatg	ttcagtgaga	tcaccttcca	1020
atcagatgct	gcaatgtaca	acaactctga	agccctgccc	acctctccta	tggcaccac	1080
aacctatgat	ccaatgctta	aagttgatga	cagcaacact	cggtacctga	ttggtctgct	1140
ggtggccatc	atcttttatcc	tcctggccat	cattgtcacc	atcctctgga	ggcagttctg	1200
gcagaaaatg	ctggagaagg	cttctcggag	gatgctggat	gatgaaatga	cagtcagcct	1260
ttccctgcc	agtgattcta	gcatgttcaa	caataaccgc	tcctcatcac	ctagtgaaca	1320
aggggtccaa	tcgacttacg	atcgcatctt	tccctctcgc	cctgactacc	aggagccatc	1380
cagggtgata	cgaaaactcc	cagaatttgc	tccaggggag	gaggagtcag	gctgcagcgg	1440
tgttgtgaag	ccagtccagc	ccagtggccc	tgaggggggtg	ccccactatg	cagaggctga	1500
catagtgaac	ctccaaggag	tgacaggagg	caacacatac	tcagtgcctg	ccgtcaccat	1560
ggacctgtct	tcaggggaaa	gatgtggctg	tgggaggggag	tttccccccag	ggaaactcct	1620
aactttcaaa	gagaagctgg	gagaaggaca	gtttgggggag	gttcatctct	gtgaagtggg	1680
gggaatggaa	aaattcaaag	acaaagattt	tgccttagat	gtcagtgcca	accagcctgt	1740
cctggtggct	gtgaaaatgc	tccgagcaga	tgccaacaag	aatgccagga	atgattttct	1800

taaggagata	aagatcatgt	ctcgggtcaa	ggacccaaac	atcatccatc	tattatctgt	1860
gtgtatcaact	gatgaccctc	tctgtatgat	cactgaatac	atggagaatg	gagatctcaa	1920
tcagtttctt	ccccgccacg	agccccctaa	ttcttcctcc	agcgatgtac	gcactgtcag	1980
ttacaccaat	ctgaagttta	tggctaccca	aattgcctct	ggcatgaagt	acctttcctc	2040
tcttaatttt	gttcaccgag	atctggccac	acgaaactgt	ttagtgggta	agaactacac	2100
aatcaagata	gctgactttg	gaatgagcag	gaacctgtac	agtgggtgact	attaccggat	2160
ccagggccgg	gcagtgtctc	ctatccgctg	gatgtcttgg	gagagtatct	tgctgggcaa	2220
gttcactaca	gcaagtgatg	tgtgggcctt	tgggggttac	tttgtgggaa	aactttcacc	2280
ttttgtcaaa	gaaaaggccc	ctattcccca	gctgtccaga	tgaaacaggt	tattgaagaa	2340
atactggaga	gttcttcccg	agacccaagg	gagggcagac	ttacctcccc	tcaaccagcc	2400
catttgctcc	tgactcctgt	gtaataaagc	tgatgctcag	ctgctggaga	agagatacga	2460
agaaccgtcc	ctcattccaa	gaaatccacc	ttctgtcctc	tcaacaaggc	gacgagcgat	2520
gctgtcagtg	cctggccatg	ttcctacggc	tcaggtcctc	cctacaagac	ctaccactca	2580
cccatgcta	tgccactcca	tctggacatt	taatgaaact	gagagacaga	ggcttggttg	2640
ctttgcctc	ttttcctggt	cacccccact	ccctaccctc	gactcatata	tacttttttt	2700
tttttacatt	aaagaactaa	aaaaa				2725

<210> 341

<211> 916

<212> DNA

<213> Homo sapiens

<400> 341

cgccaggga	gcactgcccc	caggccgagc	cggggcctcc	cgcaagagga	aggaggtgcc	60
ctcaaggcta	cggacctggg	gtcccgggtg	tggacgcccc	atggggctca	ggcctaaaga	120
ggccgagagg	gcctcgggga	cccagtgcac	gccccacgct	gagcagcaca	ggctgcccc	180
ccgtgggctc	ccgatctct	ctctggatca	ccgagacctc	gcagggaggg	tcatcagggg	240
cgccaggccc	agggccacca	cagtgggaagg	tctccccctc	cccaggcacg	taatcttcca	300
ggtcagccag	tgtcagcatg	cggccgttgt	gcgtgaggat	cttgggggtca	cgatccccaa	360
ggctgtgtgt	gtcctgggac	tcctccgtca	caaaggcgct	tccgtcttcc	ccctcttctc	420
ctcccgctc	ctccatgggt	ccctcctcct	ccaggctgcc	catgccagaa	gcagcccagt	480
ccacactgcc	tctggcatcc	acgcggaaga	caaggggctc	tctgacgccg	accatggctg	540
tgccttgggc	ccaggcctcc	tggggccagca	gcttggttgt	ggagtgtgtg	gaattggggg	600
cccctccggg	ggtcgcaccg	ggcagtgtga	agagatgccc	cgatgagctc	ctgggcacct	660
ctgtgggtgg	agacacaccc	tgcgggcccc	tcttcttcac	ccggacttca	atggtctcct	720
ccacctccac	ccacttgggc	tggggccccg	agagtcgggg	cagagctgga	gagtgggcct	780
cggcctccgt	cacatacagt	gtgggcacca	cgggcttctg	gcctggttct	gcctccggcc	840
tgcggggctg	gccagcacct	ggcaggtaca	gcaggtcggg	ggccagtagg	cctggcctca	900
gcggggctgg	agagca					916

<210> 342

<211> 860

<212> DNA

<213> Homo sapiens

<400> 342

caagatcccc	acaggcttaa	tcgctccctt	aaggaaaaag	ttattccttg	catccgcggg	60
aaacttgggc	ccccccaagg	atcctttaa	cgggcgcgcc	cttttttttt	ttttcaattt	120

cttcaacagg	tcatgttcaa	tttcttcaaa	gttttaacat	aaaaataatg	agagccagga	180
gtggggcg	ggcctggggg	gacgaaggtg	gtatgtgaaa	caaggttggc	acacaggcct	240
cacctctctc	tgcctcagat	tcccaagtgg	gcaggtgggg	gtgaatgggg	ctccgggtag	300
cacctcagct	cctctcagct	cccctcagcc	tgttctcctt	ccagaccag	agagctgaga	360
agagtagctg	tgaggctcag	ggcagaggct	ctctgccttt	caggaacagc	ccttaaccct	420
gctccccctg	cttgggcctc	aggaaggtgc	cgcgagctct	cctgccgtcc	ctgggccgcc	480
ctggctctgc	tgtgtccaga	tggtcaggct	actgccagct	ggggccttgc	tgtctgaag	540
tcccaggaag	ccaggggtct	gcaggagcct	cttgccctca	ggctggttgg	ggaagacgtc	600
ctccaggaag	tagtagatat	ggcccaccgc	aatccccagc	aggtccacga	ggatggagtt	660
gccagcagc	agcgagaagc	ccatgagcgc	ccaaggcagg	aacggtgcct	ggaacttccg	720
gaacacaagg	tgcggttga	agtagagttg	aaaggggctg	aggagctcca	gctgcaccgc	780
ggcggtggtg	aggacacagg	ctgcggtgta	agcccgctgc	accgccggca	cctgcaggaa	840
ctcgcccgct	agtccctgcc					860

<210> 343

<211> 3658

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(3658)

<223> n = a,t,c or g

<400> 343

tttttttttt	tttaagatag	aaatctatgc	actttaatga	ttgccagaat	tgcccagcat	60
agcttcagta	aaatagagaa	ttgtctagaa	aatacaatct	ccaaaatgtg	tgcaagtact	120
gcaaaccgga	cagaccgggg	cagggcaagg	cccttgaaac	caagtcctcc	ttgagcacct	180
ttcccagggt	agaaaccctt	cttcagcctg	tgcttcgcac	gtttccttca	gcgtgccgcc	240
cattcagact	gcgccaactt	acgtccccag	tgcccacgcc	tgngtggtatc	aagtgtccaa	300
cgggaaagta	tgagttaggg	caagcgcttt	ttttttaagc	tgtaaacgct	tcacatgact	360
gggccccgta	aggaaattgt	ggggagctta	ggatgagcct	gggagctttt	tcagggactt	420
ggatgaggac	tctgtacaca	aatgtgtact	ggcagagagt	ctgcaccagc	atcattctct	480
gttgccttca	geatgtccag	cactctcggt	atgtccagca	cctcattgtg	ttccaggcag	540
gogatcatga	tctccgacaa	aatcaccacg	ccagtccttc	ctaccccagc	actgcagtgg	600
accaacaacg	gaggggttgg	gctttgggga	tcacttgtgc	tatttgtatg	gcgtcgaaca	660
gactggatct	cttcaagata	tgataaaaat	cccttgaggt	cttctggaca	gccatgttca	720
ggccagtctg	tgtattggag	gtgccagacg	gtcctctctt	gcccggtaag	gaggtgcttc	780
atcttcaggc	ctgtggtggc	atagcagcca	gagtcctgtg	ggaaccgggt	cgtgatctta	840
aaccttccat	aggtgacagt	gttgtgctg	gaaccaagtc	gtggccagta	cctaaagctc	900
ttctcccttc	cacctctctc	ttctgctgtc	accattgcta	taattgcaat	tcctgttcc	960
cataccatct	gccaaaaatc	ttgacaggta	ttctgtaatg	gtccctgtgt	ggcaatataa	1020
tcccattcga	ttccactgac	agagaccctta	atatgtgatg	cgttgatgta	accagtgttg	1080
ttttcttttag	ttgggaccaa	ctccactctc	acatcatcat	aaggaagaac	atcttggaa	1140
cgatttcttt	ctgcattttc	agggagtcgt	gctgttgagc	actccccatc	aactagccgt	1200
ttcttaagaa	ttctttcata	ttctgtgaat	accattcctt	gttctaatac	ttgttccaga	1260
attttacacc	tttcatcatt	cgttgctctg	gtagecactt	cctttccttc	atcaggcaga	1320
ggcactcgag	atagggagag	tccatttagg	gcagccagtt	taagaggacc	aatttttttt	1380
gcattctactc	gagtcctttt	cattccccct	agaggcgga	gcccttccac	gatgttcttc	1440
ttcccagaga	gaaggtccga	caccggcctt	ttcttcagag	agtcctcccg	ggctcggtag	1500
cggcctgacg	tggtgaggtc	ggactccgac	atggagggca	tcagcagccc	gtctctccag	1560
ggccgctggg	cctctgcggt	cgtgcggacg	gggctgetgt	ccatcatcct	cttctccgcg	1620
tctgggacgt	gggccttggg	ctccaggatg	tgacggggcg	cggcgagcag	gacgcgaggg	1680
cagccagctg	ggttctgggc	caggccgggc	cgaggctcgc	gcgcacgtgc	agggggcgcc	1740
cgggccccgc	tctcctctc	gaagtcctcg	tcctcctcct	cctcgctgct	gtggattagc	1800
atggtggcgt	ccgacagggg	cttcttatgg	cgtacctca	agccctccgc	ctcctccggc	1860

ccttctcgt	gtgtcctctc	ggtgaaaacg	ctggggctgg	gagcccaccg	agacggctcg	1920
cggcgccac	ctctgccgcc	gacgcggata	gggtgcgctc	cttgagccgc	aggccctcca	1980
ggcgtggct	gagcccgcc	acctcgatgc	tgttcgttt	gtgcagctgc	gcgtggcgcg	2040
cggcggtgag	gggctcgtg	acctcctgca	gcgagtgcgc	cacgggcagg	ctgtcctcct	2100
ggaacgtttg	caccgagtg	tgcacgcgcc	gcgtgatgag	gtcgggggtg	ctgtgctga	2160
tgtaaagggtg	gcgggacagg	tctggcgtgc	tgttggcggg	cctggggggc	gggtagggtg	2220
ggggtggccg	gtacacctgc	gtccgcatga	tgttgggaga	cgggtagtcc	tgcgctgca	2280
gctgcgcatt	ggtcagctcc	ggcacgctga	ccgcgccac	cacgggcccgc	cgctcggcag	2340
ggtaggggta	gggagacggg	ctgtggaagc	tgtagctcag	gctgaacggg	cagtgtgcgg	2400
ccgctggcga	ggggagctgt	gcgtgctcgc	ggatctcggg	ctggctgtag	accagcgccg	2460
cgggcctgct	gtaggcgtag	gagctgcca	tggtgaggtt	tcgcagcgag	tggtctgcc	2520
gttcgcgatg	caccaggccc	ctgttgagct	gcttcacac	agtctcatag	tctgggggtg	2580
ggcggtagga	cgggggtatc	acggcgctgt	gccgatggga	cgggaggtag	tcaggcctca	2640
tgacgtcact	cccggtgatg	ctagggttgg	acgacatcgg	cgagggctgc	aagtagggct	2700
gaggattatt	taaggagtgt	gtgctgtgtg	cactgtagac	actggcattt	acggatccga	2760
ccgttgaagt	caatctgggc	tctattcaag	cttgtctgaa	attgaccata	gtatcccttc	2820
ctggttgggc	acaaagaggt	tatcttggga	agaagcatat	ggttctgtat	aatgtccatt	2880
atagtgaac	tggcggtggg	ggaggcatca	cgtagggctg	gggtttaggc	agagacatcc	2940
ttgaagaaga	cctcctcctg	attgggttca	ctgtgacagt	ctgagtttgc	aggttacact	3000
ggttagtct	gtaaaacttg	tgtcgcgcaa	cacagagtct	ccaaatgtat	tttgcgtgtt	3060
ccatgtcttc	agtttgaaat	tgaatggctc	cctctttatt	tgccagctct	aatgcaaaaa	3120
aggactgtt	gtgggacatg	ttggcaatgt	catgccacct	aaataccaca	ggatgccttc	3180
cattcttgtg	tttcacaaag	ataccttcaa	gacacgctcc	aatggatatg	tcacttcctt	3240
ggctatcctt	agcagggtag	ctctcttctc	catagccatc	cattctctct	acctcttgca	3300
tgtacagcat	ttcagcatca	ggagctgtga	gccctctgta	tttctgatgt	agtaaggcca	3360
ctttttgggt	tgtctcttcc	aatacttttt	catcttgtaa	ccatcccaca	ggaaacaagg	3420
caaatttctg	aagaaagtcc	tgggattcat	actgatcaaa	gtcaccaaaa	atcgcttgaa	3480
cagctaagcc	tgctaggtga	attggctgtt	ccaagggtaca	agggatacct	tcttccaga	3540
tatccttctc	cagttgcaga	taatactggg	accgggtaat	cctctgctgg	aagcgaggaa	3600
cctgaggcgc	ttaaaccctc	attccaaaat	agacggtagg	ttccaaggcg	tttttttc	3658

<210> 344

<211> 419

<212> DNA

<213> Homo sapiens

<400> 344

aataaagaaa	gaaacagaag	ctggccgagg	agtgagttga	gctttccaag	ttagctgacc	60
ttaaagatgc	tgaagctgtc	cagaaattct	tcctggaaga	gatatagctt	tggtgaagag	120
atcctagcta	aagggtgtaga	ccacctgaca	aatccaagtg	ctgtgtgtgg	acagccacag	180
tggttactgc	aagtgttaca	acaaactctt	ccactaccag	tgatccagat	gcttctgaca	240
aagcccctac	cagttaatca	gagacttgta	agtgctggcg	cttggccaaa	gacgatgtgg	300
aatgagaaac	aaatgtcaac	ataataaaat	ctcagttaaa	atacttgaaa	aattcttaac	360
ttggtagttg	agcagaaggg	caaatatgct	tgttatgaac	tattctacat	tgaaatcta	419

<210> 345

<211> 1253

<212> DNA

<213> Homo sapiens

<400> 345

ggaattcctc	tgtcccgcca	tacacaggggt	gggacggggc	agggcgggca	ttgagctttg	60
tgtcctgggg	tcagggtget	tcccctgccg	gcctcacccc	accaagcgga	tctcatgggtg	120
ctcctctggc	tgggcccacc	cgcagtggta	tccttctggg	ggcccttatg	ggagcctgcc	180
gggggtgcag	atcctgccgg	gggtgcagag	cctgctgggg	gtgcagatga	tttctgggtc	240
ccaggaccat	gagggggctg	ctctacacac	agccggaaga	tgctgcggac	ccaaactggc	300
cctttccctc	ccacaccacc	ccaggaccaa	tgggctggct	ggaggccacc	catgctaaaa	360
taggctcaag	ggcctacttt	agcttctggg	caaaggtctt	ggcctgggccc	tgactctgtg	420
gccttcttga	gctgcctccc	cagtaggcct	cagtgcctggg	ctacaggcct	cctccattcc	480
ctccattcat	gtgacccccc	ccctcccagc	agaaactctc	ttccgtagcc	caggagcagc	540
tgttgagggg	ttcacctgcc	catgccccag	cctaaggccg	gcttccccag	agcagacggg	600
ttgcactctc	ctgccccctca	ggcccactct	gtcatccaac	aagctcactg	caactggccc	660
atcttaaaaa	caacaccggc	tggtcacgct	ggctcacacc	tgtaatccca	gcgctgtggg	720
aggccggggc	ggggggatca	cttaaagtca	ggagttaaag	accagcctgg	gcaacatggg	780
gaaacccgag	ctccactaaa	aacacaaaaa	caaattaagg	caccctgagt	gggtgggtggg	840
gcctgtgggc	ccagcgactc	gggaggctga	ggcagaattg	cttgagccca	ggaggtggag	900
gctgcagtga	gccacgatcg	catcacgcac	tccagcccgg	gcaacctggc	aagacctga	960
ctctaaaaag	aaaaaaaaaa	caaaaaaaaa	aagcccacgt	tcaagggcag	cactattcaa	1020
aagaggggaag	caactcagga	atccaaacgc	gcaggagggg	acacatcggg	gttcatccac	1080
aggggaacac	gattcaccca	aaaaaaggaa	ggaaaccggc	ccggccccgg	gacttgaatg	1140
cacctggagg	agactgtgat	gaacaaaagc	acccaaaccc	aaaagggcag	ggacgggggtg	1200
atctgactga	ggtgaggacc	ccagccagcc	aaattcatgg	agacagaaag	aag	1253

<210> 346

<211> 807

<212> DNA

<213> Homo sapiens

<400> 346

tttcgtcgga	ggcgggcgcg	ggcgcgctccc	tgtggccagt	cacccggagg	agttggtcgc	60
acaattatga	aagactcggc	ttctgctgct	agcgccggag	ctgagttagt	tctgagaagg	120
tttccttggg	cgttccttgt	ccggcgccct	ctgctgccgc	ctccggagac	gcttcccgat	180
agatggctac	aggccgcgga	ggaggaggag	gtggagttgc	tgcccttcog	gagtcgcgcc	240
cgtgaggaga	atgtcccaga	aatcctggat	agaaagcact	ttgaccaaga	gggaatgtgt	300
atatattata	caaagttcca	aggaccctca	cagatgcctt	ccaggatgtc	aaatttgtca	360
gcaactcgte	agacgggggt	tcactgtggt	agccaggatg	gtctcgatct	cctgacctcg	420
tgatccaccc	gcctcggctt	cccaaagtgc	tgggattaca	ggcgtgagcc	accacgcccg	480
gccaatatatt	tgtaattttt	agtagagatg	gggtttcact	atgttggcca	ggctagtctt	540
aaactcctgt	cctcgtgatc	ctcccacctc	ggcctcccaa	agtgcctgaga	ttacagggtgt	600
gagccactgc	atccagccaa	taatatgctc	tttaacaaac	aatggatcaa	aggagaaatc	660
acaagggaaa	tagaaaaata	cttaaaaatg	aatgaacatg	aaagaaaaca	taccaaacgt	720
atgggaaaca	gtgaaaacag	tgcaaacgag	gcaattttata	gctatacacc	attaaattta	780
aagataagaa	agacgtcaaa	ccaacaa				807

<210> 347

<211> 918

<212> DNA

<213> Homo sapiens

<400> 347

tttttttttt	ttagaatata	tttcatttta	ttataaagca	gtgctcccaa	actttttcaca	60
gcgtacacct	cgaggggtgga	gaactaacat	ccaagcacac	ctggatggtg	gatgggaccc	120
acttctgggt	aacctgatga	ggaagctcta	gtgaagaaat	tcaggacgcg	gtcttcagag	180
cagagggctt	ggttcaagtc	cctgtttctgc	cacttactaa	ctgcatgacc	ttgagcaagc	240
cacttaattt	ctctgtctct	tctctgtgaa	atgggtacaa	tgtggtcagc	agtaaaggaa	300
ctaatacatg	tacagcactc	agcacaaagc	ctggcacaca	gcaggctctc	accagggtgcc	360
attctcagca	caactgcttg	gttgagctac	tgtggcagtg	gcaggttgtg	ccccaagggg	420
gtgggctcag	gagcccgctg	agcaagaggc	agtgaccaag	gaggcagggg	acaatagccc	480
tatcttttca	ggatctctgc	cttggacctg	gagaatggag	agactttgct	cctatcacgt	540
cccaagttgg	gaaaactaag	gacgaagccg	gtgactgaca	tctgaaatgg	aatectctgc	600
atctccaagt	ggccttatac	ctgacaatat	cattactagt	gaaaaccaag	tgacaaacac	660
actctcgac	cccaagttct	tccacatgtc	ccattgagga	gagcacagcc	aataacgcag	720
agtgtattta	tgcgcagggc	tggctaaaca	ggctggctac	gagtcgggaa	cagtgtcagg	780
atctggcttc	ccattggccg	acatgacaga	atccttctcg	cgttgctctc	tgatgtactg	840
gtccaacagg	gtggtcagct	ggaggggctg	gtgctggagc	agggagtggg	tctgggctgt	900
gaggcaggtg	gagttctg					918

<210> 348

<211> 1893

<212> DNA

<213> Homo sapiens

<400> 348

ctgaatccat	ggaaaaacgc	tttacaggac	ttctgcttac	cttttctcag	aatcaccagc	60
cttcttcagc	accacctttt	tggggaagat	ttacctagct	gccaggaaga	agaagaattt	120
tcagttcttg	ccagctgcct	gggacttctg	ccaacgtttt	accaaacaga	acatccattc	180
atcagtgcc	cctgtctgga	ttggccagtt	ccagcatttg	atattataac	tcattggtgt	240
tttgagataa	aatcattttac	tgaaagacat	gcagaacaag	gaaaggcctt	gcttatccaa	300
gagtcaaaat	ggaaattacc	acacctacta	cagttgcctg	agaattataa	caccattttt	360
cagtactacc	acagaaaaac	ctgtagtgte	tgcaccaagg	ttcctaaaga	tcctgctgtt	420
tgctctgtgt	gtggtacttt	tgtatgcctg	aaaggacttt	gctgcaagca	acaaagttac	480
tgtgaatgtg	tactgcactc	tcagaactgt	ggtgcaggaa	caggtatttt	ccttttgatc	540
aatgcatcgg	taattatcat	cattcgaggt	caccgcttct	gcctctgggg	ttccgtgtat	600
ttggatgctc	atggagagga	agaccgggat	cttaggcgag	gcaaaccctc	ctacatttgt	660
aaggaaagat	acaaagttct	tgagcaacag	tggattttct	atacttttga	tcacatcaat	720
aaaagatggg	gtccacatta	caatgggctg	tgactctcca	cctcagcatt	gcacgtatc	780
atcattttcg	ctacgaattt	atttttcaac	aataagcttt	aacttaattt	gggggattaa	840
cacttttgct	gagggagaaa	aagaaaacat	acattatgaa	gcctttccaa	aattaggtgc	900
ttggtaatca	cgttaatggt	ataatttttt	ttttttaata	tctggagaac	attaataaca	960
agttaaatta	ttcttttagtg	gtcatttttt	aagtgcacaa	ttaataagaa	gcacaacttg	1020
ttcacaaact	cattcagaaa	tgattctccc	aacaatgcat	atcagctatt	cattgatact	1080
tcagagtgggt	gtgatttatt	tgacatttta	ctgcttcttt	ctgtctgtgt	gttttaattt	1140
gcacttgcca	agcataatgc	atcttttttc	ctctgccatt	cctgtgttga	ttggagaatt	1200
tttctgtatg	taattagaaa	aaaatgtaaa	acatgattta	tgtgaaatac	tgataagtaa	1260
aagttggtct	aatagtagaa	ctttaaaatt	ttttcttatt	gtgaggaatc	tgttaaaagt	1320
ttaaagcttt	gctgaaaact	gaattcatte	tcaggaattt	cataaatctt	ctccccaggt	1380
aaataattga	aatagctgta	aaataagtag	atagctgctg	ttaatatata	acagtacatt	1440
ttggggggca	tatgtgtggt	tgggggggtc	ttaaaaaatca	aaatttgcca	tttcagtttg	1500
atgaattact	agaggtaata	acaaatctta	ctataaaaatc	aagagggttta	agaacataca	1560
ctgggagat	gttgattccg	tgcatgccca	ccttttatta	ccaaacaagg	ttttgtttat	1620
atgattgtat	tagaaatgct	cagacttccc	cagaaatgaa	ccataaattt	tggaacttcc	1680
tttcagctca	agaggttcag	ctatattgta	tttgtgcagt	ggtaatcact	acctatttct	1740

ggctcggggtt	tcctctaaaag	gaaaaaaaaag	gcggcagtg	gtgatgaccc	tcattggaatg	1800
agccacgctt	cctgcattcc	tccttaggaa	ctggctgtgg	aaaaccaatt	tatgggttgc	1860
aggggtttaa	aaatccagta	aaaatggggg	atg			1893

<210> 349
 <211> 1433
 <212> DNA
 <213> Homo sapiens

<400> 349

gcaaggggca	gttgggtgaac	ttgctgcctc	cagagaatth	tccttgggtg	ggaggcagcc	60
agggaaccag	gatgctccgg	acctgttacg	tgctctgttc	ccaagctggg	ccccgctcca	120
ggggctggca	gtccctgagc	tttgatggcg	gggccttcca	ccttaagggg	acaggagagc	180
tgacacgggc	cttgcctggt	ctccggctgt	gtgcctggcc	cccactcgtc	actcacgggc	240
tggtgctcca	ggcctgggtc	cggcgactcc	tgggctcccg	gctctcaggc	gcattttctc	300
gagcatccgt	ctatgggcag	tttgtggctg	gtgagacagc	agaggagggtg	aagggtctgc	360
tgcagcagct	gcggaccctc	agcctccgac	cactgctggc	agtgccact	gaggaggagc	420
cggactctgc	tgccaagagt	ggtgaggcgt	ggtatgaggg	gaacctcggg	gctatgctgc	480
ggtgtgtgga	cctgtcacgg	ggcctcctgg	agccccccag	cctggctgag	gccagcctca	540
tgcagctgaa	ggtgacggcg	ctgaccagta	ctcggctctg	taaggagcta	gcctcgtggg	600
tcagaaggcc	aggagcctcc	ttggagctga	gccccgagag	gctggctgaa	gctatggact	660
ctgggcagaa	cctccagggtc	tcctgcctca	atgctgagca	gaaccagcac	ctccgggcct	720
ccctcagccg	cctgcatcgg	gtggcacagt	atgcccgggc	ccagcacgtg	cggctcctgg	780
tggatgcgga	gtacacctca	ctgaaccttg	cgtctctcgt	gctgggtggc	gccctggctg	840
tgcgctggaa	cagcccgggt	gaaggcgggc	cctgggtgtg	gaacacctac	caggcctgtc	900
taaaggacac	attcgagcgg	ctggggaggg	atgcagaggc	tgcgcacagg	gccggcctgg	960
ccttcggagt	gaagctggta	cgagggtgat	atctggacaa	ggagagagcg	gtggcccagc	1020
tcccatggaa	atggaagacc	ccccactca	ggctgactat	gaggccacca	gttcagagtt	1080
acagcccgtc	gcctggaact	gatgctgacg	cagtggtccc	gccatggccc	catgtgccac	1140
ctcatgggtg	cttcccacaa	tgaggaatct	gttcgccagg	caaccaagcg	ggcaggccgg	1200
ctatgtagtg	tataagtcca	ttccttatgg	ctccttggag	gaggtaatcc	cctacctgat	1260
ccggaggggc	caggagaacc	ggagcgtgct	tcagggtgcc	cgcagggaac	aggagctgct	1320
cagccaaaaa	ctgtggcggc	ggctgctgcc	aggatgccga	aggatacccc	actagcacc	1380
ctgagggggg	catgtggtca	ataaaagtcc	ttaggtgctg	cctaaaaaaa	aaa	1433

<210> 350
 <211> 1062
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(1062)
 <223> n = a,t,c or g

<400> 350

tttttttttt	ttccagtcac	taatgatctg	tccttttgag	atcttttact	tcagaggaag	60
atttaggcaa	gagagcaaca	tataatagtc	agtgatacaa	agaagggcac	ggaacatttg	120

gggaacacag	gggttttgag	ggcctgaagc	acaggggtgg	tggtattaga	aatgtgggaa	180
atatgggcca	tgagcctccg	gacagaatgg	ggtccaggaa	ggacagcatc	acacactggg	240
gctggaatth	ggggatcctt	ctgtgggcaa	cctcagcagt	ctggttattg	gccctttttt	300
cttacagcct	ggaaaactgg	accaagttht	tattgatctc	agcgaccgac	cggcagcctg	360
taaggggcca	tggaagtgtg	gaactcattt	gttaaaatgt	tcaaaacttc	cttaacacca	420
tggtcaccct	tgagggaag	gccccatagg	attggtctcc	caagaaaaat	gcacttagct	480
ccaaggggcca	gagccttctg	cacatcattg	ccagttctga	ccccggcatc	caggtagtac	540
ttcatgttcc	cctattcagc	agctcctact	tctgtcaaag	catcaattga	agcaagaacc	600
tcatcaagct	gcctcccacc	atgggttgaa	acaatgatac	cctggacatt	gtgcttcaca	660
gctaactctg	catcctcttt	tgtaaaaatc	cctttcagga	tgatgggcaa	tcgagttatg	720
ctctgaaacc	aggagagatc	attccagcag	agagaagtgc	tgataggagt	catctggaaa	780
taagggtattg	catttccctt	tttaggtgat	tgaagatctg	ttagtgttaa	gttcctcctc	840
aactggtttc	gaatgtcatg	tcgctgttg	ccacatacag	gtgtatccaa	agttattacc	900
aaagctttga	aacctaggga	ttctacctc	tggatcaact	gtttgttcag	ctgcaggctc	960
ggatgcacat	agagttggaa	ccatcgagg	ccttcgggag	ctcttgctgt	gctcatttcc	1020
ccgaattcca	ccacnctgga	ctagtgttct	caaaannntc	ga		1062

<210> 351

<211> 1227

<212> DNA

<213> Homo sapiens

<400> 351

cagttttttt	tttttttttt	tgctgcatga	ttttattact	ataaatatac	agtaaaaacg	60
aaccaacgat	gagcccatct	gagcacatca	gacggcagca	catgggagtc	ccagcggggc	120
actctgcggc	ccgaacttca	cgcaaagctc	tgccaccagg	actgatggcc	agaggctggg	180
gccttggtgg	gggcgggggg	cgggcgggtg	agggggctgt	gtgtgtgtgt	ggggagaggt	240
gcctgggggg	agagaggtgc	ttgggggtgg	gtagaggtgc	gtgggagatg	ctcgggtccga	300
gtgcacacac	atgcatggga	acatgtgcag	gagtatgtgc	gtgtgtgtat	gcgtgacagc	360
atgtgtgagc	gtgagtgtgc	atgtgtgaac	gtgtgcgtga	gcatgtgcaa	gtgggcgtgc	420
atttgtgtgt	gtgtacgtgt	gagcgcctct	gcgtgcctgt	gcacgagcgg	gaggggtggc	480
tgccctgggt	gtgcaggagg	ctgggtgtga	ggaccgtgct	gtccactgct	gggtctcgcc	540
caggaggcag	agctcatgct	cggagccacc	gtgagcctca	gggagggtac	tgagctgccc	600
cacagccgac	ctgtccccag	gccccactg	cagggcagcc	ctccagagcc	aggtgagcag	660
cagacacctt	gcctggccca	aggtcccgca	ggggtggatc	catgccctgg	gtcaccacgg	720
cccaggcact	ccctttgcca	tctgcggccc	caggagggtt	acctataaaa	aaaacaaaca	780
aacaaacaaa	caaaacagga	cgaggtcgcc	cagaggccaa	gcctccccgg	ccgggacccc	840
attccccagg	tgtgctgctg	gcttctctct	ccctggggcc	agcctgccac	agaaagcctg	900
agacagaaca	aaccaaatca	gagagaactg	caagggggcc	gggcgcggag	gctcacgcct	960
gtaatctcag	cactctggga	ggccgaggca	ggtggatgac	cttaggagtt	tgagaccagc	1020
ccggccaaca	tggtgaaatc	ccttctctac	taaaaatata	aaaaaattag	ccgagcatgc	1080
tggtaggcac	ctgtaatccc	cagctactca	ggagcctaag	gcaggacgat	cacttgaacc	1140
cgggaggcgg	aggttgagct	gacccgagat	tgagccactg	cactccagcc	tgggcagcaa	1200
gagtgaaact	ccatctcaaa	aaaaaaa				1227

<210> 352

<211> 1194

<212> DNA

<213> Homo sapiens

<400> 352

tttttttttt	ttatgatttt	aatatacttt	atattatttaa	aaagtacaca	gttttaaatt	60
ggtttcaata	ggtttcaagc	agaagggaca	ctgcctacca	cttgcggtcc	catttctgat	120
gaagggtgat	tatcatgtgg	caaactcaca	tttgcacgac	tggcaaagta	aaaagataga	180
taactttttg	tcaacatata	tttaagagtt	tatatcacgc	acagttttaa	atcatgacga	240
gatgctgatg	gttggactat	attcatgtct	cgtatgttgc	accataattt	ggttcacagt	300
ttatccatga	tttagcatgc	caagagaaca	tctcagtcag	taagagaaca	tctcagtcag	360
tgtcaccttg	agaagagcat	caaaagcaga	gggagcagaa	ggaggaccgt	ctgggcttgg	420
agactcggcg	cacccccaca	ctccctcgca	ttctcctcag	gatggaagcc	atgacaagat	480
tctgggcgcc	ttctgatctt	ctgggccttt	agacgttcac	acttaaggga	ttcattatgt	540
tgactgtagt	taaggcatgt	ttccaaggat	tgcttttttc	tactctgcat	ttcagaggtc	600
aaaatttggc	aatgacaact	ctcttaacta	ctctctctct	ccaacagtgg	aaaggatgta	660
attttccctc	tctaataatt	ctccccaggg	tttcccttacc	actgataccc	cttactgggt	720
tccgtggtag	tgagtggacc	tgcacacaaa	aggatatacc	tgatttcaat	gggtgccatg	780
gtgatggggg	ccacagattc	acagaggcag	ctgctgtcca	ccaccaccat	gaacaggttg	840
ctgcttgggg	tttgctggat	gacaaaggac	ctggttgaac	aagaggtagc	gaggcagtc	900
tttaccatcc	gtcaattaaa	gagccatgag	gaagacttct	ctcctgggtg	gtagcaacta	960
ccatattttg	taaagcaaat	tttggagact	attttactac	taatgttacc	ttctttctcc	1020
atgaggctct	tcacttacaa	atacctagct	tcactaggaa	aacaacaata	gctatgacga	1080
catgcggctc	atacaactca	ccttggaag	actgaagtgc	tgtatgtaca	aaacacaaga	1140
gtcagagtgt	gctgaatcac	ctgttcccaa	ggtttaagag	gtcagacttt	caaa	1194

<210> 353

<211> 1140

<212> DNA

<213> Homo sapiens

<400> 353

actctcacaa	ttaaaacatt	tggaaaggaa	ttaatggtgt	atattccatta	gggaaagtgc	60
tgacaagccg	caagggatcc	cttgatgggt	ctgggcatgg	gcgcccagcc	tgggctctgg	120
ctttggggagc	agcgaggggg	atgtgtctct	cacccctagg	cctcctggct	tggctcctgc	180
tcaggccaca	cggcgacccc	acccccagcg	cgcctcagtc	caggctcactg	ggcagggtgt	240
ttactgctgc	gctccaaccc	aagcatgtag	atttcagaag	gggactagga	cccccggcag	300
gtgtttgaga	ccaccggctc	ccaagtgcgt	cgccttgggg	gtttgcatcg	gctcctcagc	360
ctccccaggc	aatctctgtg	tagggctcggg	agcgggaggt	ctgagttgag	ccgggtgcct	420
gagatctccg	gtgcaggctc	ggggaggggg	gccccctcgc	ggctgtggtt	agagcgggag	480
aggaacttcc	cagactagct	ggcacagagc	ctcgggaagg	cggcgggcac	tgcaagggtg	540
ttacgggaag	tgctgcagcc	ttggggtggg	gacagcgtgg	ccagaccac	cgcctcatct	600
gcacacctgg	gctcaagcgc	taatgacgac	aggggactga	gtgaatggga	cccccatgga	660
ccgcgcgcgc	tgccccacgc	catggcctgg	gtttcgggag	ccttgcttta	ttctgcctcg	720
ggctcggaggc	tgggggagcg	agacctccag	tgcccgtgcg	gctgggggag	aggggtggag	780
ggccaacttag	atgtaggagt	catcaccacc	ggggcgcacg	tagggacccc	cacccctccc	840
cgcgcctcgc	ccctcatcgc	cgtgcgcgga	gtcactggcg	ccatccacgt	ccagggtggg	900
cgcgttgaga	acgaccacgt	ctgcctccgt	cccgatgtcc	tgcgcaaacc	agacagcctt	960
gtaccgcgcc	tctggccgcc	gctccttggg	caggatggac	ctcaccgcgc	tggggcttcc	1020
gccagctcgg	gcccgtgcgg	ggggctcaag	ggcaccgcct	ggggaggcag	ggccgggggg	1080
tgcgggctat	gcgggcatcg	gtgcctccgc	gggcttgggg	tctgtcgtgg	ggctggggac	1140

<210> 354

<211> 2401

<212> DNA

<213> Homo sapiens

<400> 354

```

agttaatctc tttggetggg cctacagatg acatacagag tacaggcccc caggttcatg      60
ctttaaatat ccttagagca ttgttcagag atacgcgcct gggagaaaat attattcctt    120
atgttgctga tggagctaag gctgcaattc tgggttttac atcaccggtc tgggcagtgc    180
gaaattcatc cacacttctc tttagtgcct tgatcacaag aattttttgga gttaaaaggg    240
caaaggatga acattccaaa acaaatagaa tgacagggag agagtttttc tctcgtttcc    300
cagaactcta tcctttttctt ctcaaacagt tggaaactgt agccaatata gtagacagtg    360
atatggggaga accaaatcgt catccaagca tgtttctctt acttttggtg ttggagagac    420
tctacgcttc cccgatggat ggtacttctt ctgctctcag catgggacct tttgttccct    480
tcattatgag gtgtgggtcac tcacctgtct accactcccg tgaaatggca gctcgtgcct    540
tgggtccatt tgttatgata gatcacattc ctaataccat tcgaactctg ttgtccacac    600
tccccagctg cactgaccag tgtttccggc aaaaccacat tcatgggaca cttctccagg    660
tttttcattt ggtgcaagcc tactcagact ccaaacacgg aacgaattca gacttccagc    720
acgagctgac tgacatcact gtttgtacca aagccaaact ctggctggcc aagaggcaaaa    780
atccatgttt ggtgaccaga gctgtatata ttgatattct cttcctattg acttgctgcc    840
tcaacagatc tgcaaaggac aaccagccag ttctggagag tcttggtctc tgggaggaag    900
tcagagggat tatctcagga tcagagctga taacgggatt cccttgggccc ttcaaggtgc    960
caggcctgcc ccagtacctc cagagcctca ccagactagc cattgctgca gtgtgggccc   1020
cggcagccaa gagtggagag cgggagacga atgtcccatc ctctttctct cagctgttag   1080
aatctgcctt ccctgaagtg cgctcactaa cactggaagc cctcttgtaa aagtcttag   1140
cagcagcttc tggacttgga gagaagggcg tgccaccctt gctgtgcaac atgggagaga   1200
agttcttatt gttggccatg aaggaaaatc acccagaatg cttctgcaag atactgaaaa   1260
ttctccactg catggaccct ggtgagtggc ttcccagac ggagcactgt gtccatctga   1320
cccaaagga gttcttgatc tggacgatgg atattgcttc caatgaaaga tctgaaattc   1380
agagtgtagc tctgagactt gcttccaaag tcatttccca ccacatgcag acatgtgtgg   1440
agaacagga attgatagct gctgagctga agcagtgggt tcagctgggt atcttgtcat   1500
gtgaagacca tcttctaca gactctaggt tggcctcgt tgaagtctc accagtacta   1560
caccactttt cctcaccaac cccatccta ttcttgagtt gcaggatata cttgctctct   1620
ggaagtgtgt ccttaccctt ctgcagagtg aggagcaagc tgtagagat gcagccacgg   1680
aaaccgtgac aactgccatg tcacaagaaa atacctgcca gtcaacagag tttgccttct   1740
gccaggtgga tgctccatc gctctggccc tggcctggc cgtcctgtgt gatctgctcc   1800
agcagtggga ccagttggcc cctggactgc ccactctgct gggatggctg ttgggagaga   1860
gtgatgacct cgtggcctgt gtggagagca tgcatacagg ggaagaagac tacctgtttg   1920
aaaaagcaga agtcaacttt tgggccgaga ccctgatctt tgtgaaatac ctctgcaagc   1980
acctcttctg tctcctctca aagtcgggct ggcgctcccc aagccctgag atgctctgtc   2040
accttcaaag gatggtgtca gagcagtgcc cacctcctgt ctcagttctt cagagagctt   2100
ccaccagctg ctgagtttgt gaagacagtg gagttcacia gactacgcat tcaagaggaa   2160
aggacttttg cttgcttgag gctgctggcc tttttggaag gaaaggaagg ggaagacacc   2220
ctagttctca gtgtttggga ctcttatgca gaatcgaggc agttaactct tccaagaaca   2280
gaagcggcat gttgaagaaa atctggggga ttgggatggg ggtatgtgtg gatttttctc   2340
ccactaaatc tgcaggaaac atgttgaaca taaattcaaa aattttatcc caaaaaaaaaa   2400
a                                                    2401

```

<210> 355

<211> 2186

<212> DNA

<213> Homo sapiens

<400> 355

eggataaaga	cgctgggaga	ttgacatgca	tttcgaccaa	tagcattgca	gagaggcgta	60
tcattttcgcg	gatgttccaa	tcagtacgca	gagagtcgcc	gtctccaagg	tgaaagcgga	120
agtagggcct	tcgcgcacct	catggaatcc	cttctgcagc	acctggatcg	cttttcogag	180
cttctggcgg	tctcaagcac	tacctacgtc	agcacctggg	accccgccac	cgtgcgccgg	240
gccttgacgt	gggcgcgcta	cctgcgccac	atccatcggc	gctttgggtcg	gcatggcccc	300
attcgacagg	ctctggagcg	gcggctgcac	aaccagtggg	ggcaagaggg	cggctttggg	360
cgggggtccag	ttccgggatt	agcgaacttc	caggccctcg	gtcactgtga	cgtcctgtct	420
tctctgcgcc	tgctggagaa	ccgggcccctc	ggggatgcag	ctcgttacca	cctggtgcag	480
caactctttc	ccggcccggg	cgtccgggac	gccgatgagg	agacactcca	agagagcctg	540
gcccgccttg	cccgcggcg	gtctgcggtg	cacatgctgc	gcttcaatgg	ctatagagag	600
aacccaaatc	tccaggagga	ctctctgatg	aagaccagg	cggagctgct	gctggagcgt	660
ctgcaggagg	tggggaaggc	cgaagcggag	cgtcccgcga	ggtttctcag	cagcctgtgg	720
gagcgcttgc	ctcagaacaa	cttcctgaag	gtgatagcgg	tggcgtgtgt	gcagccgcct	780
ttgtctcgtc	ggccccaaga	agagttagaa	cccggcatcc	acaaatcacc	tggagagggg	840
agccaagtgc	tagtccactg	gcttctgggg	aattcggaag	tctttgctgc	cttttgtgc	900
gccctcccag	ccgggctttt	gacttttagt	actagccgcc	accagcgcct	gtctcctgtc	960
tatctgggtc	tgctaacaga	ctgggtgcaa	cgtttgact	atgaccttca	gaaaggcatt	1020
tgggttgga	agatgtcccc	tggtgaggat	tgggaggagt	tgcaaatag	gtttcaaagc	1080
ctctgtcagg	cccctccacc	tctgaaagat	aaagttctaa	ctgccctgga	gacctgtaaa	1140
gcgcaggatg	gagattttga	agaaacctggt	cttagcatct	ggacagacct	cttattagct	1200
cttcgtagt	gtgcatttag	gaaaagacaa	gttttgggtc	tcagcgcagg	cctcagttct	1260
gtataggcaa	tgctgtgtta	ttacttgaat	atagaatata	tagttttacaa	aatgaaaatt	1320
ccaatgttct	caccaaatat	atgccttcgt	gtgtccaaag	tataattatt	ttagatgcta	1380
attttgaata	gtttattaaa	cagttataaa	tatgcaaagt	agctggcatg	tagtgtcacg	1440
gattttctgg	atagaggaag	tgatttgaag	tattccactt	aaagccatgg	aattagcaat	1500
agtttgcttt	ttaatagaag	gcccatttgt	aagaatgttg	aaaatatgtg	taccgtttaa	1560
agaaaaagca	gcttttaaagt	gacaaacaaa	ataccctttt	tcttttagta	tgggttatit	1620
ttctaggttt	tctgtccctc	cctcagtagt	gaagagtttt	ctttattcct	ggcagtgcca	1680
ggaatatggg	tttgaaaagc	tgttggccta	tctggagtgt	ggccttggtt	acctagtatt	1740
ctaaccagtt	aaccagcctt	agtatgcatt	aaaattgtat	tgttcagaaa	gtttgtttct	1800
cattttctgc	aaattcttac	tttgaaaatg	aatcaccaca	tagtatgtcc	ctttaaagca	1860
ttgacgcaca	gacaaatgtt	taaagcacag	taaatacaaa	tatatgcctt	tggatattaa	1920
attaatgctt	gatgataaaa	gaatcaaact	tttttttttt	tgaaagggag	tctcgctttg	1980
tcacccaaac	tggagggcag	gggggggatc	actgttaagg	gcaacctttg	cctcccagga	2040
tcaagcaatt	ttgactcacc	ctcccaagta	gctgggatta	caggggcagg	ccaccatgcc	2100
cggctaattt	tttgtatttt	tagtaaaaaa	ggggtttaac	catgctggcc	aggctggtct	2160
caaacacctg	accttgggat	ccgtcc				2186

<210> 356

<211> 1142

<212> DNA

<213> Homo sapiens

<400> 356

attcacatct	tattcagcat	caaagaattc	acacatgaga	gtaagcacat	gaatgtaatg	60
aatgtggaaa	agctttcagt	caaacctcat	gccttattca	gcatcacaaa	atgcatagga	120
aagagaaatc	gtatgaatgt	aatgagtatg	agggcagttt	cagtcatagc	tcagatctta	180
tcttgcaaca	agaagtccct	accagacaga	aagcctttga	ttgtgatgta	tgggaaaaga	240
actccagtca	gagagcacat	ctagttcaac	atcagagcat	tcataccaaa	gagaactcat	300
gaatgtaatg	aagatgggaa	gatattttatc	aaattcaggc	ttcattcagc	atctgagagt	360
tcacaccagg	gagaaatcat	gtatgtactg	catgtggtaa	agccttcagt	catagctcag	420
ccattgctca	gcatacagata	attcacacca	ctctgaatgt	gacgaatgaa	gtgagaaatc	480
gaaaagggtat	tagtggttaaa	ctcttaatcg	actcctgcaa	atctatacca	gtgagaaatc	540
ttacaaatgt	attgaatgtg	gcaaattttt	catgctatta	gtattttcat	accttagtca	600
catttgaggag	attcacatgg	gaataaaaatt	ccattgctgc	aatgaatgtg	aaaaagccat	660
cagtcaaaga	aactaccttg	tttagtatca	aattcacgcc	atgcaaaaag	attataaatg	720

taataagcat	gatatgtgtgt	gaggagattc	agtcataacc	caacgctcat	tcaacatcaa	780
agaattttata	cctaagagaa	cttatttggg	tgtagtaa	ggcagatctt	tcaataggag	840
tttaactagt	ctttgtcata	tcagaatata	catagtagac	aagaatttga	tgtaacgcaa	900
atggaaaaaac	tcgacaccac	atttcaggct	ttacccaaca	tcgaaataat	ggagagaaaa	960
ttgttgatta	tttgtttatg	aaattgttaa	tacatagtcc	caatcttttt	cattgcacaa	1020
aaatctaggg	ttgacttggt	aaatgcagt	acattttctc	atggagttcc	tttattttaat	1080
atgtattcta	agtaggtacg	tttattttta	ctttttttatt	ataattttga	tattaaaaag	1140
aa						1142

<210> 357
 <211> 3167
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(3167)
 <223> n = a,t,c or g

<400> 357

ggaattcgcg	agcgcagggc	gcatgactgg	caggcagctc	cacctgcagc	cctgggtgccg	60
gatccactag	gtgaagccag	ctgggctcct	gagtctgggtg	gggacgtgga	gagtctttat	120
atctagctca	gggattataa	acacaccaat	cagcaccctg	tgtctagctc	aagggtttgtg	180
agtgaccaa	tcgacactgt	atctagctgc	tctgggtgggg	ccttgagaa	cctttatgcc	240
tagctcaggg	attgtaaata	caccaatcag	cacctgtgt	ttagctcaag	gtttgtgaat	300
gcaccaatcg	acactctgta	tctagctgcc	ctgatgggga	cgtggagaa	ccttgatatc	360
agctcaggg	ttggaaacgc	accaatcagc	gccctgacga	aacaggccac	tcggctctac	420
caatcagcag	gatgtagggtg	gggccagata	agagaataaa	agcgggctgc	ccgagccagc	480
attggcaacc	cgctcgggtc	cccttcacaa	ctgtggaagc	tttgttcttt	cgctctttgc	540
aataaatctt	gctactgttc	actctttggg	tccacactgc	ttttatgagc	tataacactc	600
accgcaaagg	tctgcagctt	cactcctgaa	gccagcgaga	ccacaagccc	actgggagga	660
acgaacaact	ccaggcgcg	aatgaacaac	tccaggcgcg	ccgccttaag	agctgtaaca	720
ctcaccgcga	aggtctgcag	tttcactcct	aagccagcga	gaccacgaac	ccaccagaag	780
gaagaaaactc	caaacacatc	tgaacattag	aaggaaacaaa	ctccagatgc	gccaccttaa	840
gagctgtaac	actcaccgcg	agggctccag	gcttcattct	tgaagtcagt	gagagaccaa	900
gaaccaccaa	attccggaca	cattttggcg	accatgaagg	gactttcgcc	tattgccaag	960
cggtgagaca	atcgctgagc	agtgaagaca	tcacctattg	ccgagcgggtg	agaccattgc	1020
ctatcgccaa	gcaaatcgag	gccatcaagc	tacagatggg	cttacaaatg	gaaccccaaa	1080
tgagttcaac	taacaacttc	taccgaggac	ccctggactg	accagctggg	cctggcactt	1140
ccctggcct	agagagttcc	cctctgaagg	acactacaac	tgcaaagccc	cctcttcgcc	1200
cctatccagc	aggaagtagc	tagagcagtc	atcgccaaa	ttcccaacag	cagttgggggt	1260
gtcctgttga	ttgaggggtg	acagcatgct	ggcagtcctc	acagccctca	ctcgctcgct	1320
cactctcggc	acctcctctg	cctgggctcc	cactttggca	gcacttgagg	agcccttcag	1380
ctctgtatct	agctactctg	atgggtcctt	ggagaacctt	tatgtctagc	tcagggattg	1440
taatacacca	tcagcaccct	gtgtctagct	cagggtttgtg	aatgcaccaa	tggacactct	1500
gtatctagct	actctgggtg	ggccttggag	aaccttgtgt	caacactctg	tatctaacta	1560
acctgggtggg	gatgtggaga	accttgtgtc	tagctcaggg	atgtaaagcg	accaatcagt	1620
gccctgtcaa	accactcggc	tctaccaatc	agcaggatgt	gggtggggcc	agataagaga	1680
ataaaagcag	gctgcccag	ccagcagtg	caaccgcctc	aggtccctt	ccacactgtg	1740
gaagctttgt	tcttttgctc	tttgcaataa	atcttgtact	gctcactctt	tgggtcccca	1800
ctgcttttat	gagctgtaac	actcactcgc	aaggtctgca	gcttcactcc	tgagccagtg	1860
aaaccatgaa	cccaccagaa	ggaagaaacg	ctgaacacac	ctgaacatca	gaagaaacaa	1920
actccagacg	cgccacctta	agagctggaa	cacttacgcg	aagggtccgt	ggcttcattc	1980
ttgaagtcag	tgagaccaag	aaccccccaa	ttccggatac	aatatcgaca	aaacatgcat	2040
ctttgatgtc	tgatagttac	agagagaaga	aattagttcc	tgtgggtttac	ceccattcta	2100
gcactccctc	cttccagtaa	ttcctggaag	gagggagtg	accaatcgac	actctgtatc	2160

tatctactct	ggtggggcct	tggagaacct	ttatgtctag	ctcagggatt	gtaaattgcac	2220
caattggcac	tctgtatcta	gctcaaggtt	tgtaaacaca	ccaatcagca	ccctgtgtct	2280
agctcaggg	ttgtgaatgc	accaattgac	actctgtatc	tagctgctct	ggtggggcct	2340
tggagaacct	ttatgtcgac	actctgtatc	tagctaactc	ggaggggatg	tggagaaact	2400
ttgtgtctag	ctcagggatt	gtaaacgcac	caatcagcgc	cctgtcaaaa	caggccactc	2460
agctctacca	atcagcagga	tgtgggtggg	gccagataag	agaataaaaag	caggctgccc	2520
caaccagcat	tggcaacccc	gctcgggtcc	ccttgccacac	tgtggaagct	ttgttctttc	2580
gctctttgca	ataaatcttg	caactgctca	ctctttgggt	ccacgctgct	tttatgagct	2640
gtaacactca	ccgcgaagat	ctgcagcttc	actcctgagc	ccagcgagac	catgagccca	2700
ccggcaggaa	cgaacaactc	cagacacgct	gccttaagag	ctgtaacact	ccccgtgaag	2760
gtctgcagct	tcaactctga	gccagcgaga	tcacgaaccc	accagaagga	agaaactccg	2820
aacacatccg	aacatcagaa	ggaacaaaact	ccggaggcgc	caccttaaaa	gctgtagcac	2880
tcaactgcgag	ggtccgcggc	ttcattcttg	aagtcagtga	gaccaagaac	ccaccaattc	2940
cggacacaaa	accctgtctc	tactaaaaaa	tacaaaaaaa	ttagcgcggt	ggggtggccg	3000
gcgcctgtag	tccggctact	cangaggctg	aggcaggaga	atggcgggaa	cccgggaggc	3060
ggagcttgca	gtgagccaag	atggcaccac	tgcactccag	cctggtggac	agagtgcacat	3120
tctgtctcan	aaaaaaaaaag	aaaaaaaacc	attggttaaa	aacaaaa		3167

<210> 358

<211> 4747

<212> DNA

<213> Homo sapiens

<400> 358

tttttttttt	ttgaattaat	tgatgagggt	tatttgattg	tctttcttat	aaaatacatt	60
aaaaatactg	cttttaactg	taggcacaca	attaaaacaa	atgtaaacct	atgtttaatt	120
taaaatatat	taaaatgatt	taataaaggt	cttttattat	tttacacatc	aaatttcattg	180
caatcagtac	tccactgaag	gagaaaagga	ttatgaaaaa	acaatgaaag	cacagggtag	240
gaaaataaac	aacacaaaag	actaattctg	gatttttttt	ctgtgtcctt	aataccctgt	300
gctgtctttg	acaacaaaga	tgccctactt	atgtgattca	gaggcccggga	agtgaaaaaa	360
atacaagtag	ttaatgaata	atgcataatg	tcatagcaat	ggtcaaatta	tactgtttcc	420
taatggatac	cattttttctt	tatcgagtgg	gacactacag	agtcggatgt	taattgtctcc	480
cacaaatata	gttttactct	tcacaataag	cattaagaca	tgcccttgga	gctctgtgac	540
ttcatcatat	actacaattt	cattgtaagt	ggggtccgta	catttttgga	cagattttgt	600
tttctctcta	cgaacttcac	tgggatattg	taaaagataa	aattcaacat	gtgcactggg	660
cgcagagcca	tctgggagat	gaatgttttt	catgtgtttc	actagtattg	tcagcttcac	720
atcctcgtag	gatatgacta	actgcacctt	aggcttcttg	tctggaaaact	tctcacctag	780
gtacacaggt	gatgattctt	caactgtttg	ttgccagcc	tcagagagga	aaaagctaag	840
tacacaatca	ctgtttgtaa	cttcatgtga	tacatttaat	atctgttcca	tgtaatgatt	900
tagatctctg	aatcttctgt	gatctgaatt	tgtaaaaggt	aggtgccacc	aatgaggaaa	960
ctctgggaga	gtcagtgtag	caaactgctt	ctgaagtgg	ctgtgaagtt	ttgaaaactg	1020
ctcaaatgat	ttttctgtca	ggcttgtttc	gattgtgtgt	tgtgtcacct	ggatcagata	1080
cagattactg	gatttcttgc	tgaaccctaa	aattgttgct	ctttcaatcg	acctagtgtg	1140
actcagcaaa	caggattcct	gaggaaaagt	ctgtgaagta	gatttggcag	ggcttatggc	1200
tgacatttgt	gcaagtgtgt	ggatcaagtt	attcaattta	acagggaaac	actccagact	1260
ttcctttatt	ttcttggtaa	aatgacttgt	tgcttccagg	tctgtgtctt	gtggacgaag	1320
attattatac	acatattttca	ggtcttgaaa	tcccacttag	ctcaggcagt	ccctgcatac	1380
agcatcattt	cccagcaggt	tccaagagca	gttggtctgt	ctttctgata	atattataag	1440
cacgacagca	aagtccccac	aaaatcttga	aaatgctgtg	ggtttttccc	cacctctgtg	1500
aataaagtat	tcccatctct	gaagtaaaaa	tgaaaggagc	tcggctccctt	tttatccctc	1560
caaagtgttg	tgcatgacct	aagaattttc	caaagtcaat	atgaaacatg	tggccccgact	1620
ttgtcagcat	gatattatca	ttgtgacggg	cacatactcc	caggatgaat	gttaccacac	1680
accagccagc	acaggagttag	aaaaagttcc	tcaaggcctt	ttcataatct	gcctttaagt	1740
ggttgtgtctg	actgaaccac	tttttaattg	tattttcttt	caatggctct	atcagtcag	1800
aatggcgatg	aatctttgct	agggtcacag	catcaggtac	catctgcacc	aatcggtggg	1860
cttttctctg	ggatagacat	ctataaatga	tcatttgcac	atccaagcct	tcctgcagcc	1920

aaatattgtc	catcacttga	ataagctgca	gaacaagcat	atcctgacga	agatcatctc	1980
cagccttaaa	aataatgctg	atgtttttgc	ccatcagatt	agcattgatg	aaagtaatct	2040
tcaatggcaa	agcattagat	gtaaaatatg	aacatgcata	gtgatcaatc	cctttttatac	2100
atagggcagg	gttcagagga	agatgacaag	tattttacatc	ttgaaagaac	tctttctagtc	2160
tgccaatttc	tttcttcagt	acctcctgtc	tttggatggtc	actggcagac	ttgactcttt	2220
ccccaatatc	tcccagaatt	ttgataagtt	tctgtctcctt	ggaaaactca	tcattcaagg	2280
ctttacctgc	acagaattgg	agagcagcta	gtagcttctg	ataccagctt	ttaaaataag	2340
cttcattttc	tgcatttttt	agcagccagt	aaagacgatg	ggcaacctgg	atgctctgca	2400
aggagcggtg	gagtagaagt	tgcactaaag	gactctcaag	gttccattca	aacttgacag	2460
cctgaactag	ctgtgggaga	tattccagta	gttcatcatt	caagagggtg	tctaattggt	2520
gaactgccac	tttacgaatt	tcttgatctg	gaaaactgga	agtcaaaagc	ccaagagcct	2580
ctaaagggtg	agaaaatgtc	catctttctca	aaatggatg	catttctgaa	acagtccttt	2640
catcccattc	aggggcacta	cccaggacta	aagggaaggga	gcagttttca	ttattgcagt	2700
agaagcgata	aaaccataaa	tatcttttct	tttcttcaga	gagtagtagg	ggagctggtt	2760
tctgtgaaag	tctggcaata	tgttttatac	actccttttag	tggctcttca	agattacttc	2820
tattctcttc	agaatcagggt	ttcatatact	cccacccagt	agctggaaaa	tcaatctgca	2880
gggtcacccg	ggatggctga	cttacatccc	acactcctgg	agttatcatt	tctacgggag	2940
gctcactctg	taatgtcatg	ctgaacagca	tagacccgag	aatggatttt	tcttttgga	3000
acagtgggaag	acaagtccac	gccagtaaat	ttgcattggt	ggttgacacag	gcaatcccaa	3060
acagttttac	agtgagcatg	gattcccttg	gaagtgactt	tatttcaagg	ggaaaattga	3120
tctgtgtcac	ccagggtttct	ggaatgttgt	gtgctgcata	cactgtgaag	ctgagggtggg	3180
aaggaagccc	gggatttaga	taggaagtgc	atctaggtac	atttacaggc	tgaaaatctg	3240
cataaaaagct	gttacagtag	acattgatta	gctggtagat	ggatgtggat	agttcagttg	3300
ttacctttct	tatcaagcct	tttgctgaag	tctctgaact	ttgataaaaa	ttctctcctt	3360
ttctctgaag	aattagactt	agttcattta	ctgcacttgt	aatttggttg	gtttccacac	3420
accctgaac	actgcatatt	tttttaactt	cttcaataat	attatacacg	ttttcctggg	3480
ttttcaatag	gtatttcagg	tggaagtcat	attttctgat	gagtgttaag	agacattgtc	3540
tggtactttt	ccaaatatgc	ataaattcta	gaagttgatt	cagataaaac	tgactgtggt	3600
cctcttcctg	ctttcgagat	agctttcctg	gagcttccct	acttttctgc	aggtggagct	3660
gaataacaga	tttatctttt	tgaaacattt	tgtggctccc	caaacagtgg	togttttgta	3720
aaaattcttc	agagccccat	acacttagaa	tatgatcttt	ggggagtagc	tggtcatttg	3780
tgcaaaaatg	cagaattttct	gcaattagat	ctttgacaag	ataattagca	catggcataa	3840
aatgaagagg	ttgtgttgag	ttatcaataa	aaatatgtat	attaaacttg	gtcttagaaa	3900
agagctgata	cggaaatgct	gtagtagtgc	tccagatctt	cccagaattg	aaattaacat	3960
cagctgcatg	atatctttct	ctgatttttt	ttactttggt	gcaaaaagag	gccagactcg	4020
tattgtctgt	ttgaggtagt	tccactagct	gaatggaaca	acctattgac	tctatattct	4080
tctgccatgt	actttcccac	attccgggtt	gaagagagcc	tttcaaaagc	atcaaagatg	4140
gttcacacat	gttcacatgt	ccactccttt	tattctcttc	tttcggcatg	aagtcacttg	4200
agaaggatga	atgtgttgga	ggaatgctac	tttcaaatcc	tatatggtag	ttatgatttt	4260
cattttctaa	ttctttctct	agatttaattt	tatccaaact	tgtgaatgat	ggagctaaaa	4320
tactgaatct	ggaatcatca	gcaccatgat	gttttctctat	ggggcttccc	caggagcatt	4380
ctttattcgt	attttgagggt	tttggttaaca	cagaaggact	aaaaccaatt	gctggtgctt	4440
tgctaacttg	atgccaggag	agttcacggc	ttttagaagt	gaattcattc	aaggatattt	4500
ggtgtgcttc	atttaatgaa	tgccctgttg	agtcceattt	tggtgcagtg	ggcacaacaaa	4560
aggtgttttc	atcaatttca	ctctcgtagt	gtggaatttt	gccactgac	tcactacta	4620
tctgatcaaa	accagactg	acttggtctag	aagaatgggg	ttgatttaca	aagagaaatt	4680
cttggtgttc	atactgcttt	tctgtgtgatt	cattaggatt	tggatccgtt	tgccaagaat	4740
atgccat						4747

<210> 359

<211> 679

<212> DNA

<213> Homo sapiens

<400> 359

ccagacatca tcttagcact taaggagctg gaagcagagg tatcatttaa actacttctt

60

ctgcttccag	acatcatcct	agcacttaag	gagctggaag	gttgaacaga	aattcttctt	120
ggaatccttg	aagggttaga	ctccattctt	aaagattgga	ttctgaatat	caggtaacat	180
ttttatttgg	aatatatgta	tacagccttt	ttcaaaatcc	ctagggccac	tcttttgggg	240
gtatttaaaa	aatgtgttag	ctggatctga	ggcatcctgt	aatcaaaacc	aatatatatg	300
tagcaaaatg	aataacattt	ttcaaacttt	ttggacttca	gaattatgga	taacagattg	360
taacctcata	taaaatcata	cttttgcgct	ggggaacggg	cgtcacgcct	gtaatcccag	420
cactttggca	ggctgagact	ggcagatcat	ttgaggtcag	gagttcgaga	ccagcctggc	480
caacatgacg	aaaccccgtc	tcgactaaaa	atacaaaaaa	attagctgga	catggtggca	540
cccatctcta	ctcccagcta	cttggggaggc	cgaagaggga	ggattgcttg	aaccaggag	600
gtggaggttg	cagtgaagctg	agatcatgag	actgcactcc	agcctgggtg	acagagtcga	660
gactccatct	caaaaaaaaa					679

<210> 360

<211> 2017

<212> DNA

<213> Homo sapiens

<400> 360

tttctgtcgg	gagatcagag	gtccccgcgt	cccgcgccctg	acctcggctg	aggacaggca	60
ccgccatggg	ccacacgcac	acagcccga	gttgccagcg	accggcagag	attacagcct	120
ggactacctg	cccttcgcgc	tatgggtggg	catctgggtg	gctacctttt	gcttggtgct	180
gggtggccaca	gaggccagt	tgtgtgtg	ctacttcacc	cgcttcactg	aggaaggttt	240
ctgtgccctc	atcagcctca	tcttcatcta	cgatgctgtg	ggcaaaatgc	tgaacttgac	300
ccatacctat	cctatccaga	agcctgggtc	ctctgcctac	gggtgcctct	gccaataccc	360
aggcccagga	ggaaatgagt	ctcaatggat	aaggacaagg	ccaaaagaca	gagacgacat	420
cgtaagcatg	gacttaggcc	tgatcaatgc	atccttgctg	ccgccacctg	agtgcacccg	480
gcagggaggc	cacctcgtg	gccctggctg	tcatacagtc	ccagacattg	ccttcttctc	540
ccttctcctc	ttccttaact	ctttcttctt	tgtatggcc	ctcaagtgtg	taaagaccag	600
ccgcttcttc	ccctctgtgg	tgcgcaaagg	gtccagcgac	ttctcctcag	tcttgcccat	660
cctgctcggc	gtgtgccttg	atgctttctt	gggcctagcc	acaccaaagc	tcatggatcc	720
cagagagttc	aagcccacac	tccctgggctg	tggctggctg	gtgtcacctt	ttggagccaa	780
cccctgggtg	tggagtgtgg	cagctgcctt	gocctgcctg	ctgctgtcta	tctcatctt	840
catggaccaa	cagatcacag	cagtcacctt	caaccgcctg	gaatacagac	tgcagaaggg	900
agctggcttc	cacctggacc	tcttctgtgt	ggctgtgtgt	atgctactca	catcagcgct	960
tggactgcct	tggatgtct	cagccactgt	catctccctg	gtcacatgg	acagtcttcg	1020
gagagagagc	agagcctgtg	ccccggggga	gcgcccacac	ttcctgggta	tcagggaaca	1080
gaggctgaca	ggcctgggtg	tgttcacctt	tacaggagcc	tccatcttcc	tggcacctgt	1140
gtcgaagtte	attccaatgc	ctgtgctcta	tggcatcttc	ctgtatatgg	gggtggcagc	1200
gtcagcagc	attcagttca	ctaatagggt	gaagctgttg	cttgatgcca	gcaaaacacc	1260
agccagacct	gctactcttg	cggcatgtgc	ctctgaccag	ggccacctc	ttcacagcca	1320
tcagctttgc	cctgtctggg	gctgctttgg	gataatcaag	tctacccttg	cagccatcat	1380
cttccccctc	atgttgctgg	gccttgtggg	ggcccgaaag	gccctggaga	gggttttttc	1440
accacaggaa	ctcctctggc	tggatgagct	gatgccagag	gaggagagaa	gcacccctga	1500
gaaggggctg	gagccagaac	actcattcag	tggaaagtgc	agtgaagatt	cagagctgat	1560
gtatcagcca	aaggctccag	aatcaacat	ttctgtgaat	tagctggagt	aggagtctgg	1620
gagtggagac	cccaggaaac	agcatgaggt	gcttactcag	gaagtcagga	cattttttggc	1680
ctttggctta	acttccagat	gctcagtcgg	cttggggag	gactgaaggg	cagctgccaa	1740
gacctcagtt	acctcctgac	ctgaggggtg	agagtggcag	gaagcaagca	tgtttgtgtg	1800
gcacttagga	aaggctgggtg	agccagaggg	actgatcagg	ccccattcac	tctctactca	1860
ttaaaaggct	ctgagccacg	aagcgcttcc	cattttgaac	tttctgtcct	cacagattct	1920
gtttgacaga	atctaagggc	catcagggaa	ctcttttcat	cttgcaagaa	gaaaaagcca	1980
gtctttccag	aataaatatt	catctgtttg	aaataaa			2017

<210> 361
 <211> 2900
 <212> DNA
 <213> Homo sapiens

<400> 361

atgggggtca	aggcgcgcag	ggcggcgggg	gcggctggcg	gcggcggcga	cgggggcggc	60
ggaggcggcg	gggcgggctaa	cccagccgga	ggggacgcgg	cggcggccgg	cgacgaggag	120
cggaaagtgg	ggctggcgcc	cggcgacgtg	gagcaagtca	ccttggcgct	cggggcccga	180
gccgacaaag	acgggaccct	gctgctggag	ggcggcggcc	gcgacgagg	gcagcggagg	240
accccgcaag	gcacgggct	cctggccaag	accccgctga	gccgccagt	caagagaaac	300
aacgccaaat	accggcgcat	ccaaactttg	atctacgacg	ccctggagag	accgcggggc	360
tgggcgctgc	tttaccacag	cgttggtgtt	cctgattgtc	ctaggggtgc	ttgattctgg	420
ctgtcctgga	ccacattcaa	ggagtatgag	actgtctcgg	gagactggct	tctgttactg	480
gagacatttg	ctattttcat	ctttggagcc	gagtttgctt	tgaggatctg	ggctgctgga	540
tgttgctgcc	gatacaaagg	ctggcggggc	cgactgaagt	ttgccaggaa	gccccgtgtc	600
atgttggaca	tctttgtgct	gattgcctct	gtgccagtg	ttgctgtggg	aaaccaaggc	660
aatgttctgg	ccacctccct	gcgaagcctg	cgcttctctg	agatcctgcg	catgctgcgg	720
gatggaccgg	gagaagggtg	cacctggaag	cttctggggc	tcagccatct	gtgcccacag	780
caaagaactac	atcacggcct	ggtacatcgg	tttccctgaca	ctcctccttt	cttcatttct	840
tgtctacctg	gttgagaaag	acgtcccaga	ggtggatgca	caaggagagg	agatgaaaga	900
ggagtttgag	acctatgcag	atgccctgtg	gtggggcctg	atcacactgg	ccaccattgg	960
ctatggagac	aagacaccca	aaacgtggga	aggcgtctg	attgccgcca	ccttttctct	1020
aattggcgct	tctttttttg	cccttccagc	gggcatcctg	gggtccgggc	tggccctcaa	1080
ggtgcaggag	caacaccgtc	agaagcactt	tgagaaaagg	aggaagccag	ctgctgagct	1140
cattcaggct	gcctggagg	attatgctac	caaccccaac	aggattgacc	tgggtggcgac	1200
atggagattt	tatgaatcag	tcgtctcttt	tcctttcttc	aggaaagaac	agctggaggc	1260
agcatccagc	caaaagctgg	gtctcttgga	tcgggttcgc	ctttctaate	ctcgtggtag	1320
caatactaaa	ggaaagctat	ttacccctct	gaatgtagat	gccatagaag	aaagtccctc	1380
taaagaacca	aagcctgttg	gcttaaacaa	taaagagcgt	ttccgcacgg	ccttccgcac	1440
gaaagcctac	gctttctggc	agagttctga	agatgccggg	acaggtgacc	ccatggcgga	1500
agacaggggc	tatgggaatg	acttccccat	cgaagacatg	atccccaccc	tgaaggccgc	1560
catccgagcc	gtcagaattc	tacaattccg	tctctataaa	aaaaaattca	aggagacttt	1620
gaggccttac	gatgtgaagg	atgtgattga	gcagtattct	gccgggcac	tcgacatgct	1680
ttccaggata	aagtaccttc	agacgagaat	agatatgatt	ttcacccttg	gacctccctc	1740
cacgccaaaa	cacaagaagt	ctcagaaagg	gtcagcatte	accttcccat	cccagcaatc	1800
tcccaggaat	gaaccatatt	taggccagac	catccacatt	cagaaattcg	aagaccaaaag	1860
gcattgatgg	gggaagtgtt	ttaaaagttt	gaaaggacag	gtttcaggga	ctggggagga	1920
agctggactt	cctcgtggat	atgcacatgc	aacacatgga	acggttgca	gtgcagggtca	1980
cggagtatta	cccaaccaag	ggcacctcct	cgcagctga	agcagagaag	aaggaggaca	2040
acagggtatc	cgatttgaaa	accatcatct	gcaactatct	tgagacaggc	ccccgggaac	2100
cacctctacg	cttccaccag	gtgaccattg	acaaagtcag	cccctatggg	ttttttgcac	2160
atgacctgtg	gaacctgccc	cgagggggac	ccagttctgg	aaaggttcag	gcaactcctc	2220
cttccctcagc	aacaacgtat	gtggagaggc	ccacggctct	gcctatcttg	actcttctcg	2280
actcccgagt	gagctgccac	tcccaggctg	acctgcaggg	cccctactcg	gaccgaatct	2340
ccccccggca	gagacgtagc	atcacgcgag	acagtgacac	acctctgtcc	ctgatgtcgg	2400
tcaaccacga	ggagctggag	aggtctccaa	gtggcttcag	catctcccag	gacagagatg	2460
attatgtgtt	cggccccaat	ggggggctga	gctggatgag	ggagaagcgg	tacctgcggg	2520
aggggtgagac	ggacacagac	acggaccctt	tcacgcccag	cggctccatg	ccctctgtcg	2580
tccacagggg	atgggatttc	tgattcagta	tggacccctt	ccaataagcc	cattttaaag	2640
aggtcactgg	ctgacccttc	cttgtaatgt	agacagactt	tgtatagtcc	acttactctt	2700
acaccgcagc	cttaccagcg	gggacaccaa	tggctgcac	aatgcatgc	gtgtgcgtgg	2760
tggccccacc	caggcagggg	cttcccacag	cctcttcttc	ccatgtcac	cacaacaaag	2820
tgttcccttt	tcagcatggt	ttgcatgact	ttacactata	taaatgggtc	cgcctaactc	2880
cttctaggat	aaaaaaaaaa					2900

<210> 362
 <211> 5433
 <212> DNA
 <213> Homo sapiens

<400> 362

cggacgcgtg	ggatcattga	atttgacca	aagtatactg	ccttcgaagt	ggaggaagat	60
gttgggctga	tcatgatccc	agtgggtgagg	ctacatggaa	cttatggcta	tgtgacagct	120
gatttcatct	ctcagagctc	ctctgccagt	cccgagggtg	ttgattacat	tttgcattggc	180
agtacagtca	ccttttcagca	tgggcaaaac	ttaagtttta	ttaaatactc	catcattgat	240
gacaatgaaa	gtgaatttga	ggagccatt	gaaattctac	tcactggagc	tactggagga	300
gcggtccttg	ggcgccacct	agtgagcaga	atcataatag	ctaagagtga	ctctcccttt	360
ggagttataa	ggtttctcaa	tcaaagcaaa	atttctattg	ctaataccaa	ttccacaatg	420
attttatcac	tgggtgctgga	gcggactgga	ggactccttg	gagagattca	ggtgaactgg	480
gagacagtag	gacccaactc	tcaaagaagc	ttactgccac	agaatagaga	cattgcagac	540
ccagtgagcg	ggttgttcta	ttttggagaa	ggagaaggag	gagtggagaa	cataattctg	600
acaatctatc	ctcatgaaga	aattgaagtt	gaagagacat	tcattattaa	acttcatctt	660
gtgaaaggag	aagctaaatt	agactccaga	gctaaagatg	ttacattaac	catcaagag	720
tttggtgacc	caaatggagt	tggtcagttt	gctcctgaaa	ccttgtctaa	gaagacttat	780
tcagagcctc	tggctctgga	agggcccttg	ctcattacct	tcttgtcag	aagagtcaag	840
ggcacctttg	gagagattat	ggtttactgg	gaattaagta	gtgagtttga	cattactgaa	900
gacttttctt	ccaccagtgg	atttttcacc	attgctgatg	gagagagtga	agctagcttt	960
gatgttcatt	tgctaccaga	tgaggtacct	gagatagagg	aagattatgt	gatccagctt	1020
gtttctgtag	agggaggagc	cgaactggat	ctggagaaga	gtatcacatg	gttctctgtt	1080
tatgcaaatg	atgaccaca	tggagtattt	gccctgtatt	cggatcgcca	gtcaatactt	1140
attgggcaga	accttattag	atccatccaa	attaacataa	cccggcttgc	tggaacattt	1200
ggagatgtgg	ctgttgggct	tcgaatatca	tcggatcata	aagaacagcc	gattgttacc	1260
gaaaatgcag	agaggcagct	ggtggtcaaa	gatggtgcca	catataaagt	ggacgtgggtg	1320
ccaataaaga	atcaggtcct	cctatcactg	ggctctaatt	tcactttgca	actggtgact	1380
gtgatgcttg	tcggtggacg	tttctatgga	atgccaaaca	ttcttcagga	agcaaaatct	1440
gctgtccttc	cagtctctga	gaaagctgcc	aattctcagg	tcggatttga	atccactgct	1500
tttcaactca	tgaacatcac	tgctggcaca	agccacgtta	tgatttctag	gagaggcaca	1560
tatggagctc	tctcggttgc	ctggaccact	ggatatgctc	ctgggttaga	aattcctgaa	1620
ttcattgttg	ttggcaacat	gacccaaca	ctggggagcc	tttcattttc	ccacggtgaa	1680
caaaggaaag	gagttttcct	gtggacgttt	cttagccttg	gttggccaga	ggcctttggt	1740
cttcacctat	caggagtgc	gagcagtgc	cctggcggag	ctcaactccg	atcaggtttc	1800
attgttgctg	aaattgaacc	aatgggcgtc	ttccaatttt	ccactagctc	aagaaatctc	1860
atagtgtcag	aagatacaca	gatgatcaga	ttacatgtac	aaagactatt	tgggttccac	1920
agcgatctta	ttaaagtttc	ttatcagacc	actgcaggaa	gcgccaagcc	actggaagat	1980
tttgagcctg	ttcagaatgg	ggaactgttt	tttcaaaaat	tccaaactga	ggttgatttt	2040
gaaataacca	ttattaatga	tcagctttct	gagatagaag	aattttttta	cattaacctt	2100
acttcagtag	aaattagggg	attacaaaag	tttgatgtta	attggagccc	acgcctgaat	2160
ctagatttca	gtgttgca	gattacaata	ttggataatg	atgacctggc	aggaatggat	2220
atttccttcc	ccgagacaac	tgtggctgta	gcagttgaca	caactctcat	tcctgtagaa	2280
actgaatcca	ccacataact	cagcacaagc	aagacgacta	ccattctgca	gccaaaccaac	2340
gtggttgcca	ttgttactga	ggcaactggt	gtatctgcca	tccttgagaa	acttgtcacc	2400
cttcatggca	cacctgctgt	gtctgaaaag	cctgatgtgg	ccactgtaac	tgccaatggt	2460
tccattcatg	gaacattcag	ccttggggcca	tccattgttt	atattgaaga	ggagatgaag	2520
aatggcacat	tcaacactgc	agaagtctct	atccgaagaa	ctggtgggtt	tactggcaat	2580
gtcagcataa	cagttaaaac	tttcgggtgaa	agatgtgctc	agatggaacc	aaatgcattg	2640
ccctttcgtg	gtatctatgg	gatttccaac	ctaactggg	cagttgaaga	agaagacttt	2700
gaagaacaaa	ctcttaccct	tatattccta	gatggagaaa	gagaacgtaa	agtatcagtt	2760
caaatttttg	atgatgatga	gcctgagggg	caggaattct	tctacgtgtt	tctcacaac	2820
cctcaagggg	gagcacagat	tgtggagggg	aaggatgata	ctggatttgc	agcttttgcc	2880
atggttatta	ttacaggag	tgaccttcac	aatggcatca	taggattcag	tgaggagtcc	2940
cagagtggac	tagaactcag	ggaaggagct	gttatgagaa	gattgcacct	tattgtcaca	3000
agacagccaa	acagggcctt	tgaagatgtc	aaggtctttt	ggcgagtcac	acttaacaaa	3060
acagtcgtcg	tgctccagaa	ggatggggta	aacctgatgg	aggaacttca	gtctgtgtca	3120
gggaccacaa	cctgtacaat	gggtcaaaaca	aatgcttta	tcagcattga	actcaaacca	3180

gaaaagggtac	cacaggttga	agtgtatttt	tttgtggaac	tatatgaagc	tactgctgga	3240
gcagcaataa	acaacagtgc	cagattcgca	cagattaaaa	tcttagaaag	tgatgaatct	3300
caaagccttg	tgtatttttc	tgtgggttct	cggtcgccag	tggctcacia	gaaggccact	3360
ttaatcagtc	tgcaggtggc	cagagattct	gggacaggac	taatgatgtc	tggttaacttt	3420
agtaccaggg	agttgaggag	tgctgaaaca	attggctcgt	ccatcatatc	tccagctatt	3480
tctggaaagg	atthttgtgat	aactgaaggc	acattgggtct	ttgaacctgg	ccagagaagc	3540
actgtatttg	atgtcatcct	aacgccagag	acaggatctt	taaattcatt	tcctaaacgc	3600
ttccagattg	tcctttttga	cccaaaagg	ggtgccagaa	ttgataaagt	gtatgggact	3660
gccaacatca	ctcttgcttc	agatgcagat	tcgcaggcca	tttgggggct	tgcagatcag	3720
ctccatcagc	ctgtgaatga	tgatattctc	aacagagtgc	tccataccat	cagcatgaaa	3780
gtggccacag	aaaacacaga	tgaacaactc	agtgccatga	tgcattcta	agaaaagata	3840
actactgaag	gaaaaattca	agctttcagt	gttgccagcc	gaactctttt	ctatgagatt	3900
ctttgttctc	ttattaaccc	aaagcgcaag	gacactaggg	gattcagtca	ctttgttgaa	3960
ttgactgaga	atthttgcctt	ttctctgctg	actaatgtta	cttgccgctc	tcctgggtgaa	4020
aaaagcaaaa	ccatccttga	tagttgccca	tatttgtcaa	tattggctct	tcactgggtat	4080
cctcagcaaa	tcaatggaca	caagtttgaa	ggaaagggaag	gagattacat	tcgaattcca	4140
gagaggctac	tggatgtcca	ggatgcagaa	ataatggctg	ggaaaagtac	atgtaaaatta	4200
gtccagttta	cagagtatag	cagccaacag	tgggtttata	gtggaaacaa	tcttcctacc	4260
ctaaaaaata	aggtattatc	tttgagtgtg	aaaggtcaga	gttcacaact	cctgactaat	4320
gacaatgagg	ttctctacag	gatttatgct	gctgagccta	gaattattcc	tcagacatct	4380
ctgtgtctcc	tttggaaatca	ggctgctgca	agctggttgt	ctgacagtca	gtttttgcaa	4440
gtgattgagg	aaactgcaga	ctatgtggaa	tgtgcctggt	tacacatgtc	tgtgtatgct	4500
gtctatgctc	ggactgacaa	cttgtcttca	tacaatgaag	ccttcttcac	ttctggattt	4560
atatgtatct	caggtctttg	cttggtctgt	ctttcccata	tcttctgtgc	caggtactcc	4620
atgtttgcag	ctaaacttct	gactcacatg	atggcagcca	gcttaggtac	acagattctg	4680
tttctggcgt	ctgcatacgc	aagtcccca	ctcgtcgagg	agagctgttc	agctatggct	4740
gctgtcacac	attacctgta	tctttgccag	tttagctgga	tgctcattca	gtctgtgaat	4800
ttctgggtacg	tgctgggtgat	gaatgatgag	cacacagaga	ggcgatatct	gctgtttttc	4860
cttctgagtt	ggggactacc	agctttttgtg	gtgattctcc	tcatagtatt	tttgaaagga	4920
atctatcate	agagcatgtc	acagatctat	ggactcatto	atgggtgacct	gtgtttttatt	4980
ccaaacgtct	atgctgcttt	gttactgca	gctcttggtc	ctttgacgtg	cctcgtgggtg	5040
gtgttctgtg	tgttcatcca	tgctaccag	gtgaagccac	agtggaaaagc	atatgatgat	5100
gtcttcagag	gaaggacaaa	tgctgcagaa	attccactga	ttttatatct	ctttgctctg	5160
atthtccgtga	catggcctttg	gggaggacta	cacatggcct	acagacactt	ctggatgttg	5220
gttctctttg	tcatttttcaa	cagtctgcag	cttctagtac	cctctgttct	actttttact	5280
tctatgagat	caacattttt	tagcttccac	acagggactc	tgacttcaag	agagaagaaa	5340
agtacttttg	tacttacatg	cctactgagc	ccagattcca	aaggccttgg	ggttctatgt	5400
ttccttaaca	ctgaatgggc	tttccaagtg	cat			5433

<210> 363

<211> 3569

<212> DNA

<213> Homo sapiens

<400> 363

agcggccggg	gccacgatgg	agcgcgacgg	ctgcgcgggg	ggcgggagcc	gcggcggcga	60
gggcggggcg	gctccccggg	agggcccggc	ggggaacggc	cgcgatcggg	gccgcagcca	120
cgcgtccgag	gcgcggggg	accgcaggc	ggccgcgtcc	ttgctggccc	ctatggacgt	180
gggggaggag	cgctgggaga	aggcggcgcg	cgccgcact	gccaggacc	ccaacaccta	240
taaagtactc	tcgctgggtat	tgtcagtatg	tgtgttaaca	acaatacttg	gttgtatatt	300
tgggttgaaa	ccaagctgtg	ccaaagaagt	taaaagttgc	aaaggctcgt	gtttcgagag	360
aacatttggtg	gaactgtcgc	tgtgatgctg	cctgtgttga	gcttgggaaa	ctgctgttta	420
ggattaccag	gggggacgtg	cataggaacc	aggaacatat	atgggacttg	caacaaattc	480
aggtgtgggt	gagaaaagg	tgaccagaag	cctctgtgcc	tgttcagatg	actgcaagga	540
ccaggggcga	ctgcctgcca	tccaacctac	agttcctgtg	tgtccaaggt	gaagaaaagt	600
tggggtagaa	agaacccatg	tgagagccat	ttaatggagc	ccacagtgcc	ccagcagggt	660

ttgaaacgcc	ctccctaccc	ctccttattt	tcctttggat	ggattcaggg	cagaatattt	720
acacacttgg	ggtggacttc	tccctgttat	tagcaaaacta	aaaaaatgtg	gaacatatat	780
taaaaacatg	agaccggtat	atccaacaaa	aactttcccc	aatcactaca	gcattgtcac	840
cggattgtat	ccagaatctc	atggcataat	caacaataaa	atgtatgac	ccaaaatgaa	900
tgcttccttt	tcacttaaaa	gtaaagagaa	atttaatcct	gagtgggtaca	aaggagaacc	960
aatttgggtc	acagctaagt	atcaaggcct	caagtctggc	acatttttct	ggccaggatc	1020
agatgtggaa	attaacggaa	ttttccaga	catctataaa	atgtataatg	gttcagtacc	1080
atttgaagaa	aggatttttag	ctgttcttca	gtggctacag	cttcctaaaag	atgaaagacc	1140
acactttttac	actctgtatt	tagaagaacc	agattcttca	ggtcattcat	atggaccagt	1200
cagcagttaa	gtcatcaaag	ccttgacagag	ggttgatggg	atggttggta	tgctgatgga	1260
tggtctgaaa	gagctgaact	tgacacagatg	cctgaacctc	atccttattt	cagatcatgg	1320
catggaacaa	ggcagttgta	agaaatacat	atatctgaat	aaatatittg	gggatgttaa	1380
aaatatataa	gttatctatg	gacctgcagc	tcgattgaga	ccctctgatg	tcccagataa	1440
atactattca	tttaactatg	aaggcattgc	ccgaaatcct	tcttgccggg	aaccaaacca	1500
gcacttcaaa	ccttacctga	aacatttctt	acctaagcgt	ttgcactttg	ctaagagtga	1560
tagaattgag	cccttgacat	tctatttgga	ccctcagtgg	caacttgcac	tgaatccctc	1620
agaaaggaaa	tattgtggaa	gtggatttca	tggtctctgac	aatgtatttt	caaatatgca	1680
agccctcttt	gttggctatg	gacctggatt	caagcatggc	attgaggctg	acacctttga	1740
aaacattgaa	gtctataact	taatgtgtga	tttactgaat	ttgacaccgg	ctcctaataa	1800
cggaaactcat	ggaagtctta	accaccttct	aaagaatcct	gtttatacgc	caaagcatcc	1860
caaagaagtg	caccccttgg	tacagtgcct	cttcacaaga	aaccccgag	ataaccttgg	1920
ctgctcatgt	aacccttcga	ttttgccgat	tgaggatttt	caaacacagt	tcaatctgac	1980
tgtggcagaa	gagaagatta	ttaagcatga	aactttacct	tatggaagac	ctagagttct	2040
ccagaaggaa	aacaccatct	gtcttctttc	ccagcaccag	tttatgagtg	gatacagcca	2100
agacatctta	atgccccttt	ggacatccta	taccgtggac	agaaatgaca	gtttctctac	2160
ggaagacttc	tccaactgtc	tgtaccagga	ctttagaatt	cctcttagtc	ctgtccataa	2220
atgttcatat	tataaaaata	acaccaaagt	gagttacggg	ttcctctccc	caccacaact	2280
aaataaaaat	tcaagtggaa	tatatctga	agctttgctt	actacaaata	tagtgccaat	2340
gtaccagagt	tttcaagtta	tatggcgcta	ctttcatgac	accctactgc	gaaagtatgc	2400
tgaagaaaga	aatgggtgtca	atgtcgtcag	tggtcctgtg	tttgactttg	attatgatgg	2460
accgttgtga	ttccttaaga	gaatctgagg	caaaaaagaa	gagtccatcc	cgtaacccaa	2520
gaaaattttt	ggattcccaa	ctccacttcc	ttttattggg	gctaacaagc	tgtaaagat	2580
acatctcaga	cgcttttgca	ctgtggaaaa	cctaggacac	cttaggcttt	ccattttgcc	2640
ttcacagggg	ctggattaac	agcgagacgt	gtgggtgcatg	gggaagcatg	actcctcatg	2700
gggttgaaga	attcggttaa	tgtttacaca	gagcaccgga	tcacaggatg	ttgaggcaca	2760
tcacttggac	tcagcttcta	tcaacaaaga	aaagagccag	tttcagacat	tttaaagttg	2820
aaaacacatt	tgccaacctt	tagccaagaa	gactgatatg	ttttttatcc	ccaaacacca	2880
tgaatctttt	tgagagaacc	ttatatttta	tatagtcttc	tagctacact	attgcattgt	2940
tcagaaaactg	tcgaccagag	ttagaacgga	gccctcggtg	atgcggacat	ctcaggga	3000
cttgcgctact	cagcacagca	gtggagagtg	ttcctgttga	atcttgcaca	tatttgaatg	3060
tgtaagcatt	gtatacattg	atcaagttcg	ggggaataaa	gacagaccac	acctaaaact	3120
gcctttctgc	ttctcttaaa	ggagaagtag	ctgtgaacat	tgtctggata	ccagatattt	3180
gaatctttct	tactattggg	aataaacctt	gatgggcatt	ggggcaaaca	gtagacttat	3240
agtaggggtt	gggtagccca	tgttatgtga	ctatctttat	gaggaatttt	aaagtgggtc	3300
tggtatctct	ttaacttggg	gtttcatttc	ttttcattgt	aatcaaaaaa	aaaaatttaa	3360
gcagaagcca	aaatactttt	gagaccttgt	ttcaatcttt	gctgtatata	ccctcgaaaa	3420
tccaagttaa	taatcttatg	tgttttcggt	ttaaattttt	tgattgggag	tttctttaga	3480
ttttaatggg	tccaaaggag	ttcaactttt	gaggggacga	tctttgaata	tacttaccta	3540
ttataaaatc	ttacttttga	tttgtaatt				3560

<210> 364

<211> 832

<212> DNA

<213> Homo sapiens

<400> 364

tcctttctatg	cttatttcgga	ggggcggcaa	ggcatgtttc	ccagttttta	agatcttgcc	60
ccccccata	atztatgagg	accgtttctgt	gtccgggcat	cagtgatggg	gcccctgcat	120
ttcgggggtgc	tcttttgagg	gcgtgtttgt	tgaaaaacca	cccccaaccc	cctgcccgcc	180
gggtcccggac	ctggccacca	tggaagggtgc	tgcggatggg	ggatccgcgt	gccaggcggc	240
tccgctcccc	tgatgggggt	gccaggtctgt	gactggaggg	ggaggcaggg	ggcaccctgtg	300
gggtgcctga	gctgttttct	ttcccathtt	gcaacagtga	cgggcgctca	gccccggggc	360
gttctgtgca	aacgtagggt	ttcctgcggg	tcatcatgct	aggagggagg	ttgttggggg	420
tgcctgtgct	gtccttcgcg	cgctctggga	tctctgcctt	gttgggggtg	tgggcgctgc	480
tgaccatggg	gctgaagggg	gggcagccct	cgactccac	tccccgcggt	gctgcagctc	540
gccttcgggc	ctggcagccg	ctcctccttc	agctccgct	cccccggtgct	cgtcgggctg	600
cgtttggggt	gcagggggtgc	aggggatggg	ccacctgggg	gaggggggtac	cgtttagagc	660
tggcatcacc	acggaaaccc	agaactgact	ctgggggatc	gttggaaacct	gagaattcct	720
caagtgggtt	gcaatctctg	tgtgggcat	tctgacaata	tctgtcaaaa	ttacctcaag	780
attaccaacg	cacatatact	gacttagaaa	ctccaaatca	atgacatcat	gc	832

<210> 365

<211> 1321

<212> DNA

<213> Homo sapiens

<400> 365

cacacactgc	accacagctc	tcccacctct	gaggccgagg	agttcgtctc	ccgcctctcc	60
accagaact	acttccgctc	cctgccccga	ggcaccagca	acatgacctc	tgggaccttc	120
aacttccctcg	ggggccgggt	gatgatccct	aatacaggaa	tcagccctct	catcccccca	180
gatgccatac	cccaggggaa	gatctatgag	atctacctca	cgctgcacaa	gccggaagac	240
gtgaggttgc	ccctagctgg	ctgtcagacc	ctgctgagtc	ccatcgttag	ctgtggaccc	300
cctgggcgtc	ctgcttacc	ggccagtcac	cctgggggtat	ggaccactgt	gggggagccc	360
agccctgaca	gctgggagcc	tgcgcctcaa	aaagcagtcg	tgcgagggca	gctgggagga	420
tgtgctgcac	ctgggcgagg	aggcgccctc	ccacctctac	tactgccagc	tggaggccag	480
tgcctgctac	gtcttcaccg	agcagctgag	ccgctatgcc	ctgggtgggag	aggccctcag	540
cgtggctgcc	gccaagcgcc	tcaagctgct	tctgtttgcg	ccggtggcct	gcacctccct	600
cgagtacaac	atactggtct	actgcctgca	tgacactcac	gatgcactca	acgtagtggg	660
gcagctggag	aagcagctgc	agggacagct	gatccaggag	ccactggtac	tgcacttcaa	720
ggacagttac	cacaacctgc	gcctatccat	ccacgatgtg	cccagctccc	tgtggaagag	780
taagctcctt	gtcagctacc	aggagatccc	cttttatcac	atctggaatg	gcacgcagcg	840
gtacttgca	tgcaccttca	ccctggagcg	tgtcagcccc	agcactagt	acctggcctg	900
caagctgtgg	gtgtggcagg	tggagggcga	cgggcagagc	ttcagcatca	acttcaacat	960
caccaaggac	acaaggtttg	ctgagctgct	ggctctggag	agtgaagcgg	gggtcccagc	1020
cctggtgggc	cccagtgcct	tcaagatccc	cttcctcatt	cggcagaaga	taatttccag	1080
cctggaccca	ccctgtaggc	ggggtgccga	ctggcggact	ctggcccaga	aactccacct	1140
ggacagccat	ctcagcttct	ttgcctccaa	gccagcccc	acagccatga	tcctcaacct	1200
gtgggaggcg	cggcacttcc	ccaacggcaa	cctcagccag	ctggctgcag	cagtggctgg	1260
gactgggcca	gcaggacggt	ggcttctttc	acagtgttcg	gaggctgagt	gctgaggccg	1320
g						1321

<210> 366

<211> 777

<212> DNA

<213> Homo sapiens

<400> 366

gggtccgctg	cagggcaggt	tcagcagcaa	cagcagcggc	gacaccagca	gggaaaagtg	60
acagtgaat	acgatcgtaa	ggagcttcgg	aagcggctgg	tgctggagga	atggatcgtg	120
gagcagctgg	gtcagctcta	cggctgcgag	gaagaagaaa	tgccagaggt	agaaattgac	180
attgatgac	tttttgatgc	atacagtgat	gaacagagag	cttcaaaatt	acaggaagct	240
cttgtagact	gctacaaacc	aacagaggaa	tttatcaaag	agctgctttc	tcggataaga	300
ggcatgagga	aactgagccc	ctccgcagaa	gaagagtgtg	tgattctgga	acagggtgaa	360
actctcccag	agatgaagaa	agagtcctgg	gatttgtact	tcatgaagac	ttttgtgaaa	420
gaataggtgt	ccttatgaac	aacgtttttg	tttttttttt	ttcttttttg	ggggtaaagg	480
tgggggggtc	tatttagacat	ttattcaaga	gcgttctttt	ttgggtttta	aaggtttttg	540
ttaatgtaat	atttaaatac	caaaaatatc	ttgacttttag	ccacagccta	cccagggttt	600
atcaagggag	ggggaccctc	aggggaagggc	ccccccaggt	tgcgtttcct	gcagggactc	660
aaatgttaat	tcccttatga	tcccggaaaa	atagtttttt	tacaagaagt	tgggcaaaat	720
ttttttccta	aagttggaca	ttggactcaa	ttggcaaatt	tttcaacctg	gtattttt	777

<210> 367

<211> 2056

<212> DNA

<213> Homo sapiens

<400> 367

aattatgtta	gatggccggg	tgcggtggct	cacgcctgta	atctcagcac	tttgggaggc	60
cgagatggaa	gacgtcatag	cacggatgca	agatgaaaaa	aatggaattc	ctattcgtac	120
ggtcaaaagc	tttctttcca	agatacctag	cgtcttctct	ggttcagaca	ttgttcaatg	180
gttgataaag	aacttaacta	tagaagatcc	agtggaggcg	ctccatttgg	gaacattaat	240
ggctgcccac	ggctacttct	ttccaatctc	agatcatgtc	ctcacactca	aggatgatgg	300
caccttttac	cggtttcaaa	ccccctattt	ttggccatca	aattgttggg	agccggaaaa	360
cacagattat	gccgtttacc	tctgcaagag	aacaatgcaa	aacaaggcac	gactggagct	420
cgcagactat	gaggttgaga	gcctggccag	gctgcagaga	gcatttgccc	ggaagtggga	480
gttcattttc	atgcaagcat	aagcacaagc	aaaagtggac	aagaagagag	acaagattga	540
aaggaagatc	cttgacagcc	aagagagagc	gttctggggac	gtgcacaggc	ccgtgcctgg	600
atgtgtaaat	acaactgaag	tggacattaa	gaagtcatcc	agaatgagaa	acccccacaa	660
aacacggaag	tctgtctatg	gtttacaaaa	tgatattaga	agtcacagtc	ctaccacac	720
accacacca	gaaactaaac	ctccaacaga	agatgagtta	caacaacaga	taaaatattg	780
gcaaatacag	ttagatagac	atcgggttaa	aatgtcaaaa	gtcgtgaca	gtctactaag	840
ttacacggaa	cagtattttg	aatacgaccc	gtttcttttg	ccacctgacc	cttctaacc	900
atggctgtcc	gatgacacca	ctttctggga	acttgaggca	agcaaagaac	cgagccagca	960
gagggtaaaa	cgatgggggt	ttggcatgga	cgaggcattg	aaagacccag	ttgggagaga	1020
acagttcctt	aaattttctag	agtcagaatt	cagctcggaa	aatttaagat	tctggctggc	1080
agtggaggac	ctgaaaaaga	ggcctattaa	agaagtacc	tcaagagttc	aggaatatg	1140
gcaagagttt	ctggctcccc	gagccccag	tgctattaac	ttggattcca	agagttatga	1200
caaaaccaca	cagaacgtga	aggaacctgg	acgatacaca	tttgaagatg	ctcaggagca	1260
catttacaaa	ctgatgaaaa	gtgattcata	cccacgtttt	ataagatcca	gtgcctatca	1320
ggagcttcta	caggcaaaga	aaagagggga	aatctctcac	gtccaagagg	ttaacaagcc	1380
ttgctcagtc	ttactaaacg	gatcatcttg	tagcatgaat	gcagactgga	gtcactgcac	1440
acactttgta	gctcaatgtt	gtgacctgga	gcagaggaca	ttagaacaag	atgttgcatg	1500
agcaaaggac	ctaaattgtt	atttttgtgt	gtacattcca	tctccaatgg	actcttccgt	1560
ctcaatgcct	ccattccaaa	ctgttgtctg	ctttctttct	ccttctacta	tgctggatct	1620
gtgtctcttc	ctttttaaca	agttcaagtg	aagtaaaacc	ttttcttttt	ttccttcttt	1680
ctctctctct	ctctctcaaa	gcttcagtta	gacacacagt	tcaactgaaa	ttcagtcagt	1740
caaaaactgg	aagaactgta	aaagaaaaaa	gtatatatac	ataagtatac	atgtggcttc	1800
acattttatta	aacaataaat	tccgcacaga	aagtttccatt	tcaccaatgt	gtcacagtca	1860
gaaacaaact	catgtcttcg	gtctgttgtc	tgtacattct	ccgttaaatgt	ttctcgcat	1920
tattttttata	ccatatttta	agaagaaaca	ccttttactc	caaattgtatt	aaagttgac	1980

ccttctctgt aaatttgtgt atgtttatat tgttgtttta tctttcatta aaagatgtca 2040
 gaatctcaaa aaaaaa 2056

<210> 368
 <211> 460
 <212> DNA
 <213> Homo sapiens

<400> 368
 ggcacgaggg actatccacg cattgtgaac cacctggacc acacctatgt cactgcgccc 60
 caagccttca tgatgttcca gtactttgtg aagggtggtgc ccactgtgta catgaagggtg 120
 gacggagagg tactgacgac aaatcagatc tatgtgacca gacatgagaa ggctgcctat 180
 gtgctgatgg gcgaccaagg ccttcccgga gtcttcatcc tctatgagct ctgcgccatg 240
 atggtgaacc tgacggagat acacacgttc ttctctctct tcttgacaat tgtgggcgct 300
 caccataggt ggcattgttct ttgagcattt tgtcattaat tacttaaccc ataagtgagg 360
 gcttgggttc tatttcaaaa atgaaaactc ttacacgggt ggccatagga ctttatatgg 420
 agtgaacttt tttatgtatt ggagtttacg ggggggctct 460

<210> 369
 <211> 2355
 <212> DNA
 <213> Homo sapiens

<400> 369
 gtccgtgtgg tggaattcgc agcggcagtt cgtggtgcgg gcctggggct gcgcgggccc 60
 ttgcggccgg gcagtccttc tggccttcgg gctagggctg ggccctcatc aggaaaaaca 120
 ggcggagagc cggcgggcgg tctcggcctg tcaggagatc caggcaattt ttaccagaa 180
 aagcaagccg gggcctgacc cgttggacac gagacgcttg cagggctttc ggctggagga 240
 gtatctgata gggcagttcca ttgtaagggt ctgcagtgtc gctgtgtatg aagccaccat 300
 gcctacattg cccagaacc tggaggtgac aaagagcacc ggggttgctc caggagagg 360
 cccaggtagc agtgcaccag gagaaggcca ggagcgagct ccgggggccc ctgccttccc 420
 cttggccatc aagatgatgt ggaacatctc ggcagggttc tccagcgaag ccattctgaa 480
 cacaatgagc caggagctgg tcccagcgag ccgagtggcc ttggctgggg agtatggagc 540
 agtcaattac agaaaaatcca agagaggtcc caagcaacta gcccctcacc ccaacatcat 600
 ccgggttctc cgcgccttca cctcttccgt gccgtgctg ccaggggccc tggctgacta 660
 cctgatgtg ctgcctcac gccctcacc tgaaggcctg ggccatggcc ggacgctgtt 720
 cctcggtatg aagaactatc cctgtacct gcgccagtac ctttgtgtga acacaccag 780
 ccccgccctc gccgcatga tgcgtctgca gctgctggaa ggctggacc atctggttca 840
 acagggcac cgcacagag acctgaaatc cgacaacatc cttgtggagc tggaccaga 900
 cggctgcccc tggctggtga tcgcagattt tggctgctgc ctggctgatg agagcatcg 960
 cctgcagttg cccttcagca gctggtacgt ggatcggggc ggaaacggct gtctgatggc 1020
 ccagagggtg tccacggccc gtccctggccc cagggcagtg attgactaca gcaaggctga 1080
 tgccctgggca gtgggagcca tcgcctatga aatcttcggg cttgtcaatc ccttctacgg 1140
 ccagggcaag gccaccttg aaagccgcag ctaccaagag gctcagctac ctgcactgcc 1200
 cgagtcagtg cctccagacg tgagacagtt ggtgagggca ctgctccagc gagaggccag 1260
 caagagacca tctgcccgag tagccgaaa tgtgcttcat ctaagcctct ggggtgaaca 1320
 tattctagcc ctgaagaatc tgaagttaga caagatgggt ggctggctcc tccaacaatc 1380
 ggccgccact ttgttggcca acaggctcac agagaagtgt tgtgtggaaa caaaaatgaa 1440

gatgctcttt	ctggctaacc	tggagtgtga	aacgctctgc	caggcagccc	tcctcctctg	1500
ctcatggagg	gcagccctgt	gatgtccctg	catggagctg	gtgaattact	aaaagaactt	1560
ggcatcctct	gtgtcgtgat	ggtctgtgaa	tggtgagggt	gggagtcagg	agacaagaca	1620
gcgcagagag	ggctgggttag	ccggaaaagg	cctcgggctt	ggcaaattga	agaacttgag	1680
tgagagttca	gtctgcagtc	ctgtgctcac	agacatctga	aaagtgaatg	gccaagctgg	1740
tctagtagat	gaggctggac	tgaggagggg	taggcctgca	tccacataga	ggatccaggc	1800
caaggcactg	gctgtcagtg	gcagagtttg	gctgtgacct	ttgcccctaa	cacgaggaac	1860
tcgtttgaag	ggggcagcgt	agcatgtctg	at ttgcccacc	tggatgaagg	cagacatcaa	1920
catgggtcag	caagttcagt	tacgggagtg	ggaaattaca	tgaggcctgg	gcctctgcgt	1980
tcccaagctg	tgctgtctgg	accagctact	gaattattaa	tctcacttag	cgaaagtgc	2040
ggatgagcag	taagtaagta	agtgtgggga	tttaaaacttg	agggtttccc	tcctgactag	2100
cctctcttac	aggaattgtg	aaatattaaa	tgcaaattta	caactgcaga	tgacgtatgt	2160
gccttgaact	gaatattttg	ctttaagaat	gattcttata	ctctgaaggt	gagaatattt	2220
tgtgggcagg	tatcaacatt	ggggaagaga	tttcatgtct	aactaactaa	ctttatacat	2280
gatttttagg	aagctattgc	ctaaatcagc	gtcaacatgc	agtaaagggt	gtcttcaact	2340
gaaaaaaaaa	aaaaa					2355

<210> 370
 <211> 1333
 <212> DNA
 <213> Homo sapiens

<400> 370						
gccaggccgg	caccaggcac	agacacttat	gcccttggtg	ggagaacaga	gagaggctct	60
cttgteccact	gcctgtcttc	ggttccaact	gctgggtctc	ctagaggcct	ctcctcagac	120
tcgcagagct	gcctgatcat	tgctacagaa	tgaactctag	cccagctggg	accccaagtc	180
cacagccctc	cagggccaat	gggaacatca	acctggggcc	ttcagccaac	ccaaatgcc	240
agcccacgga	cttcgacttc	ctcaaagtca	tcggcaaagg	gaactacggg	aaggtcctac	300
tggccaagcg	caagtctgat	ggggcggtct	atgcagtga	ggtactacag	aaaaagtcca	360
tcttaaagaa	gaaagagcag	agccacatca	tggcagagcg	cagtgtgctt	ctgaagaacg	420
tgcggcaccc	cttcctcgtg	ggcctgcgct	actccttcca	gacacctgag	aagctctact	480
tcgtgctcga	ctatgtcaac	gggggagagc	tcttcttcca	cctgcagcgg	gagcgccggt	540
tcctggagcc	ccggggccagg	ttctacgctg	ctgagggtgg	cagcgccatt	ggctacctgc	600
actccctcaa	catcatttac	agggatctga	aaccagagaa	cattctcttg	gactgccagg	660
gacacgtgg	gctgacggat	tttggcctct	gcaagggaagg	tgtagagcct	gaagacacca	720
catccacatt	ctgtggtacc	cctgagtact	tggcacctga	agtgcctctg	gaaagagcct	780
tatgatcgag	cagtggactg	gtggtgcttg	ggggcagtc	tctacgagat	gctccatggc	840
ctgcgcctct	tctacagcca	agatgtatcc	cagatgtatg	agaacattct	gcaccagccg	900
ctacagatcc	ccggaggccg	gacagtggcc	gectgtgacc	tcctgcaaag	ccttctccac	960
aaggaccaga	ggcagcggt	gggctccaaa	gcagactttc	ttgagattaa	gaaccatgta	1020
ttcttcagcc	ccataaaactg	ggatgacctg	taccacaaga	ggctaactcc	acccttcaac	1080
ccaaatgtga	caggacctgc	tgacttgaag	catttttgacc	cagagtccac	ccaggaagct	1140
gtgtccaagt	ccattggctg	tacccttgac	actgtggcca	gcagctctgg	ggcctcaagt	1200
gcattcctgg	gattttctta	tgcgcagag	gatgatgaca	tcttggtattg	ctagaagaga	1260
aggacctgtg	aaactactga	ggccagctgg	tattagtaag	gaattacctt	cagctgctag	1320
gaagagctgt	att					1333

<210> 371
 <211> 2457
 <212> DNA
 <213> Homo sapiens

<400> 371

agcggccgca	gaccctgaag	ggacaccagg	agaagattcg	gcagcggcag	tccatcctgc	60
ctcctcccca	gggcccggcg	cccateccct	tccagcaccg	cgccggggat	tccccggagg	120
ccaagaatcg	cgtgggcccc	caggtgccac	tcagcgagcc	aggtttccgc	cgtcgggagt	180
cgcaggagga	gccgcggggc	gtgctggctc	agaagataga	gaaggagacg	caaatcctca	240
actgcgcctt	ggacgacatc	gagtggtttg	tggcccggct	gcagaaggca	gccgaggctt	300
tcaagcagct	gaaccagcgg	aaaaagggga	agaagaaggg	caagaaggcg	ccagcagagg	360
gcgtcctcac	actgcgggca	cggccccccc	tctgaggggc	agttcatcga	ctgcttccag	420
aaaatcaagc	tggcgattaa	cttgctggca	aagctgcaga	agcacatcca	gaacccagc	480
gccgcggagc	tcgtgcactt	cctcttcggg	cctctggacc	tgatcgtcaa	cacctgcagt	540
ggcccagaca	tcgcacgctc	cgtctcctgc	ccactgctct	cccagatgc	cgtggacttc	600
ctgcgcggcc	acctggctcc	taaggagatg	tcgtgtggg	agtcactggg	agagagctgg	660
atgcggcccc	gttccgagtg	gccgcgggag	ccacaggtgc	ccctctacgt	gcccaggttc	720
cacagcggct	gggagcctcc	tgtggatgtg	ctgcaggagg	ccccctggga	ggtggagggg	780
ctggcgtctg	cccccatcga	ggaggtgagt	ccagtgcacc	gacagtccat	aagaaactcc	840
cagaagcaca	gccccacttc	agagcccacc	cccccggggg	atgcccacc	accagtcagc	900
tccccacata	ctcacagggg	ctaccagcca	acaccagcca	tggccaagta	cgtcaagatc	960
ctgtatgact	tcacagcccc	aaatgccaac	gagctatcgg	tgctcaagga	tgaggctcta	1020
gaggtgctgg	aggacggcgg	gcagtgggtg	aagctgcgca	gccgcagcgg	ccaggcgggg	1080
tacgtgccct	gcaacatcct	aggcgaggcg	cgaccggagg	acgcggcgcc	cccgctcgag	1140
caggccgggtc	agaagtactg	gggccccggc	agcccagccc	acaagctacc	cccaagcttc	1200
ccggggaaca	aagacgagct	catgcagcac	atggacgagg	tcaacgacga	gctcatccgg	1260
aaaatcagca	acatcagggc	gcagccacag	aggcacttcc	gcgtggagcg	cagccagccc	1320
gtgagccagc	cgctcaccta	cgagtccggg	ccggacgagg	tccgcgcctg	gctggaagcc	1380
aaggccttca	gcccgcggat	cgtggagaac	ctgggcatcc	tgaccggggc	gcagctcttc	1440
tccctcaaca	aggaggagct	gaagaaaagt	tgccgcgagg	agggcgctcc	cgtgtacagc	1500
cagctcacca	tgcagaaggc	cttctctggg	aagcagcaaa	gtgggtcgga	gctggaagaa	1560
ctcatgaaca	agtttcattc	catgaatcag	aggagggggg	aggacagcta	ggcccagctg	1620
ccttgggctg	gggcctgcgg	aggggaagcc	caccacaat	gcatggagta	ttatttttat	1680
atgtgtatgt	attttgtatc	aaggacacgg	aggggggtgt	gtgctggcta	gagggtccctg	1740
cccctgtctg	gaggcacaac	gcccatacct	aggccaaaca	gtaccaagg	cctcagccca	1800
caccaagact	aatctcagcc	aaacctgctg	cttggtgggt	ccagccccct	gtccaccttc	1860
tcttgaggcc	acagaactcc	ctggggctgg	ggcctcttcc	tctggcctcc	cctgtgcacc	1920
tgggggggtcc	tggccctgtg	gatgtcctcc	catccccacc	cacttctaca	tccatccaca	1980
ccccagggtg	agctggagct	ccaggctggc	caggctgaac	ctcgcacaca	cgcagagttc	2040
tgtccctga	ggggggcccc	ggaggggctc	cagcaggagg	ccgtgggtgc	cattcggggg	2100
aaagtggggg	aacgacacac	acttcacctg	caagggccga	caacgcaggg	gacaccgtgc	2160
cggcttcaga	cactcccagc	gcccactctt	acaggcccag	gactggagct	ttctctggcc	2220
aagtttcagg	ccaatgatcc	ccgcattggt	ttgggggtgc	tggtgtgtct	tggtgctgg	2280
acttgagtct	caccctacag	atgagaggtg	gctgagggc	cagggctaag	caattaaacc	2340
agttaagtct	caaaaaaaaa	aaaaaggggg	ggccgtttta	aagaaccctt	ggggggggcc	2400
aagttaacgc	gggctggcaa	ggtaaaagtt	ttttccttat	aggagccgt	ataaaac	2457

<210> 372

<211> 1333

<212> DNA

<213> Homo sapiens

<400> 372

aagcttggca	cgagggtctt	gtcagcagcc	cggccattgg	agcatatctt	tctgccagtt	60
acggagacag	cctcgttgtg	ctggtggcca	cagtgggtggc	tcttctggac	atctgcttca	120
tcttagtggc	tgttccagaa	tctctgctg	agaaaaatgag	accggtttcc	tggggagctc	180

agatttcttg	gaaacaagca	gacccttttg	cgctgttgaa	gaaagttgga	aaagattcta	240
ctgtcttact	aaatctgcat	caccgtgtgt	ctttcatacc	ttctgaagc	tgggacagta	300
ttcaagtttt	ttttctctat	ctcagggcag	gtcatagggg	ttgggatctg	ttaaaattgc	360
agcattcata	gctatggtag	gaattctgtc	tattgtggct	cagacggcct	ttcttagcat	420
cttgatgaga	tcattaggaa	ataagaatac	tgctctcctt	ggcttgggct	tccagatgct	480
ccagttagcc	tggtacggtt	ttggatcaca	ggcctggatg	atgtgggcag	cagggaccgt	540
ggctgccatg	tccagcatca	cgtttccggc	aatcagtgcc	ctcgtctctc	ggaatgcaga	600
gtcagatcag	caaggagtgt	cccaggggat	cataactgga	ataagaggac	tatgcaatgg	660
cctggggcca	gcactgtatg	gcttcataatt	ctacatgttc	catgtggaac	tgactgagtt	720
gggcccga	ttgaattcta	acaacgttcc	cctgcaggga	gctgtcatcc	caggcccggc	780
gtttttat	ggggcatgta	tagtcttatt	gtcttttctg	gctgccttat	tcattcctga	840
atacagtaaa	gccagtggag	ttcaaaaaaca	cagtaacagc	agcagcggca	gcctgaccaa	900
caccccagaa	cggggcagtg	atgaggacat	tgagccacta	ctgcaagaca	gcagcatctg	960
ggagctctct	tcattttgagg	agcctgggaa	tcagtgcact	gagctgtaaa	ctcggcagaa	1020
agtgggattc	tgcatacgcc	atctctgaga	gccatggagg	gagccacacc	cctggtgact	1080
tcattggtgct	ggatgggaga	cgctagcggc	atccttcagg	gccaaagttt	ataaatacca	1140
ccgccatcat	tctgctcacc	ctcctcctgt	tttttttttt	ctcttacatt	cttttttttt	1200
tcccggttaa	tccttaaaac	cagaaaaaaa	ttggaaaaac	ttctttgcaa	aaagggggca	1260
actcccaggg	ggaacctcaa	ataaaaaaag	cattcttttg	tgaaaaaagg	agggcttctt	1320
tgaaaggaca	aaa					1333

<210> 373

<211> 2578

<212> DNA

<213> Homo sapiens

<400> 373

atggcggcag	gcctggccac	gtggetgcct	tttgctcggg	cagcagcagt	gggctggctg	60
ccccggccc	agcaaccctt	gccccgggca	ccgggggtga	aggcatctcg	aggagatgag	120
gttctggtgg	tgaacgtgag	cggacggcgc	tttgagactt	ggaagaatac	gctggaccgc	180
taccagaca	ccttgctggg	cagctcggag	aaggaattct	tctacgatgc	tgactcaggc	240
gagtacttct	tcgatcgcca	ccctgacatg	ttccgccatg	tgctgaactt	ctaccgaacg	300
gggcggctgc	attgccacag	gcaggagtgc	atccaggcct	tcgacgaaga	gctggctttc	360
tacggcctgg	ttcccagact	agtcggtgac	tgctgccttg	aagagtatcg	ggaccgaaag	420
aaggagaatg	ccgagcgcct	ggcagaggat	gaggaggcag	agcaggccgg	ggacggccca	480
gcctgcccag	caggcagctc	cctgcggcag	cggtcttgcc	gggccttcga	gaatccacac	540
acgagcaccg	cagccctcgt	tttctactat	gtgaccggct	tcttcacgcg	cgtgtcggtc	600
atcgccaatg	tggtggagac	catcccatgc	cgcggtctct	cacgcaggtc	ctcaaggagg	660
cagccctgtg	gcgaacgctt	cccacaggcc	tttttctgca	tggaacacagc	ctgtgtactc	720
atattcacag	gtgaatacct	cctgcggctg	tttgccgccc	ccagccgttg	ccgcttctctg	780
cggagtgtca	tgagcctcat	cgacgtgggt	gccatcctgc	cctactacat	tgggcttttg	840
gtgcccaaga	acgacagatg	ctctggcgcc	tttgtcacc	tgctgtgtgt	ccgggtgttt	900
cgcattctca	agttctccag	gcactcacag	ggcttgagga	ttctgggcta	cacactcaag	960
agctgtgcct	ctgagctggg	ctttctcctc	ttttccctaa	ccatggccat	catcatcttt	1020
gccactgtca	tgttttatgc	tgagaagggc	acaaacaaga	ccaactttac	aagcatccct	1080
gcggccttct	ggtataccat	tgtcaccatg	accacgcttg	gctacggaga	catggtgccc	1140
agcaccattg	ctggcaagat	tttcgggtcc	atctgctcac	tcagtggcgt	cttggtcatt	1200
gccctgcctg	tgccagtcac	tgtgtccaac	tttagccgca	tctaccacca	gaaccagcgg	1260
gctgacaagc	gccgagcaca	gcagaagggtg	cgcttggcaa	ggatccgatt	ggcaaagagt	1320
ggtaccacca	atgccttccct	gcagtacaag	cagaatgggg	gccttgagga	cagcggcagt	1380
ggcgagggaac	aggctgtttg	tgtcagggaac	cgttctgcct	ttgaacagca	acatcaccac	1440
ttgctgcact	gtctagagaa	gacaacgtgc	catgagttca	cagatgagct	caccttcagt	1500
gaagccctgg	gagccgtctc	gccgggtggc	cgcaccagcc	gtagcacctc	tgtgtcttcc	1560
cagccagttg	gacccggaag	cctgctgtct	tcttgctgcc	ctcgcagggc	caagcgcgcg	1620
gccatccgcc	ttgccaaactc	cactgcctca	gtcagccgtg	gcaggcatgc	aggagctgga	1680
catgctggca	gggcttgccg	aggagccatg	ccccttcaga	gccgctccag	ccttcaatgc	1740

caagccccc	at	gacagccttg	acctgaactg	cgacagcggg	ggacttcgtg	gctgccatta	1800
tcagcatccc	t	taccctcct	gccaacaccc	cagatgagag	ccaaccttcc	tcccctggcg	1860
gcggtggcag	g	ggccggcagc	accctcagga	actccagcct	gggtacccct	tgctcttcc	1920
ccgagactgt	c	caagatctca	tccctgtgag	gggtaggcct	gctgattcag	agggtcctct	1980
tcatTTTTg	g	gaactccttt	ccaaagccat	atTTTTgga	ggcagagagg	ggcaggcttg	2040
ggcaccctt	c	ctgccccccc	cactgagaac	tatgcaatgg	agtttcatga	aatgggccac	2100
atagtgggga	a	gtagccagg	aaatgagaaa	cttcctccca	ccccagacat	tttccctggt	2160
gggagctgaa	g	gcactgggct	tccacaggcc	cctggcctcc	ttgccctagc	acactggggac	2220
tggeccct	c	ctcccagctg	gactcctgca	tgctcctccc	cttgggctct	cagatgaagg	2280
caaagctttg	a	atccgacatc	tgagctctag	cctaagaagg	agagttgaga	tttcctcctc	2340
cctctggctg	g	ggatatggag	ctttggagggt	tcagagaaga	gaacctcac	ctctgatctg	2400
gcctctacga	c	gaggtcctca	tctccatctg	gcccacaat	tcccagattc	tgaagcttgg	2460
gaatgcaaac	a	acaggcttca	tggggctgtg	gccttctggc	aggcgacctg	ccatccccag	2520
ggccttgct	c	gaggggggttc	aggcttgct	tttcccaaca	cacactcaga	taggcaca	2578

<210> 374

<211> 664

<212> DNA

<213> Homo sapiens

<400> 374

tgaggctggg	g	caagccttt	taaggactgg	accacgggtg	ggcaggatac	cgggggagaa	60
cccgcctgt	t	tagttggggc	tggggagggc	cgcgaccca	gactaaattg	tccttccggg	120
cagatccgct	c	caccaggccc	tggcgacctg	agcatctacg	acaactggat	ccggtacttc	180
aaccgcagca	g	gcccggtgta	cgccctgggtc	cccagagcaa	gacttcagcc	aggatctacc	240
ccacctacca	c	cacagccttt	gacacctttg	actatgtgga	caagtttttg	gacctgggtg	300
aggagggaga	a	caaggggcat	cctgagacca	ggacaggaga	ggctgaagac	tgagccctgg	360
ccttgtcacc	t	tgccgcagg	cttcagcagc	catcaggctg	tggeccggac	agcggggagt	420
gtgattctcc	g	ggctcagtga	cagcttcttc	ctgcccctca	aagtccagtga	ctacagtggg	480
acactccgca	g	cttccctgca	ggcagcccag	caagatcttg	gggcccctgt	ggagcagcac	540
agcatcagcc	t	tggggcctct	ggtgactgca	gtggagaagt	ttgaggcaga	agctgcagcc	600
ttgggccaac	g	catatcaac	actgcagaag	ggcagccctg	accccctgca	ggtccggatg	660
ctca							664

<210> 375

<211> 1495

<212> DNA

<213> Homo sapiens

<400> 375

ggaattcagag	g	cggggggcag	cctcgccagc	gggggccccg	ggcctggcca	tgctcactg	60
agccagcgcc	t	gcgcctcta	cctcgccgac	agctggaacc	agtgcgaact	agtggctctc	120
acctgcttcc	t	cctggggcgt	gggctgccgg	ctgaccccg	gtttgtacca	cctggggcgc	180
actgtcctct	g	catcgactt	catggttttc	acgggtgcggc	tgcttcacat	cttcacggtc	240
aacaaacagc	t	gggggcccac	gatcgctcatc	gtgagcaaga	tgatgaagga	cgtgttcttc	300
ttcctcttct	t	cctcgggcgt	gtggctggta	gcctatggcg	tgcccaaggga	ggggctcctg	360
aggccacggg	a	cagtgaactt	cccaagtatc	ctgcgcgcg	tcttctacgc	tcctacctg	420
cagatcttcc	g	gcagattcc	ccaggaggac	atggacgtgg	ccctcatgga	gcacagcaac	480

tgctcgctgg	agccccggctt	ctggggcacac	cctcctggggg	cccaggcgagg	cacctgcgtc	540
tcccagtatg	ccaactggct	ggtgggtgctg	ctcctcgtca	tcttcctgct	cgtggccaac	600
atcctgctgg	tcaacttgct	cattgccatg	ttcagttaca	cattcggcaa	agtacagggc	660
aacagcgatc	tctactggaa	ggcgcagcgt	taccgcctca	tccgggaatt	ccactctcgg	720
cccgcgctgg	ccccgccctt	tatcgtcatc	tcccacttgc	gcctcctgct	caggcaattg	780
tgcaggcgac	cccgagagccc	ccagccgtcc	tccccggccc	tcgagcattt	ccgggtttac	840
ctttctaagg	aagccgagcg	gaagctgcta	acgtgggaat	cgggtgcataa	ggagaacttt	900
ctgctggcac	gcgctaggga	caagcgggag	agcgactccg	agcgtctgaa	gcgcacgtcc	960
cagaaggtgg	acttggcact	gaaacagctg	ggacacatcc	gcgagtacga	acagcgctcg	1020
aaagtgctgg	agcgggaggt	ccagcagtg	agccgcgtcc	tgggggtgggt	ggccgaggcc	1080
ctgagccgct	ctgccttgct	gccccaggt	gggccgccac	cccctgacct	gcctgggtcc	1140
aaagactgag	ccctgctggc	ggacttcaag	gagaagcccc	cacaggggat	tttgtccta	1200
gagtaaggct	catctggggc	tgggcccccg	cacctggtgg	ccttgtcctt	gaggtgagcc	1260
ccatgtccat	ctggggccact	gtcaggacca	cctttgggag	tgtcatcctt	acaaaccaca	1320
gcatgccccg	ctcctcccag	aaccagtccc	agcctgggag	gatcaaggcc	tggatccccg	1380
gccgttatcc	atctggaggc	tgcagggtcc	ttggggtaac	agggaccaca	gaccctcac	1440
cactcacaga	ttcctcacac	tggggaaata	aagccatttc	agaggaaaaa	aaaaa	1495

<210> 376

<211> 373

<212> DNA

<213> Homo sapiens

<400> 376

gcctcataaa	actctgcaaa	tctaaggcca	aaagctgtga	aatgacctt	gaaatgggca	60
tgctgaattc	caaattcaag	aagactcgct	accaggctgg	catgaggaat	tctgaaaatc	120
tgacagcaaa	taacactttg	agcaagccca	ccagatacca	ggcgagctga	aggaaatcaa	180
gcaagatata	tccagcctgc	gctatgagct	tcttgaggaa	aatctcaag	ctactggtga	240
gctggcagac	ctgattcaac	aactcagcga	gaagtttgga	aagaacttaa	acaaagacca	300
cctgaggggtg	aacaagggca	aagacattta	gcagcccaca	tcggcgtctg	tgactttctac	360
cagcattcca	agg					373

<210> 377

<211> 2867

<212> DNA

<213> Homo sapiens

<400> 377

cttcctcttc	tccacgcagg	cttcaacagg	agatttatgg	agaatagcag	cataattgct	60
tgctataatg	aactgattca	aatagaacat	ggggaagttc	gctcccagtt	caaattacgg	120
gctgtgaatt	cagtgtttac	agcattagat	cactgtcatg	aagccataga	aataacaagc	180
gatgaccacg	tgattcagta	tgtcaaccca	gccttcgaaa	ggatgatggg	ctaccacaaa	240
ggtgagctcc	tgggaaaaga	actcgtgat	ctgccccaaa	gcgataagaa	ccgggcagac	300
cttctcgaca	ccatcaatac	atgcatcaag	aagggaaagg	agtggcaggg	ggtttactat	360
gccagacgga	aatccgggga	cagcatccaa	cagcacgtga	agatcacccc	agtgttggc	420
caaggaggga	aaattaggca	ttttgtctcg	ctcaagaaac	tgtgttgtac	cactgacaat	480
aataagcaga	ttcacaagat	tcacgtgat	tcaggagata	attctcagac	agagcctcat	540
tcattcagat	ataagaacag	gaggaaagag	tccattgacg	tgaaatcgat	atcatctcga	600

ggcagtgatg	caccaagcct	gcagaatcgt	cgctatccgt	ccatggcgag	gatccactcc	660
atgacctatg	aggctcccat	cacaaagggt	ataaatataa	tcaatgcagc	ccaagaaaac	720
agcccagtca	cagtagcgga	agccttggac	agagtcttag	agattttacg	gaccacagaa	780
ctgtactccc	ctcagctggg	taccaaagat	gaagatcccc	acaccagtga	tcttgttggg	840
ggcctgatga	ctgacggcct	gagaagactg	tcaggaaacg	agtatgtgtt	tactaagaat	900
gtgcaccaga	gtcacagtca	ccttgcaatg	ccaataacca	tcaatgatgt	tcccccttgt	960
atctctcaat	tacttgataa	tgaggagagt	tgggacttca	acatctttga	attggaagcc	1020
attacgcata	aaaggccatt	ggtttatctg	ggcttaaagg	tcttctctcg	gtttggagta	1080
tgtgagtttt	taaactgttc	tgaaaccact	cttcgggcct	ggttccaagt	gatcgaagcc	1140
aactaccact	cttccaatgc	ctaccacaac	tccacccatg	ctgccgacgt	cctgcacgcc	1200
accgctttct	ttcttggaaa	ggaaagagta	aagggaagcc	tcgatcagtt	ggatgaggtg	1260
gcagccctca	ttgctgccac	agtccatgac	gtggatcacc	cggaaggac	caactctttc	1320
ctcctgcaat	gcagtcagt	agcttgctgt	gctctacaat	gacacctgct	gttcttggag	1380
agtcaccaca	ccgccctggc	cttccagcct	cacggtcaag	gacaccaaaa	tgcaacattt	1440
tcaagaatat	tgacaagggg	accattatcg	aacgctgcgc	caggctatta	ttgacatggt	1500
tttggcaaca	gagatgacaa	aacactttga	acatgtgaat	aagtttgtga	acagcatcaa	1560
caagccaatg	gcagctgaga	ttgaaggcag	cgactgtgaa	tgcaaccctg	ctgggaagaa	1620
cttccctgaa	aaccaaattc	tgatcaaacg	catgatgatt	aagtgtgctg	acgtggccaa	1680
cccatgccgc	cccttggacc	tgtgcattga	atgggctggg	aggatctctg	aggagtattt	1740
tgacacagact	gatgaagaga	agagacaggg	actacctgtg	gtgatgccag	tgtttgaccg	1800
gaataoctgt	agcatcccca	agtctcagat	ctctttcatt	gactacttca	taacagacat	1860
gtttgatgct	tgggatgcct	ttgcacatct	accagccctg	atgcaacatt	tggctgacaa	1920
ctacaaacac	tggagacac	tagatgacct	aaagtgcaaa	agtttgaggc	ttccatctga	1980
caggctaaag	ccaagccaca	gagggggcct	cttgaccgac	aaaggacact	gtgaatcaca	2040
gtagcgtaaa	caagaggcct	tcctttctaa	tgacaatgac	aggtattggg	gaaggagcta	2100
atgtttaata	tttgaccttg	aatccattcc	aagtcccca	aatttccatt	ccttagaaag	2160
ttatgttccc	atgaagaaaa	atatatgttc	cttttgaata	cttaaatgac	agaacaaata	2220
cttgggcaaa	ctccctttgc	tctgcctgtc	atccctgtgt	acccttgtca	atcccatggg	2280
ggctgggtca	ctgtaactag	caggccacag	ggaaggcaaa	gccttgggtg	cctgtgagct	2340
catctcccgg	gatgggtgac	taagtaggct	taggctaggt	gatcagctca	tcctttacca	2400
taaaagtcac	cattgctgtt	tagcttgact	gttttctctca	agaacatcga	tctgaaggat	2460
tcataaggag	cttatctgaa	cagattttatc	taagaaaaaa	aaaaaaccga	cttaaaatag	2520
gggaagcaac	taggaccaaa	ttacagataa	actagttagc	ttcacagcct	ctatggctac	2580
atgggttctt	tggccgatgg	tatgacacct	aagttagaac	acagccttgg	ctgggggggtg	2640
ccctctctag	actggtatca	gcagcctgtg	taaccocctt	cctgtaaaag	gggttcatct	2700
taacaaagtc	atccatgatg	agggaaaaag	tggcatttca	tttttgggga	atccatgagc	2760
ttcctttatt	tctggctcac	agaggcagcc	acgaggcact	acaccaagta	ttatataaaa	2820
gccattaaat	ttgaatgccc	ttggacaagc	ttttcttaaa	aaaaaaa		2867

<210> 378

<211> 8053

<212> DNA

<213> Homo sapiens

<400> 378

gctttccttt	ctaaagtaga	agaggatgat	tatccctctg	aagaactact	agaggatgaa	60
aacgctataa	atgcaaaacg	gtctaaagaa	aaaaaccctg	ggaatcaggg	caggcagttt	120
gatgttaatc	tgcaagtccc	tgacagagca	gttttaggga	ccattcatcc	agatccagaa	180
attgaagaaa	gcaagcaaga	aactagtatg	atttttgata	gtgaaaaaac	aagtgagact	240
gctgccaaaag	gggtcaacac	aggaggcagg	gaaccaaata	caatggtgga	aaaagaacgc	300
cctctccagag	ataagaaagc	acagagacca	tttgaaacga	gtgacttttc	tgacagcata	360
aaaattcaga	ctccagaatt	aggtgaagtg	tttcagaata	aagattctga	ttatctgaag	420
aacgacaacc	ctgaggaaca	tctgaagacc	tcagggcctg	caggggagcc	tgagggagaa	480
ctctcaaaaag	aggaccatga	gaacacagag	aagtacatgg	gcacagaaaag	ccaggggtct	540
gctgctgcag	aacctgaaga	tgactcgttc	cactggactc	cacatacaag	tgtagagcca	600
gggcatagtg	acaagaggga	ggacttactt	atcataagca	gcttctttaa	agaacaacag	660

tctttgcagc	ggttccagaa	gtactttaat	gtccatgagc	tgggaagcctt	gctacaagaa	720
atgtcatcaa	aactgaagtc	agcgcagcag	gagagcctgc	cctataatat	ggaaaaagtc	780
ctagataagg	tcttccgtgc	ttctgagtc	caaattctga	gcatagcaga	aaaaatgctt	840
gatactcgtg	tggctgaaaa	tagagatctg	ggaatgaacg	aaaataacat	atgtgaagag	900
gctgcagtgc	ttgatgacat	tcaagacctc	atctattttg	tcagggtacaa	gcactccaca	960
gcagaggaga	cagccacact	ggtgatggca	ccacctctag	aggaaggctt	gggtggagca	1020
atggaagaga	tgcaaccact	gcatgaagat	aattttctac	gagagaagac	agcagaactt	1080
aatgtgcagg	ttcctgaaga	accacccac	ttggaccaac	gtgtgattgg	ggacactcat	1140
gcctcagaag	tgtcacagaa	gccaaatact	gagaaagacc	tggacccagg	gccagttaca	1200
acagaagaca	ctcctatgga	tgctattgat	gcaaacaagc	aaccagagac	agccgcgcaa	1260
gagccggcaa	gtgtcacacc	tttggaanaac	gcaatccttc	taatatattc	attcatgttt	1320
tatttaacta	agtcgctagt	tgctacattg	cctgatgatg	ttcagcctgg	gcctgatttt	1380
tatggactgc	catggaaacc	tgtattttatc	actgccttct	tgggaattgc	ttcgttttgc	1440
attttcttat	ggagaactgt	ccttggttgtg	aaggatagag	tatatcaagt	cacggaacag	1500
caaatttctg	agaagtggaa	gactatcatg	aaagaaaata	cagaacttgt	acaaaaattg	1560
tcaaattatg	aacagaagat	caaggaatca	aagaaacatg	ttcaggaaac	caggaaacaa	1620
aatatgattc	tctctgatga	agcaattaaa	tataaggata	aaatcaagac	acttgaaaaa	1680
aatcaggaaa	ttctggatga	cacagctaaa	aatcttctgt	ttatgctaga	atctgagaga	1740
gaacagaatg	tcaagaatca	ggacttgata	tcagaaaaca	agaaatctat	agagaagtta	1800
aaggatgtta	tttcaatgaa	tgctcagaa	ttttcagagg	ttcagattgc	acttaagtga	1860
gctaagctta	gtgaagagaa	ggtgaagtct	gaatgccatc	gggttcaaga	agaaaaatgct	1920
aggcttaaga	agaaaaaaga	gcagttgcag	caggaaatcg	aagactggag	taaattacat	1980
gctgagctca	gtgagcaaat	caaatcattt	gagaagtctc	agaaagattt	ggaagtagct	2040
cttactcaca	aggatgataa	tattaatgct	ttgactaact	gcattacaca	gttgaatctg	2100
ttagagtgtg	aatctgaatc	tgagggtcaa	aataaagggtg	gaaatgattc	agatgaatta	2160
gcaaatggag	aagtgggagg	tgaccggaat	gagaagatga	aaaatcaaat	taagcagatg	2220
atggatgtct	ctcgacaca	gactgcaata	tcggtagtgt	aagaggatct	aaagctttta	2280
cagcttaagc	tcaagagcct	cogtgtccac	taaatgtaaa	cctggaagac	caggtaaaga	2340
aattggaaga	tgaccgcaac	tcactacaag	ctgccaaagc	tggactggaa	gatgaatgca	2400
aaaccttgag	gcagaaagtg	gagattctga	atgagctcta	tcagcagaag	gagatggctt	2460
tgcaaaaagaa	actgagtcaa	gaagagtatg	aacggcaaga	aagagagcac	aggctgtcag	2520
ctgcagatga	aaaggcagtt	tcggctgcag	aggaagtaaa	aacttacaag	cggagaattg	2580
aagaaatgga	ggatgaatta	cagaagacag	agcggtcatt	taaaaaccag	atcgctaccc	2640
atgagaagaa	agctcatgaa	aactggctca	aagctcgtgc	tgcaaaaaga	gctatagctg	2700
aagagaaaag	ggaagctgcc	aattttaagac	acaaattatt	agattttaaca	caaaagatgg	2760
caatgctgca	agaagaacct	gtgattgtaa	aaccaatgcc	aggaaaacca	aatacacaaa	2820
acctccacg	gagaggctct	ctgagccaga	atgggtcttt	tggcccatcc	cctgtgagtg	2880
gtggagaatg	ctccctcca	ttgacagtgg	agccaccctg	gagacctctc	tctgtactct	2940
tcaatcgaag	agatatgcct	agaagtgaat	ttggatcatt	ggacgggcct	ctacctcatc	3000
ctcgatggtc	agctgaggca	tctgggaaac	cctctccttc	tgatccagg	tctgggtacag	3060
ctaccatgat	gaacagcagc	tcaagaggct	cttcccttac	cagggtactc	gatgaaggca	3120
aggttaatat	ggctccaaaa	gggccccctc	ctttcccagg	agtcctctc	atgagcacc	3180
ccatgggagg	ccctgtacca	ccaccctatc	gatatggacc	accacctcag	ctctgaggac	3240
cttttgggcc	tcggccactt	cctccaccct	ttggccctgg	tatgcgtcca	ccactaggct	3300
taagagaatt	tgcaaccaggc	gttccaccag	gaagacggga	cctgcctctc	caccctcggtg	3360
gatttttacc	tggacacgca	ccatttagac	cttttaggttc	acttggccca	agagagtact	3420
ttattcctgg	taccgattta	ccacccccac	ccatgggtcc	ccagggaatac	ccaccaccac	3480
ctgctgtaag	agacttactg	ccgtcaggct	ctagagatga	gcctccacct	gcctctcaga	3540
gcactagcca	ggactgtttca	caggctttta	aacagagccc	ataaaaactat	gacctctgag	3600
gtttcatttg	aaagaaagtg	tactgtgcat	tatccattac	agtaaaggat	ttcattggct	3660
tcaaaatcca	aaagtattat	ttaaaagggt	tggtgttaga	actaagctgc	cttggcagtg	3720
tgcatTTTTg	agccaaacaa	ttcaaaaatg	tcattttctc	cctaaataaa	aatcaccttt	3780
taagctagag	cgtccttaca	actttgaaat	gtgcaataaa	gaatacctgt	gttttagcta	3840
atgtagcata	tgtaattgca	aaatgattta	gaatgtcatg	aaaaatatga	acatttctctg	3900
tggaaatgct	ttaagaacat	gtatttccat	tatcctatatt	ttagtgtaca	ccagctgaat	3960
acggagcaat	ggtgtttata	agcgtttttt	taaaactatct	ggtcacaaag	actgttacgc	4020
taaaaaatgtt	tactaaaaga	tcactaaact	atctccctctc	ttgtggaagt	tctttgtagt	4080
aatagctcat	aaaaatttgt	ttattaatat	ttcccaagtg	tctgttgact	cattggactg	4140
ttatgaggct	tgtgcccattt	ggggaacatg	taaacctcagg	ctcccagaac	tgaagatgg	4200
ggctgggtggc	acacttccgg	ctgctcctcc	gtcacctgtg	aactctacaa	gtgacgtctt	4260
tttattttcaa	agaagtttta	tttccctact	tgtaatatga	ttccacatgc	ctttccttta	4320
cgatcctcat	tgtcctatatt	gagaatgggt	ttcctgagag	tgagtttacc	attagtagcc	4380
aagagtgtgt	tgacctgat	gttcccattg	tttttacc	ttccctgtag	aaaaagggtg	4440
ccacaacaga	aaaatgaaaa	tgatgtgtca	tggccgtaaa	agtatagaaa	tctttaaaaa	4500

ttttaaaatg	tacagtcctt	tatctatctt	tcccattcct	tgccactgat	ttttgaggaa	4560
tataataaaa	agattggaag	agtataatgc	catgagaaag	aatgatttag	gactgtgagg	4620
gttataacat	gccctagggtc	agcaaccaag	ggttgaaatc	agttctgttt	tagggggaaa	4680
tgggggggggc	gacagatatt	attccaaaat	taatattaat	taatatTTaa	acgttggtgt	4740
ttttatttaa	aaatcagtaa	ctaaccatct	ggaattgcac	catacttaaa	gtcttatcca	4800
ttactacact	gtcttttaaaa	caatgtttct	ttaaatactc	tacaacgttt	ctaagaacga	4860
acttcagaca	ttttaattac	agtaataata	gcactccttt	taaggagtgt	cagatccaca	4920
ctaaaactaa	aatcataaaa	ggctgatact	tttgtttgct	gctaggctat	attcttccat	4980
tctttgaagt	cctatgatgt	aatattttttg	aaacctagtgt	tatgtcttgt	cactgttgtgt	5040
atattttaatc	gattaagaat	accttgtaaa	aaggagcaaa	agcttcaatg	tgaacaattt	5100
ttctctcttt	atactaaaca	actgaagata	gatagtttag	aaagataagg	acctttgaaa	5160
gaagacaact	ctgtcaaagt	tcataaggaa	tataaaaatt	cttcaggaaa	agagaattca	5220
atctatatgt	cctcccgttt	aatatcaaga	atagaagaaa	ttaagaggaa	aactccacag	5280
aagagcatag	gccattttta	gccatgtaaa	aataaggatta	agtcacaaat	acaacttttg	5340
aattttacctg	tcaatatctc	tttaggacac	aaaacaatgc	tgaagttaat	ataatttcta	5400
atttttaaatg	tcattttaagt	gtagattatg	ccatctagga	aggtaagtag	gaaaggtaaa	5460
ttaaatctat	ttttaaaatt	caaaatatta	gagtattttt	ccccctctaa	gccttttttg	5520
gtgattatct	tgtatctgac	ataattgaga	aactggtaag	ctgtaaagat	tccagtgtag	5580
cttctctgag	aagttgtgag	ccagtccata	actgtctcct	cacatccatc	tgatttgcac	5640
ccattttcctg	cagcaaacc	cccaaagcag	ggtgccccaa	tatgccagat	gggccatagg	5700
ggagtatcat	cccctcagcc	caaatcacct	tttcccattcc	tcctaaagtt	tccatcctat	5760
tttggggaagt	catctccaac	taattgtgtc	tggatttagt	tgctaaaatt	gtcttatttta	5820
tttatgaagc	agcaatatct	agcctgaaag	catttctgcc	atagttgttg	tagttatatc	5880
gccaatgggt	gatttttttc	attggaaagt	aaatttaagt	aattcgtggg	atgtggtata	5940
ttctgtgtca	acttcaagat	aatcactcat	tttctcggtta	tattcagggtc	tgaatttaag	6000
ttaagttaat	caccagtggt	tcaattttaag	cttcttttaat	gttgatgaaa	ggattttgta	6060
gttcatataa	actatactta	tgtgaaggat	agcagatgct	tcataataat	tatcattttg	6120
atatacatat	cttatgggtt	atgagaaaag	agaaaaata	atacatcggt	tttgctacac	6180
tttaatgggt	ttttttttta	agggattttt	tttcagggtct	tgtcagcaac	atcaaacaaa	6240
aggtagtgag	tactccacag	ggtacagagt	gctgccaaag	accttagaaa	aattacatga	6300
cacggagaaa	atgcgcctct	tgtcctctga	agagcttaca	gtctagggat	ttgacaactc	6360
acagtcttag	gaactgggca	aagtaaggca	aattcttcat	cccctagagc	tattgtggac	6420
tgaatcattt	tagaatttgg	aattaatcca	atcaagatga	gagacaagac	taaatttggc	6480
tgagaattca	ttcaggctcg	catagttttt	attaacatcc	gtctagtaaa	cagaatggac	6540
ctaacagaca	actgaaagta	aagactagat	ctcttgaagt	gcaagggtca	caacaactta	6600
attgtgggtta	cttattttta	aaagcaaaaca	tactgaatgg	tatgactagg	gtgattacac	6660
tagtttaaaa	ataggccagg	tactgacact	gcattcccct	catgcattgc	tcattttaaa	6720
tagtgaatat	taaaatatgt	gggctttaca	tctaaccac	agaaagccca	ccgcaaatgt	6780
tctgtgtatc	aaatatccac	ctcatgtgta	ctatgaaagt	tttatttatg	ccccattaag	6840
tcaaaagtaa	attatagtaa	gctaattgacc	tgcataattt	catatggatg	aatgtcagta	6900
tatctaaata	ggaaataaat	ggcgatccca	tctacctata	taaaaaaaat	agaatatctt	6960
tccagatttt	gcatactcct	cactgtaaga	agagggtatgc	agggttttaag	gtttcacaaat	7020
cagttgtcag	aaaaacagca	gttatgcctg	cagtatctcg	ttagcatctg	actcaattat	7080
tttttagatta	cattgttttag	aagacattgt	aaacctatct	aaaactttgt	aattattttg	7140
agatgggtcc	aatgttaacc	ctagaatcat	catcagaaaag	agtaacaatg	tgatgtagaa	7200
gaacagctaa	tcgacatgac	taaaaaatag	ctcattttca	gaaaaacaat	ctgggtcatct	7260
ggaaacaatc	acagctacaa	cctagggaac	actcccattgt	gggatactga	tctggccaag	7320
gcacactttc	taagcaggaa	aactatcaga	tcagggtgaa	tttaggccac	ttcagagggtg	7380
ctgcctataa	acatccagac	agaccttctt	aggcagcaga	actggtccca	ttcctctcaa	7440
agcagtttga	cactacccta	cccacatcaa	cccaaagctt	gacgttaagt	caaaagagca	7500
tattggagca	aaagtgaaca	gatgtgtaaa	ctctagcaca	ttcttattgc	tgtatttaagt	7560
ctgaagatga	gcacatccca	cccacaacag	tattgttcca	ggaagcaggg	taggagttagt	7620
ggtaaattag	aaaatagact	attaattgca	caattaatag	aaaagtaaaa	acatgtttca	7680
aaatctacaa	taaacctgta	tcccaggag	tccatacgt	cagtgtgatg	tgctggactc	7740
tgaattctgt	ggtacagctt	tgcattggac	tccgtccggc	ctactggtct	gggtacggct	7800
tgcttctctgc	ctgttgaagg	gtgaatatgc	tacacagagc	tatgatgggt	tctactgagt	7860
ggtaaaattc	acagaagttc	caggttcac	atgtcaggat	cattccttgt	gcaaagtttg	7920
atgtagatga	agataaagtg	gtttcttggt	caataattgc	aatttcttct	ttttaaagtc	7980
agtgggtttc	ttgtatagtt	ctattacaat	tggcccagggt	ttaatttcat	ccatctccat	8040
gaaagcaaaa	cac					8053

<210> 379
 <211> 4455
 <212> DNA
 <213> Homo sapiens

<400> 379

agatggctgc	cgacagtgcg	cccgaatccg	aggatatttga	gatcacggac	ttcaccactg	60
cctcgggaatg	ggaaagggtt	atttccaaag	ttgaagaagt	cttgaatgac	tggaaactga	120
ttggaaactc	tttgggaaag	ccactcgaaa	agggtatatt	tacttctggc	acatgggaag	180
agaaatcaga	tgaattttcc	tttgctgact	tcaagttctc	agtcactcat	cattatcttg	240
tacaagagtc	cactgataaa	gaaggaaaag	atgagttatt	agaggatgtt	gttccacaat	300
ctatgcaaga	tttgctgggt	atgaataatg	actttcctcc	aagagcacat	tgccctggtaa	360
gatggatagg	gctacgtgag	ttcgtgggtga	ttgcccctgc	tgacacacgt	gacgctgttc	420
tcagcgaatc	taagtgcac	cttcttctga	gttctgtttc	tattgccttg	ggaaacactg	480
gctgtcaggt	gccactcttt	gtgcaaattc	accacaaatg	gcgaagaatg	tatgtaggag	540
aatgtcaagg	tcctgggtga	cgaactgatt	tcgaaatggg	tcattcttaga	aaagtgccaa	600
atcagtacac	tcacttatca	ggtctgctgg	atatcttcaa	atcaaagatt	ggatgtcctt	660
taactccatt	gcctccagtt	agtattgcta	ttcgatttac	ctatgtactt	caagattggc	720
agcagtattt	ttggcctcag	caacctccag	acatagatgc	ccttgttagga	ggagaagttg	780
gaggccttga	gtttggcaag	ttaccatttg	gtgcctgcga	agatcctatt	agtgaactcc	840
atthagctac	tacatggcac	tcattctgacc	gaagggatca	ttgtggataa	tgatgtttat	900
tctgatttgg	atcctattca	agctccacat	tggctgttta	gagttcgaaa	agctgagaat	960
cctcagtgtt	tgctagggtga	ttttgtcact	gaatttttta	aaatttgccg	tcgaaaggag	1020
tcaactgatg	agattcttgg	acgatctgca	tttgaggaag	aaggcaaaga	aactgctgat	1080
ataactcatg	ctttgtcaaa	attgacagag	ccggcatcag	ttccaattca	taaattatca	1140
gtttcaaata	tggtacacac	tgcaaaagag	aaaatccgaa	aacacagagg	tgtagaggag	1200
tcaccgctaa	ataatgatgt	tcttaatact	attctcctgt	tcttattccc	tgatgctgtt	1260
tctgagaaac	cattagatgg	aactacttca	acagataata	ataatcctcc	atcagagagt	1320
gaagactata	atctctacaa	tcagttcaag	tctgcaccat	ctgacagttt	aacatacaaa	1380
ctggcctttgt	gtctctgtat	gatcaatttt	taccatggag	ggttgaaagg	agtggcacac	1440
ctctggcagg	aatttgttct	tgaaatgcgt	ttccgatggg	aaaacaactt	tctgattcca	1500
ggattagcaa	gtggaccccc	agatctgagg	tgttgtttac	tgcatcagaa	actacagatg	1560
ttaaattgtt	gtattgaaag	aaagaaggca	cgtgatgagg	ggaaaaagac	aagtgtctca	1620
gatgtcacta	atatatatcc	aggggatgct	ggaaaaagcag	gagaccagtt	ggtgcagat	1680
aatctaaaag	aaacagataa	ggaaaaaggga	gaggtaggaa	aatcttggga	ttcctggagt	1740
gacagcgaag	agaatttttt	tgaatgccta	agtgatactg	agaacttaa	aggaaatgga	1800
caagagagtg	gcaagaaagg	aggacctaag	gagatggcaa	atttaaggcc	ggaaggacgg	1860
ctctatcagc	atgggaaact	tacactgctg	cataatggag	aacctctcta	cattccagta	1920
accaggaac	cagcacctat	gacagaagat	ctgctagaag	agcagtctga	agttttagct	1980
aaattaggta	catcggcaga	gggggctcac	cttcgagcac	gcatgcagag	tgccctgtctg	2040
ctctcagata	tggagtcttt	taaggcagct	aatccaggtt	gctccctgga	agattttgtg	2100
aggtgggtatt	caccccgga	ttatatgtga	gaggaggtga	ttgatgaaaa	gggcaatgtg	2160
gtgctgaaag	gagaactgag	tgcccggatg	aagattccaa	gcaatatgtg	ggtagaagcc	2220
tgggaaacag	tcaagccaat	tcctgtctga	aggcaaaagg	gactcttcga	tgatacacgg	2280
gaagcagaaa	aggtgtctga	ctatctggca	atccagaaac	ctgcagacct	tgctcggcac	2340
ctgttacctt	gtgtgattca	tgacgtgtga	ctcaaggtaa	aggaagaaga	aagtctcgaa	2400
aacattttctt	cagttaagaa	gatcataaag	cagataatat	cccattccag	taaagttttg	2460
cacttcccca	atccagaaga	caagaaattg	gaagaaatca	ttcaccagat	tactaatgtg	2520
gaagctctca	ttgccagagc	tcggtcacta	aaagccaagt	ttggaactga	gaaatgtgaa	2580
caggaggagg	aaaaggaaga	tcttgaaagg	tttgtgagtt	gcctgctgga	gcagcctgaa	2640
gtgttagtca	ccggtgcagg	aagaggacat	gctggcagga	tcattcacaa	gctgtttgtg	2700
aatgcccaga	gggctgcagc	tatgactcca	ccagaggagg	aattgaagag	aatgggctcc	2760
ccagaggaaa	gaaggcagaa	ctccgtgtca	gacttcccac	cccctgctgg	ccgggaattc	2820
atthttgcga	ccactgtgcc	gcgccctgct	ccctactcca	aagctctgcc	tcagcggatg	2880
tacagtgttc	tcaccaaaaga	ggactttaga	cttgacagtg	ccttttcatc	agatacttcc	2940
ttcttctgat	ttactctagca	ttactcgttg	gtggcttcag	agacagtgct	gcctcctcct	3000
gagggaggga	aggtaccagg	gagaacctgg	gaggtcctgg	agagggccct	gtccagttgg	3060
gtgatcagga	atcaaaccag	catcggaag	acttcccagc	accaagcttg	agctgtgtcg	3120
tttcgtggag	ggggcagcga	ggatgggctt	gagctgttga	gagatttctg	ccctagagat	3180

ggcctttt	gta	tatggggggg	tggtgggggg	acacaaacac	atcagacact	cgcctctcac	3240
actggcagga	cgggtgttcat	cgcattctct	tctgtgacca	gcctctaggg	tagcggctgc		3300
attcgtgggc	tgtgcaaaca	cttcgtgggt	ctatatatca	gcagcaagtg	tgcaaaataa		3360
aggacctgtt	aactcagatt	tctggatatt	ttgggtggtag	cttctagtc	cagaatctgt		3420
gttttttaaaa	tactacatga	cattctgtct	attcaatcac	ctgggtggca	tctttcttgt		3480
actaattaac	tggtgatgag	cattttggat	attctaggag	aaagcctata	atttcacata		3540
gtttctcttt	ttcatgtaac	tgtaacctaa	atgtattact	tctgataaaa	ctatatatca		3600
aatgtcactg	caaattagtt	ttatatctgt	catgtgagat	ttgtcttact	tatttttctt		3660
ttggttgcca	tggaagttat	ggccctgaaa	atcgtctccc	tcccttctc	ttgctgtaca		3720
gcattgcgttc	tctttttgtg	gttgctggct	gggtactgta	tttaatgaag	tagagaatag		3780
catttgcaaa	aatacagtc	tggtacctag	agactgtcat	gcagatagta	taatttggtg		3840
tatgtgctaa	tgcatagagt	agaggattat	tttaacacac	tattttgctt	ttgtatttta		3900
gttaaaataa	tcgatgggga	tgtgtagccc	ccccgtgtga	ggatgacatc	accacatttc		3960
tagtttcatg	gagctcaaga	tgtcttgtgt	ctgtgtggct	agatggcctc	tgcttggtaa		4020
tcttattttt	aggcctaaaa	ttcccactta	aatccaaagt	aaaaatgggt	atactgaagc		4080
ataaaccttg	cctgtgtaat	tttaaaaaat	taatagagct	gtgcaaacc	tgttattttt		4140
gttaaaaaaa	aaaaaatata	tatctatata	taatatgtgt	gtgtgtgtga	catatgcaca		4200
cgtctctgtg	tatgtgaagt	aggggaggcc	ctgggggatg	acctccagc	ctttatgaat		4260
ctttctctta	tctgtctgga	cttcattctt	actgggtcacg	cgatgcaggc	ggcctgaggc		4320
cagtgtctga	ccaagttaga	gacggttcct	aaggacagag	tttgtctgtt	ttctaacaaa		4380
gaaaaattct	acaaaggagt	ggttaaagtt	acaaaggcat	tgtgaatcta	ataaaaggaa		4440
aggtgtcgtc	taaaa						4455

<210> 380

<211> 2333

<212> DNA

<213> Homo sapiens

<400> 380

tttttttttt	ttctattttt	aatcaaattt	cttttttaatg	aaaactaatt	tttaagggca	60
agataccaca	gcagaagaaa	aacgtcttgc	aagaaaagac	ttcatgggtt	acaacgatca	120
aatgtatggg	ctattttgct	gattgggtggc	ctggactcag	caagagattc	ctttgcagca	180
gaggttgggc	acacatctgg	gggctgcaac	accactgaaa	agacagcttt	ctaagcatta	240
gtgtaaggca	aaaagcagag	tgctaaact	tggtcatttc	caccaagaaa	aaaagtttca	300
tagcaacctt	ccttcaccag	aaaggcttac	tttatgatat	gctaacagaa	cagaaaagca	360
ggttggggaca	agatacagac	tttgttgcac	ttagctatga	cccttctctc	ccctctgtgg	420
atgtggggcag	ggtgggggaga	ggcaggaaga	ggcagtagag	ggaaatgaca	tttgactca	480
ggcttcccgc	ccctaccac	ccctaccctt	cgcccagaca	gacgtcggat	ctatgctgca	540
ccaggggtgg	gtcatggagt	ccagctaatt	gccaggagct	gaggcgtgta	caagccatga	600
aaagagctgc	cccacggcct	cccacatca	ctgtccttca	tgactttgca	tctttaaggc	660
tgccagcttc	agagctccct	ggacattccc	tggtcaaagt	tcatccctgt	gtcaaattgga	720
tgggatgcca	ggtaatcctt	gtactccccg	tcaatcagtt	tggcggcatt	gttcctggca	780
aaccagcagt	ctatctgtct	ttccccgttg	taaatcttcc	tttgcttcca	gaccttggg	840
acttggtggc	ctttcactgt	taggaaggcc	tcaggccctt	ctcccacctg	aaggagcaga	900
gggtgagtga	ggttctggct	gggcccctgca	gggtcttctg	tgagtctggc	atcctgattc	960
aggaactgac	ccagcagtc	gtggcagttg	ctggaaaaggc	cctcgtgtgt	ggcaatgtag	1020
aaaccaggt	ggtgtcgtg	gaagggcgcc	ggctttttgt	agaggtggat	gaggatgaca	1080
aaggctatgg	agccctggat	ggtgacggtg	acattggcgt	tggcagacac	ggacacctcc	1140
agcccccagc	tccccaccac	cacactctgg	ttgcagggga	gcaccagtct	gtccccacca	1200
tccaagatga	ctctgtctgg	tgtgatctcg	agataagatc	tctctggctt	gttgatgagg	1260
atgggtgatag	tgcgcaagta	agtgcgtctg	ttcttgtggc	cattttggagg	ggcgggtgcc	1320
ccaattaaact	ctccgttcac	tgtgacacca	gagtcctctg	gatcagagac	cagcctgagg	1380
atgtccccgg	gctgcccatc	aatgttgaag	cacacggtga	gtctgctcag	ggggaaatcc	1440
acaacaaagt	ggggatcacc	atccactgat	gttttagaga	ttttaattct	tggctgggat	1500
ggcttcttga	gcaaaggctc	tggctgcgtg	ccagctcctc	gcacgctctg	caccaccggt	1560
tgggttccca	tggcagccga	catgccgtgg	gcctcctcca	ggccatccat	gcgtgggacc	1620

ggccccctca	gcttcatgga	ggtgaaggga	gtgaggaagc	ggtagctcac	agccagggcc	1680
tgggcccgt	gcgcagccg	ctccttctcc	ggttcatcgt	cactttgcag	ccaggagctc	1740
agcagctcct	ttgtggtgag	gtagctccag	agacgctcga	tgtggttgg	gtccccctct	1800
ccatcgctc	caggcctggg	gcttctgtg	acatcttctc	ctgccttctg	aggccgcaca	1860
ggcacatctg	tcttcaggat	gatgaatttc	ttactgttgc	tggcggtgac	ctccacgtgc	1920
aggtgatcca	gcttctgtc	caccagcttc	cccgcaatga	tgatctccga	gccgttgaag	1980
tagttgggga	acagggtctt	ggtggcctgc	accactgagc	tggggggata	atcgatgcgg	2040
atgtcagaga	ggagcggggt	cctgatttca	tcgtagaacc	cgatgagctg	cgagcctgcg	2100
tcctcctcct	cgtgcacgcg	cgtgtgagg	ccacagttct	ccagcgacag	tttctccagc	2160
agcctgaagt	ccacgtcgtt	gccgatgcc	atggtgaaga	tgcagacttg	gcctcgggcg	2220
gcctctcggg	tgttggtgag	gatcttgagg	gtgtgcgtct	ccccgaccgt	gggcttgctt	2280
tccgtcagga	agacgatgag	ggacacgctc	cggctctccg	tacgcgtggg	cga	2333

<210> 381

<211> 607

<212> DNA

<213> Homo sapiens

<400> 381

cctgggctg	ctcccccg	cacctactcc	taagagtacc	cattacatat	cagtttccct	60
caccaagctc	agccccctct	gccctctggt	gagtctcctg	agtccttttg	gagtcctct	120
cttgctccca	tgcagacaac	tggaagcagg	agctgacaaa	attcatcagc	cccagaccagc	180
tgctgtgga	gtttgggggg	accatgactg	accccgatgg	caacccaag	tgctgacca	240
agatcaacta	tgggggtgag	gtgccaaga	gtactacct	gtgcaagcag	gtgaggctgc	300
agtatgagca	cacgaggctc	gtgggcccgc	gtcctccct	gcagggtggag	aacgagatoc	360
tgttcccggg	ctgtgtgctc	agatgtcctg	aggttttaca	acacctacag	cctgggtcat	420
tctaaacgca	tcagctacac	cgtggaggta	ctgctcccag	accaaaccct	catggagaag	480
atggagaaat	tctaggtgaa	cctcatggtc	cccacaccct	cctctttgat	ctctgaatcc	540
acaatgagtt	cacagccttc	cctggccaga	cctgttcaa	cctctcagga	acagggatcc	600
tacaaca						607

<210> 382

<211> 4197

<212> DNA

<213> Homo sapiens

<400> 382

gcctgtctgc	ccctgagcac	acggaccctg	cgaaccgcg	gggcagtgtg	tcctgtctgt	60
ccctgtctgc	gggactgtcc	tcagggtggt	cctcacctct	gcttccggcc	cctgtgtgca	120
accctaacaa	ggccatcttc	acggtggatg	ccaagaccac	agagatcctc	gttgctaacg	180
acaaagcttg	cgggctcctg	gggtacagca	gccaggacct	gattggccag	aagctcacgc	240
agttctttct	gaggtcagat	tctgatgtgg	tggaggccct	cagcgaggag	cacatggagg	300
cgcacggcca	cgtgcgggtg	gtgtttggca	cgggtggtga	catcatcagc	cgtagtgggg	360
agaagattcc	agtgtctgtg	tggatgaaga	ggatgcggca	ggagcgccgc	ctatgtctgc	420
tgggtggtct	ggagcccgtg	gagaggggtc	cgacctgggt	cgctttccag	agcgatggca	480
ccgtcacgtc	atgtgacagt	ctctttgtct	atcttcacgg	gtacgtgtct	ggggaggacg	540
tggctgggca	gcatatcaca	gacctgatcc	cttctgtgca	gctccctcct	tctggccagc	600
acatcccaaa	gaatctcaag	attcagaggt	ctgttggaag	agccagggac	ggtaccacct	660

tccctctgag	cttaaagctg	aaatcccaac	ccagcagcga	ggaggcgacc	accgggtgagg	720
cggccctgt	gagcggctac	cgggcatctg	tctgggtgtt	ctgcaccatc	agtggcctca	780
tcaccctcct	gccggatggg	accatccacg	gcataacca	cagcttcgag	ctgacactgt	840
ttggttacgg	aaagacggag	ctcctgggca	agaatatcac	tttcttgatt	cctgggtttct	900
acagctacat	ggaccttgcg	tacaacagct	cattacagct	cccagacctg	gccagctgcc	960
tggacgtcgg	caatgagagt	gggtgtgggg	agagaacctt	ggacctgtgg	cagggccagg	1020
accagctga	ggggggccag	gatccaagga	ttaatgtcgt	gcttgctggg	ggccacgttg	1080
tgccccgaga	tgagatccgg	aagctgatgg	aaagccaaga	catcttcacc	gggactcaga	1140
ctgagctgat	tgctggaggc	cagctccttt	cctgcctctc	acctcagcct	gctccagggg	1200
tggacaatgt	cccagaagga	agcctggccag	tgacggtga	acaggcgctg	cccaaggacc	1260
agcaaatcac	tgcttggggg	agagaggaac	ctgtggcaat	agagagcccc	ggacaggatc	1320
ttctggggaga	aagcaggtct	gaaccagtgg	atgtgaagcc	atgtgcttcc	tgcaagatt	1380
ctgaagctcc	agtcccgct	gaggatgggg	gcagtgatgc	tggcatgtgt	ggcctgtgtc	1440
agaaggccca	gctagagcgg	atgggagtca	gtggtcccag	cgggtcagac	ctttgggctg	1500
gggctgccgt	ggccaagccc	caggccaagg	gtcagctggc	ggggggcagc	ctcctgatgc	1560
actgcccttg	ctatgggagt	gaatggggct	tgtgtgtggc	aagccaggac	ttggccccc	1620
gccccctctg	gatggcaggc	ctctcgtttg	ggacacctac	tctagatgag	ccgtggctgg	1680
gagtggaaaa	cgaccgagaa	gagctgcaga	cctgcttgat	taaggagcag	ctgtcccagt	1740
tgagccttgc	aggagccctg	gatgtcccc	acgccgaact	cgttccgaca	gagtgccagg	1800
ctgtcaccgc	tctgtgtcgc	tctgtgcgat	tgggaggcag	agacctgtgc	ggtggctgca	1860
cgggcagctc	ctcagcctgc	tatgccttgc	ccacggacct	ccctgggggc	ctggaagcag	1920
tggaggccca	ggaggttgat	gtgaattcgt	ttcttgga	cctcaaggaa	ctctttttca	1980
gtgaccagac	agaccaaacg	tcatcaaatt	gttctgtgc	tacgtctgaa	ctcagagaga	2040
caccctcttc	cttggcagtg	ggctccgatc	cagatgtagg	cagtctccag	gaacaggggt	2100
cgtgtgtcct	ggatgacagg	gagctgttac	tactgaccgg	cacctgtgtt	gaccttggcc	2160
aaggccgacg	gttccgggag	agctgtgttg	gacatgatcc	aacagaaccg	cttgaggttt	2220
gtttgggtgtc	ctctgagcat	tatgcagcaa	gcgacagaga	aagcccagga	cacgttctct	2280
ccacgttgga	tgctggccct	gaggacacgt	gcccacagc	agaggagcca	aggctgaacg	2340
tccaggtcac	ctccacgccc	gtgatcgtga	tgccgggggc	tgctggcctg	cagcgggaga	2400
tccaggaggg	tgctactcc	gggagctgct	accatcgaga	tggcttacgg	ctgagtatac	2460
agtttgagg	gaggcgggtg	gagctccagg	gccccacacc	tctgttctgc	tgctggctgg	2520
tgaaagacct	cctccacagc	caacgcgact	cagccgcccag	gaccgcctg	ttccttgcca	2580
gcctgcccg	ctccacccac	tctaccgctg	ctgagctcac	cggaccagc	ctggtggaag	2640
tgctcagagc	cagaccctgg	tttgaggagc	cccccaaggc	tgtggaactg	gagggtttgg	2700
cggcctgtga	gggcgagtag	tcccaaaagt	acagtaccat	gagcccgctg	ggcagtgagg	2760
ccttcggctt	cgtgtggact	gctgtggaca	aggaaaaaaa	caaggagggtg	gtggtgaagt	2820
ttattaagaa	ggagaaggte	ttggaggatt	gttggattga	ggatcccaaa	cttgggaaag	2880
ttactttaga	gatcgcaatt	ctatccaggg	tggagcacgc	caatatcatc	aaggtattgg	2940
atataattga	aaaccaaggg	ttcttccagc	ttgtgatgga	gaagcacggc	tccggcctag	3000
acctcttcgc	tttcatcgac	cgccacccca	ggctggatga	gcccctggcg	agctacatct	3060
tccgacaagt	gagagcaggg	ccagagccgt	ctagtgtcag	cagtgggata	cctgcgcttg	3120
aaggacatga	tccaccgtga	catcaaggat	gagaacatcg	tgatcgccga	ggacttcaca	3180
atcaagctga	tagactttgg	ctcggccgce	tacttgga	ggggaaaatt	attttatact	3240
ttttgtggga	ccatcgagta	ctgtgcaccg	gaagtctca	tggggaatcc	ctacagaggg	3300
cgggagctgg	agatgtggtc	tctgggagtc	actctgtaca	cgtgggtctt	tgaggagaac	3360
cccttctgtg	agctggagga	gacctgggag	gctgccatac	acccgccata	cctgggtgtcc	3420
aaagaactca	tgagccttgt	gtctgggctg	ctgcagccag	tccctgagag	acgcaccacc	3480
ttggagaagc	tgggtgacaga	cccgtgggta	acacagcctg	tgaatcttgc	tgactataca	3540
tgggaagagg	tgtttcagag	aaacaagcca	gaaagtggag	ttctgtccgc	tgcgagcctg	3600
gagatgggga	acaggagcct	gagtgatgtg	gccaggctc	aggagctttg	tgggggcccc	3660
gttccaggcg	aggctcctaa	tggccaaggc	tgtttgcata	ccggggatcc	ccgtctgctg	3720
accagctaaa	caccaatttc	ttcctgcttt	tctccacttg	gtttggaaaa	tcacacagtt	3780
ttcaggctcc	atctgttttg	agaaaataca	ttctgaagca	tccccaatc	accttctaaa	3840
aactcatgtg	caggtttgat	aaacaccaga	acagaagaca	gtgatgctgt	attattttag	3900
atattattaca	tagattttga	attcactttt	ttcatgacct	agaaaaaac	attccagtgt	3960
tcaactgttt	tatattatta	aagggttttt	aatttggaa	cttctgaagg	catgagtgtt	4020
ttctctttct	acttttgtat	atgtgcatgt	tttgtttcct	ctgacttggg	atatgtcat	4080
ctgagtgcag	gatattgtgaa	atttgtagaa	ctggttagtc	aaatggccag	actatttcat	4140
taattttatt	cctcaaattgc	ttttcaaatt	aaagcacctt	tgtagtaaa	cagttaa	4197

<210> 383
 <211> 1843
 <212> DNA
 <213> Homo sapiens

<400> 383

ctgggtattca	tacagtgaca	gagggagtg	ttttagaaat	ttatagetgt	ttctaggtga	60
aaacactgg	tgatttagct	cccttggtaa	gagcactgag	cagaaagaag	ttccctatca	120
aatgggtgtg	tggagcagcc	ctgttctccc	catcccgtag	agctccagga	agttaaccag	180
ggacttcagc	tgcgacctgc	agattttctaa	gccccctgt	tatttctctg	tcttttacgg	240
gectgtgtat	ttcagacttg	gtggtggcag	tcaacgggg	ctggatcctc	gtggagacat	300
ttatgctgaa	aggtgggaac	ttcttctcca	agcacgtgcc	ctggagttac	ctcgtctttc	360
taactatcta	tggggtggag	ctgttcctga	aggttgccgg	cctgggccct	gtggagtact	420
tgtcttcagg	atggaacttg	tttgacttct	cgtgacagt	gttcgccttc	ctgggactgc	480
tggcgctggc	cctcaacatg	gagcccttct	atttcacgt	ggtcctgcgc	ccccccagc	540
tgtctgaggt	gtttaagttg	aaggagcgct	accgcaacgt	gctggacacc	atgttcgagc	600
tgtgccccg	gatggccagc	ctgggcctca	ccctgctcat	cttttactac	tccttcgcca	660
tctggggcat	ggagttcttc	tgcgggatcg	tcttccccaa	ctgctgcaac	acgagtacag	720
tggcagatgc	ctaccgctgg	cgcaaccaca	cgtgggcaa	caggaccgtg	gtggaggaag	780
gctactatta	tctcaataat	tttgacaaca	tcctcaacag	ctttgtgacc	ctgtttgagc	840
tcacagttgt	caacaactgg	tacatcatca	tgggaaggcg	cacctctcag	acctccact	900
ggagccgect	ctacttcatg	accttttaca	ttgtgaccat	ggtggtgatg	acgatcattg	960
tcgcctttat	cctcgaggcc	ttcgtcttcc	gaatgaacta	cagccgcaag	aaccaggact	1020
cggaagtga	tgggtggcatc	acccttgaga	aggaaatctc	caaagaagag	ctggttgccg	1080
tcctggagct	ctaccgggag	gcacgggggg	cctcctcgga	tgtcaccagg	ctgctggaga	1140
ccctctccca	gatggagaga	taccagcaac	attccatgg	gtttctggga	cggcgatcaa	1200
ggaccaagag	cgacctgagc	ctgaagatgt	accaggagga	gatccaggag	tggatatgagg	1260
agcatgccag	ggagcaagag	cagcagcgac	aactcagcag	cagtgcagcc	cccgccgcc	1320
agcagcccc	aggcagccgc	cagcgctccc	agaccgttac	ctagcccagc	gcccgaagc	1380
cgtctcttct	atgcaataac	acaatagtat	tactctactg	cgatgtacgg	aactgcggtg	1440
tgtgtacaca	tactcacgta	tatgcacata	tttatataca	ggaagaaaaa	agacagacaa	1500
gatggggctt	ggttttataac	caccttgccc	tgtcttccct	aactccagaa	gccagtttgg	1560
tgaggggtgg	gggtgcggcc	accaggtctg	agctcttcc	actgtggaag	gctccagaag	1620
gcccttcaca	aggagacccc	tcacctggat	ccagtcgact	gcggggcttg	ccccctcatgt	1680
gggctggcct	ccatcggcca	cgtccaaaagc	tgtcactgct	actgcttcag	gctcacatcc	1740
ccccgacctg	atggcgctgc	cgccccctct	ccctgcgggc	catgccacag	gtttctgtgt	1800
tttgctttag	ggacagaacc	acttaggaag	gaaagaactc	ccg		1843

<210> 384
 <211> 1459
 <212> DNA
 <213> Homo sapiens

<400> 384

ctggcgggcg	tgggaaccca	ggccccgcgc	aggcgggccag	gaggtgagat	ggcagctggg	60
caaaatgggc	acgaagagt	ggtgggcagc	gcatacctgt	ttgtggagtc	ctcgtgggac	120
aaggtggtcc	tgtcggatgc	ctacgcgcac	ccccagcaga	aggtggcagt	gtacagggct	180
ctgcaggctg	ccttggcaga	gagcgggcgg	agccccgacg	tgtcgcagat	gctgaagatc	240
caccgcagcg	acccgcagct	gatcgtcgag	ctgcgattct	gcggggcgga	gccctgtggc	300
cgtctctctc	gcgcctaccg	cgagggggcg	ctgcgcgcgc	cgctgcagag	gagccgagcg	360
gccgcgctcg	cccagcactc	ggtgccgctg	caactgggat	ctgcgcgcgc	gcgcgagcg	420
gctggaggct	ttgctggcgg	acgaggagcg	ctgttttagt	tgcctcctag	cccagcagcc	480

cgaccggctc	cgggatgaag	aactggctga	gctggaggat	gcgctgcgaa	atctgaagtg	540
cggctcgggg	gcccgggggtg	gcgacgggga	ggtcgcttcg	gcccccttgc	agcccccggt	600
gccctctctg	tcggagggtga	agccgcgcgc	gccgcgcgca	cctgcccaga	cttttctgtt	660
ccagggtcag	cctgtagtga	atcgcccgct	gagcctgaag	gaccaacaga	cgttcgcgcg	720
ctctgtgggt	ctcaaattggc	gcaagggtggg	gcgctcactg	cagcgagggt	gccggggcgct	780
gcgggacccg	gcgctggact	cgctggccta	cgagtacgag	cgcgagggac	tgtacgagca	840
ggccttccag	ctgctgcggc	gcttcgtgca	ggccgagggc	cgccgcgcga	cgctgcagcg	900
cctggtggag	gcactcgagg	agaacgagct	caccagcctg	gcagaggact	tgctgggcct	960
gaccgatccc	aatggcgggc	tgccctagac	caggggtgca	gccagctttt	ggagaacctg	1020
gatggcctta	gggttccttc	tgcggtatt	gctgaacccc	tgtccatcca	cgggaccttg	1080
aaactccact	tgccctatct	gctggacctg	ctggggcaga	gttgattgcc	ttccccagga	1140
gccagaccac	tggggggtgca	tcattgggga	ttctgcctca	ggtactttga	tagagtgtgg	1200
ggtggggggg	acctgctttg	gagatcagcc	tcaccttctc	ccatcccaga	agcggggcctt	1260
acagccagcc	cttacagttt	cactcatgaa	gcaccttgat	ctttggtgtc	ctggacttca	1320
tctggtgtgc	tgcatatact	gcagtgaagt	aaaacaggaa	tcaatcttgc	ctgccccag	1380
ctcacactca	gcgtgggacc	ccgaatgtta	agcaatgata	ataaagtata	acacggattt	1440
tgatgtgaga	aaaaaaaa					1459

<210> 385
 <211> 2408
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1) ... (2408)
 <223> n = a,t,c or g

<400> 385	
tttttttttt	ttcgagataa
aaaaacaaca	accaccttaa
ggggtagtta	atggggaaat
gctcatggag	cccaaattcc
ctcccgagcc	tctgcttgta
gggggaggga	tttcggcctc
gggtttaaaa	aggggtggagc
tgccccctgg	ggtggcccc
caccaattgg	gggcaccccc
cctggggcct	atggccctct
gcctcttccg	ggacccctcc
tgcggtgccc	tnttgccgc
tggtgggggat	ctgtccatga
ggttacacag	tactcgctc
catctccctc	gcacaccccc
cacgggcacc	tcctccctg
gacatagctg	acaaggacaa
ccggaagtgc	tcgagcatat
accctcctcg	ttcagcgaca
gacgtattca	ccccgccttg
gccgccagtc	agcaccaact
ataccttgag	aggggctggt
accctgtggc	tgtttccgga
tcctgtctgg	gggtccctct
ccatcgagtc	aaaatgggag
ggcggctctga	gaggccccca
caagcagcag	gtcctggctg
acctttttat	ttatztatgc
agcccttccc	cctcaccctg
gtggggctga	ccagaagagc
gaggggacct	gtagtgtgtg
tgcccttggc	caacaagggt
accagcccca	atctcacgag
aaggagtact	ggttgttaaa
agtggtgact	gctgcagctg
gcgccccttg	gcctcttgag
gcgccccttg	acggggacca
tcttgcctct	ctttggtgtc
cgccctcttc	ttccccaggc
gtgggtcatg	ggaggtggtc
gagggctgag	gggtggcatc
caggcctcac	ttcttgggtg
tgctgtcgct	gggaggatgg
gcctcccgac	tccaaaggga
aggtgctgga	cccggcactg
ccctggaagt	tgaaggtgag
gagacaccgt	gggagccagt
agcatcccgt	ggaaccaagg
tcccccttgg	aacagggaagg
ggctgagagg	ggatgaactg
ggaagcagtt	gatgccgagg
gtcattgctc	tcgctgggtc
caggcaggac	agctccaggc

tgtctgtgtt	ctcccttgta	aggaatgagg	tcccaggggc	cagagggagg	gtcatggggc	1680
ggggactggt	agcagggcag	ggtcctgggc	tcaggcattc	ttggatgtca	gacacccagg	1740
ccttcacatg	ctgggcatcc	actgtctcca	tgatatactc	ggatggacct	tccaccttaa	1800
ccacaaaagt	gttctcccg	tcaggaatct	ccagggctgt	ggttgtccgg	acgtctgtga	1860
tagaagagca	ggggatgctg	agtcggggcc	gagaggcctt	gggtggtaca	aagaactcca	1920
ggcgacttcc	tctctctct	tctccttcac	ttcgaagcag	caggcgacac	ttctgccact	1980
gaggtgccc	tctctccct	gaaggaggcc	cagccacccc	tctctcccg	cccactccgg	2040
ctgggtcagg	ggctgcctcc	tcagccccc	tgaaactcag	cagctcttcc	ctctgcacca	2100
tccctgctcc	atccttcaag	gcgccccctc	cccgactgag	tctcagcctc	tcaaaacggg	2160
gagtcacatc	ttccccagg	gacgttccat	cactgaccag	tcccctacca	acggtcccag	2220
ccccgccaga	ggagttggag	ttgtctgttc	cacctaaagc	tggggggcct	gacgaggtct	2280
ccaggggccc	agcggaggag	ggaggggtcaa	cgggtccccc	ccactgcagg	atgccacgga	2340
ctgagcctcg	gacagagcga	cccactgaac	gcagggaaaa	gcgcttcttg	agcttogggt	2400
tggaggag						2408

<210> 386

<211> 2204

<212> DNA

<213> Homo sapiens

<400> 386

ttgggggaacc	cccagggttt	tcccatcccc	ccggtgtaaa	accgcggccc	aggaaatgga	60
ttttgggggc	cccataaaaa	aacttttgcg	ttgccagccc	ccggacgtta	acctggatcc	120
tttaaaacgg	cccccccttt	tttttttttt	tctttaacaa	aattttttatt	taataaatgg	180
ttaaaatcgc	agtgcacaaa	atacattgac	atttagcaat	ttcactgaaa	ggaagaaact	240
acagaatgca	cggtttcaga	aagctatttt	aagttattta	caaataaagt	atctaaaact	300
caaaaacagg	ctctgtatgc	tatatctagt	ttatcccttc	ccgaacaaaa	tttctgttat	360
ttgggcaaat	tcttaaacca	tggtttaaac	cgtaatgggt	acaaaccaca	aacacatcca	420
tcagagact	gaaaccgttt	ctatccggtc	agtggcaaaa	ctgttgaaag	ggcaatagtt	480
gaagctgttg	ggttttatat	agtgtgaact	ctgataaata	ttcctaccag	gactaaaaca	540
cagcacgctt	tgcgggcacg	gctgactcac	aaagggttga	acaaacaaga	actactcttc	600
actcgacacc	atggctcaga	ggccaccgag	aagcacgagt	gactgacagc	tcctctgctt	660
acaaacgaat	gaaacccaaa	gtggatgtcg	ttctcacagc	actgaaagtg	cttcaggact	720
cacactgate	caataactaac	tttcttccct	attttacaca	tatttttcta	ctgtccagtg	780
gaaatcattt	tctgtttttg	ctaaacaaca	aatactagtt	tataacagga	atggtaaaat	840
ctgtgagaat	tctgctcaat	ttaatacaag	atcactactt	tctttagaat	ggtttctgog	900
tgtttctacg	tcacctctcg	tatttttagc	ttccagtttc	ctggtaagga	ataagttctc	960
cttcccagtc	acactcgggg	tcattttacac	gtttctggga	tgcccttgct	cgtccatgga	1020
ggccaggtgc	gtgcagtgac	tcactctgcc	tcttccctct	tctcaggacc	agtccecgaa	1080
ccttctgcct	tgcagatcct	cctgtttccg	ccacactctc	gcgctcggaa	gcgagctcct	1140
ggatcataca	gctgcaaggc	tggccgggtcc	ttgtttgcca	gtcgcctctt	tctgggtgct	1200
ggactgtcgt	cacacctctg	cgtctctccc	agtctctcca	tggcctcccc	cggagccccg	1260
ctgtcctggc	tccccttctt	ccctctgtct	tggccagggtc	ctttccccc	tctctgtctca	1320
tctcactccc	ttctggaaag	cgttcaggcc	tctgtggtgag	ctctgtgcct	cctgcccgtca	1380
tccacatggt	atctttgtgc	ttcagattct	tgttcttgag	atctctccac	atccctgtgc	1440
tctttatcac	tgcgctgtg	tgaagctctc	tggggctcct	ccagcgagcc	ttccatgggc	1500
ctggctttta	cgactgcacc	gggggcacag	gattcctgct	tgccacctcc	agtatcaatc	1560
tctctctctc	tttcttttgg	tttctctgtg	gttggttctc	ctcccttttc	tggtttctta	1620
agaagcttaa	tcttacttc	tttctctgca	attttcttct	gtttatctgt	ctcttttttt	1680
ttgcatcttt	cttcttctct	tcttctctct	tttctctctt	cccgcaaacg	tttcttttct	1740
aactctctcc	tctctcggtc	ttctctgctt	tcttctcgaa	ttctctgctt	ttctaatttt	1800
ctatttttaa	tatatcccaa	aagaggtgtg	gttcttctag	caatgagctc	tcttgtcttc	1860
gcctccatct	cccccagcag	agtctcagg	ttggcactgg	tcttctcttc	ctccacacag	1920
taggtttcta	aaaacttctt	atattctgga	tctttgctgt	caaggaagat	atatccatca	1980
aaacgatctc	taaaaagaag	gatgtcatca	ggattcctaa	aattaatgta	tgctcttgag	2040
tagagatgag	gataaagact	caggtcggcg	gcgaagaact	cgaagtagtc	gtgtgctggc	2100

agcgggcgca	gctgctcctc	cagetgctcc	ttggtgaggc	ccggaggcag	gcggcgggatg	2160
accacctgcg	gggagcgcgc	ggcgttccc	accggggcac	gaaa		2204

<210> 387
 <211> 798
 <212> DNA
 <213> Homo sapiens

<400> 387

tttcgtagca	aacagggttc	acgaccactg	ctctctggag	tcttattcct	cagagtatga	60
gcccttgacc	aaggagcatg	gaatgcatca	cctatgtttg	aacaaggggcg	ccagatgacc	120
tctgcggacc	cagggttttg	gaagtgctga	tgtggagcca	caggacttgt	tttagggcgt	180
gtggggcggtg	tgtgtgagt	ggcttctgca	ggtgggcagc	cagcgggcac	aggcgtggag	240
agcatggtca	cccatggaga	caccgctcac	ggggactttc	ctttggcccc	acatcccga	300
gggtctcttc	ttcgatgatt	cctatggctt	ctaccaggc	cagggtgctca	ttggccctgc	360
caagatcttc	tccagcgtcc	agtggctgtc	aggtgtcaag	cccgtgctca	gcaccaagag	420
caagttccga	gtggtggtgg	aagaggtgca	ggtttagtag	ttgaaagtta	catggattac	480
caagagtttc	tgtccagggg	gcacggacag	cgtcagcccc	ccacgtctgt	catcaccag	540
gaaaacctag	gcagggtgaa	gcgtctcgga	tgctttgacc	atgctcagcg	gcagcttggg	600
gagcgtgtgc	tgtatgtctt	cccagccaag	gtagagccag	ccaagattgc	ctgggaatgt	660
ccagaaaaaa	actgcgcccc	gggggagggc	tctatggcca	agaagggtgaa	gcgcctgttg	720
aagaagcagg	ttgtgcggat	catgtcatgc	tccccagaca	cccagtgttc	ccgggaccat	780
tccatggaag	accagac					798

<210> 388
 <211> 4530
 <212> DNA
 <213> Homo sapiens

<400> 388

tttcgtgaca	gtagcccttg	ctcggccttc	gagttccact	gcctaagtgg	cgagtgcac	60
cactccagct	ggcgctgtga	tgggtggccc	gactgcaagg	acaaatctga	cgaggaaaac	120
tgcgctgtgg	ccacctgtcg	ccctgacgaa	ttccagtgtc	ctgatggaaa	ctgcatccat	180
ggcagccggc	agtgtgaccg	ggaatatgac	tgcaaggaca	tgagcgatga	agttggctgc	240
gttaatgtga	cactctgcga	gggacccaac	aagttcaagt	gtcacagcgg	cgaatgcac	300
accttgga	aagtctgcaa	catggctaga	gactgccggg	actggtcaga	tgaacccatc	360
aaagagtgcg	ggaccaacga	atgcttggac	aacaacggcg	gctgttccca	cgtctgcaat	420
gaccttaaga	tcggctacga	gtgcctgtgc	cccagcggct	tccagctggg	ggcccagcga	480
agatgcgaag	atatacatga	gtgtcaggat	cccacacct	gcagccagct	ctgcgtgaac	540
ctggaggggtg	gctacaagt	ccagtgtgag	gaaggcttcc	agctggaccc	ccacacgaag	600
gcctgcaagg	ctgtgggctc	catcgccctac	ctcttcttca	ccaaccggca	cgaggctcagg	660
aagatgacgc	tggaccggag	cgagtacacc	agcctcatcc	ccaacctgag	gaacgtggtc	720
gctctggaca	cggaggtggc	cagcaataga	atctactggg	ctgacctgtc	ccagagaatg	780
atctgcagca	cccagcttga	cagagcccac	ggcgtctctt	cctatgacac	cgtcatcagc	840
agagacatcc	aggcccccga	cgggctggct	gtggactgga	tccacagcaa	catctactgg	900
accgactctg	tcctgggcac	tgtctctgtt	gcggatacca	agggcggtgaa	gaggaaaacg	960
ttattcaggg	agaacggctc	caagccaagg	gccatcgtgg	tggatcctgt	tcattggcttc	1020
atgtactgga	ctgactgggg	aactcccgc	aagatcaaga	aagggggcct	gaatggtgtg	1080

gacatctact	cgctgggtgac	tgaaaacatt	cagtggccca	atggcatcac	cctagatctc	1140
ctcagtggcc	gcctctactg	ggttgactcc	aaacttcact	ccatctcaag	catcgatgtc	1200
aatgggggca	accggaagac	catcttgagg	gatgaaaaga	ggctggccca	ccccttctcc	1260
ttggccgtct	ttgaggacaa	agtatttttg	acagatatca	tcaacgaagc	catttttcagt	1320
gccaaaccgc	tcacaggttc	cgatgtcaac	ttgttggtcg	aaaacctact	gtccccagag	1380
gatatgggtc	tcttccacaa	cctcaccag	ccaagaggag	tgaactgggtg	tgagaggacc	1440
accctgagca	atggcggctg	ccagtatctg	tgcctccctg	ccccgcagat	caacccccac	1500
tcgcccaggt	ttacctgcgc	ctgcccggac	ggcatgctgc	tggccaggga	catgaggagc	1560
tgcttcacag	agggttgagg	ctgcagtggc	caccaggag	acatccaccg	tcaggctaaa	1620
ggtcagctcc	acagccgtaa	ggacacagca	cacaaccacc	cggcctgttc	ccgacacctc	1680
ccggctgcct	ggggccaccc	ctgggtcac	cacggtggag	atagtgacaa	tgtctacca	1740
agctctgggc	gacgttgctg	gcaagaggaa	attgagaaga	agcccagtag	cgtgagggtc	1800
ctgtccattg	tcttccccat	cgttgtctct	cgtcttccct	tgcttggggg	tcttctctct	1860
atggaagaac	tggcggctta	agaacatcaa	cagcatcaac	tttgacaacc	ccgtctatca	1920
gaagaccaca	gaggatgagg	tgacattttg	ccacaaccag	gacggctaca	gctacccctc	1980
gacagatag	gtcagtcctg	aggatgtcgg	ggcgtgaaca	tctgcctgga	gtcccgctcc	2040
tgcccagaac	ccttcctgag	acctcgccg	ccttggttta	ttcaaagaca	gagaagacca	2100
aagcattgcc	tgccagagct	ttgttttata	tattttattca	tctgggaggc	agaacaggct	2160
tcggacagtg	cccatgcaat	ggcttgggtt	gggatttttg	tttcttccct	tcctcgtgaa	2220
ggataagaga	aacaggcccg	gggggaccag	gatgacacct	ccatttctct	ccagggaagt	2280
ttgagtttct	ctccaccgtg	acacaatcct	caaacatgga	agatgaaagg	gcaggggatg	2340
tcaggcccag	agaagcaagt	ggctttcaac	acacaacagc	agatggcacc	aacgggaccc	2400
cctggccctg	cctcatccac	caatctctaa	gcaaaccctc	taaactcagg	agtcaacgtg	2460
tttacctctt	ctatgcaagc	cttgcctagc	agccagggtta	gcctttgccc	tgtcaccccc	2520
gaatcatgac	ccaccagtg	tctttcgagg	tgggtttgta	ccttccctaa	gccaggaaaag	2580
ggattcatgg	cgtcggaat	gatctggctg	aatccgtggg	ggcaccgaga	ccaactcat	2640
tcaccaaatg	atgccacttc	ccagaggcag	agcctgagtc	actggtcacc	cttaatatatt	2700
attaagtgcc	tgagacaccc	ggttaccttg	gccgtgagga	cacgtggcct	gcacccagggt	2760
gtggctgtca	ggacaccagc	ctggtgacca	tcttcccgac	ccctaccac	ttccattccc	2820
gtggtctcct	tgacttttct	cagttcagag	ttgtacactg	tgtacatttg	gcatttgtgt	2880
tattattttg	cactgttttc	tgtcgtgtgt	gttgggatgg	gatcccaggc	cagggaaagc	2940
ccgtgtcaat	gaatgccggg	gacagagagg	ggcagggtga	ccgggacttc	aaagccgtga	3000
tcgtgaatat	cgagaactgc	cattgtcgtc	tttatgtccg	cccacctagt	gcttccactt	3060
ctatgcaaat	gcctccaagc	cattcaacttc	cccaatcttg	tcgttgatgg	gtatgtgttt	3120
aaaacatgca	cggtgaggcc	gggcgcagtg	gctcacgcct	gtaatcccag	cactttggga	3180
ggccgaggcg	ggttgagcat	gaggtcagga	gacgcagacc	atcctggcta	acaaggtgaa	3240
accccgctct	tactaaaaat	acaaaaaatt	agccgggcgt	ggtggcgggc	acctgatgtc	3300
ccagctactc	gggaggctga	ggcaggagaa	tgggtgtgaa	ccgggaagcg	gagcttgag	3360
tgagccgaga	ttgcgccact	gcagtccgca	gtctggcctg	ggcgacagag	cgagactccg	3420
tctcaaaaaa	aaaaaccaaa	aaaaaccctt	gcttggggca	tcagcagccc	ttggcctctg	3480
gccaggcatg	gcgaggctga	ggtggggagga	tggtttgagc	tcaggcattt	gaggtgtgtc	3540
tgagctatga	ttatgccact	gctttccagc	ctgggcaaca	tagtaagacc	ccatctctta	3600
aaaaatgaat	ttggccagac	acagggtgct	cacgcctgta	atcccagcac	tttgggaggc	3660
tgagctggat	cacttgagtt	caggagttgg	agaccaggcc	tgagcaacaa	agcgagatcc	3720
catctctaca	aaaaccaaaa	agttaaaaat	cagctgggta	cgggtggcacg	tgctgtgat	3780
cccagctact	tgggaggtcg	aggcaggagg	atcgctgag	cccaggaggt	ggaggttgca	3840
gtgagccatg	atcgagccac	tgactccag	cctgggcaac	agatgaagac	cctatttcag	3900
aaatacaact	ataaaaaaat	aaataaatcc	tccagctctg	atcgtttgac	gggacttcag	3960
gttctttctg	aaatcgccgt	gttactgttg	cactgatgtc	cggagagaca	gtgacagcct	4020
ccgtcagact	cccgctgaa	gatgtcacaa	gggattggca	attgtcccca	gggacaaaaac	4080
actgtgtccc	ccccagtga	gggaaccgtg	ataagccttt	ctggtttcgg	agcacgtaaa	4140
tgcttccctg	tacagatagt	ggggattttt	tgttatgttt	gcactttgta	tattgggtga	4200
aactgttatc	acttatatat	atatatatat	atacacacat	atatataaaa	tctattttatt	4260
tttgcaaac	ctggttgcct	tatttgttca	gtgactatcc	tcggggccct	gtgtaggggg	4320
ttattgcctc	tgaaatgcct	cttctttatg	tacaaagatt	atttgcacga	actggactgt	4380
gtgcaacgct	ttttgggaga	atgatgtccc	cgttgtatgt	atgagtggct	tctgggagat	4440
gggtgtcact	ttttaaacca	ctgtatagaa	ggtttttgta	gcctgaatgt	cttactgtga	4500
tcaattaaat	ttcttaaatg	aacccaaaaa				4530

<211> 2343
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(2343)
 <223> n = a,t,c or g

<400> 389

tttttttttt	ttatgtggat	aatatatttatt	tgtatctttat	ctatagaaca	aatatatttaca	60
gatacaaacg	gaatcacagc	aaagttgcta	taaaaccatc	cagacctctc	gatggccact	120
tctgaaaaca	tccacggtga	agggcagggc	caggcctggc	tgtggagtgg	gccagctgag	180
tacctgggcg	tcagccaagg	gaaatggttg	gggattatgg	cttcagcact	ctgccggagc	240
acattcctga	gcgctgacaa	cgtggagccc	tcaccgcccc	cacctacccc	aacctcaatg	300
gggaaggaaa	ggggcctgag	ctgggcaggg	ctgcccgggc	tcactatgtg	cctgctccag	360
gagtcacctg	cccctgtgct	ggcaggagca	tccctgagct	ggaccgggag	gcctctcttg	420
cctggggctg	ctccctgccc	ggcaggctgc	tgtttggcag	ctggaggtgg	caagagctgc	480
tgggtgctgcc	agggcggtgt	ggccaggaat	gagctcccag	ggcagccctg	aggaaagggg	540
cttaggaagc	gcctcccagc	tcactactag	gagctgggga	ctgtcagtgc	tgagtggggc	600
tggggtacag	gagcacctgc	ctctcctttc	tttggcttag	aagtggggaa	ggaagggccca	660
ggaaaaggga	ccaaagccgc	cccagccttg	gcccctaggc	cgcctgggga	ctgtgtgtgt	720
gctgaggggg	cagtgggagg	tgggcagctc	tggagtcccc	tgcacctggg	gatccttggg	780
ctgctctcac	tcccgggggc	ccagcagggc	aaggcctctg	cttgggacca	gtgctgctct	840
tectcgctgc	ttactccagg	aggtgaaggt	gacagggcgg	caaggagagg	taaccacagc	900
atggctgggg	acaggcgcta	cactgggccc	cggacccagc	acagggatca	cagtgtcggt	960
ctcgcgca	cacctctggc	cacatgtgca	caccacatac	atccacacgc	acctccctcc	1020
tgtctggcgg	gaggctcatt	ctctctcgca	gccactcgcc	ctctctgect	ctcacatatg	1080
cggtcacaga	gtgaatccga	gcattcttatt	gctgcagggg	gcaggggcgt	cggcatcagg	1140
gaaagttaat	ccacgaagag	cgagaacacg	accattacca	cgatgcccgc	acagagcaga	1200
agcagtgctg	ccagggagcg	ccacgggtcc	tcttcttcca	agaggtcagg	gagcagcttc	1260
accaaggcga	tgtagagaaa	gccgccagag	gtgaagggca	ggaccaggc	tgccgtctcc	1320
tctactccct	tgggggactg	ggtacagatg	gcgaagccag	cgcccagtag	gccccccagc	1380
gctgttgaga	gttgcagctt	ggctgcgctc	catcggtcaa	agccggcccc	gagcaggatg	1440
gcaaagtgcg	ccacctcatg	ggggatctca	tgcaggagga	tggccatggg	tgtcaggagc	1500
ccgatcttct	tgctcacaag	gaagctggca	gccacagcca	gcccgtgggt	gaagttatcg	1560
atggtgttgg	ccagcaggtt	gaggtagccg	ctgactttga	tgctccggac	cacggcaccg	1620
aggccgggct	ctgcagccgg	ctgggccaga	cagtggcctc	cattgagcgc	ggcggcagca	1680
gcagtggggg	ctttgttggg	ggcctggctg	gtccccctct	ccttgctgtc	caggaacatc	1740
ttctccaacg	ccaggaaggt	caggatgcca	gcaatgaccc	acagccccag	ctgttgctgc	1800
tgtgcaggc	tctgcccctc	accaccagg	ctggcgctgc	acgtgtaggc	ccaggcttcg	1860
ggcagcagat	gcagaaacac	attgcccaag	agtcccccca	gggcgaagct	gagcagctgc	1920
ttcaggcgcc	aggccccagc	ttctgagcgc	agcatgggtc	ccatctctag	gggaatgaca	1980
agcaacggga	agacccccact	gagccccacc	atgagggaac	ccaggaggga	gcagatccag	2040
gtgtccagcc	gctctccgct	cagcagagcc	ccccaggact	cgctttcctt	gttgtccagg	2100
cgacaggccg	tcgcagtccc	ccggctccgg	agggccggct	gggaaccccc	agcccttccc	2160
aagagctcca	gggcaagggc	agtgaggaag	aggagccttg	ggcccgccat	gccacagcca	2220
gggcagggac	atccaggcat	gccacgtacg	tgcggcgggc	gcggcgggca	tccgggcggc	2280
cccagcccgg	gaattcggtn	nccgtcgctc	tgcgtacggc	ttcaatnatc	aaannngggc	2340
acg						2343

<210> 390
 <211> 1325
 <212> DNA
 <213> Homo sapiens

<400> 390

gggaaagtga	gtgctggcca	ggctggggcg	gacagaacac	ttcgacgggc	tccggagccc	60
agattcagcc	aggaacccac	aggcaactcg	gcctaccccc	agctgaggcc	ctttttggac	120
ccgcagggga	gagatcttaa	accagcgct	ttgggtccac	ccacccgctc	ccacactggg	180
aggagaccat	ggctccacac	acagccctcg	ccaggcccac	aggggcgggc	atgggggccc	240
acctgcctcc	tgcattgtgt	gacaggggtc	tggagagtga	ggagggccgc	agggagtacc	300
tggcgtttcc	caccagcaag	agctcgggcc	agaagggggc	gaaggagctg	ctgaagggca	360
acggccggcg	catcgactac	atgctgcatg	cagaggaggg	gctgtgccc	gactggaagg	420
ccgaggtgga	agaattcagt	tttatcacc	agctgtccgg	cctgacggac	cacctgccag	480
tagccatgcg	actgatgggt	tcttcggggg	aggagggagg	atagaccgtc	cggagcagtg	540
gggcctctgc	cagcccttgc	agctgcagcc	catccctggg	ccatgtcccc	tccatcgagt	600
gcccgtgtct	tgggggagga	gggcaggggc	agggagggag	ccacagtcag	tgcccgggaa	660
cctggaagct	gcgctgctct	gcgcctctgg	gcctcactgt	ggacagagga	gtcaggcccc	720
ccccaggagc	ctccagctgc	ctaaccagtg	ccattctttc	acaacacgat	tttctacaaa	780
tctacagcac	aaccgagttt	gtaaccctg	ggttagtatg	aggaccgggt	tcgtgtactc	840
tctgtatctc	ctcttaagct	tgtccagggt	ttctttattt	ttgtctgctg	ccaatgtcgt	900
ctcgcatgcc	tgcaccctcg	catgcacgct	gcccgcacgc	cacgtgccac	gctgtagcca	960
cagacccttt	gctcgggctt	cacccaaggc	caaactccaa	acacaatcag	aaccagccaa	1020
agaagcactt	cctggggcag	gccaccagct	ctcccgcctc	cagtgtgggc	cggctcctgc	1080
agggtcagag	ggctgcatct	ctaccagcca	gcccgagggt	cttcccaggg	tctcgcattc	1140
aagggaatt	acatttttaa	aagaaaaaca	gaaaaagggt	aatcacaaaa	ccaaccctca	1200
cttcacagg	tctgtaagtc	actcatagaa	ctttgctctt	cccagacag	ggtcccttcc	1260
ccagctcagg	cacaacagag	tctggcaggc	tctggcaccc	tgggcctcct	ccgggagcct	1320
cccat						1325

<210> 391
 <211> 1458
 <212> DNA
 <213> Homo sapiens

<400> 391

tttttttttt	ttcaggctta	aataacaaaa	tatatattcag	atatgcacag	ttttaactga	60
ggactacaca	agccttcctc	gggctgcagg	cccgccgccc	tcccagtggg	attcacagcc	120
cctgcggagt	ttgtcctcac	gcacaccaca	cacgatcggg	tataaaacac	attctataaa	180
caogttctga	tgcaaactgt	gtgtccataa	atatatatatt	atgcaagttc	ctcccacca	240
ctgcagggcc	gtacagctct	ggggacagga	ggtcacagcc	gacttttaaac	cacagggttaa	300
gtagaagggt	gcagggtcaa	tagaagttcc	cgtgtgattg	catcacccaa	cggcactggt	360
ctgtcatcag	gaaatgtctga	gtgcccgcgc	tggccgggtg	ggcgcgggcg	gtggtcagac	420
gctgctctgg	agctggctat	ctgtggcact	gtcaggggct	gaggactggc	tgggcagaca	480
agtttccagg	ccatctgaag	actccgacag	gggcttgat	aagaagcagg	ctatggcaaa	540
gaagaggagc	cccagcacct	tgtacaggag	ccccatgatg	agtatgtagc	ggctcatggc	600
cgaattcttg	tacaccaagc	aggagccctg	ctggccacac	tggctcctgcc	acagcagaca	660
ggccttgctc	atcacccagc	cgaaggcgat	gggccccggg	atgcccccta	gtattctaac	720
tacaattccac	tggattccca	gggcaaagga	tctctgaggg	tcacggacac	atcgtagagt	780
tgcctttagt	gcaggaatgc	tgtgaggaa	tgtaaagaaa	attacaacga	atatgaaaaa	840
cagaaggagg	ggctttctct	gacaagttga	agtgcatctt	cctgcagtgg	catggccaaa	900
accagaggaa	agattctgag	ggatacagct	acagtctcgg	tacacctggg	aagcccaaca	960
atagctccga	ttacaagggg	aaggcacggg	ggcccccttc	cagggtccag	gggaggacag	1020
gggcggtagg	cagcggtccc	actcaccttc	tggccgtcca	cattcgtctc	cgtggctgca	1080
gggcaccctg	cgtggcacag	tgagaagtac	atgaggccgt	ccgagccgca	cacagggtctg	1140
tagtgttctg	gctggcagct	gcaggcagcg	ttgcagggag	ccgttaggtt	cagggtggcct	1200
tccggcagga	ggctcccgc	gtagctggct	gtgaocggccg	ccatgggcac	actggggcag	1260

tgcagtgaga	agacgaggat	gcccagcagg	ctgacaacgg	tgcagaacag	gcagaacttg	1320
atgaccgcgg	agccccggag	cctgagcttg	ttcacaaaga	agccgcccag	gaaggtgccg	1380
ccaccacccg	ctggcaccac	caggtaccca	aacaaggtgg	cagcttctga	ggcactcagg	1440
cgaattccac	cacacgga					1458

<210> 392
 <211> 1667
 <212> DNA
 <213> Homo sapiens

<400> 392

tttttttttt	ttctatgtac	aaaaacattt	taattgaaat	acctgtataa	aaaaatatga	60
tctccagaca	tctcactttt	gaactgaaag	aacccccatc	tgcgatgcct	gcacacaccg	120
cattcacaca	aacacaggta	ctgaataaat	taaacgctca	ggctctggcc	ccaccccagc	180
tttcagagcc	cacaagcaga	ctgtacaaag	tcaataattt	aaaaccctaa	ccctgggcac	240
agtgcctgga	agtgtcaggg	tcacccactc	cccttaagtt	agccactata	catgttcac	300
ttctgacagg	cggggccagg	acagacgcca	ggcacaggaa	tcagggcctg	gggtccctgg	360
accacagcca	ccccctcccc	tgcctcccca	ctgtccctcg	gggcttgga	gaggcagact	420
gctcagagga	aataacctca	acaaataaat	taaacaataa	atagccccgg	tgggcccagg	480
gcacctccag	ggggtcacac	cataaataac	agagtggcg	gcgggtacgg	ctcgcgtggg	540
cgggcgggcg	cggaggccag	gaacttgcatt	gtgtgtgcag	gacgtgcca	gacgcacacc	600
gcaggactga	gggcgggagg	tgggcttggg	accctgcgcc	ggcggaagaa	gctccgggtg	660
ggcaggcaga	tgggaaggcc	gcctccggac	acagcagcac	agaggggcgt	ctgggggttca	720
agtatccacc	cagggcaggc	gggacctoga	ccggagcgct	tttggacaga	cagagcttga	780
gaaaaccaag	tcccgcgga	ccagcggtca	aaagcactc	aaagcgaagg	tcaccagggg	840
tcagaggtca	ctgcttcgc	aggaggagac	ggcccacgca	ggaaaaagtc	agggtctggg	900
ggcgtcccag	gtctggccaa	ggcagggtgg	cccctagctc	ccagtcagg	gcagctctc	960
acaagctctc	gctgctggac	gtggtgctgg	ccacgtcatc	agggtcgagg	gtgcacagcc	1020
gcaggtcaca	gctctccggg	gcgcccccg	cagccccag	catccaggga	tgggcccga	1080
tctgatccag	cgacggccgc	tctgagggcc	gcagggacag	gcaccaccgg	atcagctgct	1140
ggcactctgg	agagaccctc	ctccggaaga	gcaggcgcc	tcggaggatc	tcctcgctct	1200
gctcgaagg	gatgtcccca	cacaccatat	cgtagagaag	cacgcccagc	gaccacacgg	1260
tggccgagcg	cccgtggtag	cgggtggtag	ggatccactc	cggggggctg	tacactcggg	1320
tgcgctcgaa	gtcgggtgag	accgtgtcct	tgagcagcgc	acccgaaccg	aagtcgatga	1380
gcttgagctc	tccggagcgc	agggtccaca	gcagattttc	gtccttaatg	tcgcggtgca	1440
cgaccgccga	gctgtggcag	tggcgacagg	cggccagcac	ctgcgcgaag	aaagcggcgc	1500
gccagcggct	cgtccagggc	gccgcgctcc	gtgataaagt	cgaagatgg	cctagcggcg	1560
gctcggggcg	ctccagcacc	agcaggaagc	cgctcggggc	ctcgaaccag	tccagcaggc	1620
ggatgacgcc	gcgcgcgcgc	cccggcgcg	ccaccttgcg	cagcagc		1667

<210> 393
 <211> 1938
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1) ... (1938)
 <223> n = a, t, c or g

<400> 393

gtggaaagaa	cagtcagaaa	gcctctcctg	tggatgatga	acagctgtca	gtctgtcttt	60
ctggattcct	agatgaggtt	atgaagaagt	atggcagttt	ggtccactc	agtgaaaaag	120
aagtccttgg	aagattaaaa	gatgtcttta	atgaagactt	ttctaataga	aaaccattta	180
tcaataggga	aataacaaac	tatcggggcca	gacatcaaaa	atgtaacttc	cgtatcttct	240
ataataaaca	catgctggat	atggacgacc	tggcgactct	ggatggtcag	aactggctga	300
atgaccaggt	cattaatatg	tatggtgagc	tgataatgga	tgcagtccca	gacaaagttc	360
acttcttcaa	cagctttttt	catagacagc	tggtaaccaa	aggatataat	ggagtaaaaa	420
gatggactaa	aaaggtggat	ttgtttaaaa	agagtcttct	gttgattcct	attcacctgg	480
aagtcactg	gtctctcatt	actgtgacac	tctctaateg	aattatttca	ttttatgatt	540
cccaaggcat	tcatttttaag	ttttgtgtag	agaatataag	aaagtatttg	ctgactgaag	600
ccagagaaaa	aaatagacct	gaatcttcag	ggttggcaga	ctgctgttac	gaagtgtatt	660
ccacaacaga	aaaacgacag	tgactgtgga	gtcttttgtc	tccagtactg	caagtgcctc	720
gcccttagag	cagcctttcc	agtttttcaca	agaagacatg	ccccgagtgc	ggaagaggat	780
ttacaaggag	ctatgtgagt	gccggctcat	ggactgaaac	tcagcagggg	ctctgggaag	840
tctgaccaag	ttggagcaga	tggtttgtta	tctgaatctc	caaacactta	gttgaatttt	900
tacagatatt	tcagatcagt	gggtgttggg	gccactattg	ttacctccaa	attttatttt	960
ttgcccttaa	ttccatttct	cccagctacc	atgtactatt	gtttaatggt	cagtttgggt	1020
tcatttttaa	ttttatgggt	ctgtgcgtcc	cccatattta	atatttatta	ttcaaacgca	1080
tgcatataga	cagagcatgc	agtgaagagt	attaaaaaaa	aaagcttagt	agatttgggt	1140
cagcttttga	aacttaggtt	agacgtgaaa	ctgaaataca	ggtttcaa	ttacttcccc	1200
agaacctaaa	aatgcaagat	gtttttgata	ccaaccataa	cctcctgaga	atagtaagt	1260
ttcccccg	gcattaaggg	taagcctggg	gggtggtttt	gaccaa	atcc	1320
tttaccttta	cccagcggca	actttcacc	aacttccct	ctcccaagt	agtcttagag	1380
agtcagctcc	cattcctttt	tgaaggggtga	gatggaagt	gtcgtaaact	gactgggtgc	1440
ttctgtttct	gggaggcaca	cttctaagc	acagtggctg	ctttgggagg	agtaagggtg	1500
gagaaaaagc	aaccttggag	gccagtaaca	atgacagatt	tcaatcgtgg	tttttagaat	1560
tataatacgt	ggcatacatc	tcataaagc	ttttgctggg	atattgaatt	ccctgaattt	1620
ttctgttttc	gacctgttaa	aaaaatctta	acatccatca	aactagtgg	caaacaaatg	1680
agaatgcagc	tggtctcaga	gtaattttta	agttgtcatt	tccctgtgtt	gcctcccaat	1740
tggaagaagt	taagggtttac	caaatgcatt	tctatttcaa	gggtatctga	aacgtaacaa	1800
ttcaaaactg	aaggctgact	gacttnagat	gttttgcagg	tggctggaga	gaacagggaa	1860
ggtaatatag	acacacttag	tcccatggga	agcgcagcac	cgttgtaggt	tctttctcct	1920
gtcccattag	cgacctca					1938

<210> 394

<211> 1283

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(1283)

<223> n = a,t,c or g

<400> 394

gatttcagtt	gcctgaaagc	tgtaagtctg	ctttttttaa	agagaaattg	gagttaagca	60
gacttttcat	tttttgatca	tgaccctgga	aagagaaata	tatttgacat	caaaactcag	120
cacatatcct	tggtctatat	atacacatga	aagtttcata	aaacaatata	ctgatatttt	180
ccatgctgta	ttctatttca	ttttttaaaa	tgctgggtgt	atcccattaa	actgttttca	240
aaataaatat	aacatgtaca	caacaacaac	actgggttag	agggccagta		300
agctcagcga	gtatcagcaa	ctgagacttc	atccttgtct	cacaaggact	aaaaagagaa	360
taatgttctc	attatgtggg	tcaatgccac	acccatgtat	ctgagatata	catgtcacia	420
tctgggagaa	gcctgtcctc	aattttactt	aaatacccaa	ttctgcctag	aacatgaatt	480

agacacatag	taagctcttg	agtgaagtgc	agatgataat	gacacgatca	cataccactt	540
aaaaatatct	taacaccttt	acttagatct	catctcatac	ttgtagcatt	tcttcaaatt	600
tactttgaaa	aaagagcttc	actgtgtgtg	gttgtcatac	acattcttct	acccaacccat	660
ggacctcttt	tttctctca	ggcgcacttc	atctaatttt	tttagcactg	gcctggcctt	720
tttgaggag	gtggagtagc	tcttcagaaa	ggcttcaaac	acagtttcag	tgttgggatg	780
ggtactgagg	aaggccttct	ccaggacata	gaggtctact	cccttatect	ctggaagtgc	840
tgaaatgaaa	ctcagcccaa	agtctatgag	cacaatgttc	agctgttcca	ggggggggtt	900
caggagcatg	ttggagggtg	tgagatcacc	atgaatgagg	tcttcacogt	gcattcgagc	960
caaaacctgc	ccaattgtct	tggctaagtt	ggagagaccc	tggggagtgt	ttttcagtct	1020
ccatagtga	ctgaatataa	tctcgaacag	tactgagcc	ttcaatttct	tccatatata	1080
agcagtggga	agcatagtcc	acaaaaaaga	caactggggc	agatattcca	gcgcggcgac	1140
agcggaggag	cgcccgggcc	tctgcaccg	tccgcgctct	gccaagccgc	gcctccagcg	1200
ccgggtgccg	gtagccttgg	gaagcgggtg	ttnttntnn	ggccttgcta	gccccctggc	1260
tcattnnccc	cggcccggtc	tcc				1283

<210> 395

<211> 2149

<212> DNA

<213> Homo sapiens

<400> 395

acgagcctgc	gttttccggc	cagaggacat	gatgcagggg	gaggcacacc	ctagtgcctc	60
ccttattgac	agaaccatca	agatgagaaa	agaaacagag	gctaggaaaag	tggctcttagc	120
ctgggggactc	ctaaatgtat	ctatggctgg	aatgatatac	actgaaatga	ctggaaaatt	180
gattagtcca	tactacaatg	tgacatactg	gcccctctgg	tatattgagc	ttgccttgc	240
atctctcttc	agccttaatg	ccttatttga	tttttgaga	tatttcaa	atactgtggc	300
accaacaagt	ctgggttgta	gtcctggaca	gcaaacactt	ttagggttga	aaacagctgt	360
tgtacagact	acgcctccac	atgatctggc	agcaacccaa	atccctcccg	ctccaccttc	420
cccttcaatt	cagggtcaga	gtgtgttgag	ttatagccct	tctcgttcgc	ccagtaccag	480
tcccaagtgc	accaccagct	gtatgactgg	ttacagccct	cagctgcaag	gtctgtcttc	540
aggtggcagt	ggttcttata	gccctggagt	gacctactcg	cccgtcagtg	gttataataa	600
gttggcgagc	tttagccctc	ctcctccttc	tccgtaccct	accactgttg	gaccagtggga	660
gagcagtggga	ttgagatctc	gctaccgttc	ttcacctacc	gtctacaact	cacctactga	720
caaagaagac	tacatgaccg	acctacgaac	tttggtact	tttctcagaa	gtgaagagga	780
gaaacagcat	agggttaagc	tggggagccc	agattctacc	tctccttcca	gcagtcctac	840
tttctggaac	tatagtctgt	ctatggggga	ttatgcacaa	acttttaaaga	agtttcagta	900
tcagcttgcc	tgtaggtctc	aggccccatg	tgctaacaaa	gatgaagccg	atctcagctc	960
taaacaagcc	gcagaagagg	tctgggcaag	agtggctatg	aatagacaac	ttcttgatca	1020
tatggattca	tggacagcta	aatttagaaa	ttggatcaat	gagacaatat	tagtgccact	1080
tgttcaagag	attgagtctg	tcagcacaca	gatgagacga	atgggttgtc	cagagctaca	1140
gataggagag	gctagtatta	ctagcttgaa	acaagctgcc	ctgggttaaag	cgctctcat	1200
tccgactttg	aacacaatcg	ttcagtatct	agaccttact	ccaaatcagg	aatacttggt	1260
tgaaaggatc	aaagaactat	ctcagggagg	ttgtatgagc	tcatttcgat	ggaacagagg	1320
tggcgacttc	aaaggacgaa	agtgggatac	agacctgccc	accgattctg	ctatcatcat	1380
gcatgtattt	tgcacctacc	ttgattccag	attacctcca	catccgaagt	atcccagcgg	1440
aaaaactttt	acttctcagc	actttgttca	gacaccaaat	aaaccagatg	ttacaaatga	1500
gaatgttttt	tgcatttata	agagtgtctat	caaccctccc	cattatgagc	tcacttacca	1560
gcgtcatgta	tacatacctg	ccaaagggca	gaaataatat	gtttcataca	ttgttgatgt	1620
ttctctacat	cataaagacc	aaagagtccag	gaatgcttgg	gagagttaat	cttggctcat	1680
ctgggtgtgaa	tatattgtgg	atctttggcg	agtagcaagt	catatatatta	attctgacat	1740
ttagactatt	tactgaacc	agaagtccga	actaaacatc	tctgagccac	tgactcttct	1800
gaaataaaat	acacatgggt	gtatgttaca	gactctttag	atttaacaga	aaatgtagct	1860
gttatgaaat	gtaattgtaa	aaatatgtcc	cgtatcttct	atatcgagac	attgccttta	1920
attttatatc	gcttttcaga	aatttcagtt	gactacaaaa	ctgcaaccct	tcggattttt	1980
attgactcaa	aatagtgcc	ttcccttaa	tgaaatagat	tttgagtctt	tttttcattg	2040
taacccccaa	atgagaatca	tctacctgat	tcttgtacca	aaaaaaaaatt	tttttcagtc	2100

tttttttttt tttaaagaggg tttttgccaa cccaaactgg agggcaggg

2149

<210> 396
 <211> 1895
 <212> DNA
 <213> Homo sapiens

<400> 396
 actgtagacc attagtccag tgcggtggaa ttcacatcaacc gaaacaacag tgtggtacag 60
 gtcctgcttg ctgctggggc tgatccaaac cttggagatg atttcagcag tgtttacaag 120
 actgccaaag aacaggggaat ccattctttg gaagtcctga tcacccgaga ggatgacttc 180
 aacaacaggg tgaacaaccg cgccagtttc aagggctgca cggccttgca ctatgctgtt 240
 cttgctgatg actaccgcac tgtcaaggag ctgcttgatg gaggagccaa cccctgcag 300
 aggaatgaaa tgggacacac acccttggat tatgcccag aaggggaagt gatgaagctt 360
 ctgaggactt ctgaagccaa gtaccaagag aagcagcgga agcgtgaggc tgaggagcgg 420
 cgccgcttcc ccctggagca ggcactaaag gagcacatca ttggccagga gagcgccatc 480
 gccacagtgg gtgctgcatg ccggaggaag gagaatggct ggtacgatga agaaccacct 540
 ctggtcttcc tcttcttggg atcatctgga ataggaaaaa cagagctggc caagcagaca 600
 gccaaatata tgcacaaaga tgctaaaaag ggcttcatca ggctggacat gtccgagttc 660
 caggagcgac acgaggtggc caagtttatt gggctccac caggctacgt tggccatgag 720
 gaggggtggc agctgaccaa gaagttgaag cagtgcacca atgctgtggt gctctttgat 780
 gaagtagaca aggccatcc agatgtgctc accatcatgc tgcagctgtt tgatgagggc 840
 cggctgacag atggaaaagg gaagaccatt gattgcaagg acgccatctt catcatgacc 900
 tccaatgtgg ccagcgacga gatcgcacag cagcgctgc agctgaggca ggaagctttg 960
 gagatgagcc gtaaccgtat tgccgaaaac ctgggggatg tccagataag tgacaagatc 1020
 accatctcaa agaacttcaa ggagaatgtg attcgcccta tcctgaaagc tcacttccgg 1080
 agggatgagt ttctgggacg gatcaatgag atcgtctact tcctcccctt ctgccactcg 1140
 gagctcatcc aactcgtcaa caaggaaacta aacttctggg ccaagagagc caagcaaagg 1200
 cacaacatca cgctgctctg ggaccgagag gtggcagatg tgctggtcga cggctacaat 1260
 gtgcactatg gcgcccgtc catcaaacat gaggtagaac gccgtgtggg gaaccagctg 1320
 gcagcagcct atgagcagga cctgctgccc agggggctgt actttgcga tcacggtgga 1380
 ggactcagac aagcagctac tcaaaaagccc agaactgccc tcaccccagg ctgagaagcg 1440
 cctcccgaag ctgctgtctg agatcatcga caaggacagc aagactcgca gactggacat 1500
 ccgggcacca ctgcaccctg agaaggtgtg caacaccatc tagcagccac ctgcctgtc 1560
 ctatgtgccc tcaccatcca ataaaggccc cttggctgtg gcatggcaaa aaaaaaaaaa 1620
 aggggggggg gtttaaaaga acccttgggg ggcccaaatt taacccgggc gggcaaggaa 1680
 aaatTTTTTT ccttatgggg ggccgaataa aaaccaacct gggaattttg ggaaagaacc 1740
 cttatTTTTg gggggggaca aattgggcca acctccctac aaaaatttaa ggctttaggg 1800
 aaaaaaaaaa tttttaaggg gaaaaggggg aaaaacaacc ggcataccct ggcggttgga 1860
 aagttttgtt tacggagtat gatttagaaa aattt 1895

<210> 397
 <211> 2416
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)... (2416)
 <223> n = a,t,c or g

<400> 397						
ttttttttttt	tttttttttca	caagttatat	tttatttttaa	cacgaggatt	aacatatagt	60
tacaagggtca	atacaagcct	ccagtggaag	ctcttttattt	ggtttaattc	catctccaga	120
gacaaacagg	caactctagg	accttttacag	tggcgatcgg	cctccacnac	agcaaaatgc	180
ctccaaagt	tagaattagt	gcaacacaca	tacgaacgtt	ttaaagggtgc	tcaacatcag	240
gttaaaaatag	aattctggac	cttttttaaaa	agttttttggg	tgatataagc	acaggaggca	300
gagccaataa	gaaacatgaa	accaatat	ctggaaaaac	acttagcatg	aacgtcactt	360
tttgacgtcg	tgtaaacttt	cttctgcaat	gacggatgtt	accaaaggc	attgagacct	420
ttgcgctgcg	ctgggttagac	aagccgcagg	cttatctcca	cggtgagcag	gataaaaacc	480
cccaagggaac	agcccatgac	aaccttctgt	gcctttttat	actttcccat	cctacaaagg	540
aaaaactggg	taaaggacaa	gttcctccct	ttcattgctt	ttctaagaac	ttttcagggc	600
aggttctttt	aaaatttagtc	atcttacaac	acaacagtat	tctagcacgg	tggcggaagt	660
acaggcggca	gatacggggg	aggaaggaga	cgttcacggg	aaattccaca	ttctactcta	720
tgtgaactgc	tccagaaaaa	tacagacatg	atttcacagt	aggattccca	gagtaaataga	780
tgatacatag	gacaactgac	ctcctctaag	aagcccggt	ggggcagcag	tgagcttttc	840
atggagccac	gcagactggc	ccggaagcaa	cacccaggtt	caacatttaa	gagcactcgc	900
tataacattc	tttttggacg	caggtggtgg	aaaagtttaa	aaaacaggcg	gaggagtgc	960
gggggggatac	aagcatatcc	tatactgggg	gtgacgggtc	ttcaaagagc	aaattactgc	1020
agcttatatc	ttttccatac	tggtgcaaga	aatgaatcta	tcctgacca	taatatgaaa	1080
gatgcgacgc	acatgcattc	ccgaggtct	aaaatcccat	tttaaagaac	cgtttcacat	1140
cctcgtggag	tggagagtgg	tccacttgac	ttggtgaggt	cagaagttcc	tgaagatccc	1200
tgctcgtcccc	gttggcgggg	gagcccatg	tggagctgtg	gggactgcca	cactcaccat	1260
gcacctgttg	gtttgcaggg	acagaggtgc	ggccttgact	cttctcacc	tgtgtcatcc	1320
gggcttgtct	ttcgtctgtc	aagtcagtcc	tcctgcgtga	ctgatgggtg	caccacgctt	1380
aggtcaccgc	ttgcaggggc	cggaagtcca	tggctctgcc	gcaaccctga	gcggtttgca	1440
gtcccccccg	gggaagaagc	agtcagagag	gctcacgctc	acctacttta	aaaacccaaa	1500
gccacttcc	cttcacctgc	ctgggcctca	gcgtctctgc	gcttgtgggt	tctcgtcccc	1560
gagggctgac	tgagctgctc	cggaagggtg	gtgtgtgggt	aaccttgggt	ggctgagagg	1620
agcaatttcc	tggtttccac	aagtaaagac	agccccatcc	cttgggacct	gtcctttccg	1680
tccctgtccc	tttggcttct	ataggacttc	cttgtcttag	attcataaac	agcaagagga	1740
actgaggatg	cttgaggggg	ccacctagtt	accaaagcca	agcaaagaat	aaagctgccc	1800
gacatcatcc	ccaggcttcc	gtggcgctct	cggtcacagg	agcttttaggc	caatgggtcc	1860
tcttgactgt	ttttgcccc	aatgagagga	ggggctgctt	tgctttaagg	cgtggcgggc	1920
gggggggggt	ggtggccaca	gattagggga	cctcaggttt	tcctcaaaaa	cccacacagg	1980
gaaagaaact	tggctctaaa	agcaaactca	acgaattcca	catgccctga	agagcacgtg	2040
ataaaataca	agggtggtgg	cggcgggatc	cctcaaagga	ccacgagagg	cacggggtct	2100
ttggtgatga	aagtgcctaac	ctcggcgggg	tgcggtagct	cacacctgta	atctcagcac	2160
tttgggaggc	tgaggcgggc	ggatcacctg	aggtcaggag	tttgagacca	gcctgaccaa	2220
cacggtgaaa	ccctgtctct	actaaaaata	caaacattag	ccggcggtgg	tggtgcacgc	2280
ctgtaatcac	agctatttgg	gaggctgagg	caggagaatc	gctggaaccc	aggaggtgga	2340
ggttgtagtg	agccgagatc	atgccactgc	actccagttc	gaacaataga	gcgagactcc	2400
cgtctcaaaa	aaaaaa					2416

<210> 398

<211> 1495

<212> DNA

<213> Homo sapiens

<400> 398

tggccatttta	ggaaaaattg	tccttggggg	tcctctaaaa	aatccttttg	tgtccaatag	60
caccttaaaa	aacctggggc	ccagataatt	gttgaaacctc	agatttagga	aggaaaattt	120
ccaagctgtc	agctaaaggc	agtttcccc	atttcacaga	atatgtggta	gaagttccga	180
gtaaggaatt	ttttcagcag	ccatgaaagc	tccttgcata	aggaagactc	agtgtgcaac	240

atctgaaagc	agtattgcc	gagcatgact	gtggcaatga	agcaaaatgt	tccctccacc	300
tatccctccc	tcccatgtat	aatgcttgaa	gggtcagtc	ctgaaataag	tagagagaaa	360
agtgtttgct	gaaagagcta	atacataagt	caaccttcac	tggtaccaat	gaaggcttcc	420
cagttcaaaa	ttcaacaccc	agaaaaggca	gaaattttag	ctttaaat	agtttaaat	480
ttcagttatc	ccagtggact	aggcatttaa	atctgaggag	ttccctgaga	ttccatatga	540
ggaaatgaaa	aacattagct	tgtggattaa	attdaaagag	actgtaagga	gaaaaacata	600
ttttatgaca	tgcctcttaa	ggactcctat	tatttcaatg	aatttggtac	agttataata	660
tgtttgtgat	aaaaaggcat	tatttattaa	gaaatctaaa	atgtaataat	atttcaatta	720
tatagtttta	gagaaccttt	cttgcccaac	acttttctga	tagcaagttg	gacatccttg	780
tttctgaggc	tataaaccat	ggggtttagt	aatggagtga	caatcgtgta	tgtcacctgc	840
accagcctgt	ctttgttgga	cacatagttt	gctgtaggcc	tcaggtagat	gaagggaagca	900
cagccataat	gaacaataac	aacactgagg	tgagaggcgc	aggtggaaaa	cgctttccgt	960
ctgccctcag	ctgagggaat	cttcaggata	gtcctcagaa	tgcaaaata	agaaacacag	1020
ataaacagaa	agggaaccac	aagtacaaga	actccacaaa	tgaatatcac	aaatccgtta	1080
acatctgtgt	tgttacaagc	cagaagaatg	actgctgaga	tgtcacagaa	gtaatgattg	1140
actttgttgg	tgttcaaaaa	agggaggctg	aaaactaaat	ttactactgt	aagagaggcc	1200
aagaagccac	caattgcaca	ggcagctgcc	agttttccac	acacctgcca	gctcataaga	1260
gtggggtaat	gcagagggtg	acaaatggca	gcatagcgat	cataacccat	cacacccaat	1320
gtcaggcagt	tgttaatggc	aaaaccaagg	aagaagaaca	tttgaagagc	acaacagttg	1380
aaggagattg	tcttgccac	agaaagtaga	ttgatgagca	tcttggttag	aatgacaaag	1440
gtgtagaagt	ctcagatggt	gagagaaagc	caggaagagg	ccattggtgt	gtgga	1495

<210> 399

<211> 2752

<212> DNA

<213> Homo sapiens

<400> 399

gcgaccgcca	gcggctacac	ggtaccgcgc	tgagaagctc	aagtccatga	cgtcccggga	60
caactataag	gcgggcagcc	gggaggccgc	gcgcgcgtgc	cgcagccgcc	gtagccgccg	120
cagccgcagc	cgccgctgcc	gccgaacctt	accctgtgtc	cggggccaag	cgcaagtatc	180
tggaggactc	ggaccccgag	cgcagcgact	atgaggagca	gcagctgcag	gaggaggagg	240
aggcgcgcaa	ggtgaagagc	ggcctccgcc	agatgcgcct	cttcagccag	gacgagtgcg	300
ccaagatcga	ggcccgcat	gacgaggtgg	tgtccgcgc	tgagaagggc	ctgtacaacg	360
agcacacggt	ggaccgggcc	ccactgcgca	acaagtaact	cttcggcgaa	ggctacactt	420
acggcgccca	gctgcagaag	cgcggggccc	gccaggagcg	cctctacccg	ccggggcgacg	480
tggacgagat	ccccgagtgg	gtgcaccagc	tggtgatcca	aaagctggtg	gagcaccgcg	540
tcatccccga	gggcttcgtc	aacagcgccg	tcatcaacga	ctaccagccc	ggcggctgca	600
togtgtctca	cgtggacccc	atccacatct	togagcgccc	catcgtgtcc	gtgtccttct	660
ttagcgactc	tgcgctgtgc	ttcggttgca	agttccagtt	caagcctatt	cgggtgtcgg	720
aaccagtgtc	ttccctgcgc	gtgcgcaggc	gaagcgtgac	tgtgctcagt	ggatatgctg	780
ctgatgaaat	cactcactgc	atacggcctc	aggacatcaa	ggagcgccga	gcagtcacga	840
tcttcaggaa	gacaagatta	gatgcacccc	ggttggaac	aaagtccctg	agcagctccg	900
tgttaccacc	cagctatgct	tcagatcgcc	tgtcaggaaa	caacagggac	cctgctctga	960
aacccaagcg	gtcccaccgc	aaggcagacc	ctgatgctgc	ccacaggcca	cggatcctgg	1020
agatggacaa	ggaagagaac	cggcgctcgg	tgtgtctgcc	cacacaccgg	cggaggggta	1080
gcttcagctc	tgagaactac	tggcgcaagt	catacgagtc	ctcagaggac	tgctctgagg	1140
cagcaggcag	ccctgcccga	aagggtgaaga	tgcggcgcca	ctgagtctac	ccgccgcctt	1200
cctgggaact	ctggctcatc	cttacgtagt	tgcctctcct	tttgttttga	gggttttgtt	1260
tttgttcatt	gggggggttt	tgttttttgg	tttttgtttt	ttttgattct	atatattttt	1320
ccttggtttt	gttgctgttt	aaggctgaac	aatagaattg	gccaggacct	aggttctcat	1380
attccttgga	ttcctcctgg	atggaaaggc	tgttggtcatc	aataggggac	agaggctgat	1440
gttgagtggt	ccagtgaagg	tgttgagagc	gagcaccatc	cttttaagtg	gggctgtatc	1500
aggctgggtt	tattttaaag	caacaaaatg	ttttggttaa	gaaaattatt	ttgctttcag	1560
tgtaaattct	cgcagtgttc	taaacaaagt	tcagtcttct	gcttgccctt	ttccctcact	1620
gatgtctgca	cttggttagg	gtctcctgga	gcctcacagg	ctctgctgtt	ctccacttct	1680

cacctgccat	ccacgccctg	caagctcatg	caaacacct	ttcttccctcc	tgccgagag	1740
ttgttcagg	tgccctgggca	ggggcttaaa	cagtgccagc	ccctgccatc	ccaaagctat	1800
tgtaagccc	cccaggcgtc	ctccaccac	gccactagc	ctgccatgtc	cacagtccct	1860
tggtgctg	aggggctagt	gcagtgggtcc	tgacctctct	tatcaagagc	acacttcttt	1920
gctgggttgc	cccttttgagc	atatgcgtgt	gattattttg	aacagttaga	cttgccacgt	1980
tggttcagtt	ttagaaattg	tttctagcta	gagggactgg	tgctctcca	agtctagcat	2040
ttgggggtatg	gaaaattgtt	gtgggtgtgtg	gtagggtttt	tgctttcttt	tttgagtttt	2100
ttttccccc	ttagtctccc	tggctttttc	ctttcccttc	ctttctccac	tggccagctt	2160
gggcctcatc	ctcatgtcat	ccttctagga	aggcgctgc	cccatcttgt	ctgccggcag	2220
catgcatcca	aggccagagc	tcaggcctgc	agactgggct	ggtgcctcct	ccgcttcagg	2280
gtatgggagt	tggtgaagg	gctttcaaaa	aataataaga	aaaaaaagg	aaagtctttg	2340
gtagcttcta	tccactcaga	tcctggaagg	cagcaagggt	ttgtggatct	agattcatta	2400
ggaatgtctt	cttgtcagcc	aggccaggac	ccgggcttgc	caagagcaga	ggccctccca	2460
gcaaccagga	taccaccact	ttgggggctt	tgtgtacaga	ggtccgggtc	tgagacctca	2520
taggctgcag	aaatctgggg	cagccaccat	caagaagccc	ctctcagggg	ccagaactcc	2580
tttgccagcg	tggattttctc	aagtcgggac	tgcataatta	aagcagttgc	agttttattt	2640
tttttacagc	ttttttccca	aaaatgattt	atagttgtgt	gtgcagcact	tcgcccgtgaa	2700
atgtgtgctc	tacaataaac	aaccaaatct	aatatatatt	gaaaaaaaaa	aa	2752

<210> 400

<211> 2354

<212> DNA

<213> Homo sapiens

<400> 400

agccctgctc	atggcagtg	ggtgggctcc	cagctgctga	ggccaccag	cactagttag	60
tgacttgga	tttttatatt	tggtcagatc	acaagaatgg	gcattacatc	atccacaga	120
tggtgacag	atctcggcaa	aagtgcagt	ctcagagcct	tgacttatcc	gaattggcca	180
aagctgctaa	gaagaagctg	caggcgctca	gcaaccggct	ttttgaggaa	ctcgccatgg	240
acgtgtatga	cgaggtggat	cgaagagaaa	atgatgcagt	gtggctggct	acccaaaacc	300
acagcactct	ggtgacagag	cgcagtgtctg	tgcccttctc	gcctgttaac	ccggaatact	360
cagccacgcg	gaatcagggg	cgacaaaagc	tgcccgctt	taatgccga	gagtttgcca	420
ccttgatcat	cgacattctc	agtgaggcca	agcggagaca	gcagggcaag	agcctgagca	480
gccccacaga	caacctcgag	ctgtctctgc	ggagccagag	tgacctcgac	gaccaacacg	540
actacgacag	cgtggcctct	gacgaggaca	cagaccagga	gcccctgcgc	agcaccggcg	600
ccactcggag	caaccgggccc	cggagcatgg	actcctcgga	cttgtctgac	ggggctgtga	660
cgctgcagg	agtcactgga	gctgaagaag	gcccctggcta	catcggaggc	aaaggtgcag	720
cagctcatga	aggtcaacag	tagcctgagc	gacgagcttc	cgagggtctg	agcgagagca	780
ctttgcaccc	atagatccac	aagctgcagg	cggagaacct	gcagctccgg	cagcctccag	840
ggccgggtgcc	cacacctcca	ctcccagtg	aacgggcgga	acacacaccc	atggcgccag	900
gcgggagcac	acaccgcagg	gatcgccagg	ccttttccat	gtatgaacct	ggctctgccc	960
tgaagccctt	tgggggcccc	cctggggacg	agctcactac	gcggctgcag	cctttccaca	1020
gactgagct	agaggacgac	gccatctatt	cagtgcacgt	ccctgctggc	ctttaccgga	1080
tccggaaagg	ggtgtctgcc	tcagctgtgc	ccttcaactcc	ctcctccccg	ctgctgtcct	1140
gctcccagga	gggaagccgc	cacacgagca	agctttcccg	ccacggcagt	ggagccgaca	1200
gtgactatga	gaacacgcaa	agtggggacc	cactgctggg	gctggaagg	aagaggtttc	1260
tagagctggg	caaagaggaa	gacttccacc	cagagctgga	aagcctggat	ggagacctag	1320
atcctgggct	tcccagcaca	gaggatgtca	tcttgaagac	agagcaggtc	accaagaaca	1380
ttcaggaaact	gttgcgggca	gccaggagt	tcaagcatga	cagcttcgtg	ccctgctcag	1440
agaagatcca	tttggctgtg	accgagatgg	cctccctctt	cccaaagagg	ccagccctgg	1500
agccagtgcg	gagctcactg	cggctgctca	acgccagcgc	ctaccggctg	cagagttagt	1560
gccggaagac	agtgcctcca	gagccggcg	ccccagtgga	cttccagctg	ctgactcagc	1620
aggtgatcca	gtgcgcctat	gacatcgcca	aggtgcccac	gcagctggtc	accatcacca	1680
cccagagagaa	gaagcagtga	cctctctccc	cacacctca	cctgcaccct	aggacctcac	1740
tggccatagg	agctgggcca	ctccagacat	taatccccac	cccaacagag	ccactggcac	1800
aagtgccttt	agtgtgcga	cactccctgg	cagccaggtg	ccctggtgcc	caccctgtc	1860

gagccccctaa	ggatgggggag	gtggggggggc	aggagcttct	gtccccccaca	ttccatgcac	1920
ctccccctctg	tatatagcat	ctccccccctc	ctagttagca	ggggcctgca	aggcatcact	1980
cccagccccct	cgcccttctag	ggcaccctca	gcaaaggggc	aggtgggggac	actccaagtg	2040
gggcagctct	ccgtacatgc	gccccacccc	catgagccag	ttcagcccta	ctgggggctg	2100
agcgggggca	tccccctcctt	tgtacatagt	ctccatggat	gtccctgccc	tgtagccacc	2160
agcccccttgc	tgctctccct	ttaatgccat	atggccccctg	cctagggcac	aggccccaac	2220
ctgtgtgctg	gggtccccag	cagcaaacac	tggaaagtct	gttttttttt	tttctttctt	2280
cttccccacc	ccttaatttt	aactttgttg	taactgagtg	cccccgctg	cctgcgtggt	2340
gagtgtgtgg	gcgg					2354

<210> 401

<211> 3455

<212> DNA

<213> Homo sapiens

<400> 401

agatatattaa	gctatggttc	cggtcccaaa	cgattccccct	tggtagatgt	tcttcagtat	60
gcattggaat	ttgcctcaag	taaacctgtt	tgcacttctc	ctgttgacga	tattgacgct	120
agttccccac	ctagtggttc	cataccatca	cagacattac	caagcacaac	agaacaacag	180
ggagccctat	cttcagaact	gccaagcaca	tcaccttcat	cagttgctgc	catttcacgc	240
agatcagtaa	tacacaaacc	atttactcag	tcccggatac	ctccagattt	gcccacatgc	300
ccggcaccaa	ggcacataac	ggaggaagaa	ctttctgtgc	tggaaagtgt	tttcatcgc	360
tggaggacag	aaatagaaaa	tgacaccaga	gatttgcagg	aaagcatatc	cagaatccat	420
cgaacaattg	aattaatgta	ctctgacaaa	tctatgatac	aagttcctta	tcgattacat	480
gccgttttag	ttcacgaagg	ccaagcta	gctgggcact	actgggcata	tatttttgat	540
catcgtgaaa	gcagatggat	gaagtacaat	gatattgctg	tgacaaaatc	atcatgggaa	600
gagctagtga	gggactcttt	tgggtggttat	agaaatgcca	gtgcatactg	tttaatgtac	660
ataaatgata	aggcacagtt	cctaatacaa	gaggagttaa	ataaaaactg	ggcagccccct	720
tgttgggtata	gaaacattac	caccggattt	gagagatttt	gttgaggaag	acaaccaacg	780
atttgaaaaa	gaactgaag	aattgggatgc	acaacttgcc	cagaaagctt	tgcaggaaaa	840
gcttttagcg	tctcagaaat	tgagagagtc	agagacttct	gtgacaacag	cacaagcagc	900
aggagaccca	aaatatctag	agcagccatc	aagaagtgat	ttctcaaagc	acttgaaaga	960
agaaactatt	caaataatta	ccaaggcatc	acatgagcat	gaagataaaa	gtcctgaaac	1020
agttttgcag	tcggcaatta	agttggaata	tgcaagggtg	gttaagtgtg	cccaagaaga	1080
cacccccacca	gaaaccgatt	atcgtttaca	tcatgtagtg	gtctacttta	tccagaacca	1140
ggcaccaaag	aaaattattg	agaaaacatt	actagaacaa	tttgagagata	gaaatttgag	1200
ttttgatgaa	aggtgtcaca	acataatgaa	agttgctcaa	gccaaactgg	aaatgataaa	1260
acctgaagaa	gtaaacttgg	aggaatatga	ggagtggcat	caggattata	ggaatttcag	1320
ggaaaacaact	atgtatctca	taattgggct	agaaaatttt	caaagagaaa	gttatataga	1380
ttccttgctg	ttcctcatct	gtgcttatca	gaataacaaa	gaactcctgt	ctaaaggctt	1440
atacagagga	catgatgaag	aattgatatc	acattataga	agagaatgtt	tgctaaaatt	1500
aaatgagcaa	gccgcagaac	tcttcgaatc	tggagaggat	cgagaagtaa	acaatggttt	1560
gattatcatg	aatgagttta	ttgtcccat	tttgccatta	ttactgggtg	atgaaatgga	1620
agaaaaggat	atactagctg	tagaagatat	gagaaatcga	tgggtgttct	accttggtca	1680
agaaatggaa	ccacacctcc	aagaaaagct	gacagatttt	ttgccaaaac	tgcttgattg	1740
ttctatggag	attaaaagtt	tccatgagcc	accgaagtta	ccttcataatt	ccacgcataga	1800
actctgtgag	cgattttgccc	gaatcatgtt	gtccctcagt	cgaactcctg	ctgatggaag	1860
ataaactgca	cactttccct	gaacacactg	tataaactct	ttttagtctt	taacccttgc	1920
cttctgtgca	cagggtttgc	ttgttgctgc	tatagttttt	aacttttttt	tattttaata	1980
actgcaaaag	acaaaatgac	tatacagact	ttagtcagac	tgcagacaat	aaagctgaaa	2040
atcgcatggc	gctcagacat	tttaaccgga	actgatgtat	aatcacaaat	ctaattgatt	2100
ttattatggc	aaaactatgc	ttttgccacc	ttcctgttgc	agtattactt	tgcttttatc	2160
ttttctttct	caacagcttt	ccattcagtc	tggatccctc	catgactaca	gccatttaag	2220
tgttcagcac	tgtgtacgat	acataatatt	tggtagcttg	taaatgaaat	aaagaataaa	2280
gttttattta	tggctaccta	tgtgtttgta	agcagggtata	ttgtatatata	gtgtattagt	2340
aatactagat	aaatgaattt	tgtctgggga	ttaagatttg	atagttaata	gattaataca	2400

atctttttaat	tctgctctaa	tgctagcaaa	ttggaaaatg	tttaagtctt	tgacacttaa	2460
atztatctat	atttttaaca	aagttcttga	acttagtatg	gcaccggaac	ctgttttgaa	2520
ttcagtcagg	tttttactca	agtaagtggg	tgattttttt	taagtcaaac	tacactgaaa	2580
cttttatcct	tttcttagat	taatcttact	ttttaaatgt	atttacaata	tacagcaagg	2640
tgattatttc	aagagaatcc	caaagtactt	gaataagggc	tattgtaaaa	tttaaaagaa	2700
atatttatat	atacacatat	atacacatac	acacatgtat	atataatattc	ttcataatgg	2760
aggacaatgt	tttgcaatat	ataaatcatt	ctatttttgt	aaattgtata	tcactttaat	2820
tgaaaatgtt	ctctactaat	taataactgtg	aaacaaaatt	gatgttggtt	aactagaagt	2880
tatgagtatc	ttaactgcct	ttattccttt	tcaaaaagga	aaaagctgta	gaacattttg	2940
tagatgaaac	tactgtttta	gattaatgaa	ttaatatgtt	gaatgaaaat	caaaatccat	3000
actttaaagg	taatcatgtt	actaacaacc	tatttttgaa	ttcataaaaa	tttctttata	3060
aatgatgttt	tgtgaacata	gtaaaataga	ccattatact	atgtgtatgt	ttgatacagc	3120
gtcgccaaaa	ctagtgttct	ttattagtgc	ctctcacaaa	agatcctgga	tggaggagta	3180
agatgaaata	ttatgctatt	atatgatgct	gtttgtaaag	gtattaatgt	actagtaagg	3240
tgtaaatgac	aaggaattag	tactattcct	gttgtaaagt	tagattttgc	atattgtatc	3300
tatcaaaata	tgtttgggtt	tagattttta	gttgtctact	gagcagattt	ctgcattggg	3360
ttccagtcct	tgtaaaaagt	ttagaaaact	catatgtgtc	atcacagctt	ttgtaaaagaa	3420
agtatcctta	atattttatg	acattctacc	acaaa			3455

<210> 402
 <211> 1266
 <212> DNA
 <213> Homo sapiens

<400> 402						
gcacagggtct	atgtccggat	ggactctttt	gatgaggacc	tcgcacgacc	cagtggctta	60
ttgggtcagg	aacgcaagct	ttgccgagat	ctagtccata	gcaacaaaaa	ggaacaggag	120
tttcgttcca	ttttccagca	catacaatca	gctcagtctc	agcgtagccc	ctcagaactg	180
tttgcccaac	atatgggtgc	ccattgttca	ccatgttaaa	gagcatcact	ttgggtcctc	240
aggaatgaca	ttacatgaac	gctttactta	aatacctaaa	aagaggggaa	tgagcaggag	300
gcagccaaaa	acaagaaaag	cccagagata	cacaggagaa	tagacatttc	ccccagtaca	360
ttcagaaaaa	atgggtttggc	tcatgatgaa	atgaaaagtc	cccgggaacc	tggctacaag	420
gatgggcata	attctaaaaa	tgaactacaa	aggggttaatt	tttattaaat	gtatcaacaa	480
cctttgtgaa	gtgggttagaa	tatggtaaat	gaccccaaa	tctattgagg	tgagcttgag	540
aaaaaaaaa	gaggagtgtt	ggaacaagt	cccatgatga	gagaagaaac	tttttgtgat	600
attttctgc	ttgtaagtat	tatcaaatca	actgtataca	tgactattt	ccaaccatga	660
tttcagaaa	acatgcatgt	cagagaagag	tgaaatattc	atgtcttaac	ttaagtagac	720
tgttttttaa	cagctgggtcc	agtttttttt	cctaacattg	taccatatct	atcatctgtc	780
aattactgtt	acttttaaagc	taaagattac	tttgatggcc	cagctacatt	tgcaatgatg	840
tgcacgtaaa	cactgttaag	aggttaaagc	ttgtatacaa	tctgttactg	tgaaataact	900
aaattgggct	ttaaaaaaat	cttagtattt	attgatcttc	attcacatat	acagttgaaa	960
tttaaaataa	cagatgggtta	ttccaatgct	gctgaaacct	tttctaaaaa	atacttggtt	1020
tgttgggtga	atgtgatgag	agggcgttct	gggcagtctc	tcttctctcc	caccctgtct	1080
tctctctccg	agtaaccctt	ctccagcttt	gtactagcca	tgtaaaaccc	aagggttttct	1140
ttaaaacatc	agaagagatc	tcgtcctcca	tgccccaaaa	aagccaaactc	attggagggtg	1200
ttaccctctg	gagcagtggt	gcatttgtct	ttttgtcttt	ttttgtctct	tggaggatgc	1260
agaggc						1266

<210> 403
 <211> 1006
 <212> DNA
 <213> Homo sapiens

<400> 403

gacatacact	ttctgctttt	cgttaatgat	caattctctt	gaccataatt	caggggtctaa	60
ttcttgaagc	ttttggagaa	ctaagggacc	aactggacca	agtcaaagaa	gacatggaga	120
ccaaatgctt	catctgtggg	ataggcaatg	attaacttga	cacagtggca	catggctttg	180
aaacccacac	tttacaggag	cacaacttgg	ctaattactt	gttttttctg	atgtatctta	240
taaacaaaga	tgaaacagaa	cacacaggac	aggaatctta	tgtctggaag	atgtatcaag	300
aaaggtgttg	ggaatttttc	ccagcagggg	attgcttccg	gaaacagtat	gaagaccagc	360
taaattaaac	tcagacccaa	tcacctctaa	aaacccaaaac	cctacccctc	tctctccctc	420
tctcaatttc	tctgctctct	tggaacatt	ttgctgattt	tgtgaattgc	cagcgtttgt	480
tgttttctgg	gagcatcgaa	gctctgtttc	ggaagagctg	tttccctccc	ccaccttttg	540
tatttacttt	gagactaaag	actgaagaat	aatctaaatt	catactcaga	caaaaaaagg	600
aattctggaa	agaaaaccat	tctggacact	gtcataacac	acatagatag	attttcttct	660
gagactcccg	gagtcttctc	gagctacgag	accttcacag	agacacgtgg	cagccacact	720
caccacagct	ctttatttca	ccatectgga	aggaaactgt	ctgtctaattg	gtcacagagc	780
actgtagcac	ttaacagatt	gccatggaca	ccagttgcga	agggaaatag	tgccttacta	840
tatgtgggtt	gagctatgca	gaagatacgt	gcatgaaaaa	acatctttat	tttctttatg	900
togacctttc	ttttcttaga	ttgattttgt	gaggtttttt	ttttttcctt	tagccttttc	960
tttagggggg	gagggtaaaa	aaagcagttt	gcccttaaaa	aaaaaa		1006

<210> 404
 <211> 3115
 <212> DNA
 <213> Homo sapiens

<400> 404

tttttttttta	cctaaaaaga	aataaaatgt	tttactcatt	tacacaaata	cacacactga	60
agtccaccct	gggagctggg	aaaacaattt	cagtctcaga	cccgctctgt	ttccagggtc	120
ctccgagcct	gggcttcctc	aagagcgtgg	cccaagggcc	ccacagccca	gatccgggca	180
gccccaccac	cttcactgag	gaggctccga	agctccgttc	ccgctgctcc	ttacagacag	240
gggaggcaga	tatacacaaa	cgcgcctcgg	cccagcttgg	ggctggcggg	ggaggctgtg	300
tcttcaaacc	tttgccccc	gttgggtcag	tagaaccacc	agtgtcctcc	ccttctacct	360
cccagctcca	ctttggaggc	tgaggaagcg	agaggttttc	taggcagatt	tggagccctg	420
gagattgagt	tcacagtgt	tgttctgggg	gcgctgggtg	agtcagcggg	ccagctctcca	480
gcctgcaggg	gtgcacactg	gggtggacga	tgggtggccc	cgcaggtgta	cacatttggg	540
tggccccggc	ccctataccc	cagtgttctc	tttgatccag	tcccgaataa	gagggagcct	600
tgtgtacacg	cctggcttgt	tcctctgagc	gcagcgtct	ccccagctca	ccacaccggc	660
ctggaagatc	cgcccatccg	cctccacgct	ggacaggggt	cccccggaat	caccttggtc	720
ggagtccacg	ccgcgcgtga	ggaagcccac	gcacatcatg	cgcggcgtga	tctgtgcggg	780
caggaggttc	tgcaggtgg	tctggttgat	gacgcggatc	tcacctttt	gcaggatcag	840
cgcgccagtg	cctccatact	gggtgtgtcc	ccagcccgtg	accagatgg	ccttgccggc	900
agggaaagaca	tgggaggcgt	ccggcaggca	gatgggccc	accatggagc	tgtactctgc	960
cggtttctcc	agctccagca	gcgcgatgtc	atagtcgaag	gtgaagtcat	tgaagaaggg	1020
gtgggagatg	atgcgcttga	gcctgcgctc	ctgcacccca	ggggcgctgc	gctggctctg	1080
gtcgtgcaag	cccaggaagg	ccgtccactg	cgtggggtct	gagtacctga	atcctctgtc	1140
atcgatgtag	cagtgtgcgg	cagagaccag	ccagttggga	gagatgaggg	aagcaccgca	1200
gatgtggccc	tggcccagag	catgcaggct	tacctgccag	ggccactcgc	cctcatccgc	1260
atccgtgccc	ccaacaacac	gagcctgtct	cgtgaatgac	cgcagcccac	agtcgcagtc	1320
cttctcatct	gagccgtcgc	tacagtcctc	cttcccgtca	cactcagggt	tgcccttgct	1380
caagcagagc	ccattgaggc	agcggtaggt	gtgtttggta	caagtgaacg	cgttcacctt	1440
ggggcaggag	gcctcgtcgg	acccgtcccc	acagtcgtcc	ttcccattgc	actgctggct	1500
tttcgagagg	cacttcccat	tggaaacacct	gaaggtctgg	gtccggacaa	ctgcacccct	1560

gctcgtcgt	gttgctccg	cagtcgttca	aactgtcgca	gacccagaag	aggggcttgc	1620
agaacttggt	cttgacgtg	aactggtggc	cggtcgca	actgcagttg	agctcatcgc	1680
tgtggtcgg	gcagtcggcc	cagccatcac	agcgcagctc	cttcggata	caccgccccg	1740
tgcggcacgt	gaactgcccc	gggcatgggt	cactggagtc	gtaggagagg	tattcagcta	1800
agaagccgg	gtcgggtgag	gactgatctg	agtggaaagc	aactgtgatc	ttgttgctgt	1860
tgtcgtgac	gacgaactgg	gacctctctc	cgagtatctt	ctccccattg	atctccacgt	1920
agtccttgg	gcaggtgccc	gcaggcacgc	cggtctccag	caggtagaag	aatttgaagc	1980
gcaccttcac	atgctggttg	ttgggcacct	caatgttcca	tgtgcagtea	atgttgggtg	2040
ggtagtggc	tgggtagtag	gggtgttga	atgtcccttg	ggctttacgt	aagcggcctc	2100
cacagctgct	catcctaggc	agctggaaga	aggtggcctc	aaagcccggg	atgccgcgc	2160
tcagtgttgg	ttatcagtgt	gatgagcagg	acgttcgtgg	gagggagtgg	aaggtcaggt	2220
tgtaggagg	agggtaggtg	ccacacaact	gcaccagggg	cgtggggctc	catggggctc	2280
atgggtgttg	tacaccgtca	accaggtgtc	tgccgcgtc	gtcgcaggac	gcaaggtcaa	2340
agctgcggaa	ggtgaggctc	agcactgagt	cggtctcccc	ccgcaggggc	cactggcagc	2400
gggcatgagc	ggggtagggg	ctgtcaggga	agccgggctg	ggtgaagcgc	atcagctcca	2460
caccgcgggc	gtgcaggcca	aagctgcagc	tggtgtcctg	ggtcctctgt	actgttttgg	2520
agtccgtggg	gaaagccacc	actgaggtga	ccacaaagga	cttcaggagg	cgcgcccgcg	2580
ggggcagcat	gactacgcgc	tcctcggcca	tgacgcgtc	ggcctcctcc	accaggtgct	2640
gcgggatgct	gaactcagac	cagtagtagg	cgatgacgct	gccctcgtcg	aaggccgtca	2700
cagccgactc	cttgtggtag	gggcccagga	atgggactcc	gctgtacagc	agcttcagcg	2760
cgtccttcac	cttgctggcc	aggcttacia	actcagtggg	gttggagttc	tcgtaggcat	2820
ccacaaaatt	ctcatttgtg	atcctcatgt	agccattgaa	gaccttctgg	acacgcacgt	2880
cccggtactg	caaattgccac	accagggaagc	cgatccccag	caagaccaag	aggaggccga	2940
tcagcacggc	tgccagcacc	accagcgcc	ccgggccatg	cttttccacc	ttcttgacgt	3000
tggtgactgg	caggaaactcc	acgccttcc	ccaagccatt	cactttctcg	tgccgggagt	3060
tgtacttgag	tcccgcgcgc	aagtccttcg	ggccccctcc	gcccttgca	cgaaa	3115

<210> 405

<211> 1264

<212> DNA

<213> Homo sapiens

<400> 405

cggtcagagg	aagatttagg	taatctctgg	gaaaacacaa	gatttacaga	ctgcagtttt	60
ttcgtgagag	gacaagaatt	taaagctcat	aaatctgtgc	ttgcagctcg	atctccagtt	120
tttaacgcca	gttttgaaca	tgaaatggaa	gaaagcaaaa	agaatcgagt	ggaaataaat	180
gatttagacc	ctgaagtttt	taaagaaatg	atgagattca	tttacacagg	gagagcacca	240
aaccttgaca	aaatggctga	caacttggtg	gcagctgcag	acaaatatgc	actggaacgg	300
ctgaaggtea	tgtgcgaaaa	agctttgtgt	agtaacctct	cagtagagaa	tgttgagat	360
acccttgctc	ttgcagattt	gcacagtggc	agaacagttg	aaagcacaa	ccatagactt	420
tattaatagg	tgcaagtgtac	ttcgacaact	tggtgtgtaa	gatgggaaaa	actggaacag	480
caaccaagca	accgacataa	tggaacatc	aggggggaag	tcctgatctc	agtctcacc	540
tcatttagta	gcagaagcct	ttcgagcact	agcatctgca	cagggtccac	agtttgcat	600
tcacgcaaaa	cggctaaaa	agtcctgaaa	tcttccatga	acagttgaaa	aatggaattg	660
actttcactc	ctccaggctc	agaaggatcc	taatacacaa	accataagca	agagttgttt	720
ctgttatatt	gtccacagaa	cagaagctga	aaaagcatat	tgtttgcatt	tcaggtggat	780
aatttatgg	gttttttca	gcttttaa	agactgatta	attcacttca	aggccttaaa	840
ttatcttcaa	tgacttctct	tggtcatata	atactttaat	ttttttttat	tgtgccttgt	900
cattttgacc	aaggctatgc	aggattgcac	tagctccata	atgcagtaat	attgataact	960
gaagatacta	agtttcaaaa	ggatcttcca	ttattttgca	aaaagaaaa	tgaattttat	1020
agggtttgtc	ctatgctatc	tcaaagttta	agttctcttt	aaaagcactt	gtattggaga	1080
ttaccagtaa	tatctccaat	ctaagttcta	taaatatggg	agaacctct	taccttcaag	1140
gtaagtatat	gcaatacact	gcttcaatc	taattttatt	ttcatttcag	ggggcaata	1200
tgcaatgagt	tggcctagat	ttttagtgc	atttatgatg	tttgtcttgt	atgttaactg	1260
tcca						1264

<210> 406
 <211> 2001
 <212> DNA
 <213> Homo sapiens

 <220>
 <221> misc_feature
 <222> (1)...(2001)
 <223> n = a,t,c or g

<400> 406
 cagcgtggcg gaattcctgg aaagttccag gaagactctg ggtctgtgga ctgggctctg 60
 gggccatttt ggggaatttt ccaggctgat tttggctgta tgcgatttta tctttctgca 120
 cagacatcag accctgtcct caggatgtga tggggccct ccccatctc ccatactacc 180
 agcctgtgtc cagggtgggg tggggcaggg cagacaacag ggtccctgtg tctcgggcag 240
 caatgctgcc ccttttctg ccccaacatc ccagcagac acaagagatg gagactatga 300
 getgctctcg tggctgggtc tcgggggtcc tgcacctca ggagctgacg ctgacgcact 360
 ccactgcctg tcaccaggaa cctacctcgc gccatcttca tctccatccc actggtgacc 420
 ttcgtgtaca cgttcaccaa cattgcctac ttcacggcca tgtccccca ggagctgctc 480
 tcctccaatg cgggggctgt gaccttcggg gagaagctgc tgggctactt ttcttgggtc 540
 atgcctgtct cctggtctct gtcaaccttc ggagggatca atggttacct gttcacctac 600
 tccaggctgt gcttctctgg agcccgagag gggcacctgc ccagcctgct ggccatgac 660
 cagctcagac actgcacccc catccccgcc ctctctgtct gtgccatca aggtgaacct 720
 tctcatcccc gtggcgtaact tgggtctctg ggccttcctg ctgggtcttca gcttcatctc 780
 agagcatatg gtctgtgggg tggcgctcat catcatcctt acgggggtgc ccattttctt 840
 tctgggagtg ttctggagaa gcaaaccaaa gtgtgtgcac agactcacag agtccatgac 900
 aactggggc caggagctgt gtttctgtgt ctacccccag gacgccccg aagaggagga 960
 gaattggccc tgcccacct cctgtctgct tgccacagac aagccctcga agccacaatg 1020
 agatttttgt agagactgaa gcagttgttt ctgtttacat gttgtttatt gaggaggtgt 1080
 tttggcaaaa aagttttgtt ttgttttttt ctggaaaaaa aagaaaaaag atacgactct 1140
 cagaagcctg ttttaaggaa gccctaaaat gtggactggg tttcctgtct tagcactgcc 1200
 ctgctagctc ttctgaaaaa ggctataaaa taaacagggc tggctgttcg ctctgtctat 1260
 ggggagtgccc tgatggggcac agacgggagt ggctggggcg tacctcgggtg ggtgcacaca 1320
 tgttgctggc caggaagatg ccgtggcagg cctggagga ggctcttgac attagggggc 1380
 tttgctgctt gacacaggcg ctccctacca tggcacccag agtccccctg ccctaaaggg 1440
 atgtcgagga tggggtagca gctcagtcog cccctacccc agggccctcg atgccagtct 1500
 gagctcggcc acccaggaga gctcaggggc tccaggctgg gattgtcttt ctcccgtaa 1560
 atcaccacag agtgaaggte aggacttcag agcccacagt ctacccctgg cttacagggtg 1620
 gggaaaccga ggccctgaga taggatggaa cagacgtggc cactgctgtt ggtgcctcgg 1680
 cctctctgtc ccagaaaagc acagagcagc atgtcctggg ggctttgagg cctgcaggga 1740
 actccagggg cttcatgtac agcaggcaca caccacagcc cttccacggt gccaggaga 1800
 ttggaccttc agggagggca aagggcgcct gcctggccag gggcatgagg gtttggcagg 1860
 agccacccaa ccaggtcct ccagaggcct tgctggacag gaagaggggtg aggcgtgagc 1920
 aaaatagtca ccacggatga gaccacgcgt ccgaattcc tccacatgga ctagtgatgt 1980
 cgaacaaann nnttgtcct a 2001

<210> 407
 <211> 1652
 <212> DNA
 <213> Homo sapiens

<400> 407

tgcggcccgcc	ctcgtggctg	agtacctcgc	cctgctcgag	gaccaccgcc	acctgcccgt	60
gggctgcgtt	tccttccaga	acatctcatc	caatgtgcta	gaggagtccg	ccatctccga	120
cgacatcctg	tcgcccgaag	aggagggcct	ctgctccggg	aagcacttca	ctgagctggg	180
gctggtaggg	ttgctggaac	aggcagccgg	ctacttcacc	atgggcgggc	tctacgaggg	240
ggatgaatgag	gtctacaaga	acctcatccc	catcctggaa	gcccaccgtg	actacaagaa	300
gctggcccgcg	gtgcacggca	aactgcagga	ggccttcacc	aagatcatgc	accagagttc	360
cggctgggag	ogcgtgttcg	ggacgtatct	ccgcgtgggc	ttctacggcg	cccacttcgg	420
tgacctggat	gagcaggagt	ttgtgtacaa	ggagccatcg	atcacgaagc	tggcagagat	480
ctcacaccgg	ctggaggagt	tctacacgga	gagatttggc	gacgacgtcg	ttgagattat	540
caaagactct	aacctgtggg	acaagtccaa	gcttgactca	caaaaggcct	acatccagat	600
cacgtatgtg	gaaccgtact	ttgataccta	cgagctcaag	gaccgggtga	cctactttga	660
ccgcaactat	gggcttcgca	cattcctgtt	ctgcacgcgc	ttcacgccgg	atgggcgcgc	720
acacggggag	ctgcccgaag	aacacaagcg	taagacgctg	ctcagcaccg	accacgcctt	780
cccctacatc	aagactcgca	tccgtgtgtg	ccaccgggag	gagacggtgc	tgacgcccag	840
tggaggtggc	catcgaggac	atgcagaaga	agacacggga	gctggccttt	gccaccgagc	900
aggaccacc	agatgctaag	atgctacaga	tgggtgcttca	gggctctgta	gggcccaccg	960
tgaaccaggg	tcccctggag	gtggcccagg	tgttttttagc	agagatcccg	gaagacccca	1020
agctcttccg	gcatacacaac	aaattgcggc	tctgcttcaa	ggacttctgc	aaagaaatgt	1080
gaggatgcgc	tgcggaaaaa	taaggccctg	attgggcccgg	accagaagga	gtaccaccgt	1140
gagctggagc	gcaactactg	ccgcctgcgg	gaggetctgc	agccctgct	taccagcgc	1200
ctgccccagc	tgatggcacc	caccccaccc	ggcctcagga	actccttgaa	cagagcaagt	1260
ttccgaaagg	cagacctctg	agcccacaag	gaccaaagct	gtacctagag	gaaccagcac	1320
ccgggcctca	gctgtctgtg	ctgcgagggg	agtctgccct	gggtgccact	gggctgtggg	1380
gtgaccacac	tgtacttggg	gctgggcccct	ctgcccctgt	gtccccatct	gtgtgcactg	1440
atgcttctct	ccttttttaa	tttaaaatgg	tttttataag	caaaaaaaaaa	aaaaaggggg	1500
ggccctttta	aaggaaccaa	ttttaacgcc	cgggggttgg	gaaggaaaaa	tttttttaag	1560
ggggccccaa	aattaaatcc	cggggccggg	gtttaaaaac	ggggggagggg	gaaaaacccg	1620
ggggttacc	aatttaatcc	ccttgggaaa	ag			1652

<210> 408

<211> 668

<212> DNA

<213> Homo sapiens

<400> 408

ggcccacaga	tgacccccta	cctctgacat	ttgataaagc	tgggggtgac	ctagggcgag	60
gggcagcagt	ggcagtcac	gcccctctct	ccactgcagc	ccaccgttgc	agatttctt	120
aacctggcct	ggtggacctc	tgctgcgcgc	tggtagtcc	tgagcgggag	gtgggtagag	180
aaggtgctcc	ctggccggga	gggctcagaa	gagaagtagg	gcattggcatc	gtcctctgct	240
gaccacctgc	actcggtccc	ccgtgcgctg	caggctccctg	ttccagcagc	ttctctacgg	300
cctcatctac	cacagctggt	tccaagcagg	taggtagggc	tttggaggcg	cctcctcaag	360
tccgggtccc	caatctgagc	taagacgact	ccatggggag	gggtgggtct	acgactgagg	420
gaggccggag	accttgccag	ggtctgtggg	cggagctgag	gcgtcttggg	ccctcgaga	480
cccccgag	gccgagggga	gccccgagac	gcgcgagagc	agctgcgtca	tgaacagac	540
ccagtactac	ttcggtctgg	ttaacgcctc	ctacaacgcc	atcatcgact	gcggaaactg	600
ctccaggtgc	tggcagtggt	gcgggaccag	aggccaaggg	cggaaacctgt	gagcggcctc	660
atgccgaa						668

<210> 409
 <211> 1854
 <212> DNA
 <213> Homo sapiens

<400> 409

gagagctagc	accatagctt	caataccctg	attgaatgtc	acccttgact	gcctaactca	60
tctctttccc	aagtcatagg	ttatccctgg	tcttggtga	ttatcacagg	cagggaggga	120
gggaaagagg	caaagggaga	aggccctgtg	tgggactcaa	acttgetcac	cccttttctg	180
taatctgcag	ctcactcttg	ctgccactca	gcagatctgg	tctccctaac	tcttttttcc	240
cctgcctcta	ctttgagact	caattgcttc	cccaggactt	tttttctccc	caagccaaag	300
aatgaaagtt	caatcatccc	agctcagttc	ttatcaagca	ttccagctag	cctatgccag	360
agatgttaca	cagctcttta	ataatagtgg	ccatagctgt	aataacaatg	acaacagtag	420
gtagcggtag	tcataccaac	agtagggcag	tgcattttat	attacaactg	gtttcttgct	480
ctagtaggct	tggggatggg	tgaagacgga	cagggctggc	gcagaccctt	tccttctect	540
ctccagccca	cagtgatgtg	ggcttttgca	agacagcctg	cttccattca	gtagtgtggg	600
aaaagttcct	ttttggctta	acaatacccc	tgagaccttg	ttcagtgggc	tgtgtctctc	660
cctgggatgc	tgggagcacc	aagtgtggcc	cgagctaggg	ctgctgactt	cctctggggc	720
cctctgggct	gcgaggggtc	cttacaggaa	ttgaggccct	ttgctgctcc	aagaaatgct	780
gaggetgtgg	gcagaggggt	gtacccaagg	ggactcttgc	tctgtgtctg	actttggggg	840
atccccaggt	gggcagggca	ggaaggaagc	ggctcccagc	actgcaaagg	ggcagcagca	900
ttacagctca	gccttccaga	cattgtagat	ccagttgaga	taggctgaga	ccttgggtga	960
tactcctggg	gtgctcgggc	ccccgcagcc	atagcccag	ctaacgatgc	ccaccacatg	1020
ccactgggtca	gattggtaca	tcagggggccc	accactgtca	ccctggcagg	tgtccacacc	1080
cccttcgggg	atgcctgcac	acatcatctt	ctcggtgact	tcctcctggg	acgcctcgtc	1140
tgcattgcac	cgtgtgctgt	caatgacctg	gactgacgcc	tgcagcagta	tgtcagacat	1200
cttccctcca	ttctgcttcg	taaagcccca	tccaatgate	cagagtgggg	tggctggagt	1260
gagctcctca	tcaaagaagg	gcagacagat	gggcctgact	gtgcctgaga	aagtgagtgg	1320
gaactgcagc	ttcatgaggg	cgatgtcatt	gtccttgggg	tacatggggg	tgaattcaat	1380
gatgatgatc	ttggccacag	ccagggatgg	gaagctgccc	agtttgtctg	agcctgcccg	1440
caccttccag	ttgaacacat	cggatatgtt	cctgaagcag	tgggctgccg	tgaggaccca	1500
gtgggggtcc	aggatgctcc	ctccacagac	gtgctgtttg	tcgtactgga	tgctgacctg	1560
ccaaggccaa	gaatccacag	aggcctcctc	cccaccacc	acacgggggg	tcttcaggct	1620
ctccccacag	gcaagacagt	gcagggagac	cagggagcct	gagagacagg	gccacttga	1680
gttcgcgatg	cgaagctcct	ggctgttttc	tgtgatttca	acaacatcca	gatcctggtc	1740
tgggccaatc	tccacagctc	tgaaagtggg	tttctgctg	tagcccatct	gcctacaggc	1800
tgtctcagcg	agagcttctg	taagttgtcg	aaacaggcag	gaattcctgc	caca	1854

<210> 410
 <211> 1147
 <212> DNA
 <213> Homo sapiens

<400> 410

ggaccattag	tacagtgcgg	tggaaattcgc	gcattgggat	ggtgctgggc	gtggccatcc	60
agaagagggc	tgttctctgg	cctgtattgc	gtttgaagaa	gcctatgcc	gggcagacaa	120
ggaggccct	aggccttgcc	acaagggtc	ctggtgcagc	agcaatcagc	tctgcagaga	180
atgccaagct	ttcatggcac	acacgatgcc	caagctcaaa	gccttctcca	tgagttctgc	240
ctacaacgca	taccgggctg	tgtatgcggt	ggcccatggc	ctccaccagc	tcctgggctg	300
tgcctctgga	gcttgttcca	ggggccgagt	ctaccctggg	cagcttttgg	agcagatcca	360
caaggtgcat	ttccttctac	acaaggacac	tgtggcgctt	aatgacaaca	gagatccct	420
cagtagctat	aacataattg	cctgggactg	gaatggaccc	aagtggacct	tcacggctct	480

cggttcctcc	acatgggtctc	cagttcagct	aaacataaat	gagaccaaaa	tccagtggca	540
cggaaaggac	aaccagggtgc	ctaagtctgt	gtgttcagc	gactgtcttg	aagggcacca	600
gcgagtgggt	acgggtttcc	atcactgctg	ctttgagtgt	gtgccctgtg	gggctgggac	660
cttcctcaac	aagagtgcta	cctgggtaag	gacttgccag	agaactacaa	cgaggccaaa	720
tgtgtcacct	tcagcctgct	cttcaacttc	gtgtcctgga	tcgccttctt	caccacggcc	780
agcgtctacg	acggcaagta	cctgcctgcg	gccaacatga	tggtctgggt	gagcagcctg	840
agcagcggct	tcgggtgggt	ttttctgcct	aagtgtctacg	tgatcctctg	cgcgccagac	900
ctcaacagca	cagagcactt	ccaggcctcc	attcaggact	acacgaggcg	ctgcggctcc	960
acctgaccag	tgggtcagca	ggcacggctg	gcagccttct	ctgccctgag	ggtcgaaggt	1020
cgagcaggcc	gggggtgtcc	gggaggtctt	tgggcatcgc	ggtctggggg	tgggacgtgt	1080
aagcgcctgg	gagagcctag	accaggctcc	gggctgccaa	taaagaaaaa	aatgcgctaa	1140
aaaaaaa						1147

<210> 411

<211> 2234

<212> DNA

<213> Homo sapiens

<400> 411

gggtggcacga	ggcgccctcc	accctaagat	gggtcccagc	ttccccagcc	cgaagcctgg	60
cagcgagcgg	ctgtccttcc	tctctgccaa	gcagagcact	gggcaagaca	cagaggcaga	120
gctccaggac	gccacgttgg	ccctccaagg	gctcacgggtg	gaggacgagg	gcaactacac	180
ttgcgagttt	gccaccttcc	ccaaggggtc	cgtccgaggg	atgacctggc	tcagagtcac	240
agccaagccc	aagaaccaag	ctgaggccca	gaaggtcacg	ttcagccagg	accctacgac	300
agtggccctc	tgcctctcca	aagagggcgc	cccacctgcc	cggatctcct	ggctctcate	360
cctggactgg	gaagccaaag	agactcaggt	gtcaggggacc	ctggccggaa	ctgtcactgt	420
caccagccgc	ttcaccttgg	tgcctctggg	ccgagcagat	gggtgtcacgg	tcacctgcaa	480
agtggagcat	gagagcttcc	aggaaccagc	cctgatacct	gtgacctctc	ctgtacgcta	540
ccctcctgaa	gtgtccatct	ccggctatga	tgacaactgg	tacctcgccc	gtactgatgc	600
caccttgagc	tgtgacgtcc	gcagcaaccc	agagcccacg	ggctatgact	ggagcacgac	660
ctcaggcacc	ttcccgaact	ccgcagtggc	ccagggtctcc	cagctggtca	tccacgcagt	720
ggacagtctg	ttcaatacca	ccttcgtctg	cacagtcacc	aatgccgtgg	gcatgggccc	780
cgctgagcag	gtcatctttg	tccgagaaac	ccccaacaca	gcaggcgccg	gggccacagg	840
cggcatcatc	gggggcatca	tgcgcgccat	cattgtctact	gctgatgtct	acgggcatcc	900
ttatctgccc	gcagcagcgg	aaggagcaga	cgtgacaggg	ggcagaggag	gacgaagacc	960
tggagggacc	tccctcctac	aagccaccga	ccccaaaagc	gaagctggag	gcacaggaga	1020
tgcctcccca	gctcttccct	ctgggggect	cggagcacag	cccactcaag	acccctact	1080
ttgatgctgg	cgctcatgct	actgagcagg	aaatgcctcg	ataccatgag	ctgcccacct	1140
tggagaagac	gtcaggaccc	ttgcaccctg	gagccacaag	cctgggggtcc	cccatcccg	1200
tgcctccagg	gccacctgct	gtggaagacg	tttccctgga	tctagaggat	gaggaggggg	1260
aggaggaggga	agagtatctg	gacaagatca	accccatcta	tgatgctctg	tcctatagca	1320
gccccctctga	ttcctaccag	ggcaaaggct	ttgtcatgtc	ccgggccatg	tatgtgtgag	1380
ctgccatgcg	cctggcgtct	cacatctcac	ctgttgatcc	ccttagctttc	ttgccaaagg	1440
tctagtgtcc	cctgacctct	ggccaggcca	ctgtcagtta	acacatatgc	attccatttg	1500
taaatgtcta	ccttggtggc	tccactatga	cccctaacc	atgagcccag	agaaattcac	1560
cgtgataatg	gaatcctggc	aaccttatct	catgaggcag	gaggtgggga	aggtgcttct	1620
gcacaacctc	tgatcccaag	gactcctctc	ccagactgtg	accttagacc	atacctctca	1680
ccccccaatg	cctcgactcc	ccaaaatca	caaagaagac	cctagacctc	taatttgtct	1740
tcaggtagta	aattcccaat	aggtctgctg	gagtggggcg	tgagggtccc	ctgctgtcca	1800
gacctgagcc	ctccaggcag	cagggtccca	cttaccctcc	ccccaccctg	ttccccaaag	1860
gtgggaaaga	ggggattccc	cagcccaagg	cagggttttc	ccagcaccct	cctgtaagca	1920
gaagtctcag	ggtccagacc	cttccctgag	ccccacccc	caccccaatt	cctgcctacc	1980
aagcaagcag	ccccagccta	gggtcagaca	gggtgagcct	catacagact	gtgccttgat	2040
ggccccagcc	ttggggagaag	aatttactgt	taacctggaa	gactactgaa	tcattttacc	2100
cttgcctcag	ggaataggac	ctaaacatcc	cccttcgggg	gaaagtgggt	catctgaatt	2160
gggggttagca	attgatactg	ttttgtaaac	tacatttctc	acaaaatatg	aattttatact	2220

ttgaaactcg tgcc

2234

<210> 412
 <211> 2457
 <212> DNA
 <213> Homo sapiens

<400> 412

ggcacgaggc	ttcgtgaaga	taagaacccat	aacatgtatg	ttgcaggatg	tacagaagtt	60
gaagtgaaat	ctactgagga	ggcttttgaa	gttttctgga	gaggccagaa	aaagagacgt	120
attgctaata	cccatttgaa	tcgtagagtc	agccgttccc	atagcgtggt	caacattaaa	180
ttagttcagg	ctcccttgga	tgcagatgga	gacaatgtct	tacaggaaaa	agaacaaatc	240
actataagtc	agttgtcctt	ggtagatctt	gctggaagtg	aaagaactaa	cgggaccaga	300
gcagaaggga	acagattacg	tgaagctggt	aataattaatc	agtcactaat	gacgctaaga	360
acatgtatgg	atgtcctaag	agagaaccaa	atgtatggaa	ctaacaagat	ggttccatat	420
cgagattcaa	agttaaccca	tctgttcaag	aactactttg	atggggaagg	aaaagtgcgg	480
atgatcgtgt	gtgtgaaccc	caaggctgaa	gattatgaag	aaaacttgca	agtcatgaga	540
tttgcggaag	tgactcaaga	agttgaagta	gcaagacctg	tagacaaggc	aatatgtggt	600
ttaacgcctg	ggaggagata	cagaaaccag	cctcgaggtc	ccacttgga	atgaaccatt	660
ggttactgac	gtggttttgc	agagttttcc	acctttgccc	tcatgcgaaa	ttttggatat	720
caacgatgag	cagacacttc	caaggctgat	tgaagcctta	gagaaacgac	ataaacttacg	780
acaaatgatg	attgatgagt	ttaacaaaca	atctaattgct	tttaaagctt	tgttacaaga	840
atlttgacaat	gctgttttaa	gtaaagaaaa	ccacatgcaa	gggaaactaa	atgaaaagga	900
gaagatgatc	tcaggacaga	aattggaaat	agaacgactg	gaaaagaaaa	acaaaacttt	960
agaatataag	attgagattt	tagagaaaa	aactactatc	tatgaggaag	ataaacgcaa	1020
tttgcaacag	gaacttgaaa	ctcagaacca	gaaacttcag	cgacagtttt	ctgacaaacg	1080
cagattagaa	gccagggttc	aaggcatggt	gacagaaacg	acaatgaagt	gggagaaaga	1140
atgtgagcgt	agagtggcag	ccaaacagct	ggagatgcag	aataaactct	gggttaaaga	1200
tgaaaagctg	aaacaactga	aggctattgt	tactgaacct	aaaactgaga	agccagagag	1260
accctctcgg	gagcggagatc	gagaaaaagt	tactcaaaaga	tctgtttctc	catcacctgt	1320
gcctttactc	tttcaacctg	atcagaacgc	accaccaatt	cgtctccgac	acagacgatc	1380
acgctctgca	ggagacagat	gggtagatca	taagcccgcc	tctaactatg	aaactgaaac	1440
agtcatgcag	ccacatgtcc	ctcatgccat	cacagtatct	gttgcaaatg	aaaaggcact	1500
agctaagtgt	gagaagtaca	tgttgaccca	ccaggaacta	gcctccgatg	gggagattga	1560
aactaaacta	attaagggtg	atattttata	aacaaggggg	ggtggacaat	ctgttcagtt	1620
tactgatatt	gagactttta	agcaagaatc	accaaattgg	agtcgaaaa	gaagatcttc	1680
cacagtagca	cctgcccac	cagatggtgc	agagtctgaa	tggaaccgat	tagaaacaag	1740
gtgttctgtg	gctgtggaga	tgagagcagg	atcccagctg	ggacctggat	atcagcatca	1800
cgcacaaccc	aagcgcaaaa	agccatgaac	tgacagtccc	agtactgaaa	gaacattttc	1860
atltgtgtgg	atgattttct	gaaagccatg	ccagaagcag	tcttccaggt	catcttgtag	1920
aactccagct	ttgttgaaaa	tcacggacct	cagctacatc	atacactgac	ccagagcaaa	1980
gctttcccta	tggttccaaa	gacaactagt	attcaacaaa	ccttgtatag	tgtatgtttt	2040
gccatattta	atattaatag	cagaggaaga	ctcctttttt	catcactgta	tgaatttttt	2100
ataatgtttt	tttaaaatat	atltcatgta	tacttataaa	ctaattcaca	caagtgtttg	2160
tcttagatga	ttaaggaaga	ctatatctag	atcatgtctg	atltttttat	gtgacttctc	2220
cagccctggt	ctgaattttc	taagggtttt	taaacaaatg	ctgctattta	ttagctgcaa	2280
gaatgcactt	tagaactatt	tgacaattca	gacttttcaa	ataaagatgt	aatgactggg	2340
ccaataataa	ccatttttag	aagggtgttt	gaattctgta	tgtatatatt	cactttctga	2400
catttagata	tgccaaaaga	attaaaaatc	aaagcactaa	gaaatacaaa	aaaaaaa	2457

<210> 413
 <211> 1042

<212> DNA

<213> Homo sapiens

<400> 413

cccttttcat	cctccagtgt	ctcctcaaaa	ggatcagatc	ccttttgaac	cttagatccc	60
ttcggaagtg	ggtccttcaa	tagtgctgaa	ggctttgccc	acttcagcca	gatgtccaag	120
gtaaaagtac	acctgtaagc	cagcttggtt	ccgcagactt	tcccagaggc	cccgatccat	180
tccagccact	cggggctgac	agcggcgacc	cgttccaaag	taaaaagggg	tttggggacc	240
cgtttagtgg	aaaagaccca	tttgtccctt	cctctgcagc	taaaccttct	aaggcctctg	300
cctcgggctt	tgcagacttc	acctctgtaa	gttgagtcct	ccgcctccgg	gccaccccac	360
tcccttccgc	ttgcagcttc	cctgggattt	ttgtctcctt	ttaaaggcaa	acctcccagc	420
ttctttagcc	tcttggtacc	tcacactctc	tgtccctcgc	gttatattt	ctacactgcc	480
acttctgtaa	gaaaaacagt	ttctcaataa	aaaaaaaaag	agccgcagtt	tggatgctct	540
atcataaggg	cacgttttct	tccagcaggg	aggcgggacc	tatctgtcct	tcacggtaga	600
ttcattgtat	tattttctgac	gcaccgaggg	tgttggttct	actggttttt	ggaagccaaa	660
atgtcaaaca	cttccgaagt	atgaaaagaa	gattgcgaaa	gttacattag	ggttctgctg	720
tccccaaaaa	gccctttgtg	cacaagttct	cacagtcctg	ccccatgcat	tttgtgccac	780
acgtgcaaat	tgaaggactt	caggcagatc	gcgccaggga	agagcaattt	gaagtttttt	840
tttttttaaa	gctttttaat	tccacccccc	acctccaaga	aaaaaaaaaa	tccagggttaa	900
aacagccctt	ttgaaagcca	aaccaaaaag	agctccaaaa	acctgtggag	caaagttaag	960
ggccttttctg	aaagcaaata	tgggaattac	aaaagcctgc	cttttttttt	ttttggggga	1020
aaaaaaattc	caaattgtaa	cc				1042

<210> 414

<211> 1849

<212> DNA

<213> Homo sapiens

<400> 414

atgtcgtc	tggtcgtc	catggcgtgt	gttgggttgt	tcttgggtcca	gagggccggt	60
ccacacatgg	gtggtcagga	caaacccttc	ctgtctgcct	ggcccagcgc	tgtggtgcct	120
cgaggaggac	acgtgactct	tcggtgtcac	tatcgtcata	ggtttaacaa	tttcatgcta	180
tacaaagaag	acagaatcca	cattcccata	ttccatggca	gaatattcca	ggagagcttc	240
aacatgagcc	ctgtgaccac	agcacatgca	gggaactaca	catgtcgggg	ttcacaccca	300
cactccccca	ctgggtggtc	ggcaccacgc	aaccccgtag	tgatcatggg	cacaggaaac	360
cacagaaaac	cttccctcct	ggctcaccca	ggctccctgg	tgaatcagg	agagagagtc	420
atcctgcaat	gttggtcaga	tatcatgttt	gaacacttct	ttctgcacaa	agaggggata	480
tctaaggacc	cctcacgcct	cgttggacag	atccatgatg	gggtctccaa	ggccaacttc	540
tccatcggtc	ccatgatgca	agaccttgca	gggacctaca	gatgctacgg	ttctgttact	600
cactccccct	atcagttgtc	agctcccagt	gacctcttgg	acatcgtcat	cacaggtcta	660
tatgagaaac	cttctctctc	agcccagccg	ggccccacgg	ttctggcagg	agagagcgtg	720
accttgtcct	gcagctcccc	gagctcctat	gacatgtacc	atctatccag	ggagggggag	780
gcccataaac	gtaggtttct	tgcagggccc	aaggtaaacg	gaacattcca	ggccgacttt	840
cctctggggc	ctgccaccca	cggaggaacc	tacagatgct	tccgtctctt	ccgtgactct	900
ccatacagag	gggtcaaac	gagtgaccca	ctgcttgttt	ctgtcacagg	aaacccttca	960
aatagttggc	cttcacccac	tgaaccaagc	tccgaatacc	gtaaccccag	acacctgcat	1020
gttctgattg	ggacctcagt	ggctcatcat	ctcttcatcc	tcctcctctt	ctttctcctt	1080
catcgctggg	gtcccaacaa	taaaaaatgc	tgcggtaatg	gaccaagagt	ctgcaggaaa	1140
cagaacagcg	aatagcgagg	actctgatga	acaagacctt	caggaggtga	catacacaca	1200
gttgaatcac	tgcgttttca	cacagagaaa	aatcactcgc	ccttctcaga	ggcccaagac	1260
acccccaaac	gatatcatcg	tgtacacgga	acttccaaat	gctgagtcca	gatccaaagt	1320
tgtctcctgc	ccatgagcac	cacagtcagg	ccttgagggc	gtcttctagg	gagacaacag	1380

ccctgtctca	aaaccggggtt	gccagctccc	atgtaccagc	agctggaatc	tgaaggcatg	1440
agtctgcac	ttagggcatc	gatcttccctc	acaccacaaa	tctgaatgtg	cctctcactt	1500
gcttacaaat	gtctaagggtc	cccactgcct	gctggagaaa	aaacacactc	ctttgcttag	1560
cccacagttc	tccatttcac	ttgacccctg	cccacctctc	caacctaaact	ggcttacttc	1620
ctagtctact	tgaggctgca	atcacactga	ggaactcaca	attccaaaca	tacaagaggc	1680
tccctcttaa	cgcagcactt	agacacgtgt	tgttccacct	tccctcatgc	tgttccacct	1740
cccctcagac	tagctttcag	tcttctgtca	gcagtaaaac	ttatatattt	tttaaaataa	1800
cttcaatgta	gttttccatc	cttcaaataa	acatgtctgc	ccccatggt		1849

<210> 415

<211> 2555

<212> DNA

<213> Homo sapiens

<400> 415

atgtcggttac	gtgtacacac	tctgcccacc	ctgcttggag	ccgtcgtcag	accggggtgc	60
agggagctgc	tgtgttttgc	gatgatcaca	gtgactgtgg	gccctgggtg	ctctgggggtg	120
tgccccaccg	cttgcacatg	tgccactgac	atcgctcagct	gcaccaacaa	aaacctgtcc	180
aaggtgcctg	ggaacctttt	cagactgatt	aagagactgg	acctgagtta	taacagaatt	240
gggcttctgg	attctgagtg	gattccagta	tcgtttgcaa	agctgaacac	cctaattctt	300
cgtcataaca	acatcaccag	catttccacg	ggcagttttt	ccacaactcc	aaatttgaag	360
tgtcttgact	tatcgtecaa	taagctgaag	accggtgaaa	aatgctgtat	tccaagagtt	420
gaagggtctg	gaagtgtctc	tgctttacaa	caatcacata	tcctatctcg	atccttcagc	480
gtttggaggg	ctctcccagt	tgacagaaact	ctacttaagt	ggaaattttc	tcacacagtt	540
tccgatggat	ttgtatgttg	gaaggttcaa	gctggcagaa	ctgatgtttt	tagatgtttc	600
ttataaccga	attccttcca	tgccaatgca	ccacataaat	ttagtgccag	gaaaacagct	660
gagaggcatc	taccttcatg	gaaacccatt	tgtctgtgac	tggttccctg	gtctccttgc	720
tggtcttttg	gtatcgtagg	cacttttagct	cagtgtatgga	ttttaagaac	gattacacct	780
gtcgctgtg	gtctgactcc	aggcactcgc	gtcagggtact	tctgctccag	gatagcttta	840
tgaattgtct	tgacagcatc	atcaatgggt	cctttcgtgc	gcttggcttt	attcatgagg	900
ctcaggtcgg	ggaaagactg	atggctccact	gtgacagcaa	gacaggtaat	gcaaatacgg	960
atttcatctg	gggtgggtcca	gataacagac	tgctagagcc	ggataaagag	atggaaaact	1020
tttacgtgtt	tcacaatgga	agtctgggtta	tagaaagccc	tcgtttttgag	gatgctggag	1080
tgtattcttg	tatcgcaatg	aataagcaac	gcctgttaaa	tgaaactgtg	gacgtcacaa	1140
taaagtgtgag	caatttcact	gtaagcagat	cccatgctca	tgaggcattt	aacacagctt	1200
ttaccactct	tgctgcttgc	gtggccagta	tcgtttttggt	acttttgtac	ctctatctga	1260
ctccatgccc	ctgcaagtgt	aaaaccaaga	gacagaaaaa	tatgctacac	caaagcaatg	1320
cccattcatc	gattctcagt	cctggccccg	ctagtgtatg	ctccgctgat	gaacggaagg	1380
caggtgcagg	taaaagagtg	gtgttttttg	aacccttgaa	ggatactgca	gcagggcgaga	1440
acgggaaagt	caggctcttt	cccagcgagg	cagtgtatgc	tgagggcatc	ctaaagtcca	1500
cgagggggaa	atctgactca	gattcagtc	attcagtggt	ttctgacaca	ccttttgtgg	1560
cgtccactta	atltgtgcct	atatttgtat	gatgtcataa	tttaattctgt	tcataatttaa	1620
ctttgtgtgt	ggctctgcaa	ataaacagca	ggacagaaat	tgtgttgttt	tgttctttga	1680
aatacaacca	aattctctta	aaatgattgg	taggaaatga	ggtaaagtac	ttcagttcct	1740
caatgtgcca	gagaaagatg	gggttggttt	ccaaagttta	agttctagat	cacaatatct	1800
tagcttttag	cactattggg	aatttcagag	taggccccaa	ggtgatatga	ctccatttgt	1860
ccctttattt	aggatattga	aagaaaaaat	aaactttatg	tattagtgtc	ctttaaaaat	1920
agactttgct	aacttactag	taccagagtt	attttaaaga	aaaacactag	tgtccaattt	1980
cattttttaa	agatgtagaa	agaagaatca	agcatcaatt	aattataaag	cctaaagcaa	2040
agttagattt	gggggttatt	cagccaaaat	taccgtttta	gaccagaatg	aatagactac	2100
actgataaaa	tgtactggat	aatgccacat	cctatatggt	gttatagaaa	tagtgcaagg	2160
aaagtacatt	tgttttcctg	tcttttcatt	ttgtacattc	ttccattct	gtattcttgt	2220
acaaaagatc	tcattgaaaa	tttaaagtca	tcataatttg	ttgccataaa	tatgtaagtg	2280
tcaataccaa	aatgtctgag	taacttctta	aatccctggt	ctagcaaaact	aatattgggt	2340
catgtgcttg	tgtatatgta	aatctttaa	tatgtgaact	attaaataga	ccctactgta	2400
ctgtgctttg	gacatttgaa	ttaatgtaaa	tatatgtaat	ctgtgacttt	gatattttgt	2460

tttattttggc	tattttaaaaa	cataaatcta	aaatgtctta	tgttatcaga	ttatgctatt	2520
ttgtataaag	caccactgat	agcaaatctc	tctcc			2555

<210> 416
 <211> 2950
 <212> DNA
 <213> Homo sapiens

<400> 416

tgcaagtgac	ttcattcgga	gcctggacca	ctgtggatac	ctatctctgg	aggggtgtgtt	60
ctcccacaag	tttgatttgc	aactgcagga	tgtgtccagc	gtgaatgagg	atgtcctgct	120
gacaactggg	ctcctctgta	aataacacagc	tcaaagggtc	aagccaaagt	ataaattctt	180
tcacaagtca	ttccaggagt	acacagcagg	acgaagactc	agcagtttat	tgacgtctca	240
tgagccagag	gaggtgacca	aggggaatgg	ttacttgcag	aaaatgggtt	ccatttcgga	300
cattacatcc	acttatagca	gcctgctccg	gtacacctgt	gggtcatctg	tggaagccac	360
cagggctgtt	atgaagcacc	tgcagcagc	gtatcaacac	ggctgccttc	tcggactttc	420
catcgccaag	aggcctctct	ggagacagga	atcctttgca	agtgtgaaaa	acaccactga	480
gcaagaaatt	ctgaaagcca	taaacaatcaa	ttcctttgta	gagtgtggca	tccatttata	540
tcaagagagt	acatccaaat	cagccctgag	ccaagaattt	gaagctttct	ttcaaggtaa	600
aagcttatat	atcaactcag	ggaacatccc	cgattactta	tttgacttct	ttgaacattt	660
gccaattgt	gcaagtgtct	tggacttcat	taaactgggc	ttttatgggg	gagctatggc	720
ttcatgggaa	aaggctgcag	aagacacagg	tggaatccac	atggaagagg	ccccagaaac	780
ctacattccc	agcagggctg	tatctttgtt	cttcaactgg	aagcaggaat	tcaggactct	840
ggaggtcaca	ctccgggatt	tcagcaagtt	gaataagcaa	gatatcagat	atctggggaa	900
aataattcagc	tctgccacaa	gcctcaggct	gcaaataaag	agatgtgctg	gtgtggctgg	960
aagcctcagt	ttggctctca	gcacctgtaa	gaacatttat	tctctcatgg	tggaagccag	1020
ttccctcacc	atagaagatg	agaggcacat	cacatctgta	acaaacctga	aaaccttgag	1080
tattcatgac	ctacagaatc	aacggctgcc	gggtgggtctg	actgacagct	tgggttaactt	1140
gaagaacctt	acaaagctca	taatggataa	cataaagatg	aatgaagaag	atgctataaa	1200
actagctgaa	ggcctgaaaa	acctgaagaa	gatgtgttta	tttcatttga	cccacttgct	1260
tgacattgga	gaggggaatg	attacatagt	caagtctctg	tcaagtgaac	cctgtgacct	1320
tgaagaaatt	caattagtct	cctgctgctt	gtctgcaa	gcagtgaaaa	tcctagctca	1380
gaatcttcac	aatttgggtc	aactgagcat	tcttgattta	tcagaaaatt	acctggaaaa	1440
agatggaaat	gaagctcttc	atgaactgat	cgacaggatg	aacgtgctag	aacagctcac	1500
cgcactgatg	ctgccctggg	gctgtgacgt	gcaaggcagc	ctgagcagcc	tgttgaaaca	1560
tttggaggag	gtcccacaa	tcgtcaagct	tgggttgaaa	aactggagac	tcacagatac	1620
agagattaga	attttaggtg	catttttttg	aaagaacct	ctgaaaaact	tcagcagtt	1680
gaatttggcg	ggaaatcgtg	tgagcagtg	tggatggctt	gccttcatgg	gtgtatttga	1740
gaatcttaag	caattagtgt	tttttgactt	tagtactaaa	gaatttctac	ctgatccagc	1800
attagtcaga	aaacttagcc	aagtgttatc	caagttaact	tttctgcaag	aagctaggct	1860
tggtgggtgg	caatttgatg	atgatgatct	cagtgttatt	acaggtgctt	ttaaactagt	1920
aactgcttaa	ataaagtgt	ctcgaagcca	gtaagtgtct	tgggacctca	ttattttaag	1980
cctggtagtt	aaaaaaaaatc	ttgcaaaagg	atgccaaaga	agataaggac	gtggaaagaa	2040
gtttaatttg	atgattaata	acatgcaaca	gttttgtgtc	ttagctctcc	tactaggatt	2100
atcggcgctt	tgaagggaat	ctcattcatc	tttgtgttac	ctttgggtctg	ggtcacacca	2160
actggtatac	tgaatgcata	ttaaacttagt	atagtgcctg	gcatgtaaga	gattctcaac	2220
aataattctca	ataaatattc	gctgaatatg	agataaatta	ttaatagcta	ctgaataaag	2280
aaagattatt	taaaaccaga	gaggaaactc	catatatgtt	ctttaatcca	aacagtttaa	2340
ttcaagcaat	ctggaatata	aaaagcactt	tctgatatta	gaaggagatc	agactcccaa	2400
aaaagatcag	cattcttttag	tcaagcaaaa	cttgggaagt	tacaaacagc	taaatcagaa	2460
gcttgaaatt	caggtcctct	ccagtacctg	ctacattata	tgtaattcca	aacatgactt	2520
cagagattaa	agaagaaagg	gaagatgttt	cccattcttt	tgtaccctat	ataaactaag	2580
ggtaccctgc	cctaattctt	tttccaacac	ttcccaaat	aacccttctt	tacaaagaaa	2640
gaagtctaag	agaactctct	catctaaata	tatttaagta	gaggcaagcc	tgaaaaaaac	2700
acaaaaacct	aaatggtgtt	aggctgtggt	tcacctattc	tcatggcacc	tcaaattaat	2760
ggcttgggtg	ttggtgtagg	taacgcttgg	cctgtatgtt	gaggtagtca	ctagataaaa	2820

ttctgggcac	aacatccggt	tagcaattgg	gcatacatte	tacagattta	gccataacgt	2880
tctgaagctg	attattttac	agatcaacta	attaattcct	ctccctaact	ttacagatga	2940
gaaagctcag						2950

<210> 417
 <211> 850
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(850)
 <223> n = a,t,c or g

<400> 417						
ctttcacaaa	aatccatgaa	ttattcttta	ataaaagaaa	ctcttggecc	cgcttttttg	60
gatacacaga	atgctttcca	ttgaatcatt	tggtcataat	ccgggtacaa	agcaaattta	120
acacgtgtga	gagatgcaga	aaaagggtccc	ttctatgtac	accttgccaa	atacaagaac	180
ataaagaaaag	aaaaaagcaa	agtttaagcc	tttaggtcat	ttgtaaaatg	ttgccaaacc	240
catgctgcta	cttttaacag	agaagtctga	gttttaaaat	tcaaacgttc	ttttcttaca	300
aagaaaaagt	gcctctatct	gccaagcgca	tgatcttatg	agcttcagat	agaaaagtgg	360
ctatgacttg	tgactgtttt	tggttcagaa	caatgctaga	tcaacatgca	agttgtatgg	420
agggtggggac	agaaagggag	cggcaggctg	gggtggctgg	taatgtttga	tccctctgga	480
tttcccacag	gagaaaagggt	tctgcaggac	gatgagttca	cctgtgacct	cttccgattc	540
ctgcaactac	tctgtgaggg	acacaactca	ggtttgtgag	tccccggaac	ttctgatgat	600
actaaggcat	aaataatggt	ttcaagccag	taataacaag	agcctgttag	ttccaattat	660
gcacgtttct	agagacagca	aatcattcta	gagcatggct	ctgcattggg	atctgggneg	720
ttttatnttt	ggggtccgcg	cacgtccaca	atntcaaann	nncggcgccc	aggggtcccg	780
ccccccgaga	cgaattagat	agatggaagg	tgtgaatggt	ggtaaagatg	gacaaagtga	840
tgcggggtgg						850

<210> 418
 <211> 360
 <212> DNA
 <213> Homo sapiens

<400> 418						
gagataaccc	acattgtttg	agagacagct	gcctttctat	gccccaggct	gaggctgaga	60
cggggtggga	aggatggatc	cccaaagcct	gggttctttg	cctcagtgat	tccagtggac	120
aggcgtccag	gtgagtagga	catccagaag	atttggaact	ggagatgttt	ccccctattt	180
tgagtgtcca	gattaagagc	tggtgcctc	agtcatttta	aaacatgctg	ggaatccaag	240
ttgggtctcc	tcattttaat	gatgtctagg	ctgagggtcg	ggcctttcat	tcttgagtcc	300
ctggggtcag	aagtgggtct	ctttccctcc	tctcagggtg	ctgaggaagg	accccagggtg	360

<210> 419
 <211> 949
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(949)
 <223> n = a,t,c or g

<400> 419

at ttg at ggt	aa ttt gct gg	ga ttac aggc	gt ga gcc acc	ac acc cgg cc	gga agat att	60
aa ttc ttata	tgt gtat gtt	ca acag atac	tga atctcag	gt gaag caaa	gt gcctt cat	120
ca ttg tagca	aat cct acat	tt aaat gaaa	tc agata agt	act ggc atat	aat caaaa att	180
ta ttt tttt at	gtt gatt ccc	aat caat gat	tt ttt tttt t	caa acacca a	ca agac ataa	240
agt actt att	at gga at ttt	gt ccat gtgg	gag ttt tatac	act gtt tttag	aaga acccttc	300
ta atgc ctat	gg act accag	aat ctga att	ct taatt gtt	tt gcg agatg	tg gtgggt gg	360
aat gaat cat	ct acg agaga	at ggt atagt	gc acc gtgat	at caag ccag	gaa atat cat	420
gc gtgtt ata	gg gga agatg	gac agt ctgt	gt acaaa ctc	ac agat tttg	gt gcag ctag	480
aga attagaa	gat gat gagg	agt ttgt ttc	tct gtat ggc	ac aga aga at	att tgc accc	540
tg atat gtat	gag agag cag	tg cta agaaa	ag atcat caa	ga agaa atat	gg agca acaa	600
gtt gat cttt	gg aggc attg	gg gta acatt	tt acca aggc	aag cct actg	gat caact gg	660
cc attta ana	ccc ctttg aa	gg ggc ctcg	tan gga ataa	ag naagt gat	gg tataaaaa	720
ta attac agg	gaa aggc ctt	ct ggg tgcaa	ta tcct ggag	ta ca gaaa ag	ca agaaaa at	780
ggg acca att	tg act ggg ag	tg gga agaca	tg cct gt ttc	ct gcag tect	tc ctcg gggg	840
tc ct cagggt	tc cta actta	ccc cct gttc	tt gcaaaa ca	tc ctt gaa ag	ca gat caagg	900
aaaa agt gtt	gg ggg tttt g	acca agt ttt	tt gca agaaa	act agt ggg		949

<210> 420
 <211> 986
 <212> DNA
 <213> Homo sapiens

<400> 420

tt ttt tttt t	tt cttc agca	tt gtgt tttt a	ct tttt ggga	gag agg ctag	gagg agga ag	60
gg gtgaaa ac	ag catctc ac	tgg agtctc a	aa agtgtatg	aat cttctgg	tagtg caagg	120
at gggg ata ag	at gggc aggg	aagtc agatg	gaaa atcccc	aag attc ttt	tt gctact ga	180
tt tctata at	taaa atat ga	cat atgt aag	gg act agtgc	at gat attca	ataaat gtca	240
gtt gtct ttc	cta act aggt	tc ctcac agg	ct aggttatg	cct agat atc	at catc ctc	300
tttc agggaa	tga agctc ac	ct agaaa act	agg gaa actaa	aagtg caata	tgg tttgggt	360
aatgc agttg	gt tagctgtc	tc cccat cct	cc caactcac	tattcc aggg	agggg ctgaa	420
aac aga agtg	gct cccct ga	agtct agtta	gc atgtcatg	ac agagtcca	cat gaagggc	480
tgt gggctgc	aact tttct ag	tg cac agtcc	tct ctttttg	gc gatgataa	tt gt agggaa	540
aga agcgcac	ac gcat gctg	atttc acgag	ct gtcctcag	gat ctc aaca	gc cttgtctgt	600
gct caat atc	tt gga aatcc	ac atcat tca	cag ctagaac	tt ggtcccct	tc ctcg agtc	660
ct gctctatg	tg catc agag	tc aggaatca	cct tggagat	ga agatgcct	ag cttggagg	720
cct ttcctcc	tc gga tgtta	aat cccaact	gag ctc cagg	agg cttcttc	agtgt gatgg	780
ttc ggggcag	aa actgggtc	aact cattgt	tg tagtccgg	gt ggtgtacc	ct ctc atgag	840
gag gaatcca	tg ctggagga	tt ctc atagg	cagg caagaa	aacc accggg	tagtcat cat	900
aagg aatccg	gctgtccatc	tc ggg caagg	ccc agtgggc	agtcc acagc	gac ctcagac	960
tc cgtcaca	cg aaatcgtc	gacccg				986

<210> 421
 <211> 1209
 <212> DNA
 <213> Homo sapiens

<400> 421

ggcaccgagca	ggtctctgcc	cttcatagac	gcataaaggc	tatcgtagag	gtggctgcaa	60
tgtgtggagt	caacatcatc	tgtttccagg	aagcatggac	tatgcccttt	gccttctgta	120
cgagagagaa	gcttccttgg	acagaatttg	ctgagtcagc	agaggatggg	cccaccacca	180
gattctgtca	gaagctggcg	aagaaccatg	acatggtggg	ggtgtctccc	atcctggaac	240
gagacagcga	gcatggggat	gttttgtgga	atacagccgt	ggtgatctcc	aattccggag	300
cagtctctgg	aaagaccagg	aaaaaccaca	tccccagagt	gggtgatttc	aacgagtcaa	360
cttactacat	ggaggggaaac	ctggggccacc	ccgtgttcca	gacgcagttc	ggaaggatcg	420
cgggtgaacat	ttgctacggg	cggcaccacc	ccctcaactg	gcttatgtac	agcatcaacg	480
gggctgagat	catcttcaac	ccctcggcca	cgataggagc	actcagcgag	tccctgtggc	540
ccatcgaggc	cagaaacgca	gccattgcc	atcactgctt	cacctgcgcc	atcaatcgag	600
tgggcaccga	gcacttcccc	aacgagttta	cctcgggaga	tggaaagaaa	gctcaccagg	660
acttttgcta	cttttatggc	tcgagctatg	tggcagcccc	tgacagcagc	cggactcctg	720
ggctgtcccc	tagccgggat	ggactgctag	ttgctaagct	cgacctaaac	ctctgccagc	780
aggtgaatga	tgtctggaac	ttcaagatga	cgggcaggta	tgagatgtac	gcacgggagc	840
tcgcogaagc	tgtcaagtcc	aactacagcc	ccaccatcgt	gaaagagtag	ccggcttcag	900
tgcttgcctt	ggggtgagga	agacacctct	gccccagtg	attagcaagt	gtggcaggct	960
taacatgtcc	aggttctccc	caataacatt	gtccaggtgg	ttttaaaatt	cccaggcagg	1020
gggagagtgg	catggggagt	gacttcttaa	tgggtaaggg	gctgcttact	tctgggggtat	1080
tggaaatgtt	tggggactag	gtagaggtga	atgtactaaa	tgccactgaa	tttgtatact	1140
tcagaatgtt	tgttatgtaa	attttacctc	aactaaaaaa	aaaaaatgcc	caggtaaaaa	1200
aaaaaaaaaa						1209

<210> 422
 <211> 5214
 <212> DNA
 <213> Homo sapiens

<400> 422

acggccgccc	cttttttttt	tttttcacag	ttccattttt	aatgttttaa	tttcattttca	60
aaaagcaggt	ctgtagtgtg	taaccatgac	aattaaaatc	tgtgctaatt	cacggcagtc	120
tataacaatt	ctacaagcca	atcagacagt	acgtgacatt	tcaatgagta	aaaaagagca	180
taaaactgta	tgtgtaagaa	caaaatgtta	aaaggcctac	cacaataata	aaaaaccgtc	240
aattacatca	tcacattaaa	ataagccaga	tgtacaaaag	tctgagacag	agaagacaaa	300
aggacaacac	aagatatttg	ttgaaaaatg	tttgtgctct	ttgggcactt	aattaaacat	360
tgcaaaatca	acatcatctt	cttcttcac	agactctgca	aaatatattt	cttctttcct	420
agcccgacct	gttcgtggca	gagaaggtgg	ctcagtaggg	aagtctgagg	ggaagatgtc	480
cacatctgaa	tctgatcaa	aagatgtctt	cttcggtttc	ttgcttggtg	ttttggatgt	540
tttcttgcca	gggttataat	cgcttcattt	ttcagagcca	gatgctttcc	ttttctttgc	600
ccctcggcct	ttaccttttg	gtgttgtagt	cttcttttga	atgccaaaat	ctgaatccga	660
gtcagagttt	acagcctcta	ctactttctt	ctgttttggg	gctctcttgg	gcttagggac	720
tgtatctgaa	gacggttttc	ccttttttag	agctaccgtt	ttacttggaa	ctttatctgt	780
ctgttttcaga	ccaaatgatg	gtgaaaaaac	agaagcagaa	tcttcttcat	tactgtcaaa	840

tttagctgaa	tcattcttctg	acttctgaga	atatgaagga	aatgagaaga	gatttccaaa	900
atcctgactt	tttttgtcat	gcaaagattt	ttctggagtg	gcttttgatt	tgccctggtga	960
aaatgtatat	tcattctttat	ctaaccatc	tgaaggaaca	aattcatctt	ccccatcatt	1020
tggttatggga	gatgcttttaa	ctttcaattc	ctctaaatca	ttattgtcat	catcatcatc	1080
atcagcatca	tcattcctctt	cttctgagaa	atcaaagtgt	tatttaggtc	tttcggctgc	1140
tgctctccta	agcaaagaat	ctcttgggaat	aaccacaggt	tctgtttctt	ccaaatcact	1200
ttctgacttg	gattcatcat	ctgaccaagg	attccgtttc	ttcactttct	ttgcactagg	1260
tttaccagat	gatgtaggtg	ttttttctac	tctggtacca	ggctccttct	tctccctctt	1320
aggtttggga	cctttattta	taggaactga	tggagtcaat	gcctcttctc	ctgcaccttc	1380
tactggtgct	ccactgaatt	cttcatcaaa	ttccactttt	actgctgcag	tatcaagatc	1440
acccttcttc	tctctcagca	actttttgct	ggcacttgcc	ttcatagctg	taatttcagg	1500
aattattctt	ctgccataag	gtgagggcat	tgtctcttcc	aactggagtt	tcttcacctt	1560
aggtttgcca	actttacctt	taattgtctt	tcagacatt	ccagccagaa	catcttctcg	1620
ttcttgagat	tccactttat	ccagttcttc	aacaaatgcc	gctaaatcct	ctttccaaag	1680
atctgaagga	gattttcttt	taagatcatt	gacctctcgc	ccttttgcac	ctctctgttt	1740
aatcagttct	tcaacttttt	cttttagtaag	agaccacaga	gacatattta	aaatataatt	1800
aaaatctggg	cctgaaggag	ttcctgaatc	ggaggaacta	tcattcatgct	ggttttgtgt	1860
ttcatcctct	tctgctgcct	tttcttgtgc	ttctttccag	gctttcactg	ggtcagattc	1920
ataacctctc	tggactaaca	tttgaatcaa	atctttcttt	gacctattct	atatagtaat	1980
tttcccttgt	atcttctcta	aaatgaaacg	ggcttgattg	ttaagcttcg	ttaattctgc	2040
tcccaacatt	cccacaagcc	actccttacg	taaccctgaa	taacttaatc	gtaaatcaaa	2100
gaattctttt	agaatgtctt	gcacagtttc	atatttcttc	agacatccca	tatgatcaaa	2160
aagtaccatg	gaattacaag	taagagtatg	ttgaagttaa	aaaactttat	gcagtcacgc	2220
agcttctgct	tgtgctagtt	tctcttcagt	cattttccacc	acaaatttca	cagttgtgtc	2280
agtatgatat	tctttataat	cagaaattaa	tgtctggtgt	ttatctgttc	catttagcat	2340
aggttctaaa	acctgttctt	tatatacctg	tgtccaagtt	ctaactggaa	gctctgtaat	2400
ttctactgtg	tttctgtcca	ctacaaatat	ttcaccactg	actgcatact	ggttttgacc	2460
aagttcttga	atcgtgcctt	taaagttttt	gtagtttgga	agcatgggat	gaggatccag	2520
gccatctagc	attcgtctga	cattgttcac	aatttcccta	gcatcatagt	tgggtagttt	2580
acaagcccat	ccagtaccaa	tgccctcagc	accattttatt	aaaaccatgg	gaattatagg	2640
aatataccac	tcaggctcta	cacgttgatt	atcatcataa	aggaacttaa	ggaggttgtc	2700
atccacagca	ggaaaaagta	gccttgctaa	agtgtctaac	attgtgaaaa	tataacgagg	2760
gcttgacgca	tctttgcccac	catgaagccg	agttccaaac	tgaccaatag	gctgaagcaa	2820
gttaatgttg	ttactttccca	caaagtcttg	agccaaattc	acaatagtca	tcattcaatgc	2880
ttgtttctcca	tgatgataag	ccgacatctc	agcaacagag	ccagccaact	gggcaacttt	2940
tacttcaagt	ttatcattcc	tcttgaacaa	ggtaaataaa	actttccgct	ggccaggttt	3000
aaagccatca	acaagagatg	gtatagatct	ttcattgtct	gagtttgaga	agagaatcaa	3060
ttccttggtg	atgaaatcat	tataagtcaa	atgctttgtt	gcagtaccat	ataaaaaattg	3120
ctctggtaag	ccatgtagcc	tacgtgtctc	ccggctcttc	ataaaaattg	ttaaccattc	3180
ttttctgtca	tcaatcttct	tcttactaaa	tgccaaggta	atggcagcat	catcttcagg	3240
accagcatat	ctaaacaaga	tgcatgcct	ttccatatca	gcaaaatatt	cctttgcttc	3300
tttagctgta	ctagtaccca	atcctttata	gtactttatt	ttccaggctt	tctggttttc	3360
tatatgtttt	ttccattcgt	caaattcagg	aatactgtag	aaggaaagt	cctgcttatt	3420
tttcttgcc	tttacaatga	gagtaatgaa	ctcttcaaga	aaacctgct	tcaaaagtga	3480
tggccaattg	tgatggatga	aattaataag	caggcctttt	atgtgagaac	catcttgatc	3540
ctgatcgggt	ataatcataa	tctttccata	gcgtgaagtt	ttcagagatt	gtgcattatc	3600
gtaacttttc	ttatattgta	gaccaactat	tttaataata	ttattttatt	cagcattttc	3660
catgatctgt	ttatgagaag	cttcccgtac	attaagaatt	ttgcccctga	gtggaaaaac	3720
tccgtatctg	tctcgtccaa	tcacacctaa	tcagacacac	gccagtgatt	tggcagagtc	3780
tccctctggt	aatatcagtg	tacactccag	ggaatgttta	ccaccagcat	cattagcatc	3840
atccagtttg	ggaatacctt	tgattttact	gtattttact	gatgaacact	tcttattcag	3900
ctgagttctga	gcctttaaatt	tcaccacagtt	caggatactt	tctacaatgc	cacaattaga	3960
ggctgcttta	aaaaattttt	ctgacagctg	gcattttagac	ccaaaacttt	tgggctgcag	4020
agtcagtgtt	tccttagtct	gagaatcaaa	agttggattt	tcaataaggc	aattaataaa	4080
aacctatata	tggttttttt	cttgaatgg	tttcaactgat	acaccagctt	tgttcttttt	4140
cttaactact	tcaatcagtt	taccaacaac	ttgatctacc	acataatcca	cgtgccgtcc	4200
accttttgta	gttgcaatac	tatttacaaa	agtgatttgc	tggaaatcctt	tttcaactca	4260
tgtgagacaa	acatcccatc	tttcatttgc	aagctcatga	ataactttca	gggccacccc	4320
agtttcatcc	aatttgtctt	tcacataaag	atctacataa	ctgcgaaatc	catttacagg	4380
caatttcttt	ccattaaaca	tgaccttgac	ccctctacac	gaaccagcca	aatcatatgc	4440
ccttctagtc	atgagggcca	caatatcctt	gtcaagtttt	tccatcttaa	atttggacag	4500
atctggttgg	aatgttatgc	atgtgtaatc	ttcaccatca	aaatgtttta	ttttggcttc	4560
agaagtcttc	atcatattat	tcattccatgt	ctgcttaaaa	ctgtgtttgt	attctttgca	4620
agctgtttct	actgtaaact	ttgtactgaa	aatattacaa	agttttgcac	cataaccatt	4680

acgaccacct	gtaacttttt	tctcatcacc	atcatagtta	ctggatgtta	aaagctgtcc	4740
aaaaattaaa	gcaggaacat	aaactttctc	caccttgtgt	tctactactg	gaatgccttt	4800
cccattattc	caaatgctta	taatgttaga	ttcaggatca	atagaaactt	taatacaagt	4860
catgttctta	tccctctgtt	tattgtcagc	agcattaacc	aaaatttcat	caaagatctt	4920
gtataaacct	ggcacaaaagg	taacctccct	gcaattcatt	cctacatctt	catcatacac	4980
ccacatgaac	tgcgtcaatg	gctccactga	cccaatatat	gtatcaggac	gaagaagaat	5040
gtgttcaagt	tgtgtcttct	tctgatacac	tctctcaaca	gacaacttct	ttgaagaatc	5100
atttttgttg	gcagtttctg	actcttcttt	ttttgcagca	ttgttcaccc	aggtcagtg	5160
cccggtgcg	ccgcccacgc	cggtcccg	gccgcagcca	cccgacttgg	ccat	5214

<210> 423

<211> 474

<212> DNA

<213> Homo sapiens

<400> 423

aaggggtgtc	tggtgcctc	cttcaactgc	atcttctgt	atactggga	actgtatccc	60
acaatgatcc	ggtgagtga	agcctaattg	gagaatgaca	gccttttctc	ggggaaagac	120
attcttctgt	gcacaggta	gaccccagag	ctaaatcaag	tacatcccag	cccaaaggcc	180
cctcccaaca	ctcatcattg	caaggcacat	agtagccact	gagtacacac	ctcatggcct	240
agctaacaca	ggtgttactg	tcctctaagc	ccttacggga	ccctagaaga	tctcaaaagt	300
agccaccaac	tggggcagg	taaggaaacca	agaagacaca	tctcagagac	aacaaatcga	360
agtcttctct	taatctccaa	aacacaaaatt	agaagctgcc	accacatcta	cattccatct	420
ataaaccaag	tgatatatct	gaaagcaaag	gccacaaaca	tgaaagcaat	ttcc	474

<210> 424

<211> 1453

<212> DNA

<213> Homo sapiens

<400> 424

tttaagttga	gaactttcac	cttttctatt	aaaaggaagc	actttgtggc	ttctctttgg	60
catatccgaa	tcaccagcat	catcactact	cctgctctct	ggggccactg	tttaagcaaag	120
tgaggactgc	ttgggtcacag	gcactgtgaa	tgctgggata	gttgatctga	tcaccaagac	180
ggctactaag	tcactagcag	ggtgggtggc	gtatacagcg	tggtgtgtgt	ggaccaaggg	240
atgactcaca	tcctccggccg	gctggagccg	gacagcgaga	gatttcatca	cgctactcag	300
aagggcacac	catttgagac	ttaaaattct	ttatttctgg	aattttccat	ttaatatttt	360
tgaactgcag	ttgactgcag	gtaacaaact	gtggaaagcg	aaaccataga	tacgagcggg	420
ctactgcgtt	caaaaggctc	ttcaactggt	gtggatcctc	tgatgttctc	ggagatgggt	480
taggtgggtta	catgccttcc	cgactcctt	acattcgtag	gatttcgccc	cactgtgcgt	540
tttctgatgt	tgtgtaagct	gatggcctgt	actaaagctc	ttcccacatt	ctgtacaccc	600
ataggggtttc	accccggtat	gaattctctc	atgtttcacg	aggctcgatc	cataaatgaa	660
agccttccca	cactccttac	atttatacgg	ggtttcgctc	gtgtggattc	tctcgtctct	720
agtgaagtga	tagccacaat	tgaaggcctt	cccacattct	gtgcacttgt	acggcttctc	780
gcccgatagt	atcctctcgt	gcttaacgag	gctcgaaccc	cagcgaaagg	ccttcccaaca	840
ctccttacat	tcgtgaggct	tctcacgggt	gtggatcttc	tgatgctgag	taaggtaatt	900
gactcgagta	aaggccttcc	cacattcttg	acattcatag	ggtttctcac	ctgtgtgaat	960
tcttttatgc	tgaatgaggc	ttgaaccaca	aataaaagcc	ttcccacagt	ctttacactc	1020

gtaaggcttc	tccccactat	gaattctctt	gtgctgaata	agtttatata	cacggctaaa	1080
ggtcttccca	cagtctttgc	attcgtagtc	tttctcccca	gtgtggaatc	tctgggtctg	1140
agtgaagctca	tcaccacgcc	gaaaggcctt	tccacagtct	ttacattcat	aggggttttc	1200
accagtatga	atcctcttat	gaataacgag	gcttgagccc	catcgaaaag	ccttcccaca	1260
gtctttacat	tcgtagggct	tctccccagt	atgaattttt	tgatgttgag	taagctgatt	1320
gccccaacgg	aaggccttct	tacattcttt	acattcataa	ggtttctcac	cagtatggat	1380
tttctgatgg	tgactaagtt	gatagccacg	actaaaggcc	ttcccacagt	cottacattc	1440
aaaggaattc	tcc					1453

<210> 425

<211> 1131

<212> DNA

<213> Homo sapiens

<400> 425

gtttccctca	tgattttatt	gtctcctggg	gacctgctt	tgggcgggtct	ggatgtctgc	60
cttggggcta	gtttgaggcg	ccccgaaggt	ggagccatct	tgggtctcgta	atttgctctt	120
ccttgcccc	caagagggaa	gccagagcta	gcggggccag	cactgctcag	gaggcaaggt	180
ggcctacctg	tcgcacaccc	ggaggaggaa	atcattgacc	aggctctcgt	gccggctgca	240
gatgcttctc	ttggaaggca	ctcttgagcc	agtcctcaat	gctgcacacc	tgacgcgggc	300
tggagtgcc	gcagatggag	aggctgcgga	gtgcggggcc	caggaggaag	ttgtccttct	360
ggagttcagt	gagggaacgg	aagtgcagca	gggaccagag	tgcggggtcc	tcaaacacgt	420
cgtggagctg	ggagcaggtc	ctggcaaggc	tcttctctgct	gtccttgtct	aggaaggaga	480
agaggtgcag	caggcactcc	cggttgagct	gggttatgtg	catggtgagc	agtggccaca	540
tgtcacttca	tcttgcccca	ggtactgcag	ctccaaatcg	tggggattct	gtaagagctt	600
gctacctgtt	gactgaggag	gcccacgagt	tgagaagaac	tagcaagagt	ggtacaaaac	660
tgcaggtcat	tgggctggcc	accagggtatt	cccacccacc	agaagctggc	tgttgtactc	720
accgggaacc	atgggtgcacc	accacagcgg	cgaggtcata	caggcagctc	tccggggccac	780
tgttctcagg	ctacagaaca	aggaagaagg	agcagtggtc	aatgacatca	gtatctcgat	840
gacctctacc	ctctccatgt	gatgacaatc	ttactgaaga	gccatttttt	caccatgcta	900
aaaaggccag	ttgggtccag	cagctttgcc	tctctaccct	tttatcacca	aagtatactg	960
ctgagaaaga	atcaaatgaa	aagaaaaaag	actcaacaag	acctcactca	tattaactgg	1020
actctacaag	cagtgagcat	ccagacctgc	atttggttac	aaaagaagcc	ttcaagctat	1080
tttcatcagc	ttcctaata	agttaaaaaa	taaaccacaa	aactgagaaa	a	1131

<210> 426

<211> 551

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1) ... (551)

<223> n = a,t,c or g

<400> 426

gcttgggctg	tcctctgatg	ccatgtttgc	agcccagaca	ggcagtgtga	tcagggtctc	60
tggcagaggg	tctcttgaga	cacagccact	gcccctgctt	gggtggctcg	acttgggacg	120

cagcctgcct	gtgactggag	ctgggggtga	cgggtaagat	gagtggagat	gttggggccag	180
tggggcctga	ttcccagact	ggaccaaacc	ccaggggctg	tctccaatc	cggaccatct	240
tccagagctc	tccggatgcg	cttgtgaaca	gcaagttact	aggaaacctc	tgctgcgtct	300
gcacgtccat	caccagggag	atgtagccct	cgatgagggg	gaaggagaag	aagcggatgt	360
ggcgcagtc	atccccagtg	gccatggggt	ccttcaactcc	attggagtag	aacatgacat	420
ccatgaggag	tgtggcaaca	gcaggcagcg	tgtcagggtc	caggctgggtg	acacagaacc	480
tggtgctcgg	gctggccgaa	ttccaccacn	tggactaagg	tctactatna	ggggcctcaa	540
ttggacgtgc	c					551

<210> 427

<211> 1579

<212> DNA

<213> Homo sapiens

<400> 427

agtcacctcc	agaccccaga	agctctcccc	aaccagccg	agttcctctg	caaacaattc	60
aaggggctct	gataggtcac	acagtgccac	cttgtgtgct	ggaccatata	tgaggaggaga	120
actgagtgag	ggggcacagg	ggattgtctc	caggtagggg	gagcagggga	aggaaaatag	180
tggccacttt	tacattggtt	tgggtagtaa	ttattgattc	aggaaagcaa	tacaaaatcc	240
tgaatgaaat	gacttgga	aagtaaatag	aatcaagatc	ccaagaggag	ctgaagataa	300
ataaatggga	gcaggatgtg	ggggaatggt	cggtaagtga	gaaatgctaa	aatgatagaa	360
taaagcttaa	ggattgttgg	aggtagagca	ggaactgtgt	actgcatagt	tcccaaatgc	420
cctgggtgttc	caatggggga	tggaaactaa	aacactggcc	aggttggatt	tcatactgta	480
gtcctgccat	ttttcttcct	agagcagaga	taaaagttgg	ccctgggcga	tagctcattc	540
tctctgaaag	gctgctagtt	aggcccagcc	tgtcacctcg	gatcatgagt	gtcgtgtgta	600
ttgggactta	cggcaggggg	ctgaggcttg	cagatgggca	agtggtgaga	ggccccactg	660
acctcagtct	gtttctcact	ggagcgcagg	tttgggagca	gcagcaacac	cacatccttc	720
ggcacgctcg	cgagtcagaa	tgccccact	ttcggtacac	tgtcccaaca	gacttctggg	780
tttgggaccc	agagtagcgg	attctctggt	tttggatcag	gcacaggagg	gttcagcttt	840
gggtcaaata	actcgtaagt	atcccccttt	ttgagtctca	ccttaattaa	aagcattaaa	900
taaggttga	agtgtgtgga	tcttgtctgga	tttgtgcatt	ttcttttctg	tttttctgt	960
tttttagagtt	tgtcctggaa	gtgtgggggt	tcagcagcag	ggtttggggt	ttgtggactt	1020
gctcttctct	gtagcaatat	ggcaggaggt	gccaggcctc	gccttcttaa	gaggcgtggg	1080
tcaaagagaa	aagagcacgc	ctgccagtga	gctgggcctg	agggcagcgc	tgaggagatg	1140
ctgctcctga	cttccttgga	ggtttctcag	aagctgcatt	ctaaccctcg	ggctctgggc	1200
catcaccagg	tctcatgtgt	tgatccaccc	tctgtgcttc	tgtgtaaaaat	ttcatggcgt	1260
taaaattcag	tcttagccag	gtgggtgggt	cacgcctata	atcccagcac	tttgggaggc	1320
tgaggtggga	ggattgcttg	agcccaggag	tcaagaccag	cctgggcaac	agagtgaac	1380
cccatctcta	ctaaaaatta	aaaaaattag	cogtgcattg	tggcttatgc	ctgtgggtccc	1440
agctactcca	gaagctgagg	cgggaggatc	acttgagcct	gggaggttga	ggctgcagtg	1500
agccaagatg	gtaccactac	cgtctagcct	gggtgacagc	cagaccctat	atcaaaaaaa	1560
aaaaaagggg	gggcctttt					1579

<210> 428

<211> 413

<212> DNA

<213> Homo sapiens

<400> 428
 tcgaggagcc ccagggtagt cccatctggg tatggctggc tgggtcacta acttctgtga 60
 gctgcttcct tcctttccag aggatgcgga tcaaacctca ccaaggccag tacataggag 120
 agatgagctt cctacagcac caciaagggtg aatgccgacc acagaaagat tgagcacgac 180
 aagaaaatcc ctgcgggcct tgetcagagc ggagaaagca tttgcttgga caagatccga 240
 agacgtgtaa atgttcctgc aaaaacacag actcgcgttg caaggcgagg ccgcttgagt 300
 taaacgaacg tacttgacga tgtgacaagc cgaggcggtg agccgggcag gaggaatgag 360
 ccttctcag ggggttcggga accaccttct ctcaccagga aagactgata cag 413

<210> 429
 <211> 1567
 <212> DNA
 <213> Homo sapiens

<400> 429
 cccacgcgtc cgctccaggc tcctggagtg cctcatgctg gctaagttct ctctgggctc 60
 ctccaggggt tctgtgtgct cttggaggtc cctctgctag tgggtggctaa ctagagagtc 120
 agcagggggg tgactgggaa agagggagag gtgatgttgc ctgctactcc cctccttgcg 180
 gacctcata ccacatgacg tggcggcggtg gggccaggaa ctagggaagg cagaaggcgg 240
 gcgcagtggg cagctctctg ggctcagctt gctgaggggg cctcctgtcc tggctcttcc 300
 tgggagacct cattcttctg cccatgttcc tgccctcacac attcccctg atgaacgctg 360
 tgggcggggc ccggcctgtg cctcagtc cccagctcct ctagtgtacc tgcccctggtg 420
 gaaccccatg tggaaaagag cctcagaact gacaggaatc agggacagag gcccttgctg 480
 tcagcctcct gggcacctgc acctgccagg cctctcttcc ttaccagccc agtgctgctg 540
 ccaaaaatcca gggctatccc agctgccggg gacccagtt gagccgggat attttgtctt 600
 ctggagatgg ctgggtggga ggctcagtg gtcacatag ggtctgcggg ggtcctgggg 660
 tgcaggtggg gctcctcagg gaagagccat agtctgtccc caagtccgaa gggtaatctt 720
 catcttctct cacaggagcc acaaaccact gtggtacaca acgctacaga tgggatcaag 780
 ggctccacag agagctgcaa caccaccaca gaagatgagg acctcaaagt gcgaaaacag 840
 gagatcatta agattacaga acagctgatt gaagccatca acaatgggga ctttgaggcc 900
 tacacgaaga tttgtgatcc aggcctcact tcctttgagc ctgaggccct tggtaacctc 960
 gtggagggga tggatttcca taagttttac tttgagaatc gtgagtgggt tcgtgctgct 1020
 gatatactcc tgccctgcccc ttaccacctt tgtctctgtc tcctgctcac cttctcatcc 1080
 cagttgcccc cttttccctt atttgacctt cgtgctgcac tcctactctg tatgcttgct 1140
 cccttggtgcc ccgatggttg tagacaggca cctttgaagg ccctgctcct gagctccaag 1200
 tgccattcat tctgcagctg ctttgtggca gtgccagtca ccacaatcaa gctcacttat 1260
 ttcttgccgg gcgcggtggc ttacgcctgt aatcccaaca ctttgggagg ctgaggctgg 1320
 cggatcacga ggtcaggaga tcgaggccat cctgggtaac acgggtgaaac cccatctcta 1380
 ctaaaaatac aaaaaattag ccgggcgtgg tggcggtgcc tgtagtccca gctactcggg 1440
 tggctgaggc aggagaatga tgtgaacctg ggaggcagag cttgcagtga gccaaagatca 1500
 ggccactgca ctccagcctg ggcaacagag caagactcca tctcaaaaaa aaagaaaaaa 1560
 ttatttta 1567

<210> 430
 <211> 728
 <212> DNA
 <213> Homo sapiens

<400> 430

ctttccacac	catgggtccaa	gggaagggct	gccctgtctg	aagagtcccg	cccacttgta	60
ggatgagacg	tggaaaatat	tggtgtgtga	acttaaaaaa	caagaccagg	ggggttggt	120
gggagcaccg	gccagcaggg	cctgtgtgag	ataaaccccc	tccactggag	aaggcgtggc	180
ccctgcccac	ctggaccctt	ctggaaatga	gggaagtgt	aacagcagtg	cccatcccac	240
aagcattaaa	ctcgggaggt	ggagactctc	cagcagaaag	ctgggcagca	gagtggtcct	300
gccctcggc	ccacaaagg	ccttggecga	gcatgggcat	gcctgggtgtg	tgcccactgg	360
ggtccatccc	tgccagtggg	gttccagggg	cctcggggac	cgggctgctt	gggcccttgg	420
actctaggtg	agccgtgaga	gcgggctggg	gcaggcggag	cagctgcctg	cagggcaggg	480
acacggtcag	gggctacctc	cgggaccccc	tggcctctcc	acaggcagct	atccatgatg	540
ctgatgctgg	cgcagtcaaa	ccgcagctg	ttcgcgctta	tgggcacccg	ggcaggcatc	600
gccaggggag	tggagcgtgt	ggagcagcag	tctcggctgg	agcagctgag	tgcggcagag	660
ctgcagagca	ggaaccagg	ccactgggct	gactggctac	aggcgtacag	agcccggctg	720
ggacagga						728

<210> 431

<211> 1524

<212> DNA

<213> Homo sapiens

<400> 431

gaaatggtac	tcttttcatc	atggtgatgc	atatcaaaga	tcttgtgagt	gattacaaag	60
aatgatggtt	gtagaggaaa	cccttacctt	ggtaggaagc	attactatta	agggactgct	120
ttttttttta	ggttactgaa	aatgggagctg	acccaaatcc	atatgtcaaa	acatacctac	180
ttccagataa	ccacaaaaca	tccaaacgta	aaaccaaagt	ttcacgaaaa	acgaggaatc	240
cgcatttcaa	tgaagtgtct	gtatacagtg	gatatagcaa	agaaacccta	agacagcgag	300
aacttcaact	aagtgtactc	agtgcagaat	ctctgcggga	gaattttttc	ttgggtggag	360
taaccctgcc	tttgaaagat	ttcaacttga	gcaaagagac	ggttaaattg	tatcagctga	420
ctgcggcaac	atacttghta	actagtgaat	gtctgagctt	tggaagcatg	aacagttata	480
aacgtgcatg	catacatgca	cacacacaca	gacacacaca	cacacacttg	ttaatTTTTgt	540
atagtatttt	tatacttgga	cagaacttat	aaagttaaagt	atacttgctg	catttcaaca	600
catctgttgg	accaacagtc	acataactaa	cctttttgaa	tttttggaag	ccattgctgt	660
tttaaagtca	ttatgtagaa	tgctacaaac	cctaaactta	atatatacta	attcctgaaa	720
aagactttga	gacagtacta	tgctcagttca	gccacctatt	ttgcattggt	ttctataagg	780
aggcaaagca	tatgtgtttt	cctgttatgc	acctttttata	gcctttacca	ctgtgtaatg	840
ttcacaaaca	ccaaagtaaa	ggaaaaatgc	aggatgttac	cgtaaaatcc	agctgctatt	900
catggagctg	aaaaacaaag	cacaaataat	agatagctaa	gttaagaact	actaagtagt	960
ttatagaagt	agggaaaaac	gtaatactgc	tttttattca	tgtcttttaa	gcctttttca	1020
gaataagtgc	caatcactga	tggtgtaaat	aatgggtgct	taactttata	tgcttccctg	1080
gcacttcgtt	tctgattttt	ttcctgattt	gataaataat	tagtacatag	ttttcactca	1140
cttgacgctt	actaaagaca	agaaattatg	tacatgtact	aatgtttttc	ccacaaaaaa	1200
atcctttact	tctgatgtat	gaattagtta	tctaaatagt	taagcctaag	acctgaataa	1260
gactcaccaa	tgtgattgta	caataaattc	tatcattcca	ttaaaatcct	acattttattc	1320
ccaggaatgg	taatttcacc	tcctacatc	tatactccac	tcctcagta	aataagtga	1380
aattgttaac	ccatgtgccc	attcctgagt	agggcagact	cttcacaaga	ggcccatgac	1440
aagaattcta	gggtccagat	tgaactttaa	tatagacctt	tgtctgtgta	gaccagtttg	1500
tcttgtaaac	tgtcttactt	atgt				1524

<210> 432

<211> 1908

<212> DNA

<213> Homo sapiens

<400> 432

gtctctatgg	aattatagct	cacctacttt	tgggggaatc	atgtaaggta	attttatttc	60
attatgtatt	actagaatgt	attgttttaa	aatgtgtcta	cttttttgaa	gtgtcatttt	120
gttggtgttt	tcattgagat	ggggctctac	tatgttgccc	aggctggctc	cgaactccga	180
acctcaaatg	acctgcccgg	ctcgccctcc	caaagtgcctg	ggattatggg	catgagtcac	240
tgcattccaga	caaaaagtgtc	attgtttta	cttgatttga	aagaacttta	ggatattaaa	300
acattatgtg	gttcttttgt	gcaagcgctt	tatccctaag	tcgtttgatt	atccagggtt	360
gaaagcaact	ctctctgact	tctgcaactca	gaaagcgctt	ggctctaattg	tgttctcctt	420
cctgtctctt	agcttcacag	gataatgcag	ctggctgtgg	ttgtatcaca	agtacttgag	480
aatgggtctc	cagttttggg	ctgtttggag	gaaggctggg	acatcactgc	acaagtgaca	540
tcctgtggtc	agttactcag	tgatcccttt	tataggacac	ttgaaggctt	ccagatgttg	600
gttgaaaaag	agtggctctc	ttttgggtcac	aaattcagtc	agaggagcag	cttgaccctc	660
aatgttcagg	ggagtgtgtt	tgtctccagtc	ttcttacagt	tcttagactg	tgtacaccag	720
gttcaccaacc	agtatccaac	tgagtttgaa	ttcaatctct	attacttaaa	gttcttggct	780
ttccactatg	tgtctaatacg	ctttaaaaaca	tttctcctgg	attcagacta	tgaagatta	840
gagcaaggaa	ctttatttga	tgataaagga	gaaaagcatg	ccaaaaaagg	agtcctgtatt	900
tgggaatgta	ttgacagaat	gcacaagagg	agtcctcattt	tctttaatta	tttatattca	960
ccattggaaa	tagaggctct	aaagcccaat	gtaaacgtct	ctagcctcaa	gaagtgggat	1020
tactacatag	aagagacctt	gtccacaggc	ccttcctatg	actggatgat	gctaaccctc	1080
aagcacttcc	cctccgaaga	ctctgacctg	gctggagaag	ctgggccacg	gagccagagg	1140
agaacagtgt	ggccatgcta	tgatgatgtc	agctgtactc	agcctgatgc	tctcaccagc	1200
cttttcagtg	aaattgaaaa	attggagcac	aaattgaacc	aagcccctga	gaagtggcag	1260
cagctgtggg	aaagggtaac	cgtggacctt	aaagaagaac	caagaacaga	tgcctcccaa	1320
agacacctgt	cgagatcccc	aggaattgtg	tctaccaacc	taccttccta	tcagaagagg	1380
tctctgtctac	atctcccaga	cagcagcatg	ggggaggaac	agaattccag	catctcccca	1440
tccaatggag	tggagcgaag	agcagccacg	ctctatagcc	agtatacatc	caagaatgat	1500
gaaaacagggt	cctttgaggg	aacactttat	aaaagagggg	ctttgctgaa	agggtggaag	1560
ccccgttggg	ttgttttggg	tgtaacaaaa	catcagctgc	gctactatga	ctcaggtgag	1620
gacacaagct	gtaaaggcca	cattgatctg	gctgaagtag	aaatggtcac	ccctgctggc	1680
cccagcatgg	gagccccaaa	gcacacaagt	gacaaggctt	tctttgatct	caagaccagc	1740
aaacgtgtgt	ataacttctg	cgcccaggat	ggacagagtg	cccagcaatg	gatggacaag	1800
atccagagtt	gtatctctga	tgcctgatgc	ccatgggtcaa	cccacgcaga	agaaacagaa	1860
gaactcatgc	tgccagatag	atagaacaag	aagcatggat	ccttgagg		1908

<210> 433

<211> 1714

<212> DNA

<213> Homo sapiens

<400> 433

tttttttttt	ttgacaagtt	tgcaagtttt	attgaattaa	tggctggctt	tcacagatgt	60
taatcactgg	cgggcgggtg	aataggggga	acaggaaaat	gctctccaga	ggttccact	120
gaagcccttt	catctgacct	gccccaaacc	accactgaag	ccagagggtca	tgggagttgg	180
gatctaacta	cactctgtga	acttaccacc	acccttcca	tccccaagcc	catattttat	240
ttgggactag	gccactgatg	cccgggccct	tcctcttcca	gtaggggtggg	aggggtgggag	300
gtggggacac	ggaccaaccc	tcaaggaaa	aaaagaggtt	aaggtggggg	gttttctga	360
atgtctaaga	aatgtcagtg	gaacagggtc	ggggcacggg	ggctcacgcc	tgtaatccca	420
gcactttggg	aggccaaggc	aggtggatca	cctgaggtca	ggagttcgag	accagcctgg	480
ctaactatgg	gaaaccccat	ctctactaaa	aatacaaaaa	ttagccaggc	gtgggtggcag	540
gtacctgtaa	tcccagctac	ttgggaggct	gagacacagt	ctcgctctgt	ggcccaggct	600
ggatggagtg	cagtggtgca	atctcggtc	actgcaacct	ccgcctcccg	ggtttaagca	660

aaattatcct	gcctcagcct	cctgagtagc	tggattacag	gcaggcacca	ccacgtccgg	720
ctaatttttg	tatttttagt	agagatgggg	ttttgccatg	ttagccaggc	tgggtctcgaa	780
ctcctgacct	caggtgatcc	gcctgccttg	gcctcccaaa	gtgctgggat	tacaggcgag	840
agccaccacg	cccagcctct	gcttcgtgag	ttttctttcc	cctgaggcac	cctctgagtt	900
ctccacgtgt	cagacccatg	tccaatgcac	caagctcctt	ccttcacacc	atgaaagccc	960
cgaagtaaga	ccgggtacca	tcacgcagtc	gaaccaggcg	ttcatccagc	acacggacga	1020
ccacctcctc	cccagcctcc	aggtgtacca	caccaccag	gaagctgctg	tcccaccaga	1080
cccgggagct	gctggtggcc	cgtccgcagg	gtgactgctg	gctgaccaac	agctccagct	1140
cctcggggta	gcgggggtgtg	cgtttgtaga	ggccgtgggt	gatggtgctg	gccaggccca	1200
gcggggcagcc	cacaccgccc	agctgcacct	tggagtagat	gtagtagtag	ccagctttgg	1260
tgaccacaag	ggccccatcg	tggtagctga	ggcccctcag	gaaggccagg	cccagctgag	1320
tctcccataa	cagcggcccc	ccgctgcggg	tcaagctgga	gttggccctt	gtgagatgag	1380
ctgctgggtt	gacctcgtga	gaccttcgct	cttgtatcag	ctgctcccag	gagcctgcag	1440
gtccgtcagg	caggcgggtg	accatctctc	ctagacgcca	gtgcagctgc	aggaggaacc	1500
agccttggac	ggccagccca	gccccatca	gcaacagcaa	gagaccaga	cccacccggg	1560
ccacactgca	cgactgtctc	cgggtggcttc	gtcccagcct	cgtgaatggg	atgtcgggtc	1620
gtccatccac	cacaaacact	gagggccgta	cgacactctc	ctccatgcc	aaggtctctg	1680
gagcagggct	gacacgcctg	ggtccttcaa	cctc			1714

<210> 434

<211> 478

<212> DNA

<213> Homo sapiens

<400> 434

tttcgtcaga	gatagcagag	cgccgagttg	gggccacgaa	ggcgtgaggg	gagtcgtcgt	60
ccctcctgca	cgaaagcgtc	taagccttgg	cgacgcgcgc	ctgggggacc	cacgtcaggc	120
ctgggatagg	gaccgctgtc	cccgggtccc	taccaatgtc	gcccgtcgtc	cccggcccag	180
ctctaccgcg	agagtctgat	ggcagcggcc	actctgagga	cgccaactca	ggtgagtgcg	240
gcgtcttccc	gtcctcacac	accttcccc	acccacgttc	taaagccatc	agtgaggggc	300
gcctgctcga	gtccccgctg	cccagggtcg	gggacactga	ggcgttcgtg	ggtggggccc	360
tttttttgac	actgcgtgtg	acgaggtgtg	ggagagcgtg	acaggcggag	gaaccggcgc	420
gtgcaaaggt	tgaggcgcga	ctgagccagg	agaattcgga	aagctgtttt	ctgcaggc	478

<210> 435

<211> 1893

<212> DNA

<213> Homo sapiens

<400> 435

cagcagcgcg	caggtcctca	ccatagctct	ggtggccacc	tctgtcccgc	catgctgctc	60
accgacagtg	gccaggggccc	acagcaccaa	gaggcttggg	ccacaaagta	aagggtcgcg	120
gagcctcgcc	ggccgcctatg	tggagctgca	gctgggtcaa	cggcacaggg	ctggtggagg	180
agctgcctgc	ctgcagggac	ctgcagctgg	ggctgtcact	gttgtcgctg	ctgggcctgg	240
tgggtgggct	gccagtgggc	ctgtgctaca	acgccttgc	ggtgctggcc	aacctacaca	300
gcaaggccag	catgacctg	ccggacgtgt	actttgtcaa	catggcagtg	gcaggcctgg	360
tgtcagcgc	cctggccctt	gtgcacctgc	tggccccccc	gagctcccgg	tgggcgctgt	420
ggagtgtggg	cggcgaagtc	cacgtggcac	tgcagatccc	cttcaatgtg	tcctcactgg	480

tggccatgta	ctccaccgcc	ctgctgagcc	tgcaccacta	catcgagcgt	gcactgccgc	540
ggacctacat	ggccagcgtg	tacaacacgc	ggcacgtgtg	cggcttcgtg	tggggtggcg	600
cgctgctgac	cagcttctcc	tgcgtgctct	tctacatctg	cagccatgtg	tccaccgcgc	660
cgctagagtg	cgccaagatg	cagaacgcag	aagctgccga	cgccacgctg	gtgttcacgc	720
gctacgtggg	gccagcactg	gccaccctct	acgcgctggg	gctactctcc	cgcgtccgca	780
gggaggacac	gcccctggac	cgggacacgc	gccggctgga	gccctcggca	cacaggctgc	840
tgggtggccac	cgtgtgcacg	cagtttgggc	tctggacgce	acaactatctg	atcctgctgg	900
ggcacacggg	catcatctcg	cgagggaagc	ccgtggatgc	acaactacctg	gggctactgc	960
actttgtgaa	ggattttctc	aaactcctgg	ccttctccag	cagctttgtg	acaccacttc	1020
tctaccgcta	catgaaccag	agcttcccca	gcaagctcca	acggctgatg	aaaaagctgc	1080
cctgcgggga	ccggcactgc	tccccggacc	acatgggggt	gcagcagggtg	ctggcgtagg	1140
cggcccagcc	ctcctgggga	gacgtgactc	tgggtggacgc	agagcactta	gttaccctgg	1200
acgctcccca	catccttcca	gaaggagacg	agctgctgga	agagaagcag	gaggggtgtt	1260
tttcttgaag	tttctttttt	cccacaaatg	ccactcttgg	gccaaggctg	tgggtccccgt	1320
ggctggcatc	tggcttgagt	ctccccgagg	cctgtgcgtc	tcccaaacac	gcagctcaag	1380
gtccacatcc	gcaaaagcct	cctcgccctc	agcctcctca	gcatttcagtt	tgtcaatgaa	1440
gtgatgaaag	cttagagcca	gtattttatac	tttgtgggta	aaatacttga	ttcccccttg	1500
tttgttttac	aaaaacagat	gtttcctaga	aaaatgacaa	atagtaaaat	gaacaaaacc	1560
ctacgaaaga	atggcaacag	ccagggtggc	cgggccctgc	cagtgggcgg	cgtgtgctag	1620
caaggcctgc	cgggtgtgcc	gcagtcacca	cagggttctg	agaacatttc	acagaagtgc	1680
ctgagacgcg	gagacatggc	tgggtgttaa	tggagctatt	caatagcagt	gacgcgctct	1740
cctcagccac	caaatgtccc	tgacacccctc	ccagccccc	acagataaca	tcagctgagg	1800
tttttttcag	tatgaacctg	tcctaaatca	attcctcaaa	gtgtgcacaa	aactaaagaa	1860
tataaataaa	ccaagaaag	gtgaaaaaaa	aaa			1893

<210> 436

<211> 1968

<212> DNA

<213> Homo sapiens

<400> 436

ccttgcttgc	aggaagccat	gcagttagtt	tctgcagtta	gtcgtgtgag	gctaggtggg	60
tgggcaggcc	tcgggctgta	ggtgttgggt	gggaaaaaga	cccaagggcc	tgaaggagg	120
ggaaagggga	gggtagcggg	agggtagcag	gtgagttcct	agggttgga	ggtttaacag	180
cagcctgggtg	cagtgccttg	tcatcaagac	aaacccacgc	tcctcctggg	tgcctacca	240
gcttggtttg	tacaaaagca	aggtgggagt	ctatttttgt	acatgagata	catcacactt	300
acctgtgggc	cagtatttgt	aagttagtct	gagttgttta	cactgatgcc	ttccccgcc	360
accacaaatt	gtgtacatag	tcttcagatg	ataccacccc	tttccccage	tcccaaccaa	420
gagctgggtc	taggcctgtg	ttatatgtca	tatttagcgt	ttttatata	gacctttgat	480
ttctgttgtt	tgtatttttag	cacagtgtat	gcaccttcac	ttaaatacat	ctgtgtgcat	540
acagatacgc	atatatgtgt	gtgcgtatgc	atatactctc	catctgtagt	ttccaagagt	600
tcagctgaag	cagatggagt	cctgcagccc	aggagacacc	ctgcatccct	gctaatagtg	660
tttgccacaa	gtattagtga	gtcttcctta	ttaatatattt	catttcagaa	gactgaagca	720
aagctgatag	tgtttgctgt	ttctttggca	gctaagttag	ggtcttggga	tgacttgctg	780
tgctcctcaa	gctgcacttt	ggggccatct	ctgcagtatt	agcccccttt	ttgcttgggtg	840
gtactctgtc	tgtgcctgtg	tgtgtgtgtg	atagtcactc	ttgcatggct	tccatgtctg	900
gtttgtggca	tttggggata	aggtgctgaa	gccagagcat	ttgcagtttg	tttgaggcct	960
cgttgccaat	gatagatcac	tcctgttgac	ctggtatgtc	tgcttgcttg	ctgcttttcc	1020
ttgctttctc	ttggaagagg	aaaggactct	ggtcaggccc	aggctgagtg	agatgagctg	1080
cagctggctc	atggccttct	tagagcagag	agaggagtat	gtcattttac	taagttccta	1140
aacaaacatt	tatgcaggca	acactccttg	cagatccaga	aactgaggca	caatagggtt	1200
atgacttgct	caagaatatg	tagctgctag	ggggtaaatc	aaggcatcac	aattttctgtt	1260
cagcgggcag	gaataggctg	tgaattgcta	gcactttttt	tttttaagca	attacttttt	1320
gacttggtcc	tctgaaaggg	caagaggcgt	acacctttcc	caaagttaaa	ctaaaatctg	1380
caggatgcc	cccactgtat	agttctgctt	tcccagagag	gaagaacttt	tagaaaccaa	1440
atgatcttaa	ttgttattgc	ccaccctggg	cttttccggg	tagaaaattc	acagtaggaa	1500

tgattgttaa	gagagagtgc	ttggaacccat	gggttaacag	gaaaggctac	ctaacttcac	1560
atatctgcaa	ccagagcagc	caccaagcat	tacttagcag	caggaaaatg	attgtatttg	1620
agttcctgtg	tgtccaaaac	tgaggcacca	tgttctttga	aaacatgcc	cctcaaggct	1680
gggcgcggtg	gctcacacct	gtaatcccag	cactttggga	ggccgaggcg	ggcggatcac	1740
cggaggtcgg	gagtttgaga	ccagcctgac	caacatggag	aaaccccatc	tctactaaaa	1800
atacaaaatt	agccgggcgt	ggtggcatgc	gcctataatc	tcagctactt	gggaggctga	1860
ggcaggagaa	ttgcttgaac	ccaggaggcg	gaggttgccg	tgagttgaga	tcgtgccatt	1920
gcactccggc	ctgggcaaca	acagcaaaac	tccgtctcaa	aaaaaaaa		1968

<210> 437

<211> 422

<212> DNA

<213> Homo sapiens

<400> 437

ttttttttt	ttgaggcaga	gtctcactct	gtcaccacag	ctggagtgtg	gtggcgcaac	60
ctcagcctct	ccaagtgtg	ggattacagg	catgagccac	cactccagc	caatagtga	120
ttttctaaga	gcatgtatcc	ctatcagtaa	gtaacaggga	tacatgaaga	tacttataaa	180
atacagaaaa	actgcccagc	aaatcagggc	cctaaacagt	tggtagattc	cataaattca	240
actggctacc	atgtatagcc	ctcactgtaa	ggtagggtgt	taggtttcta	gagagcatta	300
gtcttagaat	tatgaagagc	catattaacc	caaatgattt	ctaaatttag	atatatat	360
tcctgtctac	ataaaaaactc	tgggtaataa	ctagaaatag	accacaatt	tagagacaat	420
gt						422

<210> 438

<211> 1319

<212> DNA

<213> Homo sapiens

<400> 438

aggcagcacg	cggaggagcg	cggccgcgcg	aaccccaaga	cggggttgac	cctggagcgt	60
gtgggccctg	aaagcagccc	ttacctcctg	cggcgccacc	agcgccaggg	ccaggagggc	120
gagcactacc	acagctgcgt	gcagctggcc	ccgacgcgag	gcctggagga	gtctgccacg	180
gccccctgag	cttgccgggtg	gccctcgggt	gggcgggggtg	gcgcgcgggc	cactgaagca	240
ccgcgcacgg	agtggaaagt	gaaggtgcgc	agcgacggaa	cccgtacgt	ggccaagcgg	300
cccgtgcgag	atcggctgct	gaaagcccgt	gccctgaaga	tccgggagga	gocgagcgg	360
atgacgaccg	acgacgacgc	ggtgagcgag	atgaagatgg	gccgtactg	gagcaaggag	420
gagcggaagc	agcactgat	ccgggcccg	gagcagcgga	agcggcgcga	gttcatgatg	480
cagagccggc	tggagtgcct	gcgggagcag	cagaatggcg	acagcaagcc	cgagctcaac	540
atcattgccc	tgagccaccg	caaaaccatg	aagaagcgga	acaagaagat	cctggacaac	600
tggatcacca	tccaggagat	gctggccca	ggcgcgcgct	ccgccgatgg	caagcgggtc	660
tacaaccctc	ttctctcagt	caccaccgtg	tgagctgccc	gggcgggtac	acggcccagg	720
cccagggaac	cccttggggc	cccggccctc	actctctat	agagattgtg	tgtgtgtgtg	780
tgtgcgcgcg	cgcgtgctcg	ctgtgcgcac	gcacacatct	cgtctgggtg	tgcgcacagg	840
gctttgttag	cagagagaag	cccctgagga	gaagggacgc	ttttcttctc	tctgcccagg	900
taaagtgacc	atgccagtgg	ccagcactgg	gggcacacct	gtgatgggca	ccccttcagc	960
tgtgcgtgtg	cattccccat	cccccatgct	cttgcgtgtg	cttgcacgtg	cacgcacaca	1020
cacaccacgt	gctctctcca	cccgaaccgt	gtacttgacg	acaggggaagc	tgagctgaaa	1080

ggagcacaag	agagtgtccg	gcttcgctgc	tgagcgcggc	ctctccccgc	cgtgcgcac	1140
tgcagttatt	tgtagacaaa	ggcaccctcg	atTTTTgtgg	TTTTTctccc	tttctgtgct	1200
tgccaatagt	tgttttgttt	tgtggacctg	ccctggggggc	tggcagctcc	ttcaggcagc	1260
ctggcagaag	tggaactccc	ctctccactg	atggctggga	agggagtggg	ggaggaaga	1319

<210> 439

<211> 1689

<212> DNA

<213> Homo sapiens

<400> 439

gagcgatcga	ggctgcagcg	cggccgcggg	gcgcaacatg	actgccgtcg	gcgtgcaggc	60
ccagaggcct	ttgggccaaa	ggcagccccg	ccggctcctc	tttgaatcct	tcacccggac	120
cctcatcatc	acgtgtgtgg	ccctggctgt	ggctcctgtc	tgggtctcca	tttgtgatgg	180
gcaactggctc	ctggctgagg	accgcctctt	cgggctctgg	cacttctgca	ccaccaccaa	240
ccagagtgtg	ccgatctgct	tcagagacct	gggccaggcc	catgtgcccg	ggctggccgt	300
gggcatgggc	ctggtacgca	gcgtgggcgc	cttggccgtg	gtggccgcca	TTTTTggcct	360
ggagtctctc	atggtgtccc	agttgtgcga	ggacaaacac	tcacagtgcg	agtgggtcat	420
gggttccatc	ctcctcctgg	tgtctttcgt	cctctcctcc	ggcgggctcc	tgggttttgt	480
gatcctcctc	aggaaccaag	tcacactcat	cggcttcacc	ctaagtgttt	ggtgcgaatt	540
cactgcctcc	ttcctcctct	tcctgaacgc	catcagcggc	cttcacatca	acagcatcac	600
ccatccctgg	gaatgaccgt	ggaaatttta	ggccccctcc	aggacatca	gattccacaa	660
gaaaatatgg	tcaaaatggg	acttttccag	catgtggcct	ctggtggggc	tgggttgga	720
aaggggccttg	aaacggctgc	ctggttgccg	ataacttgtg	ggtggtcagc	cagaaatggc	780
cggggggcct	ctgcacctgg	tctgcagggc	cagaggccag	gagggtgcct	cagtgccacc	840
aactgcacag	gcttagccag	atggtgattt	tagaggaaga	aaaaaacatt	ttaaaactcc	900
ttcttgaatt	ttcttccctg	gactggaata	cagttggaag	cacaggggta	actggtacct	960
gagctagctg	cacagccaag	gatagtccat	gcctgtttca	ttgacacgtg	ctgggatagg	1020
ggctgcagaa	tccctggggc	tcccagggtt	gttaagaatg	gatcattctt	ccagctaagg	1080
gtccaatcag	tgcctattct	tccaccagct	caaagggcct	tcgtatgtat	gtccctggct	1140
tcagcttttg	tcatgccaaa	gaggcagagt	tcaggattcc	ctcagaatgc	cctgcacaca	1200
gtaggtttcc	aaaccatttg	actcggtttg	cctccctgcc	cgttggttaa	accttacaaa	1260
ccctggataa	ccccatcttc	tagcagctgg	ctgtcccctc	tgggagctct	gcctatcaga	1320
accctacctt	aagggtgggtt	tccttccgag	aagagttcct	gagcaagctc	tcccaggagg	1380
gcccacctga	ctgctaatac	acagccctcc	ccaaggcccg	tgtgtgcatg	tgtctgtctt	1440
ttgtgagggg	tagacagcct	cagggcacca	tttttaatcc	cagaacacat	ttcaaagagc	1500
acgtatctag	acctgctgga	ctctgcaggg	ggtgaggggg	aacagcgaga	gcttgggtaa	1560
tgattaacac	ccatgctggg	gatgcatgga	ggtgaagggg	gccaggaacc	agtggagatt	1620
tccatccttg	ccagcacgtc	tgtacttctg	ttcattaaag	tgctcccttt	ctagtcctta	1680
aaaaaaaa						1689

<210> 440

<211> 1574

<212> DNA

<213> Homo sapiens

<400> 440

ccagatcctg	cccaacctct	atctgggcag	tgcccgggat	tccgccaaatt	tggagagcct	60
------------	------------	------------	------------	-------------	------------	----

ggccaaactg	ggcatccgct	acatcctcaa	tgtcaccccc	aacctcccaa	actttcttoga	120
gaagaatggt	gacttttact	acaagcagat	ccccatctcc	gaccactgga	gccagaacct	180
gtcgcggttc	tttccggagg	ccattgagtt	cattgatgag	gccttggtccc	agaactgogg	240
ggtgtctgtc	cactgcttgg	cgggggtcag	ccgttctgtc	accgtcactg	tggcctacct	300
catgcagaag	ctccacctct	ctctcaacga	tgcctatgac	ctgggtcaaga	ggaagaagtc	360
taacatctcc	cccaacttca	acttcatggg	gcagtgtgtg	gactttgagc	gcagcttgcg	420
gttgaggagg	cgccactcgc	aggagcaggg	cagtgggggg	caggcatctg	cggcctccaa	480
ccgcctctcc	ttcttcacca	ccccaccag	tgatggcgcc	ttcgagctgg	ccccaccta	540
gggccccgtg	gccggcaggc	cgccccctgc	ccccccccca	cccacgggtg	tccctgcccc	600
ctcgtgtggc	aagggagggg	agggcaggag	ggctcggcct	gagcaggggtg	ctgggggggag	660
agcgcaatac	ctcacgcggg	ctgccgtcct	aatcaacgtg	cctatggcgg	gaccacgctc	720
ggagcctgcc	tcttctgcga	ctgttacttt	ttctttgcgg	gatgggggtg	ggggttccct	780
ctccaggtgg	ttgtccaggc	ccaggtcccc	gccctgggtg	ctcagccagc	tcggctaggc	840
cctgcgcctc	cctgcgcttc	ccccctcagg	aaggggtgtg	gccacctcgt	tgcactggat	900
cccagtggtc	gcttggggga	gaggcgtttg	ccatcactgg	tggtgtcacc	tccctgtttc	960
tccaccaagg	gcttgggcct	ctcggggctg	gggctcccca	ggggatgggg	acccagaggt	1020
gcagtgcccg	ccacatcca	tggcctagga	gctactgggc	aggttcccgg	ccacacatct	1080
ggtgggctgt	tttgtttttt	tttttctctc	ttcccccaaa	tgtcttgacg	ggatcactgg	1140
ggctctttgt	gagggagggg	ggccaaacta	ccgcggagg	aaatggggtc	tcagagcgag	1200
agctgcggag	ggggagggga	aaaaaaaggc	ctcacttttg	ctgcctgcgg	ggccccacac	1260
agccgctgct	actttggggg	gtgggggaag	gggcaaagc	tgaagacaca	cacagtcatt	1320
catttctgtc	caacacccct	gtgggtggcg	ggtgtgccgt	gtgtgtgctt	gtgtgtgcgc	1380
acgtgtcggc	gtcacacac	acatgctagc	ccactgatgc	accagcccca	gggctggcag	1440
tctttgcagc	gtggggccgt	ctcacctgg	agcctggaga	ggatctatgc	ttgtttgttt	1500
ttgtaatcca	tatcatagtt	gctttcttta	attgttcctt	ctgaataaac	agtttatatta	1560
agataaaaaa	aaaa					1574

<210> 441
 <211> 1102
 <212> DNA
 <213> Homo sapiens

ttttttttta	aaaaaaaaatt	aagctcttta	attatgtgca	cacagatttt	agaaaaggta	60
gcctttttgta	tatagatacc	tttacattct	ttaggctgac	ttttaaatg	tcactctttt	120
tcaactacag	tttttgtata	tagtaaacca	gaagatgtgt	atggaccctg	ttatggccaa	180
gcactctcaa	gatgaagaga	gaattaatga	tagttatatt	tcactcaaaa	tgccaaaaaa	240
aaaaattcaa	caaagtaaaa	attttaaaac	ttgactctaa	ctagttcctt	tttgttttac	300
attctcaaac	cattgtcaaa	tattctaaat	atctctgaga	atttctcttt	taatgcttca	360
cttgataaat	cttaaaatcc	tgacagtcac	acaatacagc	atgtagtagg	taccttttct	420
tgaggcacat	tcaagtgttt	tggcaaacag	taaaaagtat	ctaaatgcc	cagggttaaaa	480
tgtcaagttt	tactgagtca	ccaacttcac	ctcttttgat	ctgcctgttc	tccaagaaca	540
tcattctccg	gaagatccaa	gttcctctag	ttgttttctt	tgtgttggtt	ccagttcttc	600
tagtcttttg	cgaagtagag	agagttccct	ttgatgttgt	tcctcctgca	tatgaggagg	660
aatgggtagt	tccatgcttg	gaacccatgg	ctgatgactg	aaagctaaca	ggattgatag	720
atgctgttgg	aggcatgtta	ggaacccaaa	ttagacttcg	aaattcatta	tgtcttctct	780
gtatatcttt	tagtcttttt	tgaagccttg	tatagtcttc	aaaaggaaca	ttttgtctat	840
ttaagacctg	attttctgtt	tccaattctt	ctttctttgc	ctccaagact	tctactttct	900
cttgtagtct	tttcaatttg	ttttcatgaa	gagattttct	ctaaaaagag	aaatatgaac	960
aagtatgtta	atacataatc	tcttatttga	acaaaactat	atagaaaata	ttttactcac	1020
caaaaactgt	gtttagatat	gaatgttttc	agtgaatact	agaaacaaag	gttagtagac	1080
atggctctta	ctgaaaattg	ca				1102

<210> 442
 <211> 1049
 <212> DNA
 <213> Homo sapiens

<400> 442

ggaaggcctg	gtgcaggagc	ctctgagctc	tttccttctg	tgaccacgga	cctgtcagtt	60
tccaaacaaa	acgcgtgcct	cacttggtgtg	gattttgtca	ctgtgcatgt	atgtatgggt	120
ttctggggca	ttggtcctgg	tgctctctcc	acatcctgca	tcccgtaccc	tctgtctcat	180
ggcccaggca	gtgtgaaggc	ggagatgctg	cacatgtaca	gccagaagga	cccgctcatc	240
ctctgtgtgc	gcctggccgt	gctgctcgcg	gtgacctca	ctgtgccagt	cgtgctgttc	300
cctatccgcc	gggcccctgca	gcagctgctt	ttcccaggca	aggccttcag	ctggccacga	360
catgtggcca	tagctctgat	cctgcttggt	ttggtcaatg	tccttgatcat	ctgtgtgcca	420
accatccggg	atatcttttg	agttatcggg	tccacctcag	ccccagcct	catcttcatc	480
ctccccagca	tcttctacct	cgcattgta	ccctctgagg	tggagccttt	cttatcctgg	540
cccaagatcc	aggccctgtg	ctttggagtc	ctgggagtc	tcttcatgga	cgtcagtcta	600
ggcttttatgt	ttgccaaactg	ggccacaggc	cagagccgca	tgtctggaca	ctgatcaggc	660
cctgctggcc	caggtccctg	tgcgcatgca	catggagggg	tcagggccgc	tccttagggg	720
ccctectgcc	caacatgtgg	aggtggctgg	ttcccatgaa	cgtggttgtc	agaggcgggg	780
gacagcagag	gctgcagact	ggcccacttc	cctcctcccc	agggatgcca	agcttggatc	840
atggccctaa	tcccaacccc	aaccccatgg	gaggaggagg	aggaggaaga	agaggaggag	900
gaggaggagg	aggaggagga	ggaggaggag	gccaggctct	ggtggagcct	ttgcccagcc	960
cagtcctctc	tgctcctcc	tggctgaagc	tgtttgcca	ggattaccct	cggggcctaaa	1020
gaggaaaaat	aaagatgttg	agctaccaa				1049

<210> 443
 <211> 458
 <212> DNA
 <213> Homo sapiens

<400> 443

gaattcatga	cttaacgtca	gttagtattg	cttaatggaa	tcgacatata	tattgttata	60
ccgtgaatca	ttttcagtc	agaccacatt	tctcagagtt	tgccaaaaca	aaccttctgc	120
cttcgggttg	tcaggccact	ggaggatgga	gctcttacag	atccgctgcc	gtagcctcaa	180
atactgagaa	tgctgtaaca	ctggctccag	caggataaat	ataatcacat	ccatgttctc	240
atccattagc	ctctgcaaag	ccaagtaaaa	agctgtttta	aagttccagc	tttttgcata	300
ttttttggtt	aaaacaaata	ctgttttctt	gcttttggtt	atgctctgca	tgaggttgtc	360
gatgatggcc	aatcccggtt	cccaatccct	ctcctctaga	caaaggagaa	cgtttttgtc	420
tcggctctct	tcaaggtggt	agcgcagctc	atttatca			458

<210> 444
 <211> 1681
 <212> DNA
 <213> Homo sapiens

<400> 444

tttttttttt	ttgggctaga	ggtttgggct	ttaatggcag	ctggggtaaa	aggaaacaaa	60
aacagtaatt	ctgaagagca	caggggaacag	gcagccagga	ccagcctggc	ccattccagg	120
ccagctgagc	tgaaatgctg	attctgtcca	gggggctgct	gtatgtgtag	actggtggca	180
gtcttgggga	ctgaggcctc	ttggagagaa	gggaagactg	tcggctcaga	agtcctatgga	240
gctgtgggccc	aggtagtcct	tgcgaccgat	gttgctgacc	tgcttggctc	gcatagcctc	300
gagtttgggg	cagtcagtga	tccgatgacc	caggccccc	cagaaggcac	agccgcgctc	360
tcctccaatg	tccagcatgg	actcatcccc	gcaatgcagc	acctgcagca	cgggcggcac	420
cttctgcttg	gcttctagca	gcagcgcttt	gaggtccatc	agcactgact	catcacacgc	480
tttgttgatg	aaggtagtgg	cgatgcctgt	gtttcccag	cgcccgggtg	ggccaatccg	540
gtgtacatag	ttctcaatct	cctctggcat	gtcataattg	atgacgtgct	ggatggcagg	600
gaagtccagg	cccttggagg	caacgtctgt	ggctactagg	acatccttct	tgccctccc	660
gaatgcctcg	atggccttag	tccgttcctc	ctggctcttg	cccccattga	tggctacggc	720
ctcaaccccc	ttgagcagca	ggtactcgtg	gatggcgctc	acgtctgcct	tcttctctgc	780
aaagatgagt	acaggcgggg	gtgtcttctg	caggcactcg	agcaggtaca	ccatcttggc	840
ctcctccttc	acataattct	cctcctggat	gacatccagg	ctggcagccc	cagcgcgccc	900
cacattgagt	gtcacaggct	ttacaagggc	actcttagca	aagttctgaa	tcttcttcgg	960
catggtggca	ctgaagagca	gggtctgtcg	ctggcccttg	aagtaggaga	agatggtacg	1020
gatgtcaccc	tcgaagccca	tgtcgatcat	gcggtcagcc	tcgtccaggg	ccaggtagcg	1080
acagatgtct	aggctgacca	tcttcttctg	cagcaaatcc	atgaggcgcc	ccggggtggc	1140
caccatcatg	tgtacaccgt	gtcggatggg	ctccatctgc	tctttcacgg	acatgcccc	1200
aatgcagagg	gcgcagcgca	ggagtgggtg	gctgtcctcc	tgacgcaggg	ggcagtagta	1260
ctccaggatg	ccatgggtct	gccggggccag	ctcccgcgag	gggcagatga	tgagtccata	1320
gggccccctcg	cgctttgaga	agggtaacct	cttctcttgt	tccaggcaga	acatgatgac	1380
gggcaacgtg	aacaccagtg	tcttgccctga	acccgtgaaa	gcgatgccta	tcatgtcacg	1440
gccagataga	atggtgggga	tgccctggat	ctgaatgggt	gttgggtggg	gaatgccttt	1500
cttcttcagg	cctctcagga	tggctgcagg	aaacttcatt	tccttgaagc	tcttgatggg	1560
tgggtgggata	cgtctccct	ccaccaggat	gtgggtatttc	ttccgcacgc	gctcatgtcg	1620
ctcttcagac	atgctcagaa	cataacgggg	tggagtccag	ctggttttga	tgggggtcatc	1680
a						1681

<210> 445

<211> 621

<212> DNA

<213> Homo sapiens

<400> 445

atcgagacca	cccagcccag	tgaggacacg	aatgcccaaca	gtcaggacaa	cagcatgcaa	60
cctgagacaa	gcagccagca	gcagctcctg	agccccacgc	tgtcggatcg	aggaggaagt	120
cggcaagatg	cagcgcagcg	agggaaaaccc	cagaggaat	ttgggcagtg	gcgtctgccc	180
tcagccccaa	aaccaataag	ccattcagtg	tcctcagtca	acttacgggt	tggaggaagg	240
acaaccatga	aatctgtcgt	gtgcaaaaatg	aaccccatga	ctgacgcggc	ttcctgcggg	300
tctgaagtta	agaagtgggtg	gacccggcag	ctgactgtgg	agagcgacga	aagtggggat	360
gaccttctg	atatcttaggt	ggatgtcaat	gtagatgaat	ttctagtggg	ggaaaccggt	420
ttctaataat	gtccttgatt	gtccagttag	caatctgtaa	ttgatctata	actgaattcc	480
agcttgtcac	aagatgttta	taaattgatt	ttcatcctgc	cacagaaagg	cataagctgc	540
atgtatgatg	ggttactatc	aatcattgct	caaaaaaatt	tttgtataat	gacagtactg	600
ataatattag	aaatgatacc	g				621

<210> 446

<211> 468
 <212> DNA
 <213> Homo sapiens

<400> 446
 taacgatcgc ttctctgctt gctacttcac cttgaaactc aaggaagcag ctgttagaca 60
 gcgtgaagcc ctaaagaagc ttaccaagaa tatagccact gactcatata tcagtgttaa 120
 cttgagagat gtctatgccc ggagtatcat ggagatgctg cgactgaaag gcagagaaaag 180
 agcaagtact aggagcagcg ggggagatga tttctggttt tgaattaatt ttcaatttat 240
 ttacaaaagc tatgtacaat taactaaaat gataaagcag tgatgtggat ttctgtattc 300
 tgatgatgag tctcttcaga gtactgctca tcttaattaa tttttgctga tatattgctt 360
 catctactag aatatttcac atcacctata acaactgcac agtgttctga cacatttgag 420
 tgtccaaaat agccaattaa cacaaccaa tacaactggg catgtatt 468

<210> 447
 <211> 1030
 <212> DNA
 <213> Homo sapiens

<400> 447
 ctttactgtc ttcattctgg gaataactat tcgaccactg gtggagtttc ttgatgtcaa 60
 gagggtccaat aagaaacaac aagctgtcag tgaagaaatc tattgtcggg tgtttgatca 120
 tgtgaagact ggaattgaag atgtttgtgg acattggggg cacaactttt ggagagacaa 180
 gtttaagaag tttgatgata aatatctgcg gaagcttttg attcgggaaa accaaccaaa 240
 gtcaagtatt gtatctttat ataaaaagct tgaaataaaa catgccattg agatggcaga 300
 gactgggatg ataagtactg tccctacatt tgcattctta aatgattgtc gtgaagaaaa 360
 aataaggaag gtcacgtcca gtgaaactga tgaaattcga gaactcttat caagaaatct 420
 ctatcaaate cgtcagcgaa ctttatccta caacagacac agtctgacag ccgacacaag 480
 tgagagacaa gccaaggaga ttctgattcg ccggcgacac agtttgcgag aaagcattag 540
 gaaggacagc agcttgaatc gagaacacag ggcttccact tcaacctccc gatatttatc 600
 cttacctaaa aatacgaagc ttccagaaaa gctacaaaag aggaggacta tttctattgc 660
 agatggcaat agcagcgact cagacgcaga tgccgggacc accgtgctca atttgcagcc 720
 cagagccagg cgcttcttgc cagaacagtt ctccaagaaa tccccccagt cctataaaaat 780
 ggaatggaag aatgaggtag atgttgattc tggccgagat atgccagca ccccccaac 840
 accccacagc agagaaaagg gcaccagac gtcaggctta ctacagcagc cccttctctc 900
 taaagaccag tctggctcag agagggaaga cagtttgact gaaggcatcc cgcccaagcc 960
 gccaccacgg ctggtctgga gggcatcgga acctggaagc cggaaagccc gatttgggag 1020
 tgagaagcct 1030

<210> 448
 <211> 1936
 <212> DNA
 <213> Homo sapiens

<400> 448

ggcacgagga	ggcctcgggg	ctgtccgtgt	ggatggggaa	gcagatggag	cccttgacg	60
cagtgcctcc	ggcagccatc	accttgatct	tgtccttgct	cgttgccgtg	ttcactgagt	120
gcacaagcaa	cgtggccacc	accaccttgt	tcctgcccat	ctttgcctcc	atgtctcgt	180
ccatcggcct	caatccgctg	tacatcatgc	tgccctgtac	cctgagtgcc	tcctttgcct	240
tcattgttgc	tgtggccacc	cctccaaatg	ccatcggtgt	cacctatggg	cacctcaagg	300
ttgctgacat	ggtgaaaaca	ggagtcataa	tgaacataat	tggagcttc	tgtgtgtttt	360
tggctgtcaa	cacctgggga	cgggccatat	ttgacttggg	tcatttccct	gactgggcta	420
atgtgacaca	tattgagact	taggaagagc	cacaagacca	cacacacagc	ccttaccctc	480
ctcaggacta	ccgaaccttc	tggcacacct	tgtacagagt	tttgggggtc	acaccccaaa	540
atgacccaac	gatgtccaca	caccacccaa	acccagccaa	tgggccacct	cctcctccaa	600
gcccagatgc	agagatgggtc	atgggcagct	ggagggtagg	ctcagaaatg	aagggaaccc	660
ctcagtgggc	tgttgaccac	atctttccca	agccttgcca	ttatctctgt	gaggggaggcc	720
aggtagccga	gggatcagga	tgcaggctgc	tgtaccgct	ctgcctcaag	catccccac	780
acagggctct	ggttttctact	cgttctgtcc	tagatagttt	aaatgggaat	cagatccct	840
ggttgagagc	taagacaacc	acctaccagt	gcccattgtc	cttcagctc	accttgagca	900
gcctcagatc	atctctgtca	ctctggaagg	gacacccag	ccagggacgg	aatgcctggt	960
cttgagcaac	ctcccactgc	tggagtgcga	gtgggaatca	gagcctcctg	aagcctctgg	1020
gaactcctcc	tgtggccacc	accaaaggat	gaggaatctg	agttgccaac	ttcaggacga	1080
cacctggctt	gccaccacaa	gtgcaccaca	ggccaacctc	cgccctccat	cacttgggtc	1140
tgttttaatc	gactggcccc	ctgtcccacc	tctccagtga	gcctccttca	actccttggt	1200
ccctgttgt	ctgggtcaac	atlttgccag	acgccttggc	tggcacctc	tgggggtccc	1260
cttttctccc	aggcagggtca	tcttttctgg	gagatgcttc	ccctgccatc	cccaaatagc	1320
taggatcaca	ctccaagtat	gggcagtgat	ggcgtctctg	ggaccacagt	gggtatcta	1380
ggtcctccct	cacctgagge	ccagagtggg	cacagctgtt	aatttccact	ggctatgcca	1440
cttcagagtc	tttcatgcca	gcgtttgagc	tcctctgggt	aaaatcttcc	ctttgttgac	1500
tggccttcac	agccatggct	ggtgacaaca	gaggatcggt	gagattgagc	agcgttggt	1560
gatctctcag	caaacaaccc	ctgcccgtgg	gccaatctac	ttgaagttac	tcggacaaag	1620
accccaaagt	ggggcaacaa	ctccagagag	gctgtgggaa	tcttcagaac	ccccctgtaa	1680
gagacagaca	tgagagacaa	gcattctctt	tccccgcgaa	gtccatttta	tttccttctt	1740
gtgctgctct	ggaagacagg	cagtagcaaa	gagatgagct	cctggatggc	atlttccagg	1800
gcaggagaaa	gtatgagagc	ctcaggaaac	cccatcaagg	accgagtatg	tgtctgggtc	1860
cttgggtggg	acgattcctg	accacactgt	ccagctcttg	ctctcattaa	atgctctgtc	1920
tcccgcggaa	agctcc					1936

<210> 449
 <211> 354
 <212> DNA
 <213> Homo sapiens

<400> 449

ggcacgagct	ggaaaacaat	tggcttcaac	atgagaaagc	tcctacagaa	gaagggaaaa	60
aagagctgct	ggccctaagt	aacgcgaacc	cctcgtgct	ggagcggcac	tgtgcctacc	120
tctaagccaa	gatcaactgaa	tgagcggacg	actgaggaca	tatgctttaa	gctcgaccca	180
ttcccatagc	gacgctcatc	actctgcttg	catgctcttc	aacctcagc	tgtcggctct	240
cgagctaccc	cctcaatgtc	atgcggcttc	cttcccatcc	gcccttcttc	gccgctgctc	300
agtactccgc	gttaggagac	cttcgtactt	agcggcccg	tcagagtagc	cgcc	354

<210> 450
 <211> 1073
 <212> DNA
 <213> Homo sapiens

<400> 450

ggaaacatca	tctacatgta	catgcagcca	ggagccaggt	cttcccagga	ccagggcaag	60
ttcctcaagc	tcttctacaa	cattgtcacc	ccccctcctca	atcctctcat	ctacaccctc	120
agaaacagag	aggtgaagg	ggcactggga	aggttgcttc	tggggaagag	agagctagga	180
aaggagtaaa	ggcatctcca	cctgacttca	cctccatcca	gggccaactgg	cagcatctgg	240
aacggctgaa	ttccagctga	tattagccca	cgactcccaa	cttgccctttt	tctggactttt	300
tgtgaggctg	tttcagttct	gacattatgt	gtttttgttg	ttgctcttaa	aattgagacg	360
gggtctcact	ctgtcaccta	gggtggagtg	cagtggtgcc	accatagctc	cttcgactat	420
tgggcttaag	cgatcctccc	ccacctcagc	cttccaagta	actgggacta	caggtgtgca	480
tactggcag	tgggaattgt	ggcttttctg	tcttctatgg	agacggggtc	ttgcctgtgt	540
tgccccaggc	tgggtccaaa	ccccctggcc	tcatgtgatc	ctcctgccat	ggcctcctaa	600
agttctggga	ttacaagtgt	gagtcactgt	gactggccaa	cattatgtga	tttatgtgtg	660
aacctatata	acacaaatca	tccccaaaa	ccccatcctg	gatctgtaaa	gcagctgcca	720
aagaatgaag	tgagagaaac	agttgtaaag	atgagtttcc	cacctactt	ataccagag	780
tgctaagag	gaaatcaact	cttcctcaat	cagagctttg	cctttgtttg	ttgttgtttg	840
cctttaaagt	ctaacacacc	tgacatgttt	cagtcagaat	gaccccaaat	gcactactgt	900
tctccacgtg	gtcccaagtg	cctctctgtt	tagggccatc	aaatcatgga	atgcagcaca	960
gtttgatatt	ttctatatcc	ccaattccta	cccaaacctt	ttcatgaaat	cgtagagttt	1020
gttttaccct	ttatctgggtg	taagattctg	cataaaccaa	gaagtgaacc	tgt	1073

<210> 451

<211> 2674

<212> DNA

<213> Homo sapiens

<400> 451

gcgcattgac	ccctagaaca	gcgctcgaat	tgccgcgtcg	acccacgcgt	gcgaaccac	60
acaatggcca	gcgataccag	cagcctgggtg	cagtcaccata	cttacaagaa	gcgagagccg	120
gccgacgtgc	cctatcagac	tgggcagctc	caccccgcca	tccgggtggc	agacctcctt	180
cagcacatca	cacagatgaa	gtgtgctggag	ggctacggct	tcaaggagga	atcagagagc	240
ttctttgaag	ggcagctctgc	accatgggac	tccgctaaga	aagatgagaa	cagaatgaag	300
aacagatacg	ggaatatcat	tgcatcacat	cattcccagag	tgaggctgca	gacaatagaa	360
ggagacacaa	actcagacta	tatcaatggc	aattatatcg	atggttatca	tgcacccaat	420
cattacattg	ctacccaagg	gccaatgcag	gaaaccatct	atgacttctg	gaggatgggtg	480
tggcacgaaa	acactgcaag	tatcatcatg	gtgaccaatc	ttgtggaagt	gggaagggtc	540
aaatgctgca	aatactggcc	agatgacaca	gagatatata	aagacattaa	agttacccta	600
atagaaacag	aactactggc	agaatatgtg	ataagaacat	ttgtctgttg	aaagagaggt	660
gtgcatgaaa	tccgagagat	cagacagttt	cacttccactg	gctggccgga	tcatgggggtc	720
ccctaccatg	ccaccggcct	gctgggatcc	gtgcggcaag	tcaagtccaa	gagcccgcct	780
agtgcaggcc	cactgggtgg	gcactgcagt	gctggtgcag	ggaggactgg	ctgtttcatc	840
gtcattgata	tcatgttgga	catggccgaa	aggggaagggg	tgcagacat	ctacaactgc	900
gtcaggggagc	tgcggtcacg	gagggtgaac	atggtgcaaa	cagaggagca	gtatgtgttt	960
atccacgatg	cgatcctgga	agcctgtctt	tgtggggaca	cctctgtgcc	tgcttcccaa	1020
gttaggtctc	tgtattatga	catgaacaaa	ctggatccac	agacaaactc	aagccagatt	1080
aaagaggaat	tccggacgct	aaacatgggtg	acaccaacgc	tgcgagtaga	ggactgcagc	1140
atcgactgtg	tgccccggaa	ccatgagaaa	aaccgggtgca	tggacatcct	gccccagac	1200
cgtgcctgct	ccttctcat	caccatcgat	ggggagagca	gcaactacat	caatgctgcc	1260
ctcatggaca	gctataaaca	gccttcagct	tttatagtca	cccagcatcc	tttgccaaac	1320
acagtgaag	acttttgag	actggctctg	gattatcact	gcacatccgt	agttatgcta	1380
aatgatgtgg	atcctgccca	gttgtgtcca	cagtactggc	cagaaaacgg	agtacacaga	1440
cacggcccca	tccaggtgga	atgtgtctct	gctgacctgg	aagaggacat	catcagcagg	1500

atattccgca	tttacaatgc	cgccagaccc	caagatggat	atcggatggt	gcagcaattc	1560
cagttcctgg	gctggccgat	gtacagggac	acaccagtgt	ctaagcgctc	cttcttgaag	1620
ctcattcgcc	aggtggacaa	gtggcaagag	gaatacaatg	gcggggaagg	ccgcaccggt	1680
gtgcactgct	tgaacggggg	aggccgcagt	gggacgttct	gcgccatcag	catcgtatgt	1740
gagatgctcc	ggcaccagag	aaccgtggat	gtctttcacg	ctgtgaagac	actgaggaac	1800
aacaagccca	acatggtcga	cctcctggat	cagtacaagt	tctgctacga	ggtggccctg	1860
gaataacttga	attctggctg	atgggtgtaa	cagctctgca	aacaatccct	ttcataccac	1920
aaagccaaga	cgttccatgg	tatttgtgca	aaagagatga	agacttctca	atatgcttat	1980
tttgctttgc	ataattggct	ctttttaaga	gcccagaaa	gtgtttctaa	aattgcttgc	2040
actgcccatt	cccagtaatg	ctgctgcctg	acagaaacac	acacacagcc	acagttgcca	2100
aatcccgtag	tccttgccac	cggcttccca	gagcagcgta	gacagctggg	aaactgaaga	2160
gcacaactat	attcttatga	aggaatttgt	acctttgggg	tattattttg	tggcccgtag	2220
ccctcgttat	tgttacagct	gagtgtatgt	ttttgttctg	tggagaatgc	tatctggcat	2280
tatggtaata	tattatttta	ggtaatatat	gtactttaac	atgttgcata	atatatgctt	2340
atgtagcttt	ccaggactaa	cagataaatg	tgtaatgaac	aaagatatgt	tgtatgagtc	2400
gtcgtttctg	tcagatttgt	attgtttcca	agggaaaagc	ttgggggagg	actcagttca	2460
caaaatgcaa	aactcaacga	tcagattcac	ggaccagag	cttttccatg	tgtttatatt	2520
gtaaataatt	ttgatttcat	cgaaattatt	tattcattaa	aagaaatttt	tgtgaagcac	2580
agtgaagtac	aatcattttt	cttaaggcct	ggaaacgatt	ttctgtatga	tgttacttta	2640
tgtgaattct	catctcaata	aatgatgacc	cgtg			2674

<210> 452

<211> 601

<212> DNA

<213> Homo sapiens

<400> 452

tttttttttt	tttcagcggg	aaaaatgtgg	attttaatgga	atgaaggatg	aaagggcccg	60
aagccagcaa	gtctcgcccc	acctaccagc	ccccaccag	cttcccaagg	gtctcagagg	120
gacactcttg	gcaactggct	ttcacatctg	ttcaacaacc	cctgagctga	aaagttgcag	180
tgggaggcct	ccagctcagc	aggtggactc	caaaataccc	ctcttgtctt	atccactoca	240
ggtcgggggc	aggggaagcac	atggggctgc	ttctgccacg	ttccctccac	agccatcccc	300
aaggccaggc	acacaggcac	catccaaggg	cctgccccct	agcagtgaga	ctctagctct	360
gtgagtctga	gcagtgaggt	cctgggggtg	gcgggagccg	agggctcctg	tgggttccgc	420
tggggcaggt	cctcggctgg	gcacatgagc	tgacggattc	tctctctgaa	ggggcccttg	480
agggttccga	gtctgtagag	gctccaggca	ggaatgcaga	ccatggagga	cagagccagg	540
agccagccca	gggcatcgcc	ccaccacggg	tacgtgtact	tcttgttgta	ggtcagcgga	600
g						601

<210> 453

<211> 474

<212> DNA

<213> Homo sapiens

<400> 453

cgacccacgc	gtgcgggac	ctatcgaaaa	ggattgggtg	gactgggcca	tgattagcag	60
gtagggggcag	tgatggaggg	tggctcaggc	caggggggtg	acctgctcat	tgcaggtaga	120
ccctgagtga	gagtggggca	ctcttctccc	tgggtccacc	ccctctctca	ctcaagtcct	180

cttctgcccc	taggccttat	agcacccctgc	gagattgcct	ggagcacttt	gcagagttgt	240
ttgacctggg	cttccccaat	cccttggcag	agaggatcat	ctttgagact	caccagatcc	300
actttgccaa	ctgctccctg	gggcagccca	ccttctctga	ccccccagag	gatgtactcc	360
tggccatgat	catagccccc	atctgcctca	tcccccttct	catcactctt	gtagtatgga	420
ggagtaaaga	cagtgaggcc	caggcctaag	gggccacgag	cttctcacia	ccat	474

<210> 454

<211> 1838

<212> DNA

<213> Homo sapiens

<400> 454

tttttttttt	ttatatattaa	aaattaatttt	aatgcttggc	taaatcttaa	ttacatatat	60
anttatcaaa	cgatagtcct	taattttccaa	aaaaattcct	cttttgaaaa	tccagaatca	120
gaaagcataa	actttttaaac	caagttcccc	tgaatatatta	caatgtggta	taaacattat	180
agaagaccat	ggatattaaa	ttgcctgggg	tgtggctaata	cagcaaggcg	tattctttat	240
tgcataattta	actcacatat	gtgggatttt	aaatatgaca	gactactaaa	attcaaatgc	300
atgtatctgc	aagctgggca	gggagtaaaa	tcatgaatga	gacaggacgg	tcagcccaaa	360
accatgcaat	taggttgtgg	gtttattatt	ttcaaaaagt	aaatttctat	gttccatttg	420
aaactatgtt	gcataatcat	ttagcattca	cattaaaccc	acatttgact	ctaacgctga	480
ttcaaggaag	aaagttcaac	attcactcaa	tgactaagtc	cacaactcaa	ctctcaatgt	540
taaggcagca	cagctacagt	gatagcaacg	ctaaccacaaa	ggtaatgaac	atttagtcac	600
ttgccagccc	ttttgttaca	acagtgtagt	aatttcccta	agacaatttg	ctaccggata	660
attttctgct	gttaaaaaggc	ttcctctgtg	gaaaaacacc	acaaatttcc	agtgtgaaag	720
taagtccatg	gtggtataaa	tatatatatg	cataattaca	caatttacac	tgcacacatc	780
gtttacaggg	gacaattaac	tgagaggggt	aatttaaatg	accatacaaa	atacttcagt	840
aaacaaagta	tgacaggcag	taaagaaaac	attcatagac	tcctagaaat	aatctgaatt	900
cctttcattc	tgaagaaata	tcattttaagg	acacagtatt	gaatataatg	ttttttgtat	960
taaaacaaga	attgctatatt	tacagtttaa	gaaactttac	atatatacaa	aatttacaca	1020
ttgggaatgg	taatcaagca	aatagggttt	tcagtctcat	agatctatatt	tccttcgata	1080
aaagacttaa	attcctttcac	attgtgggtca	cttgcaacag	acatagcatg	atccaaagct	1140
cgaacacttg	caaggagttt	tactatctgt	tttatgtttt	cccttgcat	tcttttttcc	1200
acatcagaac	acccgatact	atttctataa	attgtatccg	ctaagtgtac	aaggatatcg	1260
caaaagtttt	ctaactgaga	aatagtcctt	tctcctttca	gattcatgaa	ccattgtttg	1320
gggaaacaat	tgattacatt	ttgggctttt	ttgatgctgt	catctccata	ttctgaattc	1380
tgaaaagcca	tgagaatata	tcgatttaata	aaaccatcta	ttgataactc	ttgcagagtt	1440
ttatttgaga	aaatgccata	ccactgaaga	aaattgccta	acagcttaac	tgaagaccaa	1500
aactgtcggt	gaaaaaacaa	gtaaggccca	gaatttttat	tttctaagac	atttttggga	1560
tataagggca	taaatacatc	atcatctaaa	gttctttctca	ttctcaataa	aagtgccttt	1620
aggtatacct	gtgtattttt	attttctgca	ttcactactg	aaggatatcc	attgattaat	1680
tttagtgtaa	ttcccacat	tcttgaagtc	tgtgtttag	aaaaagggtc	ccacatattt	1740
tcagctatca	ctgttagttt	aggaagaatc	accttttcca	caatggtagg	tagtagggca	1800
acatctacat	catctttttc	ttgctctcgt	tcttcaca			1838

<210> 455

<211> 1790

<212> DNA

<213> Homo sapiens

agtattagaa	gtaaagggaa	cacacagcta	aaagttttac	tttaatcaca	aattcacaac	300
tagagatata	atttgcatat	cttagaacgc	taaagacctg	ttaaaatttt	ttaaccaatc	360
agcaaaaaata	tgtgccccac	agattttctaa	tgttcataat	ttagaatttta	tcacatataa	420
tattttattaa	tagttttattt	gcaaaattat	tattctttaa	acactttctt	ccaacacatt	480
tacaatgttc	atgtgtttta	aagaaaaaaa	ccacctcat	ttaaaaatgt	actactgact	540
ttaatgtgtg	gttataaccag	tgccaccaa	ttagaaaaga	aaaagaaaca	tacagctgta	600
ttggatatgt	agttactact	acaaataatg	acaacacacg	tcctatacaa	agatcatatt	660
cacgcttttc	taccacttct	cagtcattgt	cagaaccatt	tggaggtaag	aaaaccaatg	720
catcattgaa	aatatggccc	aaatgcctta	aggcggata	ccccatacat	catcacatgc	780
atctgatttg	gagtcagtc	attaaaagta	acagccatat	ctgaacaaca	gccttctact	840
acctggttgg	ggtgataagt	cattgcctct	ttaatagaaa	gccaacaga	tttgggtatta	900
aatacatctt	ttccatcagc	atcttctgca	ttttctgcaa	atactccagc	atatttcagg	960
caaactgcta	gctgtttatc	ttcagatata	ttccaaatca	tccctccctg	ttcaggacac	1020
ttttctggga	tattgagaag	gctgttaagt	cttttcattg	attctacact	taagacaatt	1080
cctccttcca	taccacata	ttcaaggctc	ccagatttta	tagtgtggcc	tagatagaaa	1140
ggctgtgatg	gatccttttt	taacaaaaaa	tacttttaggt	tttcaatgat	agcaaacgta	1200
gtggggcggtg	caaggaagaa	ccagttgtat	tggctctctat	acttacaat	acgcctttga	1260
taagtataga	gaccaatata	actggttctt	ccttgca			1297

<210> 459

<211> 777

<212> DNA

<213> Homo sapiens

<400> 459

tttttttttt	ttctgaagaa	gcatttatta	gcatgcaggg	cccatgctag	aggctcctta	60
tttccagggc	aaggccagcg	agacagagcc	cattgctcag	gaocgagccc	agattgcaaa	120
gagaggacag	cccatggttag	cggagaagaa	tctggcggag	agcaactgtac	ttggggtcct	180
tctctcgag	ctggcggtag	ggatcgggac	cctgggtggt	gcctgggtacc	tccccacca	240
ggcctcgctc	cttctccacg	gtttgcaggg	cccacatggc	agctgtggtg	cggggttcca	300
gccagcgggc	gttgacagtg	gccagcgtaa	ggctcaggaa	cagcaggtaa	agctggctgg	360
cctcccagaa	tgtgagctga	gccaagcat	gctgtgaagc	caagatgcag	aggttgatga	420
aggcacagcc	catggagatg	tggaaagtaga	aggggaagag	tttgctctgc	actagtccga	480
aggtatgtcg	gggaaggctt	cggaaaagca	ggaagcctga	gacgaaggtc	accacattt	540
gcatgcccc	ggcacctgac	aagaccagta	gatggaccat	cttaatcagg	cctcctaggt	600
tcccgcttc	ctccatcttg	cagtcctgta	ggaaccggga	cctcaatccg	cagcaccggt	660
attecagagaa	cagaggcgctc	ggggccaaat	gggtgaatc	tggtagctca	ctcccagcc	720
cccgggtgga	cagcgacct	cctcgccgc	gtccctcgt	gggtttcccc	tcgtgcc	777

<210> 460

<211> 859

<212> DNA

<213> Homo sapiens

<400> 460

cctgtggaag	aagagcagga	tggagagcat	ggctctggctg	atgttgcggt	tgcagatgcc	60
ctcgttgatc	aggtagcagg	ggccccgag	caccggtct	agcgaatcct	gccgcattat	120
gctgttgagc	ttgtcggtat	tgaggttctc	aaagaccagc	ttttcctgca	gctgccgaaa	180

gttgetcact	gtagggctgc	ccgggttgtt	gttctccccg	ctgetgcctc	gctggagccc	240
actccgatgg	gccagggtcca	ggcagcagtt	gcagcagtcg	aggccgacag	gtgagcggca	300
atcgagcttg	gactggggcca	tcttctcagg	ctcggaggtc	gcctggcctg	cgaggtcagg	360
ggcggctggc	aggtgcgcgc	ccaccgagct	ggcctgaggg	gactccaggg	tgcttgaaa	420
agacaagctg	tgaggaaaag	agttggaaat	tagcgcctaa	agccagccac	cttcggctcg	480
gcccccttct	ggctgtactg	ctccgggtgc	gaatagaaac	agctggacaa	acagctccga	540
gcggatecct	cgggctcact	tcctcctctt	cctccttctc	ctccccctcc	tcttgaggcc	600
ggggggccgc	cccctgaggt	gccacacgcg	gccccagcgc	agtcaccaagt	ttcccaagtg	660
tgagcgggga	ttggggcgga	cctgtggagg	caggaagggc	gggcagcagg	gcagagggag	720
agccaggggc	cgcccttgct	ccctccctcc	tttgctccct	ccctcccccg	tttgagggct	780
ctcaggctct	cgggctcccc	tgggctgtga	cggctgagcg	gtggcaggag	ctgagagcga	840
gtgagctacg	aaatcgctcg					859

<210> 461

<211> 1975

<212> DNA

<213> Homo sapiens

<400> 461

agaaatcagc	tttcttcaca	gaagtcagtg	ccgtgggtac	ccattttaaa	atccctgccca	60
ctttgggcta	tcgtagttgc	acacttttct	tacaactgga	ctttttatac	tttattgaca	120
ttattgccta	cttatatgaa	ggagatccta	aggttcaatg	ttcaagagaa	tggtttttta	180
tcttcattgc	cttatttagg	ctcttggtta	tgtatgatcc	tgtctggtca	agctgctgac	240
aatttaaggg	caaaatggaa	tttttcaact	ttatgtgttc	gcagaatttt	tagccttata	300
ggaatgattg	gacctgcagt	attcctggta	gctgctggct	tcattggctg	tgattattct	360
ttggccgttg	ctttcctaac	tatatcaaca	acactgggag	gcttttgctc	ttctggattt	420
agcatcaacc	atctggatat	tgctccttcg	tatgctggta	tcctcctggg	catcacaat	480
acatttgcca	ctattccagg	aatgggtggg	cccgctcattg	ctaaaagtct	gaccctgat	540
atggggatct	cgctccatcg	cccaggctgg	agtgcagtg	cgtgatcttg	gttactgca	600
acttccatct	cccaggttca	agtgattctc	ctacctcagc	ctcctgagta	tctgggatta	660
caggcgcccc	tcaccacgcc	cagctaattt	tttgatattt	tagtagagat	ggggtttcac	720
catgctggcc	aggctggtct	cgaactcctg	atctcatgat	tcgcccacct	cagcccccca	780
aagtgcctgg	attacaggca	tgagccaccg	tgccccggccg	cttcgcattt	ttcttttgca	840
ggttgcatgc	cagccaatat	tcctctgtgc	tggaaggga	aagtttgagg	atgtatcaag	900
accatagcag	tgatctcac	tgctcttgcc	tactcagggc	tttatctaca	cattgatagc	960
ccctcagagg	aaaggcacca	gccgaagagt	cgacactggc	tctgggcttg	gatgctgcct	1020
ctgataaacg	ctgggcactc	tgacctgaa	gccagggagg	gagtgccttg	cagctgcctg	1080
ggcacactcc	cctcagtcca	gttgccaggc	gaaattatac	agtggatggc	agctccacag	1140
agatgctaaa	gtttgaggtc	taagtgtcag	agagagctga	caatttttat	gaggaaagtg	1200
aacaacaaca	ggtgtttatc	agtacctgag	aattatcatc	tagtttaatt	aagcaaaggt	1260
atcaggaggt	ctgtttcagc	tcattccctt	tagtatggcc	ctaaaaaatc	aacagaactg	1320
tcctacttca	tgttgcccga	ctagcaggca	ggtatgtgaa	cctaaagtag	aagtcctagc	1380
ttacatatta	ttcataatta	aacacagttc	attttattat	tctggcaact	agtgatattt	1440
catgattata	ggccttaaaa	atctaataca	agtacaatta	aaaaaagaca	tagaatgctt	1500
acacaataca	gaaggcactt	tgaggttaca	tgataaataa	aaatacat	atagaggcag	1560
gattatttat	tggttccttc	agtgtctgtg	tccatggtga	tcattgagag	cccagttttg	1620
tacttcacct	ttggcgaaat	agtgttaaag	aaaatggcac	caaaaacatt	aatagcagca	1680
gcaatataga	acacggtttg	ccattctcca	acagtgttat	caggggtcag	acttttagca	1740
atgacgggcc	caaccattcc	tggaaatagt	gcaaatgtat	ttgtgatgcc	caggaggata	1800
ccagcagcag	aaggagcaat	atccagatgg	ttgatgctaa	atccagaaga	gcaaaagcct	1860
cccagtgttg	ttgatatagt	taggaaagca	acggccaaag	aataatcaca	gccaatgaag	1920
ccagcagcta	ccaggaatac	tgcagggtcca	atcattccta	taaggctaaa	aattc	1975

<210> 462
 <211> 716
 <212> DNA
 <213> Homo sapiens

<400> 462
 actgatagcc ctcgaaaccg ttgaggaccc tccgggacga cccacgcgtc cgcacacagt 60
 gggcatccag gatctccccg aggtagcctg agccgccacc ccagctccca gctggcaggt 120
 cctgggggtgg aggggggtga aggcacccag aaacctcggg actacatcat ccttgccatc 180
 ctgtcctgct tctgccccat gtggcctgtc aacatcgtgg ccttcgctta tgctgtcatg 240
 tcccggaaaca gctgcagca gggggacgtg gacggggccc agcgtctggg ccgggtagcc 300
 aagctcttaa gcatcgtggc gctggtgggg ggagtcctca tcatcatcgc ctctgcgctc 360
 atcaacttag gcgtgtataa gtgaggggct ctgccccgca tcccagact tttcttctg 420
 ttgggagctg ccttggggccc attccctccc ctggggggag cccaactgat ggccctggcc 480
 ccacccttaa ggaccaaggg agcctgagcg gccttgttta cagcttctgt cctgctcctg 540
 catctttgcc agggctcctt tgccaactgt aagggccttg cctcattccc tggcaatggg 600
 tccaacctcc ctgcactaat gctgcacatc cctccggcct cttggccccc tatccctgca 660
 cttctgggaa acctccctgg cactctggga aacctccctg gaacaacttc ccaaact 716

<210> 463
 <211> 595
 <212> DNA
 <213> Homo sapiens

<400> 463
 ctttttttct tttttttata aaacatgtca catcttgatg cagttgatgt caagtgtgct 60
 taagtcatta tgaatcaaga gactaacaat agtggctgca gaaacagggt tgttgtctgt 120
 acaaagactt caggtaaatt atagtacttc catgttagct gtgcatgtcc accacgcttt 180
 gtctgtaact cgagtagaaa aagatgttgt gttttaatta atcattcctt acaattcaag 240
 atgaactcca catatttaag aattcttggc tgaaagaaaa gtcttcaaga tactggatgc 300
 ctctcaccac ttgacaata aacacacaag aaaaccattg tgtaaggcac tcaaaagggt 360
 cttatcaatc acgagagatc agtcacactg acattcattc ccatgccagg actcacgtaa 420
 gggacagcat gcactgcttt gggaaattct ggagtcataa caggtccatt ttctccagta 480
 cttcctgtaa ttgacagcct tgccttgctc ctcatggcat cattcaagggt catcttaaat 540
 gagagaggag ggaaagaaa aaaaagagat catacgttat ggttttcaaa tgcatt 595

<210> 464
 <211> 2017
 <212> DNA
 <213> Homo sapiens

<400> 464
 tttttttttt ttccttttaa aaactttatt taaatggaga ctcttagtca aatgattgga 60

aaaccaataa	cgaaaaatag	ttcttcaggt	tcttctcctg	gaaaggcgga	ggacacacca	120
aactgcactg	gccctgtcag	gggacacggc	accctcgtgg	gaccaggctc	agccctcggg	180
gtggcacgag	gtcctgcagg	ctgcaggacc	ctcacactcc	agccccgtct	ggtgacccaa	240
cccgggcccc	tgggtgcatgc	tggggaaggc	cactggccgg	ccccctgggt	tgggtcctctg	300
aggaggcatg	gccccacacc	ctgcccggcc	ataaatatat	acagattcct	gggcatccag	360
ggcaccagga	ccgacgcaga	gctggggctc	tgtccctaag	cctgtggcac	agcgactctt	420
gacatgggag	ccagggagct	gggaccgcgc	cacccctccc	ctgcctccct	cctgggggtca	480
ccaccctcag	gcggctgcc	gctggcctag	gacgcggcgg	aactgctggg	tgtgtgtggc	540
cagctccttg	accctctcca	ccatgtcctg	ggccgcggaa	ggcgatgggt	actgcaaggc	600
agcggccttg	gtggtggcca	cgatgccgcg	caggaggtcg	cacagcaggt	tgtgtgtagt	660
ggtcacctgg	ctgcgcacgt	cagcagcctt	ggcctgcctg	gacagtgtgt	ccccgatgaa	720
caccagcttg	tgggcgctga	ggatgacgaa	cttgctgtgc	gccacaaaga	tcttgggcgg	780
ctggttggtg	gccacggcgg	taaagaaggc	gtccacggcg	ttggtcagtg	tggtcagggt	840
ggcctcacac	tgtctcaggt	agaagagcag	cagctgccgg	tccgagggcc	ccaggccgcc	900
tgttcgcccc	ggggccaggg	gttgggctgg	cgtccagttg	gccaggtcgt	ggtctatggg	960
ccgtgacacc	tctgtttcca	gtcgttcaaa	ctgcttcagc	tgtgtcaact	ccagctggct	1020
cttgccctgc	cgctgatgc	tgcccttttc	cagcagctcc	ttctgggtct	tctcaaactc	1080
ctccttcccc	tgtagggtga	cgtagtcata	gtcctccatc	cagccccctc	cgctgttctc	1140
gtactgcccc	tctggcgagt	cctgggaggt	gaacttaggg	ggtgagggca	ggggtcgtga	1200
ctggatgctg	ctggtcttgt	cagtgggggt	ggggtgcagg	gtgccacccc	cctcaggccc	1260
cggggcagtg	gccttggtcc	gtctgaagag	cagtgaggca	ttgccgtgca	ggaaggaggc	1320
cagctgcttg	gcgtcctcgg	gcacagcccg	cgagcaggcc	accagccggg	ccaggctctc	1380
aagggtggct	ccagagcctc	cccggccagc	gtcagggggc	tgaccatgtg	ccaccagcgt	1440
ctggtgcacg	tctcccatct	tctgcagctg	ccggctaagc	ttggcatgca	gggcacggtc	1500
agatgtgtgg	gcagcattgc	ccaccgcgct	gcgggcaaac	tccaacagct	cgtggacggc	1560
actctggacg	gcggccacag	cagcctgcag	gtcctgcacc	agcggctcct	gtggctcaga	1620
ggggctacgc	cagctcccag	tgcaccggc	gctgcctgcc	aggtccagaa	ggtgggcaac	1680
ggtggcgctc	acaccctgct	gcagccgtgc	cagggcctcc	acagcaactt	ccagctccag	1740
gggttccccg	cccggccctg	ccacctccaa	ggaggacgca	gactggctgc	tgcgtgtgct	1800
gccggtgctg	gaggccgaca	ggcgcttgcc	ctctgccggg	gcttcacgtt	cagctggggg	1860
aggcaccgca	tacacaccac	tgtcgaccac	gccaccatca	gccacctcag	gaggaagcac	1920
ccgttcacgg	ggcacatcgt	acagggtgcc	cgggcccaggc	cgccgcaagc	cagggggcac	1980
gtcgtagagg	tcaggagccg	ggggcggcac	gtcatcc			2017

<210> 465

<211> 1575

<212> DNA

<213> Homo sapiens

<400> 465

ggatttctgt	tcttccggct	gggagtggcc	gctctaggca	gcgttgaggt	cgcggggttg	60
aggggggttg	tgaaaggaga	gcggcctctc	ctctatgggt	acggggccgg	ggcacgcttc	120
ccccactctg	tcttgttact	tccggtagcg	aagcctctcc	ctcttctctt	gctcccggcg	180
ggtctgtgct	gagaataatg	gcccggttgg	cccgggacga	gtggaatgat	taatgatgtt	240
ttgcagcagt	tttctacgtc	tgaaattttt	tatgtctctg	gaacccagaa	tttgctaaga	300
gatggaggaa	cctcagaaaa	gctatgtgaa	cacaatggac	cttgagagag	atgaacctct	360
caaaagcacc	ggccctcaga	tttctgttag	tgaattttct	tgccactgct	gctacgacat	420
cctgggttaac	cccaccacct	tgaactgtgg	gcacagcttc	tgccgtcact	gccttgcttt	480
atgggtggga	tcttcaaaga	aaacagaatg	tccagaatgc	agagaaaaat	gggaagggtt	540
ccccaaagt	agtattctcc	tcagggatgc	cattgaaaag	ttatttctct	atgccattag	600
actgagattt	gaagacattc	agcagaataa	tgacatagtc	caaagtcttg	cagcctttca	660
gaaatatggg	aatgatcaga	ttccttttag	tcctaacaca	ggccgagcga	atcagcagat	720
gggaggggga	ttcttttccg	gtgtgctcac	agctttaact	ggagtggcag	tggctcctgct	780
cgtctatcac	tggagcagca	gggaatctga	acacgacctc	ctggtccaca	aggctgtggc	840
caaatggacg	gcggaagaag	ttgtcctctg	gctggagcag	ctggggccct	gggcatctct	900
ttacagggaa	aggtttttat	ctgaacgagt	aaatggaagg	ttgcttttaa	ctttgacaga	960

ggaagaattt	tccaagacgc	cctataccat	agaaaacagc	agccacagga	gagccatcct	1020
catggagcta	gaacgtgtca	aagcattagg	cgtgaagccc	ccccagaatc	tctgggaata	1080
taaggctgtg	aacccaggca	ggccctgtgt	cctgctatac	gccctcaaga	gctccccag	1140
gctgagtctg	ctctacctgt	acctgtttga	ctacaccgac	accttcctac	ctttcatcca	1200
caccatctgc	cctctgcaag	aagacagctc	tggggaggac	atcgtcacca	agcttctgga	1260
tcttaaggag	cctacgtgga	agcagtggag	agagtccctg	gtcaaatact	ccttccttcc	1320
ataccagctg	attgctgagt	ttgcttggga	ctggttggag	gtccattact	ggacatcacg	1380
gtttctcctc	atcaatgcta	tgttactctc	agttctggaa	ttattctcct	tttgagagaat	1440
ctggtcgaga	agtgaactga	agtaagtatg	ttttaatggg	tgtcacaaca	ggggatggga	1500
aagaaatacc	aagtgaagaga	aagatcctct	tttatttctc	acacttgaaa	taaatcctcc	1560
atccaccag	aaaaa					1575

<210> 466

<211> 493

<212> DNA

<213> Homo sapiens

<400> 466

agaaaaggct	aggatgatat	atgaagatta	catttctata	ctatcaccaa	aagaggtcag	60
tcttgattct	cgagttagag	aggtgatcaa	tagaaatctg	ttggatccca	atcctcacat	120
gtatgaagat	gcccacttc	agatatatac	tttaatgcac	agagattctt	ttccaagggt	180
tttgaactct	caaatttata	agtcatttgt	tgaaagtact	gctggctctt	cttctgaatc	240
ttaatgttca	tttaaaaaca	atcatttttg	agggctgaga	tgggaaataa	aagtagttaa	300
ataacatcag	aaactgagtt	cctggagaac	tacagttag	cattcctcag	gctactgtga	360
aaacacaacc	gttatggtct	ttgtctccat	ttttatcaag	gttttccatg	gttaagtttg	420
gagaaaatac	cacacaaaac	aatgaattgc	caaattgttt	gttttattca	agactcaatc	480
tactttgcaa	gcg					493

<210> 467

<211> 1572

<212> DNA

<213> Homo sapiens

<400> 467

cttgactac	agtcaagatg	aggagtccaa	aataatgatc	agtgactttg	gattgtcaaa	60
aatggagggc	aaaggagatg	tgatgtccac	tgctgtgga	actccaggct	atgtcgctcc	120
tgaagtcctc	gccagaaac	cttacagcaa	agccgttgac	tgctgggtcca	tcggagtgat	180
tgctacatc	ttgctctgog	gctaccctcc	tttttatgat	gaaaatgact	ccaagctctt	240
tgagcagatc	ctcaaggcgg	aatatgagtt	tgactctccc	tactgggatg	acatctccga	300
ctctgcaaaa	gacttcattc	ggaacctgat	ggagaaggac	ccgaataaaa	gatacacgtg	360
tgagcaggca	gctcggcacc	catggatcgc	tggtgacaca	gccctcaaca	aaaacatcca	420
cgagtccgtc	agcgcccaga	tccggaaaaa	ctttgccaaag	agcaaatgga	gacaagcatt	480
taatgccacg	gccgtcgtca	gacatatgag	aaaactacac	ctcggcagca	gcctggacag	540
ttcaaattga	agtgttttca	gcagcctcag	tttggccagc	caaaaagact	gtgcgtctgg	600
caccttcacc	gctctgtagt	ttcatttctt	cttcgtcggg	ggtctcagga	gttgagccg	660
agcggagacc	caggcccacc	actgtgacgg	cagtgcactc	tggaaagcaag	tgactggccc	720
tggaggtggg	gcccggggtc	ggggctgggg	aaggggagcc	ccagggctcg	cagagcccg	780
agccactcca	gcgagacccc	accttgcatg	gtgccccttc	ctgcatagga	ctggaagacc	840